



 **KIRSCH**<sup>®</sup>  
DRAPERY HARDWARE  
ESTATE<sup>™</sup>

INNOVATING

# Comfort

For those who desire more flexibility in styling their residential or commercial drapery applications, Estate™ Traversing Rods are the most innovative solution. Excellence in functionality is showcased in each thoughtfully designed element that accommodates a variety of solutions to areas of particular concern. Your remarkable styling possibilities can finally be brought to life with our ingenious customizable Estate™ design solutions.



## CONTENTS

01\ Overview & Benefits

03\ Mounting Options

05\ Buckingham®

07\ Designer Metals™

09\ Wood Trends™

11\ Chroma

13\ Varia

15\ Briza™ Motorization

17\ Components

19\ In the Details

# OVERVIEW & BENEFITS

## Why Estate™?

The Estate™ Rod Collections are the flagship of the Kirsch® Decorative Drapery Hardware product lines. Estate™ rods are decorative, 1⅜ inch or 2 inch traversing drapery rods with wheeled carriers that are designed to carry today’s heavier draperies. Having set the interior design standard for decades, each of the Estate™ collections are characterized by inspired finials, premium finishes and precision engineered components. Buckingham®, Designer Metals™, Wood Trends™, Varia and Chroma Collections are featured in countless luxury venues and designer homes throughout the world.

## Benefits & Features

---

### Briza™ Motorization

- Easy to use
- Quiet, powerful motor
- Pleated or Ripplefold™ drapery heading styles
- Available on Estate™ Rods or Architrac® Series 94001 only
- For more information on Briza™ Motorization see page 24

### Ripplefold™

- Panels can be pressed flat, yet fall into folds
- Headings are suspended under the track
- No hooks or pins to install
- Stack back space is less than conventional Pleated draperies
- Draperies snap on and off carriers for easy installation
- Interior drapery appearance is identical to exterior-facing drapery appearance

### Pleated

- Can be used with most track systems using slip-in or pin-on hooks
- Headings can be suspended under the track or over the face of the track to conceal hardware
- A popular drapery heading style
- Four carriers per foot is standard, additional carriers or rings can be ordered if necessary



## Estate™ at a Glance

To help determine which system is right for your project, use the guideline below to select the best fit. For more detailed information about each track, please visit our resource library at [kirsch.com](https://www.kirsch.com).

| ESTATE™ SERIES                                     | BUCKINGHAM® | DESIGNER METALS™ | WOOD TRENDS™ | VARIA NEW | CHROMA |
|----------------------------------------------------|-------------|------------------|--------------|-----------|--------|
| <b>What is your preferred size?</b>                |             |                  |              |           |        |
| 1⅜ inch                                            | •           | •                | •            |           |        |
| 2 inch                                             | •           | •                | •            | •         | •      |
| <b>What is your preferred Draw type?</b>           |             |                  |              |           |        |
| Cord Draw                                          | •           | •                | •            | •         | •      |
| Hand   Baton Draw                                  | •           | •                | •            | •         | •      |
| Briza™ Motorized                                   | •           | •                | •            | •         | •      |
| <b>What is the preferred Drapery Heading type?</b> |             |                  |              |           |        |
| Pleated                                            | •           | •                | •            | •         | •      |
| Ripplefold™                                        | •           | •                | •            | •         | •      |
| <b>What is your mounting location?</b>             |             |                  |              |           |        |
| Ceiling Mount*                                     | •           | •                | •            | •         | •      |
| Wall Mount                                         | •           | •                | •            | •         | •      |
| <b>What is your preferred look?</b>                |             |                  |              |           |        |
| With rings                                         | •           | •                |              |           |        |
| Without rings                                      | •           | •                | •            | •         | •      |

\* Finial choices may be limited for ceiling mounted Estate™ Rods.

### Estate™ Rod with Standard Hand/Baton Draw & Cord

| DRAW    | MINIMUM TRACK LENGTH | MAXIMUM TRACK LENGTH | MAXIMUM FABRIC WEIGHT | LBS. PER FOOT |
|---------|----------------------|----------------------|-----------------------|---------------|
| ONE-WAY | 18"                  | 16'                  | 64 LBS.               | 4 LBS.        |
| TWO-WAY | 18"                  | 16'                  | 64 LBS.               | 4 LBS.        |

### Estate™ Rod with Briza™ Motorization

| DRAW    | MINIMUM TRACK LENGTH | MAXIMUM TRACK LENGTH | MAXIMUM FABRIC WEIGHT | LBS. PER FOOT |
|---------|----------------------|----------------------|-----------------------|---------------|
| ONE-WAY | 18"                  | 16'                  | 100 LBS.              | 6.25 LBS.     |
| TWO-WAY | 18"                  | 16'                  | 100 LBS.              | 6.25 LBS.     |

# MOUNTING OPTIONS

## Bracket Spacing

Place bracket at each end, place next bracket a maximum of 24" from first, then place remaining brackets at 48" intervals over the remainder of the track. Spacing may need to be shortened for heavier draperies. All mounting options are compatible with our Briza™ Motorization.



### USING 94129061, 1856973, 1856978 or 1857324

| 1 3/8" WALL MOUNT | 2" WALL MOUNT |
|-------------------|---------------|
|                   |               |

### USING 94130xxx and 1796061


| 1 3/8" CEILING MOUNT | 2" CEILING MOUNT |
|----------------------|------------------|
|                      |                  |

### USING 94125xxx, 1796061 and 94130xxx


| 1 3/8" DOUBLE MOUNT | 2" DOUBLE MOUNT |
|---------------------|-----------------|
|                     |                 |

## USING 71132xxx and 94130xxx

1 3/8" DOUBLE STAGGERED MOUNT




2" DOUBLE STAGGERED MOUNT




## USING 71132xxx and 94130xxx

1 3/8" DOUBLE MOUNT WITH SUPERFINE™




2" DOUBLE MOUNT WITH SUPERFINE™




## USING 94125xxx, 1796061 and 94130xxx

2" & 1 3/8" DOUBLE MOUNT




2" & 1 3/8" DOUBLE STAGGERED MOUNT




# BUCKINGHAM®


## Available Sizes



## Available Draw Types



## Available Colors



2" ESTATE™ ROD  
WITH SLIDES  
Sterling shown.  
Custom sizes only.  
Available in all colors.


2" ESTATE™ ROD  
WITH RIPLEFOLD™  
Venetian shown.  
Custom sizes only.  
Available in all colors.

1½" ESTATE™ ROD  
WITH RIPLEFOLD™  
Ornate shown.  
Custom sizes only.  
Available in all colors.




# DESIGNER METALS™


## Available Sizes



## Available Draw Types



## Available Colors





### 2" ESTATE™ ROD WITH RINGS

Polished Nickel shown.  
Custom sizes only.  
Available in 2".  
Available in all colors.  
Additional rings sold separately.  
*Select finishes are color coordinated.*  
*Refer to price guide for details.*




### 2" ESTATE™ ROD WITH SLIDES

Black shown.  
Custom sizes only.  
Available in 1 3/8", 2".  
Available in all colors.  
*Select finishes are color coordinated.*  
*Refer to price guide for details.*




### 1 3/8" ESTATE™ ROD WITH SLIDES

Antique Silver shown.  
Custom sizes only.  
Available in 1 3/8", 2".  
Available in all colors.  
*Select finishes are color coordinated.*  
*Refer to price guide for details.*



### 2" ESTATE™ ROD WITH RIPLEFOLD™

Gilded Bronze shown.  
Custom sizes only.  
Available in 1 3/8", 2".  
Available in all colors.  
*Select finishes are color coordinated.*  
*Refer to price guide for details.*




### ESTATE™ KEYSTONES


Gilded Bronze shown.  
Available in 1 3/8", 2".  
Available in all colors.  
*Select finishes are color coordinated.*  
*Refer to price guide for details.*

# WOOD TRENDS™


## Available Sizes



## Available Draw Types



## Available Colors



WOOD TRENDS™  
2" ESTATE™ ROD  
WITH SLIDES  
Dark Chocolate shown.  
Custom sizes only.  
Available in all colors.

WOOD TRENDS™  
2" ESTATE™ ROD  
WITH RIPLEFOLD™  
Truffle shown.  
Custom sizes only.  
Available in all colors.

\* Unfinished is available in 2" Wood Trends™ only.





# CHROMA

## Available Sizes



2"

## Available Draw Types



Hand



Baton



Cord



Motorized

## Available Colors



Vellum Reflect



Cayman



Lemon Reflect



Mythical



Smudge




Jello



Rockport



Clementine



Vellum




Citron



Cityscape



Lapis



CHROMA  
2" ESTATE™ ROD  
WITH SLIDES  
Cayman shown.  
Custom sizes only.  
Available in all colors.

CHROMA  
2" ESTATE™ ROD  
WITH RIPPLEFOLD™  
Citron shown.  
Custom sizes only.  
Available in all colors.



CHROMA  
2" ESTATE™ ROD  
WITH SLIDES  
Smudge shown.  
Custom sizes only.  
Available in all colors.

# VARIA

## Available Sizes



2"

## Available Draw Types



Hand



Baton




Cord



Motorized

## Available Colors




Pure Gold




Connection Mini Pure




Pure Silver




Connection Mini Gray



Hem Thames




Hint Spotted




Hem Tetons




Fray Baltic




Hem Ashland



Fray Smoke



Flock Cotton 2



Strand White




VARIA  
2" ESTATE™ ROD  
WITH SLIDES &  
BRIZA™ MOTORIZATION

Shown in Hem Thames  
Custom sizes only.

NEO SMART  
CONTROLLER APP

Connect your Briza™ motor to your  
smart home with the Briza™ Neo  
Smart Controller for the ultimate  
control in creating your smart home.





# BRIZA™ MOTORIZATION

## Motorization System

- Soft start/stop & manual operation
- Tug feature; when drapery is pulled the motor will traverse the drapery
- Automatic limits on end stop
- Favorite/intermediate position available
- Dry contact for external control
- Radio technology
- Setting with buttons on motor unit
- Setting with external dry contact switch
- LED Indicators
- One-Way and Two-Way Draw
- Pleated
- Ripplefold™
- Neo Smart Controller for easy installation with third party home systems

## Additional Information

| SIDE VIEW                                                                          | FRONT VIEW                                                                         | BOTTOM VIEW                                                                       | MOTORIZED TRACK FEATURES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | BRIZA™ MOUNT |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------|----------|---------|----------------------|----------------|-------------------|----------|--------|-------|--------------------|--------|----------------|----|------------------|-------------------------------------------|-----------|---------|--|
|  |  |  | <table><tr><td>Power Supply</td><td>24 VDC<br/>(AC adapter for 110-24v)</td></tr><tr><td>Amperage</td><td>1500 mA</td></tr><tr><td>Average Linear Speed</td><td>7.8 inches/sec</td></tr><tr><td>Power Consumption</td><td>40 watts</td></tr><tr><td>Torque</td><td>1.2Nm</td></tr><tr><td>Power Cable Length</td><td>9 feet</td></tr><tr><td>Certifications</td><td>CE</td></tr><tr><td>Max Track Length</td><td>Estate™ – 16ft<br/>Architrac® 94001 – 20ft</td></tr><tr><td>Max. Load</td><td>100 lbs</td></tr></table> | Power Supply | 24 VDC<br>(AC adapter for 110-24v) | Amperage | 1500 mA | Average Linear Speed | 7.8 inches/sec | Power Consumption | 40 watts | Torque | 1.2Nm | Power Cable Length | 9 feet | Certifications | CE | Max Track Length | Estate™ – 16ft<br>Architrac® 94001 – 20ft | Max. Load | 100 lbs |  |
| Power Supply                                                                       | 24 VDC<br>(AC adapter for 110-24v)                                                 |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Amperage                                                                           | 1500 mA                                                                            |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Average Linear Speed                                                               | 7.8 inches/sec                                                                     |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Power Consumption                                                                  | 40 watts                                                                           |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Torque                                                                             | 1.2Nm                                                                              |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Power Cable Length                                                                 | 9 feet                                                                             |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Certifications                                                                     | CE                                                                                 |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Max Track Length                                                                   | Estate™ – 16ft<br>Architrac® 94001 – 20ft                                          |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |
| Max. Load                                                                          | 100 lbs                                                                            |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |                                    |          |         |                      |                |                   |          |        |       |                    |        |                |    |                  |                                           |           |         |  |

\* Briza™ Motorization is available on Estate™ Rods and Architrac® Series 94001 only.








# BRIZA™ MOTORIZATION

## Component Overview

| ITEM                                                                                | PRODUCT<br>NUMBER & FINISH                                           | DESCRIPTION                                      | ITEM                                                                                | PRODUCT<br>NUMBER & FINISH                                           | DESCRIPTION                                                    |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|--------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------|
|    | 84500025 White                                                       | Drapery Motor BTE DC 24v                         |    | 84513025 White                                                       | Briza™ Neo Smart Controller                                    |
|    | 84501025 White<br>84501059 Black<br>84501061 Gray<br>84501064 Bronze | Drapery Motor Head Adapter Right Hand Wall Mount |    | 84509061                                                             | Adjustable Pulley Right                                        |
|    | 84502025 White<br>84502059 Black<br>84502061 Gray<br>84502064 Bronze | Drapery Motor Head Adapter Left Hand Wall Mount  |    | 84508061                                                             | Adjustable Pulley Left                                         |
|    | 84503025 White<br>84503059 Black                                     | Drapery Motor Master Carrier Adapter             |    | 84523000                                                             | Briza™ Estate™ Motor Head Adapter Somfy® Right                 |
|    | 84504025 White                                                       | Drapery Motor Belt Connector Front               |    | 84524000                                                             | Briza™ Estate™ Motor Head Adapter Somfy® Left                  |
|   | 84505025 White                                                       | Drapery Motor Belt Connector Back                |   | 84525059 Black<br>84525064 Bronze<br>84525061 Gray<br>84525025 White | Drapery Motor Head Adapter Right Ceiling Mount                 |
|  | 84506025 White                                                       | Drapery Motor Belt Connector Clip                |  | 84526059 Black<br>84526064 Bronze<br>84526061 Gray<br>84526025 White | Drapery Motor Head Adapter Left Ceiling Mount                  |
|  | 84510000                                                             | Motor Belt                                       |  | 84527000                                                             | Briza™ Architrac® Series 94001 Motor Head Adapter Somfy® Right |
|  | 84511025 White                                                       | Remote Control 5 Channels                        |  | 84528000                                                             | Briza™ Architrac® Series 94001 Motor Head Adapter Somfy® Left  |
|  | 84512025 White                                                       | DC Adapter 24v                                   |                                                                                     |                                                                      |                                                                |

\* Briza™ Motorization is available on Estate™ Rods and Architrac® Series 94001 only.



# IN THE DETAILS

## All together

Color coordinated components are used for a style that looks just as effortless as it is to operate our premium Estate™ rods.

## Carriers

---

### 16mm Carriers



### 25mm Carriers


Compatible with Buckingham® Estate™ Rings for pinch pleat only.



### Ripplefold™ Pendants



### Ripplefold™ Wheeled Carriers



## Rings

---

### Buckingham® Estate™ Rings




### Designer Metals™ Estate™ Rings



# Brackets

## Ceiling Bracket

For use when mounting on the ceiling is needed. Please note depth allowed for finial styles.  
Part 94130XXX to be used in conjunction with part 1796061 for ceiling mount.



Zinc  
1796061



White  
94130025



Anodized  
94130090

## Standard Wall Bracket

For a wall mounting application when a standard 3½" return is needed.  
Return: 3½"–4½"



Zinc  
94129061



Satin Nickel  
1856973



Brushed Bronze  
1856978



Black  
1857324

## Double Wall Bracket

To create a layered look with a decorative Estate™ Rod over an Architrac™ traverse rod.  
Return: 6"



White  
94125025



Anodized  
94125090

## Double Rod Bracket

To create a layered look with a decorative Estate™ Rod over a basic drapery hardware rod.  
Top Return: 6" Bottom Return: 3½"–4½"



Black  
71132006



Satin Nickel  
71132012



Satin Brass  
71132110



Antique Brass  
71132062



BUCKINGHAM®  
redefining luxury

DESIGNER METALS™  
inspiring brilliance

WOOD TRENDS™  
renewing traditions

WROUGHT IRON  
forging artistry

RENAISSANCE™  
awakening perfection

ARCHITRAC®  
practical precision

ESTATE™  
innovating comfort