

GLYDEA™ DRAPERY TRACK

TABLE OF CONTENTS

MOTORIZED DRAPERY TRACKS AND CONTROLS

Drapery Track Features2
How to Quote Motorized Drapery Tracks2
Glydea™ – RTS Motorized Tracks for Pinch Pleat Draperies, One Way and Split Draw3
Glydea™ – RTS Motorized Tracks for RippleFold® Draperies, One Way4
Glydea™ – RTS Motorized Tracks for RippleFold® Draperies, Split Draw5
Glydea™ – RTS Motorized Tracks for RippleFold® Draperies, One Way Butt Arm6
Glydea™ – RTS Motorized Tracks for RippleFold® Draperies, Split Draw Butt Arms.7
Glydea™ – Motor Options.8
Glydea™ – Options: Brackets Type8
Bracket Mounting Recommendations (Top View of Track)8
Radio Frequency Controls9
Integration Devices.10
Specialty Radio Frequency Controls10
Motorized Drapery Track Pricing11
How to Order Motorized Drapery Track12
Motorized Drapery Track Order Form12

RippleFold® is a registered trademark of Kirsch.
Z-Wave® is a registered trademark of Zensys, Inc. and its subsidiaries.

Motorized Drapery Track Features

DRAPERY TRACK FEATURES

Motorized drapery tracks feature Somfy radio frequency motors and accessories. All Somfy radio frequency motors utilize Somfy's proprietary protocol "Radio Technology Somfy" (RTS). Motorized drapery tracks feature the following:

- Draperies can be operated from virtually anywhere in the home up to 65 feet
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Automatic or adjustable limit setting
- Rail design and swivel ceiling bracket minimize the light gap
- Soft start and soft stop
- Spring loaded one-touch hardware (wall and ceiling mount)
- Motor can also be installed to the right or to the left side of the track
- Inverse (top mount) options allows the motor to be installed above the track
- Exclusive cable cover allows you to reverse cable direction for easier access to power
- Touch Motion feature allows the user to activate the motorized drapery simply by pulling on the fabric; two sensitivity settings available
- Manual Override disengages the motor when drapery is adjusted manually; this is ideal for power outages and also protects the fabric from damage
- "My" function allows user to set a preferred drapery openness position for easy access
- Adjustable Speed: 4.9"/s to 7.86"/s
- Motor design and the use of a belt drive provides quiet operation (<44dBA)

Multiple control options available:

- Remote: Convenient, portable control (single, five, or sixteen channel available)
- Wall switch: Control drapery when entering or exiting a room with the simple push of a button
- Timer: Allows you to program operation at certain times of the day
 - Manage heat loss and gain automatically; a great way to reduce your energy bill in any season
 - Protect furniture from harmful UV rays
 - Improve security by making your home look occupied
- Automation interface: Multiple interface options are available to allow your motorized drapes to integrate with third party automation systems

HOW TO QUOTE MOTORIZED DRAPERY TRACKS

1. Identify track type and track preference price chart

Page 3 Pinch Pleat Draperies
Pages 4-7 Ripplefold® Draperies

Using the chart, identify track width price\$ _____
If finished track width is 5.5 ft. use 6 ft track width price.

2. Identify motor preferences and add motor price (page 8)\$ _____

3. Select bracket type and identify appropriate quantity and add price\$ _____
Recommend one bracket by each pulley end and one every 24".


4. Optional – Select RTS Control\$ _____

Total\$ _____

Drapery Motors and Accessories

GLYDEA™ – RTS MOTORIZED TRACKS FOR PINCH PLEAT DRAPERIES, ONE WAY AND SPLIT DRAW

Use the following chart to determine appropriate price. If drapery track final measurement is 5 ft. 5 inches select the 6 ft. track width price. Each custom drapery track includes rail, pulleys, return hooks, master carriers, carriers, and arm kits.



PINCH PLEAT WIDTH, BRACKET, AND CARRIER COUNTS


Width (In.)	Suggested Number of Brackets	ONE WAY			SPLIT DRAW		
		Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price
4 Ft (48in)	3	12	28100-04	\$502	12	28101-04	\$535
5 Ft (60in)	3	15	28100-05	\$556	16	28101-05	\$593
6 Ft (72in)	3	18	28100-06	\$605	18	28101-06	\$635
7 Ft (84in)	3	21	28100-07	\$648	22	28101-07	\$684
8 Ft (96in)	3	24	28100-08	\$700	24	28101-08	\$733
9 Ft (108in)	4	27	28100-09	\$753	28	28101-09	\$789
10 Ft (120in)	4	30	28100-10	\$1150	30	28101-10	\$1180
11 Ft (132in)	4	33	28100-11	\$1193	34	28101-11	\$1230
12 Ft (144in)	5	36	28100-12	\$1257	36	28101-12	\$1290
13 Ft (156in)	5	39	28100-13	\$1300	40	28101-13	\$1337
14 Ft (168in)	5	42	28100-14	\$1360	42	28101-14	\$1390
15 Ft (180in)	6	45	28100-15	\$1407	46	28101-15	\$1440
16 Ft (192in)	6	48	28100-16	\$1500	48	28101-16	\$1530
17 Ft (204in)	6	51	28100-17	\$1553	52	28101-17	\$1590
18 Ft (216in)	7	54	28100-18	\$1603	54	28101-18	\$1637
19 Ft (228in)	7	57	28100-19	\$1703	58	28101-19	\$1740
20 Ft (240in)	7	60	28100-20	\$1763	60	28101-20	\$1797
21 Ft (252in)	8	63	28100-21	\$1810	64	28101-21	\$1843
22 Ft (264in)	8	66	28100-22	\$1867	66	28101-22	\$1897
23 Ft (276in)	8	69	28100-23	\$1942	70	28101-23	\$1978
24 Ft (288in)	9	72	28100-24	\$2017	72	28101-24	\$2050
25 Ft (300in)	9	75	28100-25	\$2075	76	28101-25	\$2108
26 Ft (312in)	9	78	28100-26	\$2143	78	28101-26	\$2173
27 Ft (324in)	10	81	28100-27	\$2180	82	28101-27	\$2213
28 Ft (336in)	10	84	28100-28	\$2251	84	28101-28	\$2284
29 Ft (348in)	10	87	28100-29	\$2310	88	28101-29	\$2344
30 Ft (360in)	11	90	28100-30	\$2380	90	28101-30	\$2414
31 Ft (372in)	11	93	28100-31	\$2438	94	28101-31	\$2471
32 Ft (384in)	11	96	28100-32	\$2503	96	28101-32	\$2533
33 Ft (396in)	12	99	28100-33	\$2555	100	28101-33	\$2592
34 Ft (408in)	12	102	28100-34	\$2630	102	28101-34	\$2663
35 Ft (420in)	12	105	28100-35	\$2672	106	28101-35	\$2708
36 Ft (432in)	13	108	28100-36	\$2733	108	28101-36	\$2763

Carrier count is based on actual ordered width.
All spliced tracks and tracks over 16' are subject to a crating surcharge.


Drapery Motors and Accessories

GLYDEA™ – RTS MOTORIZED TRACKS FOR RIPPLEFOLD® DRAPERIES, ONE WAY

Use the following chart to determine appropriate price. If drapery track final measurement is 5 ft. 5 inches select the 6 ft. track width price. Each custom drapery track includes rail, pulleys, return hooks, master carriers, carriers, and arm kits. RippleFold draperies can have 80%, 100%, and 120% fullness.




RippleFold®



Included Arms

One Way Overlap Arm Kit



RippleFold® Type Carriers

80% Fullness


100% Fullness

120% Fullness


Carrier Spacing: 2 3/4"

Carrier Spacing: 2 1/2"

Carrier Spacing: 1 1/2"



One Way



Bottom up view of track and drapery assembly

RIFFLEFOLD® WIDTH, BRACKET, AND CARRIER COUNTS


Width (In.)	Suggested Number of Brackets	ONE WAY 80%			ONE WAY 100%			ONE WAY 120%		
		Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price
4 Ft (48in)	3	20	28103-04	\$558	24	28105-04	\$575	28	28107-04	\$595
5 Ft (60in)	3	25	28103-05	\$623	30	28105-05	\$646	35	28107-05	\$673
6 Ft (72in)	3	30	28103-06	\$685	36	28105-06	\$712	42	28107-06	\$742
7 Ft (84in)	3	35	28103-07	\$741	42	28105-07	\$774	49	28107-07	\$808
8 Ft (96in)	3	40	28103-08	\$807	48	28105-08	\$847	56	28107-08	\$883
9 Ft (108in)	4	45	28103-09	\$876	54	28105-09	\$916	63	28107-09	\$959
10 Ft (120in)	4	50	28103-10	\$1283	60	28105-10	\$1333	70	28107-10	\$1380
11 Ft (132in)	4	55	28103-11	\$1343	66	28105-11	\$1397	77	28107-11	\$1447
12 Ft (144in)	5	60	28103-12	\$1420	72	28105-12	\$1477	84	28107-12	\$1533
13 Ft (156in)	5	65	28103-13	\$1477	78	28105-13	\$1537	91	28107-13	\$1600
14 Ft (168in)	5	70	28103-14	\$1550	84	28105-14	\$1617	98	28107-14	\$1680
15 Ft (180in)	6	75	28103-15	\$1607	90	28105-15	\$1680	105	28107-15	\$1750
16 Ft (192in)	6	80	28103-16	\$1717	96	28105-16	\$1793	112	28107-16	\$1867
17 Ft (204in)	6	85	28103-17	\$1783	102	28105-17	\$1863	119	28107-17	\$1943
18 Ft (216in)	7	90	28103-18	\$1847	108	28105-18	\$1933	126	28107-18	\$2017
19 Ft (228in)	7	95	28103-19	\$1960	114	28105-19	\$2050	133	28107-19	\$2140
20 Ft (240in)	7	100	28103-20	\$2033	120	28105-20	\$2127	140	28107-20	\$2223
21 Ft (252in)	8	105	28103-21	\$2093	126	28105-21	\$2193	147	28107-21	\$2290
22 Ft (264in)	8	110	28103-22	\$2163	132	28105-22	\$2267	154	28107-22	\$2370
23 Ft (276in)	8	115	28103-23	\$2252	138	28105-23	\$2362	161	28107-23	\$2472
24 Ft (288in)	9	120	28103-24	\$2340	144	28105-24	\$2453	168	28107-24	\$2567
25 Ft (300in)	9	125	28103-25	\$2412	150	28105-25	\$2528	175	28107-25	\$2648
26 Ft (312in)	9	130	28103-26	\$2493	156	28105-26	\$2616	182	28107-26	\$2739
27 Ft (324in)	10	135	28103-27	\$2543	162	28105-27	\$2673	189	28107-27	\$2800
28 Ft (336in)	10	140	28103-28	\$2631	168	28105-28	\$2761	196	28107-28	\$2894
29 Ft (348in)	10	145	28103-29	\$2700	174	28105-29	\$2837	203	28107-29	\$2974
30 Ft (360in)	11	150	28103-30	\$2787	180	28105-30	\$2930	210	28107-30	\$3070
31 Ft (372in)	11	155	28103-31	\$2855	186	28105-31	\$3001	217	28107-31	\$3148
32 Ft (384in)	11	160	28103-32	\$2933	192	28105-32	\$3087	224	28107-32	\$3237
33 Ft (396in)	12	165	28103-33	\$3002	198	28105-33	\$3158	231	28107-33	\$3315
34 Ft (408in)	12	170	28103-34	\$3090	204	28105-34	\$3250	238	28107-34	\$3413
35 Ft (420in)	12	175	28103-35	\$3145	210	28105-35	\$3312	245	28107-35	\$3475
36 Ft (432in)	13	180	28103-36	\$3220	216	28105-36	\$3390	252	28107-36	\$3560

Carrier count is based on actual ordered width.
All spliced tracks and tracks over 16' are subject to a crating surcharge.


Drapery Motors and Accessories

GLYDEA™ – RTS MOTORIZED TRACKS FOR RIPPLEFOLD® DRAPERIES, SPLIT DRAW

Use the following chart to determine appropriate price. If drapery track width is 5 ft. 5 in. select 6 ft. track width. Each custom drapery track includes rail, pulleys, return hooks, master carriers, carriers, and arm kits. RippleFold draperies can have 80%, 100%, and 120% fullness.



RippleFold®




Split Draw

Included Arms



Straight Arm Kit & Overlap Arm Kit

RippleFold® Type Carriers



80% Fullness


100% Fullness

120% Fullness

Carrier Spacing: 2 3/4"

Carrier Spacing: 2 1/8"

Carrier Spacing: 1 7/8"



RIPPLEFOLD® WIDTH, BRACKET, AND CARRIER COUNTS


Width (In.)	Suggested Number of Brackets	SPLIT DRAW 80%			SPLIT DRAW 100%			SPLIT DRAW 120%		
		Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price
4 Ft (48in)	3	20	28102-04	\$588	24	28104-04	\$608	28	28106-04	\$628
5 Ft (60in)	3	25	28102-05	\$660	30	28104-05	\$680	35	28106-05	\$706
6 Ft (72in)	3	30	28102-06	\$715	36	28104-06	\$745	42	28106-06	\$772
7 Ft (84in)	3	35	28102-07	\$778	42	28104-07	\$808	49	28106-07	\$844
8 Ft (96in)	3	40	28102-08	\$840	48	28104-08	\$877	56	28106-08	\$917
9 Ft (108in)	4	45	28102-09	\$913	54	28104-09	\$949	63	28106-09	\$996
10 Ft (120in)	4	50	28102-10	\$1317	60	28104-10	\$1363	70	28106-10	\$1410
11 Ft (132in)	4	55	28102-11	\$1380	66	28104-11	\$1427	77	28106-11	\$1483
12 Ft (144in)	5	60	28102-12	\$1453	72	28104-12	\$1510	84	28106-12	\$1567
13 Ft (156in)	5	65	28102-13	\$1513	78	28104-13	\$1570	91	28106-13	\$1637
14 Ft (168in)	5	70	28102-14	\$1580	84	28104-14	\$1647	98	28106-14	\$1713
15 Ft (180in)	6	75	28102-15	\$1643	90	28104-15	\$1710	105	28106-15	\$1787
16 Ft (192in)	6	80	28102-16	\$1747	96	28104-16	\$1823	112	28106-16	\$1900
17 Ft (204in)	6	85	28102-17	\$1820	102	28104-17	\$1897	119	28106-17	\$1980
18 Ft (216in)	7	90	28102-18	\$1880	108	28104-18	\$1963	126	28106-18	\$2050
19 Ft (228in)	7	95	28102-19	\$1997	114	28104-19	\$2083	133	28106-19	\$2177
20 Ft (240in)	7	100	28102-20	\$2067	120	28104-20	\$2160	140	28106-20	\$2253
21 Ft (252in)	8	105	28102-21	\$2130	126	28104-21	\$2223	147	28106-21	\$2327
22 Ft (264in)	8	110	28102-22	\$2193	132	28104-22	\$2300	154	28106-22	\$2403
23 Ft (276in)	8	115	28102-23	\$2288	138	28104-23	\$2392	161	28106-23	\$2505
24 Ft (288in)	9	120	28102-24	\$2373	144	28104-24	\$2487	168	28106-24	\$2600
25 Ft (300in)	9	125	28102-25	\$2448	150	28104-25	\$2562	175	28106-25	\$2685
26 Ft (312in)	9	130	28102-26	\$2526	156	28104-26	\$2646	182	28106-26	\$2769
27 Ft (324in)	10	135	28102-27	\$2580	162	28104-27	\$2703	189	28106-27	\$2837
28 Ft (336in)	10	140	28102-28	\$2661	168	28104-28	\$2794	196	28106-28	\$2924
29 Ft (348in)	10	145	28102-29	\$2737	174	28104-29	\$2870	203	28106-29	\$3010
30 Ft (360in)	11	150	28102-30	\$2820	180	28104-30	\$2960	210	28106-30	\$3104
31 Ft (372in)	11	155	28102-31	\$2891	186	28104-31	\$3035	217	28106-31	\$3185
32 Ft (384in)	11	160	28102-32	\$2967	192	28104-32	\$3117	224	28106-32	\$3267
33 Ft (396in)	12	165	28102-33	\$3038	198	28104-33	\$3188	231	28106-33	\$3348
34 Ft (408in)	12	170	28102-34	\$3123	204	28104-34	\$3283	238	28106-34	\$3443
35 Ft (420in)	12	175	28102-35	\$3182	210	28104-35	\$3342	245	28106-35	\$3512
36 Ft (432in)	13	180	28102-36	\$3250	216	28104-36	\$3420	252	28106-36	\$3590

Carrier count is based on actual ordered width.
All spliced tracks and tracks over 16' are subject to a crating surcharge.


Drapery Motors and Accessories

GLYDEA™ – RTS MOTORIZED TRACKS FOR RIPPLEFOLD® DRAPERIES, ONE WAY BUTT ARM

Use the following chart to determine appropriate price. If drapery track width is 5 ft. 5 in. select 6 ft. track width. Each custom drapery track includes rail, pulleys, return hooks, master carriers, carriers, and arm kits. RippleFold draperies can have 80%, 100%, and 120% fullness.



One Way




Included Arms



One Way Butt Arm Kit


RippleFold® Type Carriers



Carrier Spacing: 2 5/8"

Carrier Spacing: 2 1/8"

Carrier Spacing: 1 7/8"



RIPPLEFOLD® WIDTH, BRACKET, AND CARRIER COUNTS


Width (In.)	Suggested Number of Brackets	ONE WAY 80%			ONE WAY 100%			ONE WAY 120%		
		Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price
4 Ft (48in)	3	20	28109-04	\$548	24	28111-04	\$568	28	28113-04	\$585
5 Ft (60in)	3	25	28109-05	\$616	30	28111-05	\$640	35	28113-05	\$663
6 Ft (72in)	3	30	28109-06	\$675	36	28111-06	\$705	42	28113-06	\$732
7 Ft (84in)	3	35	28109-07	\$734	42	28111-07	\$768	49	28113-07	\$801
8 Ft (96in)	3	40	28109-08	\$800	48	28111-08	\$837	56	28113-08	\$873
9 Ft (108in)	4	45	28109-09	\$866	54	28111-09	\$909	63	28113-09	\$953
10 Ft (120in)	4	50	28109-10	\$1277	60	28111-10	\$1323	70	28113-10	\$1370
11 Ft (132in)	4	55	28109-11	\$1333	66	28111-11	\$1387	77	28113-11	\$1440
12 Ft (144in)	5	60	28109-12	\$1410	72	28111-12	\$1467	84	28113-12	\$1523
13 Ft (156in)	5	65	28109-13	\$1467	78	28111-13	\$1530	91	28113-13	\$1590
14 Ft (168in)	5	70	28109-14	\$1540	84	28111-14	\$1607	98	28113-14	\$1673
15 Ft (180in)	6	75	28109-15	\$1600	90	28111-15	\$1670	105	28113-15	\$1740
16 Ft (192in)	6	80	28109-16	\$1707	96	28111-16	\$1783	112	28113-16	\$1857
17 Ft (204in)	6	85	28109-17	\$1777	102	28111-17	\$1857	119	28113-17	\$1937
18 Ft (216in)	7	90	28109-18	\$1840	108	28111-18	\$1923	126	28113-18	\$2010
19 Ft (228in)	7	95	28109-19	\$1953	114	28111-19	\$2043	133	28113-19	\$2130
20 Ft (240in)	7	100	28109-20	\$2023	120	28111-20	\$2120	140	28113-20	\$2213
21 Ft (252in)	8	105	28109-21	\$2083	126	28111-21	\$2183	147	28113-21	\$2,283
22 Ft (264in)	8	110	28109-22	\$2153	132	28111-22	\$2257	154	28113-22	\$2363
23 Ft (276in)	8	115	28109-23	\$2245	138	28111-23	\$2352	161	28113-23	\$2462
24 Ft (288in)	9	120	28109-24	\$2333	144	28111-24	\$2447	168	28113-24	\$2560
25 Ft (300in)	9	125	28109-25	\$2402	150	28111-25	\$2522	175	28113-25	\$2638
26 Ft (312in)	9	130	28109-26	\$2483	156	28111-26	\$2606	182	28113-26	\$2729
27 Ft (324in)	10	135	28109-27	\$2537	162	28111-27	\$2663	189	28113-27	\$2790
28 Ft (336in)	10	140	28109-28	\$2621	168	28111-28	\$2754	196	28113-28	\$2884
29 Ft (348in)	10	145	28109-29	\$2690	174	28111-29	\$2830	203	28113-29	\$2967
30 Ft (360in)	11	150	28109-30	\$2777	180	28111-30	\$2920	210	28113-30	\$3060
31 Ft (372in)	11	155	28109-31	\$2848	186	28111-31	\$2995	217	28113-31	\$3141
32 Ft (384in)	11	160	28109-32	\$2927	192	28111-32	\$3077	224	28113-32	\$3227
33 Ft (396in)	12	165	28109-33	\$2992	198	28111-33	\$3148	231	28113-33	\$3305
34 Ft (408in)	12	170	28109-34	\$3083	204	28111-34	\$3243	238	28113-34	\$3403
35 Ft (420in)	12	175	28109-35	\$3138	210	28111-35	\$3302	245	28113-35	\$3468
36 Ft (432in)	13	180	28109-36	\$3210	216	28111-36	\$3380	252	28113-36	\$3550

Carrier count is based on actual ordered width.
All spliced tracks and tracks over 16' are subject to a crating surcharge.


Drapery Motors and Accessories

GLYDEA™ – RTS MOTORIZED TRACKS FOR RIPPLEFOLD® DRAPERIES, SPLIT DRAW BUTT ARMS

Use the following chart to determine appropriate price. If drapery track width is 5 ft. 5 in. select 6 ft. track width. Each custom drapery track includes rail, pulleys, return hooks, master carriers, carriers, and arm kits. RippleFold draperies can have 80%, 100%, and 120% fullness.




RippleFold®




Split Draw

Included Arms



Butt Master Arms

RippleFold® Type Carriers



80% Fullness

100% Fullness


120% Fullness

Carrier Spacing:
2 3/8"

Carrier Spacing:
2 1/8"

Carrier Spacing:
1 7/8"

Bottom up view of track and drapery assembly



RIPPLEFOLD® WIDTH, BRACKET, AND CARRIER COUNTS

Width (In.)	Suggested Number of Brackets	SPLIT DRAW 80%			SPLIT DRAW 100%			SPLIT DRAW 120%		
		BUTT ARMS (2)			BUTT ARMS (2)			BUTT ARMS (2)		
		Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price	Estimated Carrier Count	Item Part Number	Price
4 Ft (48in)	3	20	28108-04	\$578	24	28110-04	\$598	28	28112-04	\$618
5 Ft (60in)	3	25	28108-05	\$650	30	28110-05	\$670	35	28112-05	\$696
6 Ft (72in)	3	30	28108-06	\$705	36	28110-06	\$735	42	28112-06	\$762
7 Ft (84in)	3	35	28108-07	\$768	42	28110-07	\$798	49	28112-07	\$834
8 Ft (96in)	3	40	28108-08	\$830	48	28110-08	\$867	56	28112-08	\$907
9 Ft (108in)	4	45	28108-09	\$903	54	28110-09	\$939	63	28112-09	\$986
10 Ft (120in)	4	50	28108-10	\$1307	60	28110-10	\$1353	70	28112-10	\$1400
11 Ft (132in)	4	55	28108-11	\$1370	66	28110-11	\$1417	77	28112-11	\$1473
12 Ft (144in)	5	60	28108-12	\$1443	72	28110-12	\$1500	84	28112-12	\$1557
13 Ft (156in)	5	65	28108-13	\$1503	78	28110-13	\$1560	91	28112-13	\$1627
14 Ft (168in)	5	70	28108-14	\$1570	84	28110-14	\$1637	98	28112-14	\$1703
15 Ft (180in)	6	75	28108-15	\$1633	90	28110-15	\$1700	105	28112-15	\$1777
16 Ft (192in)	6	80	28108-16	\$1737	96	28110-16	\$1813	112	28112-16	\$1890
17 Ft (204in)	6	85	28108-17	\$1810	102	28110-17	\$1887	119	28112-17	\$1970
18 Ft (216in)	7	90	28108-18	\$1870	108	28110-18	\$1953	126	28112-18	\$2040
19 Ft (228in)	7	95	28108-19	\$1987	114	28110-19	\$2073	133	28112-19	\$2167
20 Ft (240in)	7	100	28108-20	\$2057	120	28110-20	\$2150	140	28112-20	\$2243
21 Ft (252in)	8	105	28108-21	\$2120	126	28110-21	\$2213	147	28112-21	\$2317
22 Ft (264in)	8	110	28108-22	\$2183	132	28110-22	\$2290	154	28112-22	\$2393
23 Ft (276in)	8	115	28108-23	\$2278	138	28110-23	\$2382	161	28112-23	\$2495
24 Ft (288in)	9	120	28108-24	\$2363	144	28110-24	\$2477	168	28112-24	\$2590
25 Ft (300in)	9	125	28108-25	\$2438	150	28110-25	\$2552	175	28112-25	\$2675
26 Ft (312in)	9	130	28108-26	\$2516	156	28110-26	\$2636	182	28112-26	\$2759
27 Ft (324in)	10	135	28108-27	\$2570	162	28110-27	\$2693	189	28112-27	\$2827
28 Ft (336in)	10	140	28108-28	\$2651	168	28110-28	\$2784	196	28112-28	\$2914
29 Ft (348in)	10	145	28108-29	\$2727	174	28110-29	\$2860	203	28112-29	\$3000
30 Ft (360in)	11	150	28108-30	\$2810	180	28110-30	\$2950	210	28112-30	\$3094
31 Ft (372in)	11	155	28108-31	\$2881	186	28110-31	\$3025	217	28112-31	\$3175
32 Ft (384in)	11	160	28108-32	\$2957	192	28110-32	\$3107	224	28112-32	\$3257
33 Ft (396in)	12	165	28108-33	\$3028	198	28110-33	\$3178	231	28112-33	\$3338
34 Ft (408in)	12	170	28108-34	\$3113	204	28110-34	\$3273	238	28112-34	\$3433
35 Ft (420in)	12	175	28108-35	\$3172	210	28110-35	\$3332	245	28112-35	\$3502
36 Ft (432in)	13	180	28108-36	\$3240	216	28110-36	\$3410	252	28112-36	\$3580

Carrier count is based on actual ordered width.
All spliced tracks and tracks over 16' are subject to a crating surcharge.

Drapery Motors and Accessories

GLYDEA™ – MOTOR OPTIONS


Glydea offers a flexible solution for every installation.

- Motors include a 10 ft. power cord with plug
- Rail up to 36 ft. wide with Glydea 60e and up to 30 ft. with Glydea 35e

Motorized Track Main Characteristics

	Glydea™ 35e	Glydea™ 60e
Power supply	110 V AC 50/60 HZ	
Amperage	0.5A	1A
Average linear speed	4.9"/s to 7.86"/s	4.9"/s to 7.86"/s
Power consumption	60 W	120 W
Power cable type	3-prong plug	3-prong plug
Motorized track noise level	< 50 dB(A)	- < 44 dB(A)*
Certifications	c TUV us, CE	
Track maximum length	30 ft (9 m)	36 ft (10.9 m)
Maximum number of junctions	2	
Side opening max weight	77 lbs./19.6 ft 35 kg./6 m	132 lbs./19.6 ft 59 kg./6 m
Center opening max weight	77 lbs./19.6 ft 35 kg./6 m	132 lbs./19.6 ft 59 kg./6 m

Motor Dimensions



GLYDEA™ – OPTIONS: BRACKETS TYPE

Bracket selection is based on installation needs.

One Touch Ceiling Bracket



Swivel Ceiling Bracket



Adjustable Wall/Ceiling Mount Bracket



Projection 4.5" – 6"
Includes wall mount bracket
and one touch bracket


Double Adjustable Wall/Ceiling Mount Bracket



Projection 8.75" – 10.25"
Includes double wall mount
bracket and one touch
bracket

BRACKET MOUNTING RECOMMENDATIONS (TOP VIEW OF TRACK)

Manufacturer recommends 1 bracket by each pulley end and 1 bracket every 24". Additionally, 1 bracket should be placed on each side of a splice if used.



*Please note splice preference in special instructions section of order form.
All spliced tracks and tracks over 16' are subject to a crating surcharge.

Options

Motorized Glyda™ Drapery Tracks and shades feature Somfy radio frequency motors and accessories. All Somfy radio frequency motors utilize Somfy's proprietary protocol "Radio Technology Somfy" (RTS).

RADIO FREQUENCY CONTROLS (RTS RANGE 65 FT.)			
	<p>Telis Hand-held Remotes</p> <ul style="list-style-type: none"> • Compatible with all Somfy RTS Motors • Used to control single window covering on each channel or group window coverings performing the same function • Battery included • Remote includes convenient mounting hardware for hanging when not in use <table border="0"> <tr> <td data-bbox="456 516 938 590"> <p>Telis 1, Single Channel Remote Available colors -Interior: White, Silver, Black, White/Blue</p> </td> <td data-bbox="943 516 1523 590"> <p>Telis 4, Five Channel Remote Available colors -Interior: White, Silver, Black, White/Blue</p> </td> </tr> </table>	<p>Telis 1, Single Channel Remote Available colors -Interior: White, Silver, Black, White/Blue</p>	<p>Telis 4, Five Channel Remote Available colors -Interior: White, Silver, Black, White/Blue</p>
<p>Telis 1, Single Channel Remote Available colors -Interior: White, Silver, Black, White/Blue</p>	<p>Telis 4, Five Channel Remote Available colors -Interior: White, Silver, Black, White/Blue</p>		
	<p>Telis 16, Sixteen Channel Hand-held Remote</p> <ul style="list-style-type: none"> • Compatible with all Somfy RTS Motors • Used to control a single window covering on each channel or group window coverings performing the same function • Convenient display provides easy identification of shade(s) being controlled • Battery included • Remote includes convenient mounting hardware for hanging when not in use • Available colors: Interior only – White, Silver 		
	<p>Decoflex Wireless Wall Switches</p> <ul style="list-style-type: none"> • Compatible with all Somfy RTS Motors • Used to control a single window covering on each channel or group window coverings performing the same function • Switches include button labels and mounting hardware to flush mount in drywall (wireless) • Battery included <table border="0"> <tr> <td data-bbox="456 1146 938 1220"> <p>Single Channel Wall Switch Available colors -Interior: White, Ivory, Black</p> </td> <td data-bbox="943 1146 1523 1220"> <p>Five Channel Wall Switch Available colors -Interior: White, Ivory, Black</p> </td> </tr> </table>	<p>Single Channel Wall Switch Available colors -Interior: White, Ivory, Black</p>	<p>Five Channel Wall Switch Available colors -Interior: White, Ivory, Black</p>
<p>Single Channel Wall Switch Available colors -Interior: White, Ivory, Black</p>	<p>Five Channel Wall Switch Available colors -Interior: White, Ivory, Black</p>		
	<p>Decoflex Table Top Remotes</p> <ul style="list-style-type: none"> • Compatible with all Somfy RTS Motors • Used to control a single window covering on each channel or group window coverings performing the same function • Switches include button labels • Battery included <table border="0"> <tr> <td data-bbox="456 1514 938 1629"> <p>Single Channel Table Top Remote Available colors -Interior: Silver, Black, White -Silver and Black include Black wall switch -White includes White wall switch</p> </td> <td data-bbox="943 1514 1523 1629"> <p>Five Channel Table Top Remote Available colors -Interior: Silver, Black, White -Silver and Black include Black wall switch -White includes White wall switch</p> </td> </tr> </table>	<p>Single Channel Table Top Remote Available colors -Interior: Silver, Black, White -Silver and Black include Black wall switch -White includes White wall switch</p>	<p>Five Channel Table Top Remote Available colors -Interior: Silver, Black, White -Silver and Black include Black wall switch -White includes White wall switch</p>
<p>Single Channel Table Top Remote Available colors -Interior: Silver, Black, White -Silver and Black include Black wall switch -White includes White wall switch</p>	<p>Five Channel Table Top Remote Available colors -Interior: Silver, Black, White -Silver and Black include Black wall switch -White includes White wall switch</p>		

Options

Motorized Glyda™ Drapery Tracks feature Somfy radio frequency motors and accessories. All Somfy radio frequency motors utilize Somfy's proprietary protocol "Radio Technology Somfy" (RTS).

INTEGRATION DEVICES



16 Channel Z-WAVE to RTS Bridge (ZRTSI II)

The ZRTSI II is a Z-Wave to RTS Interface which acts as a bridge controller between a Somfy RTS motor and Z-Wave network. It receives Z-Wave transmissions and converts them to motor control commands for wireless controlled motors. Each ZRTSI II is plugged into an active electrical outlet and has sixteen (16) RTS channels. Each channel can control one individual or one group of RTS motorized window coverings.

- Allows Z-Wave controllers to operate Somfy RTS motors
- 16 Channels of RTS control
- Can be controlled with Z-Wave only
- 65 ft. RTS range
- Plugs into wall outlet
- Dimensions: 2.75" W x 5.5"H x 1.5"D (not including plug)



Universal RTS Interface – URTSI II

The addressable Universal RTS Interface can be used to communicate between home automation or other third party systems and all Somfy (RTS) motors and controls. It is capable of individual or group control and can be operated via Infrared Remote, RS232 or RS485 serial communication. Once an input is activated, an RTS radio command is sent to the motorized window treatment. Up to 16 addressable channels are available.

- Used for third party integration of all Somfy RTS motors, including both line (120V A/C) and low voltage systems
- Converts IR/RS232/RS485 to control all Somfy Radio Frequency (RTS) motors
- 65 ft. RTS range
- Power: 9V-15V DC, 200mA draw for each Universal Interface – Transformer included
- Up to 16 URTSI II's can be used in one system

SPECIALTY RADIO FREQUENCY CONTROLS



Telis 1 Chronis RTS Timer

- Compatible with all Somfy RTS Motors
- Used to control a single window covering on each channel or group window coverings performing the same function
- Two timed functions available for programming shade operation
- Convenient display provides easy identification of shade(s) being controlled
- Battery included
- Remote includes convenient mounting hardware for hanging when not in use
- Available colors: White



Sunis Sun Sensor

The Somfy Sunis RTS Sun Intensity Sensor is a wireless transmitter compatible with RTS motorized window coverings. Window or sill mounted, the Sunis RTS operates motorized window coverings in accordance to the sun intensity. Sensitivity (threshold) settings can be adjusted to accommodate various sunlight intensity and room temperatures to provide the ultimate in comfort and protection from harmful UV rays.

The Somfy Sunis RTS controller communicates with all Somfy RTS controllable devices. The Sunis is a wireless, battery-powered, single channel RF programmable controller for an unlimited number of Somfy RTS motors. All motors assigned to the Sunis will operate simultaneously. When used with the Somfy RTS Motors, the Sunis will open or close the window coverings based on the amount of sun reaching the sensor.

- Two-position suction cup mounting
- Mounts to glass or window sill
- Powered by 3V Lithium battery (included)
- Controls unlimited RTS motors
- Controls RTS motors based on sun intensity
- Operating temperature: 32° F to 140° F
- INDOOR USE ONLY
- Dimensions: 2³/₁₆" diameter. x 3¹/₄" depth



(RTS) Repeater – Range Expander

The Repeater extends the range of all Somfy RTS controllers. Devices or motors that might have been previously out of range from an RTS transmitter can now be controlled by adding the RTS Repeater. The RTS Repeater should be placed approximately halfway between the RTS Somfy motor and controller. An LED is provided for confirmation that the unit is receiving the RTS. Repeater has the same typical range of other transmitters at approximately 65 ft. and plugs directly into any household AC outlet.

- Communicates with all Somfy (RTS) devices/motors
- Range Expander: Strengthens and extends the radio frequency signal (RTS) from control to motor
- Plug & Play: Plugs directly into any AC-Outlet. No programming needed
- LED Feedback
- Controls unlimited number of shades simultaneously
- Dimensions: 2.125" W x 4.125" H x 1.275" D (without antenna)

Drapery Motors and Accessories

MOTORIZED DRAPERY TRACK PRICING: RADIO FREQUENCY

See options sections for illustrations of motor, brackets, and controls listed below.

Identify track type and stack preference in drapery track pages 3-7. Select motor preference, select bracket type and quantity, and select a control (suggested one per order).

Motor Pricing

RTS MOTOR OPTIONS	
Glydea™ 35e	\$1222
Glydea™ 60e	1432

Bracket Pricing

Pricing is for each bracket, determine the quantity and include on order form.

BRACKET OPTIONS	
Glydea™ One Touch Ceiling Bracket	\$7
Adjustable Wall/Ceiling Mount Bracket 4.5" – 6" Projection Adjustable Wall /Ceiling Bracket Kit Includes double wall mount bracket and one touch bracket	22
Double Adjustable Wall/Ceiling Mount Bracket 8.75" – 10.25" Projection Double Wall Mount Bracket Kit Includes double wall mount bracket and one touch bracket	32
Swivel Ceiling Bracket (Recommended for curved tracks)	3

Spliced Track Surcharge Pricing

Crating Charge	\$297
----------------	-------

All spliced tracks and tracks over 16' are subject to a crating surcharge.

B. Motorization Controls

Controller – Select one or more remotes, wall switches, or timer per order. Controllers are wire-free and battery is included.

Radio Frequency Remote Controls

Telis 1 Single Channel RTS Remote: White	\$108
Telis 1 Single Channel RTS Remote: Black or Silver	176
Telis 1 Single Channel RTS Remote: White or Blue	134
Telis 4 Five Channel RTS Remote: White	145
Telis 4 Five Channel RTS Remote: Black or Silver	198
Telis 4 Five Channel Exterior RTS Remote: White/Blue	146
Telis 16 Channel Remote: White or Silver	590

Radio Frequency Wall Switches

DecoFlex Single Channel Wall Switch: White or Ivory	\$280
DecoFlex Single Channel Wall Switch: Black	340
DecoFlex Five Channel Wall Switch: White or Ivory	308
DecoFlex Five Channel Wall Switch: Black	350

Radio Frequency Table Top Remotes

DecoFlex Single Channel Table Top Remote: Black, White, or Silver	\$442
DecoFlex Five Channel Table Top Remote: Black, White, or Silver	454

Radio Frequency Timer

Telis 1 Chronis Timer: White	\$575
------------------------------	-------

Additional Radio Frequency Controls

Radio Frequency Repeater (plug-in)	\$584
Sunis RTS Sun Sensor (includes batteries)	466
ZRTSI II: 16-Channel Z-Wave to RTS Bridge (plug-in)	220
URTSI: 16-Channel Universal RTS Bridge (includes power cord)	1296


NOTE: The Home Automation Interface cannot be the sole controller for the motorized window treatment(s). A remote, wall switch or timer is needed with your window treatment(s).

Drapery Motors and Accessories

HOW TO ORDER MOTORIZED DRAPERY TRACK


1. Determine your drapery track width

Each track is custom built according to your specified width. Finished track width is measured pulley end to pulley end. Consider your drapery stack chart when determining your track width. (When fabricating your drapery add 1.5" to your return.)



2. Select your track type and stack preference

Both track types include carriers, the track charts include the carrier counts and suggested bracket counts.



On Ripplefold tracks only, you must choose a preferred arm with the track (overlap or butt arms). Straight and overlap arms do not have a light gap and provide complete blackout. Butt master arms will have a light gap.

3. Determine motor side preference

Left or right (image has left side motor).

4. Select motor preference

Glydea 35e or Glydea 60e.

5. Select bracket type

Choose the brackets based on your installation. Bracket options are: One touch ceiling bracket, Adjustable wall/ceiling mount bracket kit (4.5" - 6" or 8.7" - 10.25"), or Swivel bracket. Recommendation is one bracket by each pulley and one every 24".

6. Select RTS controls

All drapery tracks utilize Somfy radio frequency motors and can be operated with all RTS controls.

7. Crating

Add crating charge for all spliced tracks.

MOTORIZED DRAPERY TRACK ORDER FORM

Page _____ of _____

Account Name:	Account No.:	Date:	Target Date:
Mark For:		Purchase Order No.:	Quote No.:
Ship To: (Print full company name, address & phone number)		Shipping Instructions:	
		Special Instructions:	
Name:	Contact:		
Address:	Phone No.:	Fax No.:	

Line	Tag	Qty	Finished Track Width (in.)	Stack L - Left R - Right S - Split	TRACK TYPE A - Pinch Pleat B - Ripplefold 80% C - Ripplefold 100% D - Ripplefold 120%	Track Part Number	Price	Motor Side L - Left R - Right	RTS MOTOR		BRACKET TYPE*				RTS Controls	Price	Crating Charge (see SPLICE below)	Total Price Per Track
									A - Glydea 35e	B - Glydea 60e	Price	Qty	Price	Price				
1																		
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		
11																		
Total																		

SPECIAL INSTRUCTIONS

Controls - Circle Color				
Telis 1, Single Channel Remote	White	Silver	Black	White/Blue
Telis 4, Five Channel Remote	White	Silver	Black	White/Blue
Telis 16, Sixteen Channel Remote	White	Silver		
Decoflex Wireless Wall Switch, Single Channel	White	Ivory	Black	
Decoflex Wireless Wall Switch, Five Channel	White	Ivory	Black	
Decoflex Table Top Remote, Single Channel	White	Silver	Black	
Decoflex Table Top Remote, Five Channel	White	Silver	Black	
Telis 1, Chronis Timer	White			

BRACKETS & SPLICES
<p>*NOTE: Bracket quantity must be selected. Manufacturer recommends one (1) bracket by each pulley and one (1) bracket every 24". Additionally, one(1) bracket should be placed on each side of a splice if used.</p> <p>SPLICE Manufacturer includes a center splice every 16' of track. All spliced tracks and tracks over 16' are subject to a crating surcharge.</p>



Graber is a brand of Springs Window Fashions, the Best Experience Company
 Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

19-0751-00 (07/17) 17-5520|S140820