

# PLEATED SHADES

## Product Information Guide

### Features

Fabric Styles and Information . . . . .	4
Light Control and Privacy Levels . . . . .	4
Oeko-Tex® Standard 100 Certified Fabrics . . . . .	4
Summary . . . . .	5

### Control Type and Size Considerations

Cord Lift . . . . .	6
Depth Requirements for Inside Mount Cord Lift . . . . .	6
Cord Lift . . . . .	7
Bottom Up/Top Down Cord Lift . . . . .	8
Sun Up/Sun Down Cord Lift . . . . .	8
Cordless Lift . . . . .	9
Depth Requirements for Inside Mount Cordless Lift . . . . .	9
Cordless Lift . . . . .	10
Bottom Up/Top Down Cordless Lift . . . . .	10
Sun Up/Sun Down Cordless Lift . . . . .	11
Continuous-Loop Lift Shades . . . . .	12
Depth Requirements for Inside Mount Continuous-Loop Lift . . . . .	12
Continuous-Loop Lift . . . . .	13
Perfect-View® Cord Lift . . . . .	14
Depth Requirements for Inside Mount for Perfect-View . . . . .	14
Perfect-View Cord Lift . . . . .	15
Perfect-View Cordless Lift . . . . .	16
Depth Requirements for Inside Mount . . . . .	16
Perfect-View Cordless Lift . . . . .	17

### Options

Shade Liner . . . . .	18
Motorized Lift . . . . .	18
Multiple Shades on One Headrail . . . . .	19
Corner Windows . . . . .	20
Bay Windows . . . . .	21
Specialty Shapes: Arch Shades . . . . .	22
Specialty Shapes: Angle Top . . . . .	23
SkyTrack™ Skylight . . . . .	23
Enhanced Light Control Features . . . . .	24
Making a Template for Specialty Windows . . . . .	25
Using a Template Service . . . . .	25

## General Information

Stack Height Chart Cord Lift . . . . .	26
Stack Height Chart: Perfect-View®. . . . .	27
Pleated Shade Color Coordination Chart. . . . .	28
Cord Control Product Detail . . . . .	29
Cordless Lift Product Detail . . . . .	30
Continuous-Loop Lift Product Detail . . . . .	31
Bottom Up/Top Down: Cord Lift Product Detail. . . . .	32
Bottom Up/Top Down: Cordless Lift Product Detail . . . . .	33
Perfect-View Cord Lift Product Detail . . . . .	34
Perfect-View Cordless Lift Product Detail . . . . .	35

## Features

Graber® Pleated Shades include a variety of prints and elegant weaves in fashionable colors. The unique design of the back ladder support of EvenPleat® ensures that pleats will not sag or flatten. These classic shades are an elegant addition to any window and match easily with other window treatments.

- EvenPleat back ladder support gives pleats an even, dimensional appearance
- Many fashion-inspired patterns, colors, and textures enhance any room
- Color coordinated rails and components
- Offer numerous light control and privacy levels
- Two liners offered for light control: light filtering and room darkening
- Two pleat sizes offered: 1" and 2" pleat (select styles)

Features	Benefits
<b>EvenPleat® Shades</b>	
EvenPleat Loop Tape	<ul style="list-style-type: none"> <li>• Ensures consistent pleat spacing from top to bottom for a perfect, tailored look; pleats won't sag</li> <li>• Patterns remain uniform throughout the shade</li> <li>• No need to periodically raise the shade</li> </ul>
Many Fabric Styles	<ul style="list-style-type: none"> <li>• Great design flexibility</li> <li>• Something to suit everyone's taste and budget</li> <li>• Fresh color offerings in tune with today's decor trends</li> <li>• 2" pleat is an ideal solution for larger windows</li> </ul>
Limited Lifetime Warranty	<ul style="list-style-type: none"> <li>• Guarantees years of trouble-free shade operation</li> </ul>
<b>FashionPleat® Shades</b>	
Many Fabric Styles	<ul style="list-style-type: none"> <li>• Great design flexibility</li> <li>• Something to suit everyone's taste and budget</li> </ul>
Three-Year Warranty	<ul style="list-style-type: none"> <li>• Guarantees trouble-free shade operation</li> <li>• Product is warranted against original defects in materials or workmanship</li> </ul>
<b>Pleated Shades</b>	
Aluminum Headrail System	<ul style="list-style-type: none"> <li>• Strong, yet lightweight</li> <li>• Color coordinated to fabric</li> <li>• Extremely durable</li> <li>• Rail color coordination can be specified at the time of purchase</li> </ul>
Two Different Fabric Liners Available	<ul style="list-style-type: none"> <li>• Changes privacy level of any fabric to either light filtering or room darkening</li> <li>• Provides neutral exterior appearance regardless of interior color</li> <li>• Available with select 1" or 2" fabrics</li> </ul>
Cordless Lift	<ul style="list-style-type: none"> <li>• Eliminate external lift cords and cord loops</li> <li>• Available on select fabrics</li> </ul>
Continuous-Loop Lift	<ul style="list-style-type: none"> <li>• Continuous-loop remains at constant length</li> <li>• Eliminates cords gathering on floor</li> <li>• Helps lift large, heavy shades</li> <li>• Sleek, low profile; color coordinated headrail is sturdy aluminum</li> </ul>
Variety of Specialty Shades Available	<ul style="list-style-type: none"> <li>• Coordinated hard-to-cover specialty windows for total room decor</li> <li>• Provides light control</li> </ul>
Motorized Lift	<ul style="list-style-type: none"> <li>• Provides easy operation of hard to reach or large windows</li> <li>• Eliminates external lift cords and cord loops</li> <li>• Available with all fabrics</li> </ul>

## Features

### Fabric Styles and Information

Fabric Styles	1" FashionPleat®	1" EvenPleat®	2" EvenPleat	Fabric Content	Fabric Width (inches)	Privacy Rating	Liner Available	Overlap*	Cordless Lift Available
Allure	•	•		100% polyester	72	Light filtering	•	•	•
Crossweave			•	100% polyester	72	Light filtering	•		•
Debonair		•	•	92.6% polyester 4.3% cotton strap 3.1% flax	94	Light filtering	•		•
Desert	•	•	•	100% polyester	94	Light filtering	•	•	•
Eloquence	•	•		100% polyester	94	Light filtering	•		•
Geneva	•	•	•	100% polyester	72	Light filtering	•	•	
Grasscloth		•	•	100% polyester	72	Light filtering	•		•
Imperial		•		100% polyester	92	Light filtering	•		•
Marquis		•	•	100% polyester	76	Light filtering	•		•
Muse		•		100% polyester	92	Light filtering	•		•
Prism		•	•	100% polyester	92	Light filtering	•	•	•
Serendipity		•	•	100% polyester	92	Sheer	•	•	•
Sheer Linen	•	•	•	100% polyester	72	Sheer	•	•	•
Tuvalu	•	•		100% polyester	72	Light filtering	•	•	•
Blackout Liner		•	•	100% polyester	72	Room darkening		•	
Privacy Liner		•	•	100% polyester	72	Light filtering		•	•

\*Overlaps are not available with bottom up/top down, sun up/sun down, Perfect-Vue®, and multiple shades on one headrail.

### Light Control and Privacy Levels

**Sheer:** Allows the most sunlight and least privacy

**Light Filtering:** Blocks some sunlight and offers some privacy

**Privacy Liner:** Offers increased light control and privacy. At night, objects in your home will appear as silhouettes from the outside.

**Blackout Liner:** Blocks light and offers complete privacy. At night, objects in your home will not be seen from the outside.

### Oeko-Tex® Standard 100 Certified Fabrics

Fabric styles Debonair, Desert, Eloquence, Grasscloth, Imperial, Marquis, Muse, Prism, Tuvalu, and Crossweave are Oeko-Tex Standard 100 Certified and are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

Oeko-Tex is a registered trademark of the Oeko-Tex Association.



## Features

### Summary (for surcharges and pricing refer to price charts)

The following is a list of options for pleated shades. Most options are available in all styles and colors. Limitations will be based on fabric width and fabric type. See detailed descriptions on the following pages.

**Control Type Options** (see price charts for pricing and/or surcharges)

- Cord lift
- Continuous-loop lift
- Cordless lift
- Motorized lift (see motorization product information guide)

**Shade Options—No Charge**

- Cord placement on right or left
- Custom cord length is available upon request at time of order
- Corner or bay window
- Hold down brackets
- Projection brackets
  - With 1" cord lift, 1", 2" cordless lift, continuous-loop lift, and motorized lift pleated shades
    - Long (adds up to 2½" extension from wall)
    - Medium (adds up to 1⅝" extension from wall)
    - Short (adds up to 1" extension from wall)
  - With 2" EvenPleat®
    - Long (adds up to 2¼" extension from wall)
    - Medium (adds up to 1⅜" extension from wall)
    - Short (adds up to ¾" extension from wall)
- Rail color can be specified at the time of order
- Shims
- Side-mount brackets: inside mount only
- Standard cord cleats: clear
- Lightblocking strip available with cordless lift, continuous-loop lift, and motorized lift controls

**Specialty Shape Shade Options** (see price charts for pricing and/or surcharges)

- Angled Top
- Arches




**Shade Options—Surcharge** (see price charts for pricing and/or surcharges)

- Room-darkening side channels: 2" pleated; cord and cordless lift
- Bottom up/top down cord lift
- Bottom up/top down cordless lift
- Cord winder
- Decorative cord cleats
- Liners
- Multiple shades on one headrail
- Perfect-Vue® shade: cord lift
- Perfect-Vue shade: cordless lift
- Sky pole
- Skylight shades
- Sun up/sun down cord lift
- Sun up/sun down cordless lift

Pleat Size	Cord Lift	Cordless Lift	Continuous-Loop Lift	Motorized Lift	Bottom Up/Top Down	Sun Up/Sun Down	Perfect-Vue	Side Channels	Skylights	Arches	Angle Top
1"	•	•	•	•	•	•	•			•	•
2"	•	•	•	•	•	•	•	•	•	•	

# Control Type and Size Considerations

## Cord Lift

Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available														
				Cord Lift (inches)				Cord Lift Two-On-One Headrail (inches)					Cord Lift Bottom Up/Top Down (inches)				
				Width		Height		Width			Height		Width		Height		
				Min†	Max	Min	Max	Min Panel†	Max Panel‡	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max	
1" FashionPleat®																	
Allure	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96	
Desert	94	●	●	9	144	12	96	9	94	144	12	96	12	72	12	96	
Eloquence	94		●	9	94	12	96	9	94	144	12	96	12	72	12	96	
Geneva	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96	
Sheer Linen	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96	
Tuvalu	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96	
1" EvenPleat®																	
Allure	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96	
Blackout Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96	
Debonair	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96	
Desert	94	●	●	12	120	12	96	12	94	120	12	96	12	78	12	96	
Eloquence	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96	
Geneva	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96	
Grasscloth	72		●	12	72	12	96	12	72	120	12	96	12	72	12	96	
Imperial	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96	
Marquis	76		●	12	76	12	96	12	76	120	12	96	12	76	12	96	
Muse	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96	
Prism	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96	
Privacy Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96	
Serendipity	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96	
Sheer Linen	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96	
Tuvalu	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96	
2" EvenPleat																	
Blackout Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120	
Crossweave	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120	
Debonair	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120	
Desert	94	●	●	18	144	12	144*	18	94	144	12	120	18	78	12	120	
Geneva	72	●	●	18	144	12	144*	18	72	144	12	120	18	72	12	120	
Grasscloth	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120	
Marquis	76		●	18	76	12	144*	18	76	144	12	120	18	76	12	120	
Prism	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120	
Privacy Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120	
Serendipity	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120	
Sheer Linen	72	●	●	18	144	12	144*	18	72	144	12	120	18	72	12	120	



\*Height limited to 96" with overlap.

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Please refer to area limit chart for size restrictions by fabric name. Maximum width and height for shades with side channels is 96".


‡Two-on-one headrail not available with overlap.

## Depth Requirements for Inside Mount Cord Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 13/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

## Control Type and Size Considerations

### Cord Lift



- **No charge**
- Controls can be placed on the right (standard) or left side; side mounts available up to 60" wide by 96" high
- Room-darkening side channels are available
  - Surcharge (see price charts)
  - 2" pleated only
  - Available in cord lift and cordless lift
  - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately  $\frac{1}{3}$  of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	9	144	12	96
1" EvenPleat®	12	120	12	96
2" EvenPleat	18	144	12	144 **

\*For all inside mount applications,  $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

\*\*Height limited to 96" with overlap.


†Based on fabric width with overlap.

Maximum width and height for shades with side channels is 96".

Cord Lift Area Limit Chart			No Overlap		With Overlap	
Pleat Size	Fabric Style	Fabric Width (inches)	Area Limit (square inches)	With Liner (square inches)	Area Limit (square inches)	With Liners (square inches)
1"	Allure	72				10,000
	Debonair	94		8,000		
	Desert	94		8,000	9,000	6,000
	Geneva	72				8,000
	Prism	92				8,000
	Serendipity	92				7,000
	Sheer Linen	72				8,000
	Tuvalu	72			11,000	8,000
2"	Crossweave	72		8,000		
	Debonair	94	10,000	7,000		
	Desert	94	10,000	7,000	8,000	5,000
	Geneva	72			10,000	7,000
	Grasscloth	72	9,000	6,000		
	Prism	92				7,000
	Serendipity	92	11,000	8,000	9,000	6,000
	Sheer Linen	72				8,000

## Control Type and Size Considerations

### Bottom Up/Top Down Cord Lift



- **For surcharges** (see price charts)
- Option allows for privacy; lets in natural light
- Standard control is right control that operates bottomrail; left cord operates midrail (can be reversed)
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately  $\frac{1}{3}$  of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	12	72	12	96
1" EvenPleat	12	78	12	96
2" EvenPleat	18	78	12	120


\*For all inside mount applications,  $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 96".

**NOTE:** See corded area limit chart for fabric-specific limitations.

### Sun Up/Sun Down Cord Lift



- **Price as two separate standard shades from price charts and combine the prices for total cost**
- Perfect for combining light controls of sheer or light filtering and room darkening
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Standard control is right control that operates bottomrail, left cord operates midrail (can be reversed)
- Headrail coordinates with top fabric
- Bottomrail coordinates with bottom fabric
- Midrail will match headrail as a default, however, can specify to match bottomrail at time of order
- Overlap not available
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately  $\frac{1}{3}$  of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	72	12	96
2" EvenPleat	18	72	12	96

\*For all inside mount applications,  $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.




†Not available with overlap.

Maximum width and height for shades with side channels is 96".



## Control Type and Size Considerations

### Cordless Lift



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available													
				Cordless Lift (inches)				Cordless Lift Multiple Shades on One Headrail (inches)				Cordless Lift Bottom Up/Top Down (inches)				
				Width		Height		Width		Height		Width		Height		
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max
1" FashionPleat®																
Allure	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
Desert	94	●	●	12	96	9	86	12	94	144	9	86	15	84	9	86
Eloquence	94	●	●	12	94	9	86	12	94	144	9	86	15	84	9	86
Sheer Linen	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
Tuvalu	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
1" EvenPleat®																
Allure	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Debonair	94	●	●	12	94	6	86	12	94	120	6	86	15	84	9	86
Desert	94	●	●	12	96	6	86	12	94	120	6	86	15	84	9	86
Eloquence	94	●	●	12	94	6	86	12	94	120	6	86	15	84	9	86
Grasscloth	72	●	●	12	72	6	86	12	72	120	6	86	15	72	9	86
Imperial	92	●	●	12	92	6	86	12	92	120	6	86	15	84	9	86
Marquis	76	●	●	12	76	6	86	12	76 (193.1)	120	6	86	15	76	9	86
Muse	92	●	●	12	92	6	86	12	92	120	6	86	15	84	9	86
Prism	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86
Privacy Liner	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Serendipity	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86
Sheer Linen	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Tuvalu	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
2" EvenPleat																
Crossweave	72	●	●	12	72	12	86	12	72	144	12	86	15	72	12	86
Debonair	94	●	●	12	94	12	86	12	94	144	12	86	15	84	12	86
Desert	94	●	●	12	96	12	86	12	94	144	12	86	15	84	12	86
Grasscloth	72	●	●	12	72	12	86	12	72	144	12	86	15	72	12	86
Marquis	76	●	●	12	76	12	86	12	76	144	12	86	15	76	12	86
Prism	92	●	●	12	96	12	86	12	92	144	12	86	15	84	12	86
Privacy Liner	72	●	●	12	96	12	86	12	72	144	12	86	15	72	12	86
Serendipity	92	●	●	12	96	12	86	12	92	144	12	86	15	84	12	86
Sheer Linen	72	●	●	12	96	12	86	12	72	144	12	86	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

**NOTE:** Cordless lift maximum overall area for 2" Debonair is 4,800 square inches, 1" Debonair is 5,400 square inches, 2" Desert and Serendipity is 6,000 square inches, 1" Desert and Tuvalu is 6,400 square inches, 1" Serendipity is 7,000 square inches, 2" Prism and Sheer Linen is 7,400 square inches, and 1" Eloquence is 7,600 square inches.


Maximum width and height for shades with side channels is 96".

### Depth Requirements for Inside Mount Cordless Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	5/8	2 3/8
2" Pleat	1 1/16 x 2 3/8	5/8	2 3/8

## Control Type and Size Considerations

### Cordless Lift



- **For surcharge, see price charts**
- Available with the privacy liner option on single panels of fabric (no overlap)
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available with Debonair, Eloquence, Grasscloth, Imperial, Marquis, Muse, or Crossweave
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down cord lift shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation
- Room-darkening side channels are available:
  - Surcharge (see price charts)
  - 2" pleated only
  - Available in cord lift and cordless lift
  - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205


Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	96	9	86
1" EvenPleat®	12	96	6	86
2" EvenPleat	12	96	12	86

\*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

†Based on fabric width with overlap.

**NOTE:** Cordless lift maximum overall area for 2" Debonair is 4,800 square inches, 1" Debonair is 5,400 square inches, 2" Desert and Serendipity is 6,000 square inches, 1" Desert and Tuvalu is 6,400 square inches, 1" Serendipity is 7,000 square inches, 2" Prism and Sheer Linen is 7,400 square inches, and 1" Eloquence is 7,600 square inches.

### Bottom Up/Top Down Cordless Lift



- **For surcharge, see price charts**
- Option allows for privacy; lets in natural light
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	15	84	9	86
1" EvenPleat	15	84	9	86
2" EvenPleat	15	84	12	86

\*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


†Not available with overlap.

Maximum width and height for shades with side channels is 96".

**NOTE:** See cordless size considerations chart for fabric specific limitations.

## Control Type and Size Considerations

### Sun Up/Sun Down Cordless Lift



- **Price as two separate cord lift shades from price charts and add one cordless lift surcharge for total cost**
- Perfect for combining light controls of sheer or light-filtering and room-darkening fabrics
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Headrail coordinates with top fabric, bottomrail coordinates with bottom fabric, and midrail will match headrail as a default
- Overlap not available
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleated	15	84	12	86
2" Pleated	15	84	12	86

\*For all inside mount applications,  $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.



†Based on fabric width; narrowest of the two fabrics is the maximum width.

Maximum width and height for shades with side channels is 96".

**NOTE:** See cordless size considerations chart for fabric specific limitations.

## Control Type and Size Considerations

### Continuous-Loop Lift Shades



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available										
				Continuous-Loop Lift (inches)				Continuous-Loop Lift Multiple Shades on One Headrail (inches)					
				Width		Height		Width				Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade Single Control	Max Shade Multiple Controls	Min Shade	Max Shade
1" FashionPleat®													
Allure	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Desert	94	●	●	18½	120	9	96	18½	94	120	144	9	96
Eloquence	94	●	●	18½	94	9	96	18½	94	120	144	9	96
Geneva	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Sheer Linen	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Tuvalu	72	●	●	18½	120	9	96	18½	72	120	144	9	96
1" EvenPleat®													
Allure	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Blackout Liner	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Debonair	94	●	●	18½	94	6	96	18½	94	120	120	6	96
Desert	94	●	●	18½	120	6	96	18½	94	120	120	6	96
Eloquence	94	●	●	18½	94	6	96	18½	94	120	120	6	96
Geneva	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Grasscloth	72	●	●	18½	72	6	96	18½	72	120	120	6	96
Imperial	92	●	●	18½	92	6	96	18½	92	120	120	6	96
Marquis	76	●	●	18½	76	6	96	18½	76	120	120	6	96
Muse	92	●	●	18½	92	6	96	18½	92	120	120	6	96
Prism	92	●	●	18½	120	6	96	18½	92	120	120	6	96
Privacy Liner	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Serendipity	92	●	●	18½	120	6	96	18½	92	120	120	6	96
Sheer Linen	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Tuvalu	72	●	●	18½	120	6	96	18½	72	120	120	6	96
2" EvenPleat													
Blackout Liner	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Crossweave	72	●	●	18½	72	12	120*	18½	72	144	144	12	120
Debonair	94	●	●	18½	94	12	120*	18½	94	144	144	12	120
Desert	94	●	●	18½	144	12	120*	18½	94	144	144	12	120
Geneva	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Grasscloth	72	●	●	18½	72	12	120*	18½	72	144	144	12	120
Marquis	76	●	●	18½	76	12	120*	18½	76	144	144	12	120
Prism	92	●	●	18½	144	12	120*	18½	92	144	144	12	120
Privacy Liner	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Serendipity	92	●	●	18½	144	12	120*	18½	92	144	144	12	120
Sheer Linen	72	●	●	18½	144	12	120*	18½	72	144	144	12	120

†For all inside mount applications, ½" deduction is taken by manufacturer on overall width.

\*\*Height limited to 96" with overlap.


**NOTE:** Please refer to continuous-loop lift area limit chart for size restrictions by fabric.

### Depth Requirements for Inside Mount Continuous-Loop Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1⅞ x 2⅞	⅝	2⅞
2" Pleat	1⅞ x 2⅞	⅝	2⅞

## Control Type and Size Considerations

### Continuous-Loop Lift



- For surcharges, see price charts
- Recommended for larger, heavier shades
- Larger shades use a geared clutch for easier lifting, but additional pulls are required to lift the shade
- A single continuous-loop cord raises and lowers the shade and keeps the cord the same length
- Safety locking cord guide included; cord guide must be installed for shade operation

**NOTE:** When ordered as multiple shades on one headrail, there can be either one or two controls. A single control on the left or right can be used on shades up to 120" wide to operate all panels. With two controls, the left control operates the left panel and the right control operates the right panel. For three panel shades, specify middle panel as control right or control left. Continuous-loop controls cannot be located in the middle of a headrail.

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	18½	120	9	96
1" EvenPleat®	18½	120	6	96
2" EvenPleat	18½	144	12	120**

\*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

\*\*Height limited to 96" with overlap.

†Based on fabric width with overlap.

Loop Cord and Tensioner Device Colors	
Bamboo	601
Smokey Gray	026
Tender Taupe	103
Tuscany	578
White	00

Continuous-Loop Lift Area Limit Chart	
Fabric Style	Maximum Shade Size (square inches)
2" Debonair, Desert, Grasscloth, and Serendipity	9,000
1" Debonair; 2" Crossweave, Geneva and Prism	11,000
1" Desert, Eloquence, Grasscloth, Imperial, Muse, Prism, Serendipity, and Tuvulu; 2" Marquis and Sheer Linen	13,000
1" Allure, Geneva, Marquis, and Sheer Linen; Liner only shades	17,000


Control length for continuous-loop lift shades varies based on the finished shade height. Optional cord loop lengths are available and must be specified at the time of the order. The chart below lists the standard cord length.

Finished Shade Height	1" Pleated Continuous-Loop Cord Length (inches)	2" Pleated Continuous-Loop Cord Length (inches)
12 to 26	18	18
26⅞ to 38	24	24
38⅞ to 50	36	36
50⅞ to 62	48	48
62⅞ to 74	60	60
74⅞ to 96	72	72
96⅞ to 120	N/A	84

Optional cord lengths: 84", 96", and 108".

## Control Type and Size Considerations

### Perfect-Vue® Cord Lift





**Cord Lift**  
All Cellular Fabric Styles  
(inches)

Fabric Styles	Fabric Width (inches)	Width		Height	
		Min†	Max	Min	Max
1" FashionPleat®					
Allure	72	12	72	12	96
Desert	94	12	72	12	96
Eloquence	94	12	72	12	96
Geneva	72	12	72	12	96
Sheer Linen	72	12	72	12	96
Tuvalu	72	12	72	12	96
1" EvenPleat®					
Allure	72	12	72	12	96
Debonair	94	12	78	12	96
Desert	94	12	78	12	96
Eloquence	94	12	78	12	96
Geneva	72	12	72	12	96
Grasscloth	72	12	72	12	96
Imperial	92	12	78	12	96
Marquis	76	12	76	12	96
Muse	92	12	78	12	96
Prism	92	12	78	12	96
Serendipity	92	12	78	12	96
Sheer Linen	72	12	72	12	96
Tuvalu	72	12	72	12	96
2" EvenPleat					
Crossweave	72	18‡	72	12	96
Debonair	94	18‡	78	12	96
Desert	94	18‡	78	12	96
Geneva	72	18‡	72	12	96
Grasscloth	72	18‡	72	12	96
Marquis	76	18‡	76	12	96
Prism	92	18‡	78	12	96
Serendipity	92	18‡	78	12	96
Sheer Linen	72	18‡	72	12	96

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

### Depth Requirements for Inside Mount for Perfect-Vue®

Shade Type	Cord Lift Shades Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding <b>Minimum Depth Mount</b> (inches)	 Fully recessed headrail in window casing/molding <b>Flush with Casing</b> (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 15/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

## Control Type and Size Considerations

### Perfect-Vue® Cord Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Standard control is right control—operates bottomrail, while left control operates intermediate rail (can be reversed)
- 1" pleated can be combined with  $\frac{3}{8}$ " single cell cellular fabrics only
- 2" pleated can be combined with  $\frac{1}{2}$ " double cell or  $\frac{3}{4}$ " single cell cellular fabrics only
- Headrail coordinates with top fabric and bottomrail coordinates with bottom cellular fabric
- Midrail will match headrail as default, however, can specify to match bottomrail at time of order
- Product will have one or more cord release devices in compliance with ANSI/WCMA safety standards
- Midrail cord includes a cord release device


Size Considerations	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	78**	12	96
2" EvenPleat	18	78**	12	96

\*For all inside mount applications,  $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

\*\*Maximum single shade width is 78" or maximum fabric width, whichever is smaller.

## Control Type and Size Considerations

### Perfect-Vue® Cordless Lift




**Cordless Lift**  
**All Cellular Fabric Styles**  
(inches)

Fabric Styles (inches)	Fabric Width (inches)	Width		Height	
		Minimum†	Maximum	Minimum	Maximum
1" FashionPleat®					
Allure	72	15	72	12	86
Desert	94	15	94	12	86
Eloquence	94	15	94	12	86
Sheer Linen	72	15	72	12	86
Tuvalu	72	15	72	12	86
1" EvenPleat®					
Allure	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Eloquence	94	15	94	12	86
Grasscloth	72	15	72	12	86
Imperial	92	15	92	12	86
Marquis	76	15	76	12	86
Muse	92	15	92	12	86
Prism	92	15	92	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86
Tuvalu	72	15	72	12	86
2" EvenPleat					
Crossweave	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Grasscloth	72	15	72	12	86
Marquis	76	15	76	12	86
Prism	92	15	92	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

**NOTE:** Maximum area for 1" Debonair is 6,400 square inches and 2" Debonair is 5,800 square inches.


### Depth Requirements for Inside Mount

Shade Type	Cordless Lift Shades Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding	
		Minimum Depth Mount (inches)	Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	3/8	2 3/8
2" Pleat	1 1/16 x 2 3/8	3/8	2 3/8



## Control Type and Size Considerations

### Perfect-Vue® Cordless Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Cordless lift shades are a safer alternative to shades with accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- 1" pleated can be combined with single cell cellular fabrics only
- 2" pleated can be combined with ½" double cell or ¾" single cell cellular fabrics only
- Headrail coordinates with pleated top fabric; bottomrail coordinates with bottom cellular fabric; midrail will match headrail as default; not available with multiple shades on one headrail
- All Perfect-Vue cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access; very high windows should use the cord lift option, rather than cordless lift; operation of shade requires both sets of handles be used to properly raise and lower rails
- Sky poles not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations		Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleat	All fabric styles	15	94**	12	86
2" Pleat	All fabric styles	15	94**	12	86


\*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

\*\*Maximum single shade width is 94" or maximum fabric width, whichever is smaller.

**NOTE:** Maximum area for 1" Debonair is 6,400 square inches and 2" Debonair is 5,800 square inches.

# Options

## Shade Liner



Liner on  
backside  
of shade

- **For surcharge, see price charts**
- Available on select styles with standard cord control, continuous-loop, and motorized lift systems
- Privacy liner is available with cordless lift as a single panel only (no overlap)
- Creates neutral to the street side appearance
- Create room-darkening effects by adding a blackout liner
- FashionPleat® privacy and blackout liner are not available as a shade alone
- Due to construction of shade, light will filter through the route holes even with a blackout liner


### Optional liners increase privacy and light control.

**Privacy:** Allows a small amount of light to enter the room for a greater sense of privacy. Inside objects appear as shadows.

**Blackout Liner:** Prevents light from entering for a high level of light control with maximum privacy, preventing even silhouettes from showing through. Due to construction of the shade, light will filter through the route holes even with blackout liner.


**NOTE:** For shade widths greater than fabric width and heights up to 60", the liners will overlap at the same location as the fabric overlap. For shade widths greater than fabric width and heights over 60", the liners will overlap in the center of the shade. Maximum finished shade width limited to 142" for 1" fabrics and 140" for 2" fabrics.

## Motorized Lift




- Refer to motorization product information guide for additional options, sizing, and pricing
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Not available with room darkening channels
- Available with lightblocking strip
- Multiple control and power options available; see motorization product information guide for options

**NOTE:** Motorization components and accessories have a five-year limited warranty, excluding batteries.



## Options

### Multiple Shades on One Headrail




- Surcharge for two or three shades on one headrail less than or equal to fabric width (see price charts)
- Shade widths exceeding fabric width made as two or three shades on one headrail—no charge
- Side mounts available
  - Single shade width: 60"
  - Multiple shades on one headrail: 42"

Size Considerations		Maximum Overall Size for Multiple Shades* (inches)	Maximum Size with Side Mount (inches)	Control Locations	Gap (inches)
Cord Lift	FashionPleat®	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control	½
	EvenPleat®	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Single Control	FashionPleat	120 x 96	60 x 96	Two-on-one: Common lift cord can be on right or left to operate both shades at the same time Three-on-one: Common lift cord can be on right or left to operate all shades at the same time	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Multi Control	FashionPleat	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control Three-on-one: Left shade, left control Right shade, right control Middle shade, common lift cord to right or left shade. Continuous-loop lift system cannot be used in the middle of the headrail on multiple shades	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Cordless Lift	FashionPleat	144 x 86	60 x 96	Not applicable	¾
	EvenPleat	120 x 86			
	2" EvenPleat	144 x 86			

\*See size considerations section for the minimum and maximum panel widths.


# Options

## Corner Windows



- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether left or right and butt or bypass
- Bypass shade is mounted into the corner; butt shade is abutted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices are not available on corner windows**
- For bottom up/top down and sun up/sun down cord lift shades, the corner controls will be hard to reach


Top View



### Measuring Information

#### Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.




#### Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.  
Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

**NOTE:** The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


# Options

## Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as bay window shade if you do not want manufacturing to take deductions
- For bottom up/top down and sun up/sun down with cord lift the corner controls will be hard to reach
- **Cornices are not available on bay windows**

### Measuring Information: Three-Sided Bay Window



#### Measure:


- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

**Angle L-C1:** Angle between the (L) and (C1) windows.

**Angle C1-R:** Angle between the (C1) and (R) windows.

**Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

### Measuring Information: Four-Sided Bay Window



- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

**Angle L-C1:** Angle between the (L) and (C1) windows.

**Angle C1-C2:** Angle between the (C1) and (C2) windows.


**Angle C2-R:** Angle between the (C2) and (R) windows.

**Projection (P):** If needed: The depth of the trim or molding the shade will be mounted above.


**NOTE:** The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (Angle C1-C2, Angle C2-C3, ...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, **trace on paper**, and fax to customer service. The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

# Options


## Specialty Shapes: Arch Shades




**Perfect Arch: Half Circle**




**Palladian**  
(template required)  
Illustration not to scale




**Eyebrow Arch**  
(template required)



**Elongated Arch**  
(arch with straight sides)  
(template required)



**Triangle**  
(template required)



**Quarter Circle**  
(template not required  
if perfect quarter)

### Perfect Arches (template not required)

- **For surcharges, see price charts**
- Perfect arches are those where the radius of the circle is constant at all points; height is exactly half the width
- Perfect quarter circle is where height and width are equal
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- Include width and height measurements on all orders
- Side mount available up to 60" wide exact
- Liner available if fabric allows

### Non-Perfect Arches (require a template)

- **For surcharges, see price charts**
- Non-perfect arches are those where the radius of the circle is NOT constant at all points; height is not exactly half the width
- Include width and height measurements on all orders
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- See template instructions
- Side mount available up to 60" wide exact
- Liner available if fabric allows

**NOTE:** Arches can be made in EvenPleat® fabrics, however they will not have the back loop tape.


Size Considerations				
Specialty	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Perfect Arch, Half Circle	9	96	4½	48
Palladian, Elongated, Eyebrow and Triangle	9	96	20% of width; minimum 4½	60% of width; max of 57.5
Quarter Circle	9	43	9	1.5 times width; max of 64.5

\*For all inside mount applications, ⅜" deduction is taken on overall width.

Recess Depth and Flush Mount	Minimum Recess Depth (inches)	Maximum Flush Mount (inches)
1" Pleated	1⅞	1⅞
2" Pleated	1⅞	2¼

## Options

### Specialty Shapes: Angle Top




**NOTE:** Angle will not have loop tape.

- Price as a cord lift shade using angled width and longest side measurement; then add surcharge for total cost of shade (see price charts)
- Shade only lifts to intermediate rail, will not raise to complete angle
- Short side of angle height of 12" or less will be stationary
- As the low side measurement approaches 0", a light gap will exist to allow for the rails and fabrics to fit
- Lift cord is on low side of angle
- Not available with privacy or blackout liner only shades
- Only available with cord lift and 1" pleated fabric
- Side mount not available

Minimum Angled Width	12"
Maximum Angled Width	82"*
Minimum Short Side Height	0"
Minimum Long Side Height	12"
Maximum Long Side Height	96"
Maximum Angled Top Degree	60° (degrees)

\*Maximum angled width determined by fabric width minus 2".

### SkyTrack™ Skylight



#### Sky Pole

Sizes available:  
3 to 6½ foot and 5 to 9½ foot

- **For surcharge, see price charts**
- Price as cord lift shade and add surcharge
- Widths over 24¾" will have a center cord visible when the shade is open
- Includes color coordinated aluminum side channels; colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, White Satin 205
- Operates with handle on center rail
- Brackets will be visible on an outside mount
- Skylight poles are telescoping and available upon request
- Side mounts not available
- Not available with continuous-loop lift, cordless lift, or motorized lift
- Skylights only available in 2" EvenPleat® fabrics


Size Considerations	Minimum Recess (inches)	Flush Mount (inches)
Mounting Depth	1⅞"	2½"

Size Considerations	Minimum Width (inches)	Maximum Width* (inches)	Minimum Height (inches)	Maximum Height* (inches)
All Fabric Styles	12¾"	61"	12"	61"

\*For a width of 30¾" or less, maximum shade height is 96".

## Options

### Enhanced Light Control Features



#### Lightblocking Strip

- Boost room-darkening performance by reducing light leakage between the window and headrail
- Ideal option for bedrooms, nurseries, and those who prefer blackout light control
- Available for pleated shades with cordless lift, continuous-loop lift, and motorized lift controls

#### Room-Darkening Side Channels

- **For surcharge, see price charts**
- Boost room-darkening performance by reducing light leakage at sides of shades between the fabric and window frame
- Maximizes privacy
- Ideal option for bedrooms, nurseries, and those who prefer enhanced light control
- Available for 2" pleated shades, with cord lift and cordless lift
- Room-darkening side channel colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, White Satin 205
- Maximum width and height is 96" x 96"




## Options

### Making a Template for Specialty Windows

1. Tape butcher paper or heavy brown wrapping paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the shade is an outside mount, add the desired amount of overlap to the window outline. Draw a second outline around it to match the shape of the finished shade. **Be sure to erase the inside line.**
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

**NOTE:** Make sure the template is of the window opening, not the measurement of the glass only.

5. Cut the shape from the paper.
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT.**
7. **Indicate on the template:**
  - “Room side” and “top”
  - Purchase order number
  - Customer’s name
  - Your store name and account number
8. Attach a copy of your purchase order to the template.
9. Roll up template and place in a mailing tube.  
**DO NOT FOLD TEMPLATE.**



**Mail to:** SPRINGS WINDOW FASHIONS, LLC  
1500 Sycamore Road—G5  
Montoursville, PA 17754  
ATTN: SPECIALTY DEPT

**NOTE:** When mailing, make sure to get a tracking number and note your return address on the mailing tube.

#### ACCEPTABLE MATERIALS FOR MAKING TEMPLATES

Kraft paper  
Butcher paper  
Construction paper

#### WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS

Newspaper	Plastic
Wax paper	Fabric
Tissue paper	Roofing paper
Existing arch shades	Wrapping paper
Cardboard	Poster board

**NOTE:** If the material used to make a template stretches, tears easily, will not lay flat, or will mark the fabric, IT WILL NOT BE USED.

### Using a Template Service

**For surcharge, see price charts**

To use the template service, simply:

1. Select template service when entering your order online.
2. Use the template worksheet to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments. The comments have been pre-programmed to all of the measurements you need to enter for your special shape.

For additional information, contact customer service.

## General Information

### Stack Height Chart Cord Lift

Height of Shade (inches)	1" Blackout Liner 1" Privacy Liner (inches)	1" Pleated Allure, Imperial, Marquis, Muse, Prism, Serendipity (inches)	1" Pleated Desert, Eloquence, Geneva, Sheer Linen, Tuvalu (inches)	1" Pleated Debonair, Grasscloth (inches)	2" Blackout Liner 2" Privacy Liner (inches)	2" Pleated Desert, Geneva, Marquis, Prism, Serendipity, Sheer Linen (inches)	2" Pleated Crossweave, Debonair (inches)	2" Pleated Grasscloth (inches)
18	1½	1⅝	1¾	2⅝	1⅝	1⅝	1⅝	2
30	1⅝	1⅝	2	2⅝	1½	1¾	2⅝	2⅝
42	1⅝	2	2⅝	3⅝	1½	2	2⅝	2¾
54	1¾	2¼	2⅝	3⅝	1⅝	2⅝	2⅝	3⅝
66	1⅝	2½	2⅝	4⅝	1⅝	2¼	2⅝	3⅝
78	1⅝	2⅝	3⅝	4⅝	1¾	2⅝	3¼	3¾
90	2	2⅝	3½	5	1¾	2⅝	3½	4⅝
96	2	3	3⅝	5¼	1¾	2⅝	3⅝	4⅝
108					1⅝	2⅝	3⅝	4¾
120					1⅝	3	4⅝	5
132					1⅝	3⅝	4⅝	5⅝
144					2	3¾	4¾	5¾

#### 1" and 2" Pleated

All stack calculations are with standard controls. For cordless, continuous-loop, and motorized lift controls, add ¾".

For bottom up/top down with standard controls, add ¼"; with cordless lift controls add 1½".

For sun up/sun down with standard controls, add the two fabric stacks together and subtract ⅞" for the total stack height.

For sun up/sun down with cordless lift controls, add the two fabric stacks together.

**NOTE:** Stack height includes headrail and bottomrail. The stack measurements above are approximate. All stack heights as shown are without overlap, for overlap add an additional 60% to the given height for total stack height.

## General Information

### Stack Height Chart: Perfect-Vue®

All Pleated Fabrics Plus Cellular Fabrics Below				
Height of Shade (inches)	<b>1¼" Single Cell</b> Sanctuary, Valletta  <b>¾" Single Cell</b> Sanctuary, Scroll FR, Simply Sheer (inches)	<b>1¼" Single Cell</b> Splendor  <b>¾" Single Cell</b> Enchantment, Endeavor, Montage, Valletta  <b>¾" Single Cell</b> Endeavor (inches)	<b>¾" Single Cell</b> Couture, Discovery, Fanfare, Splendor, Valletta  <b>½" Double Cell</b> Splendor  <b>¾" Single Cell</b> Discovery (inches)	<b>½" Double Cell</b> Sanctuary (inches)
18	1¼	1⅞	2	2⅞
30	1⅞	2⅞	2⅞	2½
42	2⅞	2⅞	2¾	3
54	2⅞	2¾	3⅞	3⅞
66	2⅞	3	3½	3⅞
78	2¾	3⅞	3¾	4¼
90	3	3⅞	4⅞	4¾
96	3⅞	3¾	4⅞	4⅞
108	3¼	4	4¾	5⅞
120	3½	4⅞	5⅞	5¾
132	3¾	4⅞	5⅞	6¼
144	4	4⅞	5¾	6⅞

**NOTE:** Sizes are approximate.

All stack calculations are with cord lift controls; for cordless lift controls add ⅞".

Stack height includes all rails and both pleated and cellular fabrics together, but is based on the cellular fabric chosen.

Thickest pleated fabric was used for calculation.

## General Information

### Pleated Shade Color Coordination Chart

**NOTE:** Default color coordination is noted below. If desired, color coordination can be specified at the time of order.

Base Color	Default Rail Color	Rail Color Number
<b>Allure</b>		
Bone	Cream	715
Savvy Gray	Online	187
Shimmery Tan	Revere Pewter	190
Silver Lining	White Satin	205
White	White Satin	205
<b>Crossweave</b>		
Barley	Beige	011
Brick	Sable	565
Burnished Gold	Creamy Pearl	356
Natural	Quietude	188
Tahiti	Quietude	188
White Delight	White Satin	205
<b>Debonair</b>		
Haberdasher Gray	Canyon Gray	053
Natural White	White Satin	205
Unexpected Taupe	Quietude	188
<b>Desert</b>		
Clamshell	Online	187
Lunar Light	Creamy Pearl	356
Natural	Beige	011
Shell	Cream	715
Strata	Canyon Gray	053
Sugarcane	White Satin	205
<b>Eloquence</b>		
Delicate White	White Satin	205
Elegant Taupe	Canyon Gray	053
Ethereal White	Cream	715
Nuanced Gray	White Satin	205
<b>Geneva</b>		
Blue Calm	Navy	369
Frost White	White Satin	205
Gray Glow	Online	187
Mottled Sycamore	Sable	565
Pearl Stone	Cream	715
<b>Grasscloth</b>		
Boardwalk	Beige	011
Fence Post	Canyon Gray	053
Natural	Lamplight	904
Saddle	Sable	565
Safari	Sable	565
Winter Day	Creamy Pearl	356

Base Color	Default Rail Color	Rail Color Number
<b>Imperial</b>		
Modern Sphere	White Satin	205
Tropical White	White Satin	205
White Impact	White Satin	205
<b>Marquis</b>		
Gilded Age	White Satin	205
Victorian Age	Arctic Seal	183
White Mystic	White Satin	205
<b>Muse</b>		
Coastal Gray	Online	187
Etched Taupe	Canyon Gray	053
Haven	Revere Pewter	190
Navy Mosaic	Navy	369
<b>Prism</b>		
Liquid Bronze	Quietude	188
Radiant Moon	Creamy Pearl	356
Sequin	White Satin	205
Tinsel	Online	187
<b>Serendipity</b>		
Bold Roast	Sable	565
Greige Fusion	Revere Pewter	190
Heavenly	White Satin	205
Muted Tan	Creamy Pearl	356
Stone Mountain	Canyon Gray	053
<b>Sheer Linen</b>		
Abstract Gray	Revere Pewter	190
Alabaster	Cream	715
Chocolate Dream	Sable	565
Surreal Stone	Canyon Gray	053
White	White Satin	205
<b>Tuvalu</b>		
Tenuous Sand	Revere Pewter	190
White Dew	Cream	715
Wisteria White	White Satin	205

# General Information

## Cord Control Product Detail

### Side Mount Brackets (optional)

- Maximum width 60"

### Aluminum Headrail

- Color coordinated to fabric
- Extremely durable

### Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

### Aluminum Bottomrail

- Color coordinated to fabric

### Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to ¾" extension from wall)

### Hidden Snap-In Brackets

- Zinc-plated spring steel
- Durable brackets designed for easy installation

### Cord Lock

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

### Cord Release Device/ Joiner Ball and Tassel

- Color coordinated to fabric

### Braided Polyester Pull Cord

- Color coordinated to fabric
- Single strand for safety

### Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

### Cord Management Options



Cord Winder


#### Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats



### EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

# General Information

## Cordless Lift Product Detail

### Side Mount Brackets (optional)

- Maximum width 60"

### Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

### Aluminum Headrail

- Color coordinated to fabric

### Internal Cord Lift System

- Prevents cords from tangling or rolling on top of each other
- Gear-driven for a smooth, operation and long-lasting life

### Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

### Dust Cover

- Reduces build-up of dust and debris

### Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

### Aluminum Bottomrail


- Color coordinated to fabric

### Handle(s)

- A simple push or pull raises or lowers the shade evenly

### Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



### EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

**NOTE:** Not available with the following fabrics: Brighton, Brighton FR, Geneva, and Blackout liner.

**NOTE:** All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access. Suggest adding a sky pole for hard-to-reach applications, up to 24" wide. Sky poles are not recommended over 24"; however, if required, two sky poles should be ordered to ensure even operation. See options for details.

# General Information

## Continuous-Loop Lift Product Detail

### Side Mount Brackets (optional)

- Maximum width 60"

### Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

### Aluminum Headrail

- Color coordinated to shade fabric
- Extremely durable

### Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

### Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

### Continuous-Loop Lift Cord with Tension Device


- Length stays consistent regardless of shade height

### Aluminum Bottomrail

- Color coordinated to fabric

### Safety Cord Loop Tensioner

- Must be mounted for safety and shade operation



### EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

# General Information

## Bottom Up/Top Down: Cord Lift Product Detail

### Side Mount Brackets (optional)

- Maximum width 60"

### Aluminum Headrail

- Color coordinated to fabric
- Headrail and intermediate rail nest to prevent light gaps

### Aluminum Intermediate Rail and Bottomrail

- Color coordinated to fabric
- Extremely durable

### Projection Brackets (optional)

- Long (adds up to 2 1/4" extension from wall)
- Medium (adds up to 1 5/8" extension from wall)
- Short (adds up to 3/4" extension from wall)

### Hidden Snap-In Brackets

- Zinc-plated steel
- Durable and designed for easy installation

### Cord Locks

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

### Pull Cord

- Allows for conventional shade operation

### Cord Release Device/Joiner Ball and Tassle

- Color coordinated to fabric

### Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

## Cord Management Options



Cord Winder


### Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats




### EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated



## General Information

### Bottom Up/Top Down: Cordless Lift Product Detail



**NOTE:** All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

# General Information

## Perfect-Vue® Cord Lift Product Detail

### Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

### Cord Release Device

- Color coordinated to cord
- Cords coordinate with pleated fabric

### Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

### Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

### Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to 1" extension from wall)

### Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available

### Flush Mount End Caps

- Color coordinated to rails
- Sleeker look and tighter fit

### Cord Locks

- Sleek, streamlined design
- Color coordinated to headrail
- Free-floating serrated cord locking roller for dependable operation
- Standard control is right control—operates bottomrail, while left control operates intermediate rail


### Cord Release Device/Joiner Ball and Tassel

- Color coordinated to cord
- Cords coordinate with pleated fabric

### Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

### Cord Management Options



### View From Back of Shade

#### EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

# General Information

## Perfect-Vue® Cordless Lift Product Detail

### Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

### Internal Cord Lift System

- Prevents cords from tangling or twisting
- Gear drive for a smooth operation and long lasting life
- Cords coordinate to pleated fabric

### Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

### Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

### Handles

- A simple push or pull raises or lowers the shade evenly

### Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to 1" extension from wall)

### Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available (optional)

### Dust Cover


- Reduces build-up of dust and debris

### End Caps

- Flush mount for a trim, smooth fit
- Color coordinated to rails

### Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



### View From Back of Shade

#### EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

**NOTE:** All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

# GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10005-110 (11/19)|S19-20115