

OVERTURE SHEER SHADES

Product Information Guide

Features

Overture Sheer Shades	2
Fabric Styles and Information: Sheer Shades	3
Light Control and Privacy	4
Fabric Recommendations	4
Light Gap	4
Fabric Disclaimers	4
Cleaning and Care Information	4
Fabric Certifications	4

Size Considerations

Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations	5
Maximum Shade Size	6–7
Continuous-Loop Lift	8

Options

Shade Options	9
Projection Brackets	9
Continuous-Loop Lift Control	10
Motorized Lift	10
Corner Windows	11
Adjacent Shadings	11
Bay Windows	12

General Information

Continuous-Loop Lift	13
Continuous-Loop Lift and Motorized Lift	14
Continuous-Loop Lift Product Detail	15
Color Coordination Charts	16–17

GRABER®

NOVEMBER 2019

Features

Overture Sheer Shades

- Two layers of fabric encase lightweight fabric vanes for effortless light control
- The sheer softens incoming light and helps filter out harmful UV rays while providing an outside view
- The light filtering option allows soft light to flow through while providing privacy
- Smaller vanes are often better for smaller-sized windows while larger vanes work best for larger windows and have the added advantage of providing more view-through

Features	Benefits
Continuous-Loop Lift	<ul style="list-style-type: none">• Cord and clutch system makes raising and lowering shade easy• Cord remains at same length, regardless of shade position• Choose left or right cord location• Color coordinated cords• Choose from six colors of bottomrail<ul style="list-style-type: none">• Bottomrail color selected is also used for cassette end caps and cord guide
Motorized Lift	<ul style="list-style-type: none">• Window treatments can be operated from virtually anywhere in the home• Easily operate hard-to-reach or large window coverings• Operate multiple window treatments simultaneously or individually
Fabric-Wrapped Cassette	<ul style="list-style-type: none">• Fabric-wrapped cassette (standard) creates a cohesive appearance in the window

Features

Fabric Styles and Information: Sheer Shades

Style Name	Color Name	Oeko-Tex® Certified	Fire Retardant Rated	Color to Street side
Glessner 2" Glessner 3"	Apple Blossom	•	•	
	Bechamel	•	•	
	Cavalry	•	•	
	Downtown	•	•	
	Glacial	•	•	
	Lemongrass	•	•	
	Limestone	•	•	
	Macchiato	•	•	
	Merlot	•	•	
	Portico	•	•	
	Rodeo Drive	•	•	
	Sable	•	•	
	Sandstone	•	•	
	Stationery	•	•	
	Vellum	•	•	
Glessner Sheen 2" Glessner Sheen 3"	Bubbly	•	No	
	Limousine	•	No	
	Soiree	•	No	
Glessner Woven 2" Glessner Woven 3"	Bamboo	•	•	
	Champagne	•	•	
	Silver Mine	•	•	
Marisco 2" Marisco 2¾"	Bechamel	•	•	Neutral to the street
	Stationery	•	•	Neutral to the street
San Simeon 3"	Adirondack	•	•	Neutral to the street
	Everglades	•	•	Neutral to the street
	Sandstone	•	•	Neutral to the street
	Silver Mine	•	•	Neutral to the street
	Stationery	•	•	Neutral to the street
	Vellum	•	•	Neutral to the street
Roslin*	Bechamel	•	•	Neutral to the street
	Sandstone	•	•	Neutral to the street
	Stationery	•	•	Neutral to the street
Winchester*	Bechamel	•	•	
	Rodeo Drive	•	•	
	Stationery	•	•	
Winchester Sheen*	Limousine	•	No	
	Soiree	•	No	
	Sunset Strip	•	No	
Winchester Woven*	Champagne	•	•	
	Everglades	•	•	
	Silver Mine	•	•	

NOTE: All fabric composition consists of 100% polyester and light filtering (except San Simeon which is room darkening) while providing privacy.
 *Styles have a 2" vane size with a unique design, limiting the view to the outside.

Features

Light Control and Privacy

Light Filtering*: Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric colors provide moderate light control, while light colors provide lower light control. **Privacy Level:** Moderate.

Room Darkening*: Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Privacy Level: Complete.

Light Gaps: For optimal light, outside mount is recommended, or you may add a secondary soft window treatment (drapery or curtain) to hide the light gap on an inside mount.

Privacy Level: Moderate.

*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully open.

Fabric Recommendations

Order all shades for the same room at the same time to ensure color consistency and to minimize dye lot variation. For side-by-side sheer shades, request vane alignment. Vanes can be aligned to within $\frac{1}{4}$ ".

NOTE: Shades must be ordered at the same time with the same fabric color and height. To ensure best results, combined shade width should be 102" or less.

Light Gap

The fabric width is narrower than the finished shade width of the tube and its components. See chart below for light gap.

Control Type	Control End		Idle End	
	Inside Mount (inches)	Outside Mount (inches)	Inside Mount (inches)	Outside Mount (inches)
Continuous-Loop Lift	$\frac{15}{16}$	$\frac{7}{8}$	$\frac{11}{16}$	$\frac{5}{8}$

Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave are normal. Fabric appearance can vary based on changing light conditions in the room.

Due to the construction and functionality of sheer shades, the front and back sheer fabric will not form a perfect seal against light leakage.

As with all textiles, the fabric is subject to some variations. Slight wrinkling, puckering, or bowing is inherent to this textile product and should be considered normal, acceptable quality.

Cleaning and Care Information

Regular light dusting with a feather duster, vacuum with low suction, or a hair dryer on a cool temperature.

Professional blind cleaners use a variety of methods to clean blinds and vary in their capabilities. While Springs Window Fashions, LLC knows that many of our window treatments can be safely cleaned using the appropriate ultrasonic or injection/extraction cleaning methods, we cannot guarantee the outcome of any cleaning services provided by an independent company.

For assistance in locating a certified blind cleaner that serves your area, visit blindcleaners.net or contact customer service at 800-221-6352.

Fabric Certifications

Oeko-Tex® Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

oeko-tex.com


Oeko-Tex is a registered trademark of the Oeko-Tex Association.



Size Considerations

Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations

The following diagram illustrates the mounting depth requirements for shades mounted inside window casements.



Size Considerations

Maximum Shade Size

NOTE: Shaded areas are available for order.

Minimum width: Continuous-loop lift 12"

Minimum height: 12" all control types

Fabric: Glessner 2"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Glessner Sheen 2"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Glessner Woven 2"														
Height up to (inches)	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Glessner 3"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Glessner Sheen 3"																
Height up to (inches) ↓	Width up to (inches) →															
	24	30	36	42	48	54	60	66	72	78	84	90	96	102		
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																
90																
96																
105																
108																
110																

Fabric: Glessner Woven 3"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Size Considerations

Maximum Shade Size

NOTE: Shaded areas are available for order.

Minimum width: Continuous-loop lift 12"

Minimum height: 12" all control types

Fabric: Marisco 2"	
Height up to (inches) ↓	Width up to (inches) →
24	24 30 36 42 48 54 60 66 72 78 84 90 96 102
30	
36	
42	
48	
54	
60	
66	
72	
78	
84	
90	
96	
105	
108	
110	

Fabric: Marisco 2 ³ / ₄ "														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: San Simeon 3"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Roslin	
Height up to (inches) ↓	Width up to (inches) →
24	
30	
36	
42	
48	
54	
60	
66	
72	
78	
84	
90	
96	
102	

Fabric: Winchester														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Winchester Sheen														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Winchester Woven														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Size Considerations

Continuous-Loop Lift

Style Name	Color Name	Maximum Width* (inches)	Maximum Height* (inches)
Glessner 2"	Apple Blossom	96	105
	Bechamel		
	Cavalry		
	Downtown		
	Glacial		
	Lemongrass		
	Limestone		
	Macchiato		
	Merlot		
	Portico		
	Rodeo Drive		
	Sable		
	Sandstone		
	Stationery		
	Vellum		
Glessner Sheen 2"	Bubbly	98	110
	Limousine		
	Soiree	96	110
Glessner Woven 2"	Bamboo		
	Champagne	96	110
	Silver Mine		
Glessner 3"	Apple Blossom	96	105
	Bechamel		
	Cavalry		
	Downtown		
	Glacial		
	Lemongrass		
	Limestone		
	Macchiato		
	Merlot		
	Portico		
	Rodeo Drive		
	Sable		
	Sandstone		
	Stationery		
	Vellum		

Style Name	Color Name	Maximum Width* (inches)	Maximum Height* (inches)
Glessner Sheen 3"	Bubbly	98	110
	Limousine		
	Soiree		
Glessner Woven 3"	Bamboo	96	110
	Champagne		
	Silver Mine		
Marisco 2"	Bechamel	94	99
	Stationery		
Marisco 2¾"	Bechamel	94	98
	Stationery		
San Simeon 3"	Adirondack	96	65
	Everglades		
	Sandstone		
	Silver Mine		
	Stationery		
	Vellum		
Roslin	Bechamel	94	75
	Sandstone		
	Stationery		
Winchester	Bechamel	97	87
	Rodeo Drive		
Winchester Sheen	Stationery	102	69
	Limousine		
	Soiree		
Winchester Woven	Sunset Strip	97	87
	Champagne		
	Everglades		
	Silver Mine	97	87

Minimum width: Continuous-loop lift 12"

Minimum height: 12" all control types

*If the height is shorter than the maximum, a slightly larger width may be available to order. Maximum width is 102".

Options

Shade Options (for surcharges and pricing refer to price charts)

Below is a list of options for sheer shades. All options are available in all styles and colors. See detailed descriptions on the following pages.

Control Type Options

- Continuous-loop lift
- Motorized lift (see motorization product information guide)


Shade Options—No Charge

- Bottomrail and end cap colors
- Bay and corner windows
- Cord length (must specify different length)
- Cord location
- Projection brackets 3¼" and 4"
 - 3¼" projection brackets add up to 2⅛" extension from wall
 - 4" projection brackets add up to 2⅞" extension from wall

Shade Options—Surcharge

- Motorization (see motorization product information guide)
- Palladian window shelf (see cornice, valance, and palladian window shelf product information guide)

Projection Brackets



- **No charge**
- Available with continuous-loop lift and motorized lift
- Two sizes: 3¼" and 4"
- 3¼" projection brackets add up to 2⅛" extension from wall
- 4" projection brackets add up to 2⅞" extension from wall

Options

Continuous-Loop Lift Control



- **Standard**
- Cord loop and clutch system makes raising and lowering shade easy
- Special cord loop length must be requested at time of order
- Cord remains at same length regardless of shade position
- Color coordinated cord loop and cord guide
- Safety cord guide keeps the cord out of the reach of children and pets to enhance safety
- Choose left or right cord location
- Outside mount is recommended for maximum light control

NOTE: Cord guide must be installed to operate shade.



Inside Mount Light Gap
Refer to Light Gap Chart

Motorized Lift



- **See motorization product information guide for accessories, additional options, sizing, and pricing**
- Down position will have vanes open
- Allows for easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Motorized lift shades are cordless and are a safer choice for homes with children or pets
- Low-voltage motorization requires no costly electrical hardwiring
- Available with multiple power and control options
- Motor located on the left or right side; standard on the right

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.




Options

Corner Windows



Shades on Corner Windows


- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether butt or bypass
- Bypass shade is mounted into the corner; butt shade is butted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.

Adjacent Shadings

To cover wide window openings, window shadings may be installed end to end so that the cassette headrails touch. The gap between the fabric panels of the adjacent shading varies by the control placement as shown in the chart.

Control Placement for Adjacent Shades			
Control Placement		Gap	
Left Shade Control	Right Shade Control	Continuous-Loop Lift (inches)	Motorized Lift (inches)
Right	Right	1 $\frac{5}{8}$	1 $\frac{1}{16}$
Left	Left	1 $\frac{5}{8}$	1 $\frac{1}{16}$
Right	Left	1 $\frac{5}{8}$	2
Left	Right	1 $\frac{5}{8}$	1 $\frac{5}{8}$

Side-by-Side Alignment

Vane alignment to within $\frac{1}{4}$ " is available upon request only for shades ordered at the same time with the same fabric color and height. Add note in special instructions. To ensure best results, combined shade width should be 102" or less.

Options


Bay Windows



Shades on Bay Windows

- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a bay window shade if you do not want manufacturer to take deductions

Measuring Information: Three-Sided Bay Window



Measure:

L and R:

Width of each side window from the corners on the mounting surface to the point you would like to cover.

C1:

Width of the center window on the mounting surface from corner to corner.

Angle L-C1:

Angle between the (L) and (C1) windows.


Angle C1-R:

Angle between the (C1) and (R) windows.

Projection:

If needed: the depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window



L and R:

Width of each side window from the corners on the mounting surface to the point you would like to cover.

C1, C2:

Width of each center window on the mounting surface from corner to corner.

Angle L-C1:

Angle between the (L) and (C1) windows.

Angle C1-C2:

Angle between the (C1) and (C2) windows.

Angle C2-R:

Angle between the (C2) and (R) windows.

Projection (P):

If needed: the depth of the trim or molding the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (angle C1-C2, angle C2-C3, ...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, trace on paper, and fax to customer service.


The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

General Information


Continuous-Loop Lift

Shade Operation

- A. To lower, pull down on the back cord.
- B. Continue to pull on the back cord when fully lowered to open the vanes. Over-rotation will occur if you continue to pull when the vanes are fully opened. The bottomrail will face into the room if over-rotated.
- C. To close, pull the front cord. Continue to pull on the front cord to raise the shade.



Open Vanes



General Information


Continuous-Loop Lift and Motorized Lift

Closed Vanes

When closed, the vanes of sheer shades overlap providing privacy. Sheer shades may have light gaps towards the bottom of the shade.


Importance of Correct Shade Height

The bottomrail pivots when the vanes are opened and closed as shown below. The proper height measurement is critical in applications where the window shading closes just above a window sill or floor. If the window shading is too long and the bottomrail rests on the sill or floor when it is fully lowered, the rail cannot pivot freely and the vanes cannot be opened properly.



General Information

Continuous-Loop Lift Product Detail



General Information

Color Coordination Charts

Color coordination is shown for informational purposes only.

Style	Color Name	Fabric Insert Color	Bottomrail Color	Continuous-Loop Lift
Glessner 2"	Apple Blossom	Sheer fabric-wrap Apple Blossom	White Satin	Bamboo
	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Cavalry	Sheer fabric-wrap Cavalry	Classic Gray	Smokey Gray
	Downtown	Sheer fabric-wrap Downtown	Classic Gray	Smokey Gray
	Glacial	Sheer fabric-wrap Glacial	White Satin	Bamboo
	Lemongrass	Sheer fabric-wrap Lemongrass	Cream	Bamboo
	Limestone	Sheer fabric-wrap Limestone	Cream	Tuscany
	Macchiato	Sheer fabric-wrap Macchiato	Sand	Tuscany
	Merlot	Sheer fabric-wrap Merlot	Clover	Redwood
	Portico	Sheer fabric-wrap Portico	White Satin	Bamboo
	Rodeo Drive	Sheer fabric-wrap Rodeo Drive	White Satin	Bamboo
	Sable	Sheer fabric-wrap Sable	Coffee	Cocoa
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
	Vellum	Sheer fabric-wrap Vellum	Cream	Bamboo
Glessner Sheen 2"	Bubbly	Sheer fabric-wrap Sheen Bubbly	Cream	Bamboo
	Limousine	Sheer fabric-wrap Sheen Limousine	Classic Gray	Smokey Gray
	Soiree	Sheer fabric-wrap Sheen Soiree	White Satin	Bamboo
Glessner Woven 2"	Bamboo	Sheer fabric-wrap woven Bamboo	Cream	Tuscany
	Champagne	Sheer fabric-wrap woven Champagne	Cream	Tuscany
	Silver Mine	Sheer fabric-wrap woven Silver Mine	Classic Gray	Smokey Gray
Glessner 3"	Apple Blossom	Sheer fabric-wrap Apple Blossom	White Satin	Bamboo
	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Cavalry	Sheer fabric-wrap Cavalry	Classic Gray	Smokey Gray
	Downtown	Sheer fabric-wrap Downtown	Classic Gray	Smokey Gray
	Lemongrass	Sheer fabric-wrap Lemongrass	Cream	Bamboo
	Limestone	Sheer fabric-wrap Limestone	Cream	Tuscany
	Macchiato	Sheer fabric-wrap Macchiato	Sand	Tuscany
	Merlot	Sheer fabric-wrap Merlot	Clover	Redwood
	Portico	Sheer fabric-wrap Portico	White Satin	Bamboo
	Rodeo Drive	Sheer fabric-wrap Rodeo Drive	White Satin	Bamboo
	Sable	Sheer fabric-wrap Sable	Coffee	Cocoa
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
	Vellum	Sheer fabric-wrap Vellum	Cream	Bamboo
Glessner Sheen 3"	Bubbly	Sheer fabric-wrap Sheen Bubbly	Cream	Bamboo
	Limousine	Sheer fabric-wrap Sheen Limousine	Classic Gray	Smokey Gray
	Soiree	Sheer fabric-wrap Sheen Soiree	White Satin	Bamboo
Glessner Woven 3"	Bamboo	Sheer fabric-wrap woven Bamboo	Cream	Tuscany
	Champagne	Sheer fabric-wrap woven Champagne	Cream	Tuscany
	Silver Mine	Sheer fabric-wrap woven Silver Mine	Classic Gray	Smokey Gray
Marisco 2"	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
Marisco 2¾"	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo

NOTE: Certain components are only available in limited colors.

General Information

Color Coordination Charts (continued)

Color coordination is shown for informational purposes only.

Style	Color Name	Fabric Insert Color	Bottomrail Color	Continuous-Loop Lift
San Simeon 3"	Adirondack	Sheer fabric-wrap Woven Adirondack	Coffee	Cocoa
	Everglades	Sheer fabric-wrap Woven Everglades	Coffee	Cocoa
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Silver Mine	Sheer fabric-wrap Woven Silver Mine	Classic Gray	Smokey Gray
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
	Vellum	Sheer fabric-wrap Vellum	Cream	Bamboo
Roslin	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
Winchester	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Rodeo Drive	Sheer fabric-wrap Rodeo Drive	White Satin	Bamboo
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
Winchester Sheen	Limousine	Sheer fabric-wrap Sheen Limousine	Classic Gray	Smokey Gray
	Soiree	Sheer fabric-wrap Sheen Soiree	White Satin	Bamboo
	Sunset Strip	Sheer fabric-wrap Sheen Sunset Strip	Classic Gray	Smokey Gray
Winchester Woven	Champagne	Sheer fabric-wrap Woven Champagne	Cream	Tuscany
	Everglades	Sheer fabric-wrap Woven Everglades	Coffee	Cocoa
	Silver Mine	Sheer fabric-wrap Woven Silver Mine	Classic Gray	Smokey Gray

Bottomrail Colors
Classic Gray
Clover
Coffee
Cream
Sand
White Satin

Continuous-Loop Lift Cord Colors
Bamboo
Cocoa
Redwood
Smokey Gray
Tuscany

Continuous-Loop Lift Lengths (inches)
18
24
36
48
60
72
84

NOTE: Certain components are only available in limited colors.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10018-111 (11/19)|S19-20113