

Graber Foundations® Faux Wood Blinds English US Price Guide

CORDLESS FAUX WOOD BLINDS

Product Information Guide

How to Measure	
Inside Mount	
Outside Mount Cordless Faux Wood Blinds	2
Product Detail	3
Size Considerations	3
Valance Options	3

NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.



FOUNDATIONS

NOVEMBER 2019

How to Measure Cordless Faux Wood Blinds


Measure each window individually as size variances are common. Record width first, then height (also referred to as length) to the nearest 1/8". Measure width from left to right, height from top to bottom, using a steel tape measure. Do not use a cloth tape.

Inside Mount

Inside mount blinds are installed inside the window casing. Window casing must be at least the listed depths for inside mount blinds.

Type of Blind	Minimum Depth Mount (inches)	Depth Needed for Full Recess (inches)
Faux Wood-Headrail Only	1	2 5∕8
Faux Wood-Headrail with Standard Valance	1	3⅓
Faux Wood-Headrail with Decorative Valance	1	31/4


- 1. Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
- Measure the exact height in three different places from top edge of opening to top of sill. Record the longest measurement.
- 3. Measure the window diagonally in two places as shown. If the two diagonal dimensions are not equal, we recommend an outside mount application for optimal function and aesthetics.
- 4. Do not take deductions. Allowances are made at the factory to ensure a perfect fit.




Outside Mount

Outside mount blinds are installed outside the window casing, covering an area larger than the window itself.

- 1. Measure the exact width to be covered. If window opening allows, overlap by at least 1½" on each side (3" total overlap) to ensure light control and privacy.
- 2. Measure the exact height to be covered, including desired overlap (typically from top edge of molding to bottom edge, or to top of sill if there is one).
- 3. The factory makes NO allowances on outside mount.



Cordless Faux Wood Blinds



Size Considerations

Minimum Blind Width (inches)	15½ inside mount* 15 outside mount
Maximum Blind Width (inches)	72½ inside mount* 72 outside mount
Minimum Blind Height (inches)	24
Maximum Blind Height (inches)	72

^{*1/2&}quot; deduction is taken on all inside mount blinds.


NOTE: There is a 1" length tolerance. There may be extra slats that rest on the bottomrail.

Finished Blind Width (inches)	Number of Ladders	Number of Lifts
15 to 18	2	2
181/8 to 24	2	2
241/8 to 30	3	2
301/8 to 36	3	2
361/8 to 42	4	4
421/8 to 48	4	4
481/8 to 54	5	4
541/8 to 60	5	4
601/8 to 66	6	4
661% to 72	6	4


NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

Valance Options

- · Available at no additional charge
- Special valance width available up to 108" without returns or 106½" with returns
- ½" to 3½" returns available on outside mount (2¾" default)
- 1/2" to 11/4" returns available on inside mount (1/2" default)



November 2019 Graber Foundations | 3



CORDLESS FAUX WOOD BLINDS

Product Information Guide

How to Measure	
Inside Mount	
Outside Mount Cordless Faux Wood Blinds	2
Product Detail	3
Size Considerations	3
Valance Options	3

NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.



FOUNDATIONS

NOVEMBER 2019

How to Measure Cordless Faux Wood Blinds


Measure each window individually as size variances are common. Record width first, then height (also referred to as length) to the nearest 1/8". Measure width from left to right, height from top to bottom, using a steel tape measure. Do not use a cloth tape.

Inside Mount

Inside mount blinds are installed inside the window casing. Window casing must be at least the listed depths for inside mount blinds.

Type of Blind	Minimum Depth Mount (inches)	Depth Needed for Full Recess (inches)
Faux Wood-Headrail Only	1	2 5∕8
Faux Wood-Headrail with Standard Valance	1	3⅓
Faux Wood-Headrail with Decorative Valance	1	31/4


- 1. Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
- Measure the exact height in three different places from top edge of opening to top of sill. Record the longest measurement.
- 3. Measure the window diagonally in two places as shown. If the two diagonal dimensions are not equal, we recommend an outside mount application for optimal function and aesthetics.
- 4. Do not take deductions. Allowances are made at the factory to ensure a perfect fit.




Outside Mount

Outside mount blinds are installed outside the window casing, covering an area larger than the window itself.

- 1. Measure the exact width to be covered. If window opening allows, overlap by at least 1½" on each side (3" total overlap) to ensure light control and privacy.
- 2. Measure the exact height to be covered, including desired overlap (typically from top edge of molding to bottom edge, or to top of sill if there is one).
- 3. The factory makes NO allowances on outside mount.



Cordless Faux Wood Blinds



Size Considerations

Minimum Blind Width (inches)	15½ inside mount* 15 outside mount
Maximum Blind Width (inches)	72½ inside mount* 72 outside mount
Minimum Blind Height (inches)	24
Maximum Blind Height (inches)	72

^{*1/2&}quot; deduction is taken on all inside mount blinds.


NOTE: There is a 1" length tolerance. There may be extra slats that rest on the bottomrail.

Finished Blind Width (inches)	Number of Ladders	Number of Lifts
15 to 18	2	2
181/8 to 24	2	2
241/8 to 30	3	2
301/8 to 36	3	2
361/8 to 42	4	4
421/8 to 48	4	4
481/8 to 54	5	4
541/8 to 60	5	4
601/8 to 66	6	4
661% to 72	6	4


NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

Valance Options

- · Available at no additional charge
- Special valance width available up to 108" without returns or 106½" with returns
- ½" to 3½" returns available on outside mount (2¾" default)
- 1/2" to 11/4" returns available on inside mount (1/2" default)



November 2019 Graber Foundations | 3



GRABER.

Graber Foundations Cordless Faux Wood Blinds

Designer US List — Effective January 2024

Height up to inches (cm) ↓ (61) (76.2) (91.5) (106.7) (122) (137.2) (152.4) (167.7) (182.9) (213.4) (243.9) (213.4) (243.9) (30 (76.2) 110 126 144 154 166 181 210 226 241 36 (91.5) 115 134 154 163 175 198 226 240 266 42 (106.7) 124 147 163 174 195 212 241 262 285 48 (122) 132 155 172 188 205 226 249 285 307 331 60 (152.4) 154 179 203 221 239 265 304 324 354 66 (167.7) 163 192 214 233 255 281 323 347 382			(182.9) 241 266	(167.7) 226 240	(152.4) 210	(137.2)	(122)	(106.7)	(91.5)			0 1
30 (76.2) 110 126 144 154 166 181 210 226 241 36 (91.5) 115 134 154 163 175 198 226 240 266 42 (106.7) 124 147 163 174 195 212 241 262 285 48 (122) 132 155 172 188 205 226 258 280 307 54 (137.2) 144 168 192 206 226 249 285 307 331 60 (152.4) 154 179 203 221 239 265 304 324 354	(243.9) (274.3)	(213.4)	241 266	226 240	210	181				(76.2)	(61)	
36 (91.5) 115 134 154 163 175 198 226 240 266 42 (106.7) 124 147 163 174 195 212 241 262 285 48 (122) 132 155 172 188 205 226 258 280 307 54 (137.2) 144 168 192 206 226 249 285 307 331 60 (152.4) 154 179 203 221 239 265 304 324 354			266	240			166	154		(/	(01)	inches (cm) ↓
42 (106.7) 124 147 163 174 195 212 241 262 285 48 (122) 132 155 172 188 205 226 258 280 307 54 (137.2) 144 168 192 206 226 249 285 307 331 60 (152.4) 154 179 203 221 239 265 304 324 354					226	100			144	126	110	30 (76.2)
48 (122) 132 155 172 188 205 226 258 280 307 54 (137.2) 144 168 192 206 226 249 285 307 331 60 (152.4) 154 179 203 221 239 265 304 324 354			285			190	175	163	154	134	115	36 (91.5)
54 (137.2) 144 168 192 206 226 249 285 307 331 60 (152.4) 154 179 203 221 239 265 304 324 354			200	262	241	212	195	174	163	147	124	42 (106.7)
60 (152.4) 154 179 203 221 239 265 304 324 354			307	280	258	226	205	188	172	155	132	48 (122)
,			331	307	285	249	226	206	192	168	144	54 (137.2)
66 (167 7) 162 192 214 233 255 281 323 347 382			354	324	304	265	239	221	203	179	154	60 (152.4)
00 (107.7) 102 102 214 200 200 201 020 047 002			382	347	323	281	255	233	214	192	162	66 (167.7)
72 (182.9) 171 201 230 248 273 300 347 371 404			404	371	347	300	273	248	230	201	171	72 (182.9)

Colors				
Coconut	C630	Milky Way	C058	

	Width up t	o inches (cn	1) →									
Height up to	24	30	36	42	48	54	60	66	72	84	96	108
inches (cm) ↓	(61)	(76.2)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.3)
30 (76.2)	131	153	172	185	199	219	252	270	289			
36 (91.5)	137	161	184	197	210	237	270	287	318			
42 (106.7)	150	175	196	208	234	255	288	314	343			
48 (122)	157	188	205	225	247	271	309	334	367			
54 (137.2)	172	201	229	248	271	300	343	367	398			
60 (152.4)	185	215	243	266	286	317	363	391	425			
66 (167.7)	195	228	258	279	307	336	389	414	459			
72 (182.9)	204	241	277	299	326	360	414	444	486			

Colors					
Ashwood Grey	C230	Golden Wheat	C710	Modern Walnut	C012

Updated: 11/27/2023