

GRABER®



Graber Cornices English US Price Guide

CORNICES, VALANCES, AND PALLADIAN WINDOW SHELF

Product Information Guide

Features

Wood Characteristics	2
Wood Cornices	3
Wood Valances	3
Composite and Faux Wood Valances	3
Palladian Window Shelf	3

Size Considerations

Cornices and Valances	4
Palladian Window Shelf	4

Options

Wood Cornices	5
Wood Valances	6
Composite and Faux Wood Valances	7
Decorative Keystones	8
Splicing Requirements	8
Palladian Window Shelf	9

General Information

Valance Returns: Horizontal Blinds	10-11
Wood Valance Returns	12-14
Wood Cornice Returns	15-16
Composite and Faux Wood Valance Returns	17-18
How to Measure for Valance Returns	19
How to Measure and Order Cornices and Valances	20
How to Measure a Special Splice Location	21
Custom Color	21
Mounting Brackets	22


Features

Cornices and valances easily lend an impressive touch to windows and doors. Used on their own or over window treatments, cornices and valances are as decorative as they are functional.


Palladian window shelves create a mounting surface for unique or difficult installations.

- Unique styles of wood cornices, wood valances, and faux wood valances provide the perfect solution for any décor
- Wood cornices and valances are crafted from premium North American hardwood and are available in all paints and stains to coordinate with Graber® Wood Blinds, as well as unfinished
- Dress up a drab window
- Enlarge a window
- Keystones are included with a spliced cornice or wood valance
- Additional keystones are available as a surcharge option for cornices or wood valances that do not require splices


Wood Characteristics




Flat Grain




Grain Change




Tiger Striping




Burl/Bird's Eye




Pin Knots



Mineral Marks



Knotty Pine/
Rustic



Knotty Pine/
Rustic

Wood used to manufacture Graber Wood Blinds has many natural characteristics which make it truly unique...no two pieces of hardwood are alike. The following are all natural characteristics of wood and we do not consider them to be defects:

- Grain—The direction, size, and appearance of wood fibers vary greatly depending on where the wood is cut from within the tree
- Tiger Striping—Occurs when a tree develops wavy grain, due to genetics, soil content, or other natural scenarios
- Burl Grain—Formed from an irregular growth on the outer edge of the tree
- Bird's Eye—Small area on the surface of the board where fibers are contorted to form circular figures that resemble birds' eyes
- Pin Knots—Vary in size, shape, structure, and color
- Mineral Marks—Dark or discolored area caused by minerals which the tree extracts from the water or soil; can be either a streak or a stain, usually blackish blue
- Knotty Pine/Rustic—Material contains markings that are more extreme than in standard products; the number and degree of marking will vary throughout the blind

Please be assured that these markings in no way affect the durability or the structural integrity of the blind.

Natural variations in color and grain effect are inherent in the beauty of wood. These variations are within established industry guidelines and should be expected. When two or more pieces of wood are spliced together to create wider valances or cornices, there may be variations in the dye lot and grain between the sections. In addition, valances and cornices may stain slightly darker or lighter than the samples shown in the sample books and selectors.

Features

Wood Cornices

- Crafted from premium North American hardwood
- Fine furniture-quality finish
- L-brackets are included for easy installation
- Cornices are available in all paints and stains to coordinate with Graber® Traditions® Wood Blinds, as well as unfinished or custom color
- Keystones are included with spliced cornices and are available as a surcharge option for cornices that do not require a splice

Wood Valances

- Crafted from premium North American hardwood
- Fine furniture-quality finish
- Includes mounting hardware for specified product use
- Valances are available in all paints and stains to coordinate with Graber Wood Blinds, as well as unfinished or custom color
- Keystones are included with spliced valances and are available as a surcharge option for valances that do not require a splice

Composite and Faux Wood Valances

- Composite and faux wood options are ideal for a finishing look in a high humidity room
- Includes mounting hardware for specified product use

Palladian Window Shelf

- Crafted from premium North American hardwood
- Fine furniture-quality finish
- Available in all paints and stains to coordinate with Graber Wood Blinds, as well as unfinished or custom color
- Create a mounting surface for unique or difficult installations
- Available in depths from 4" to as narrow as 2"
- Mounting hardware included

Size Considerations

Cornices and Valances

Type of Valance or Cornice	Minimum Width		Maximum Width without Splicing		Maximum Width with Splicing	
	Inside Mount (inches)	Outside Mount (inches)	Inside Mount No Returns (inches)	Outside Mount or Inside Mount with Returns (inches)	Inside Mount (inches)	Outside Mount (inches)
2½" Classic Barnwood Valance†	8¼	8	100¼	98¾	300¾	298¾
3" Classic Wood Valance	8¼	8	100¼	98¾	300¾	298¾
3½" Craftsman Wood Valance	8¼	8	100¼	98¾	300¾	298¾
3½" Legacy Wood Valance	8¼	8	100¼	98¾	300¾	298¾
4½" Symphony Wood Valance/Cornice^	8¼	8	100¼	98¾	300¾	298¾
3" Classic Composite or Faux Wood Valance†	8¼	8	106¾	105¾	300	298¾
3" Majestic Composite or Faux Wood Valance†	8¼	8	106¾	105¾	300	298¾
5½" Noble Wood Cornice^	8¼	8	94	92¾	366	366
7½" Noble Wood Cornice^	8¼	8	94	91¾	366	366
5½" Regal Wood Cornice^	8¼	8	94	91¾	366	366
7½" Regal Wood Cornice^	8¼	8	94	90	366	366

^Inside mount wood cornices that require a keystone cannot be mounted flush to the top of the window casing. There will be approximately a ¼" gap at the top and the installation brackets may be visible with this application.

†Keystones not available on authentic hardwood, barnwood, distressed wood, in sandblast finish, composite, or faux wood valances.

NOTE: Cornices and valances wider than the widths shown in the chart above will be manufactured in multiple sections. The sections must be assembled during installation. Customer may request specific locations for the splices as long as it does not exceed our maximum single piece size. All requests for additional cornice or wood valance splices require a keystone. The keystone surcharge applies to each additional splice.

These formulas are used to calculate BACKSIDE valance measurements by product type.

All Except: • Natural Drapes • Sheer Verticals • Artisan Fabric Roman Shades • Other Applications	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + ¾"
Natural Drapes	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + 1"
Sheer Verticals	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + ½"
Artisan Fabric Roman Shades	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + ¾"
Other Applications	Inside mount	No returns	Ordered width
	Outside mount	With returns	Ordered width

These formulas are used to calculate BACKSIDE cornice measurements by product type.

All Except: • Natural Drapes • Sheer Verticals • Artisan Fabric Roman Shades • Other Applications	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + ¾"
Natural Drapes	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + 1"
Sheer Verticals	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + ½"
Artisan Fabric Roman Shades	Inside mount	No returns	OW - ¼"
	Outside mount	With returns	OW + 2"
Other Applications	Inside mount	No returns	Ordered width
	Outside mount	With returns	Ordered width

If the product option of other is selected during entry, the backside cornice/valance measurement will be the exact width entered. There will be no additions or deductions taken. Cornice or valance return size must be specified. Soft drapery falls within the 'other applications' category.

Palladian Window Shelf

	Minimum Width Inside Mount Only (inches)	Maximum Width Inside Mount Only (inches)	Minimum Depth (inches)	Maximum Depth (inches)
Palladian Window Shelf	7	96	2	4

NOTE: Inside mount application only. The finished shelf will be ordered width less ¼". The shelf is designed for end mounting; no center supports are available. End mounting brackets must be mounted to a flat vertical surface. If installation is inside an arch, the top of the palladian shelf must be mounted at or below the start of the arch curve. Shelf can be installed in a vertical application to divide a large window. Depending on the width of the window opening and the weight of the blind or shade, deflection up to ½" may occur.

Options

Wood Cornices

- Crafted from premium North American hardwood
- Fine furniture-quality finish
- Installation hardware is included for easy installation
- Cornices available in all paints and stains to coordinate with Graber® Traditions® Wood Blinds, as well as unfinished or with custom color
- Inside mount has straight cut ends, no returns, no dust cover


*Dust cover is unfinished and will not match selected color.

NOTE: Wood cornice will be shipped separate from blinds. Manufacturer recommends installing blind and cornice at the same time.

Regal Wood—Outside Mount




Regal Wood—Inside Mount



Noble Wood—Outside Mount



Noble Wood—Inside Mount



Regal Wood Cornice

Available in either a 5½" or 7½" size and in all colors listed below.

Noble Wood Cornice

Available in either a 5½" or 7½" size and in all colors listed below.

Paint Colors

Angora	1052
Antique White . . .	1026
Base White	1051
Crisp White	1712
Custom Color* . .	CUSP
Dover White	1683
Dovetail	1839
Grey Beige	1817
Medium Grey	1841
Pearl	1840
Snow White	1850
Snowflake	1603
Stepping Stone . .	1889
Stucco	1963



Stain Colors

Allspice	1821	Honey Maple	1013
Cappuccino	1546	Natural	1007
Cherry Wood	1014	Roasted Chestnut .	1849
Cognac	1465	Saddle Brown . . .	1694
Custom Color* . .	CUSS	Sienna	1685
Dark Cherry	1316	Timeless Grey . . .	1847
Dark Walnut	1641	True Taupe	1848
Espresso	1716	Truffle	1054
Golden Oak	1030	Unfinished	1717
Harbor Grey	1761	Walnut	1012
Henna	1949	Wheat	1710
Homestead Oak . .	1943		

Symphony Wood—Outside Mount



Symphony Wood—Inside Mount



Symphony Wood Cornice

Available in 4½" size and in all colors listed below.

Paint Colors

Angora	1052
Antique White . . .	1026
Base White	1051
Crisp White	1712
Custom Color* . .	CUSP
Dover White	1683
Dovetail	1839
Grey Beige	1817
Medium Grey	1841
Medium Grey Sandblast† .	SB841
Pearl	1840
Snow White	1850
Snowflake	1603
Snowflake Sandblast† .	SB603
Stepping Stone . .	1889
Stucco	1963

Stain Colors

Allspice	1821	Honey Maple	1013
Cappuccino	1546	Knotty Pine	1515
Cherry Wood	1014	Natural	1007
Cognac	1465	Roasted Chestnut .	1849
Custom Color* . .	CUSS	Saddle Brown . . .	1694
Dark Cherry	1316	Sienna	1685
Dark Walnut	1641	Timeless Grey . . .	1847
Espresso	1716	True Taupe	1848
Golden Oak	1030	Truffle	1054
Harbor Grey	1761	Unfinished	1717
Henna	1949	Walnut	1012
Homestead Oak . .	1943	Wheat	1710

*Custom color: see price charts for net surcharge per color.

†Keystones are not available in sandblast finish, but will come in matching paint color in a smooth finish.

Options

Wood Valances

- Painted and stained valances crafted from premium North American hardwood
- Fine furniture-quality finish
- Returns for inside mount must be specified
- Inside mount has straight cut ends, no returns
- Outside mount has mitered corners and returns


- Custom returns may be ordered for both inside and outside mount up to 8"; minimum return is ½"
- Valances only available on bay and corner windows if bay and corner application is available on entire product line selected
- Single side return available; opposite end will be straight cut

NOTE: Wood valance will be shipped separate from blinds. Manufacturer recommends installing blind and valance at the same time.

Classic—Outside Mount



Classic—Inside Mount



Classic Valance

3" available in all colors at bottom of page.

2½" available in barnwood; not available with keystones.

Barnwood Colors

Medium Pewter . . . 1049

Windswept. 1072

Legacy—Outside Mount



Legacy—Inside Mount



3½" Legacy Valance

Available in all colors at bottom of page.

Available in distressed wood and authentic hardwood; not available with keystones.

Distressed Wood Colors

Smoky Coal 1572

Twig 1070


Authentic Hardwood Colors

Cherry C007

Maple M007

Walnut W007

Craftsman—Outside Mount



Craftsman—Inside Mount




3½" Craftsman Valance

Available in all colors at bottom of page.

Symphony—Outside Mount



Symphony—Inside Mount



4½" Symphony Wood Valance

Available in all colors at bottom of page.

Paint Colors

Angora	1052	Medium Grey	1841
Antique White	1026	Medium Grey Sandblast† .SB841	
Base White	1051	Pearl	1840
Crisp White	1712	Snow White	1850
Custom Color*	CUSP	Snowflake	1603
Dover White	1683	Snowflake Sandblast† . SB603	
Dovetail	1839	Stepping Stone	1889
Grey Beige	1817	Stucco	1963

Stain Colors

Allspice	1821	Natural	1007
Cappuccino	1546	Roasted Chestnut	1849
Cherry Wood	1014	Rustic Cognac	R1465
Cognac	1465	Rustic Golden Oak . . .	R1030
Custom Color*	CUSS	Rustic Harbor Grey . . .	R1761
Dark Cherry	1316	Saddle Brown	1694
Dark Walnut	1641	Sienna	1685
Espresso	1716	Timeless Grey	1847
Golden Oak	1030	True Taupe	1848
Harbor Grey	1761	Truffle	1054
Henna	1949	Unfinished	1717
Homestead Oak	1943	Walnut	1012
Honey Maple	1013	Wheat	1710
Knotty Pine	1515		

*Custom color: see price charts for net surcharge per color.

†Keystones are not available in sandblast finish, but will come in matching paint color in a smooth finish.

Options

Composite and Faux Wood Valances


- Composite and faux wood valance options are ideal for a finished look in a high humidity room
- Includes mounting hardware for specified product use
- Returns for inside mount must be specified
- Inside mount has straight cut ends, no returns
- Outside mount has mitered corners and returns
- Custom returns may be ordered for both inside and outside mount up to 8"; minimum return is ½"
- Valances only available on bay and corner windows if bay and corner application is available on entire product line selected
- Single side return available; opposite end will be straight cut
- Not available with keystones

NOTE: Composite and faux wood valances will be shipped separate from blinds. Manufacturer recommends installing blind and valance at the same time.

Classic—Outside Mount



Classic—Inside Mount




3" Classic Composite and Faux Wood Valance


Add a classic touch to any room.

Available in all colors listed at the bottom of page.

Majestic—Outside Mount



Majestic—Inside Mount



3" Majestic Composite and Faux Wood Valance

Add a decorative element to the window.

Available in all colors listed at the bottom of page.

Composite Colors

Antique White	2026
Base White	2051
Creamy White	2729
Seattle Grey	2174
Silk White	2922

Premium Faux Wood Colors

Cognac	2465
Dark Cherry	2316
Golden Oak	2030
Honey Maple	2013
Misty Grey	2230
Moonshine	2738
Morel	2706
Natural	2007
Phantom	2707
Saddle Brown	2694
Sienna	2685
Walnut	2012
Wheat	2710


Faux Wood Colors

Almond	5724
Buttermilk	5078
Buttermilk Textured† . . .	5953
Coconut	5630
Coconut Textured†	5299
Marshmallow	5742
Milky Way	5058
Milky Way Textured† . . .	5304
Seattle Grey	5174
White	5035
White Textured†	5951

†Classic valance will be textured. Majestic valance will be color coordinated in a smooth finish.

Options

Decorative Keystones



- Decorative keystones are required on wood cornices and valances that require splicing
- The keystones will be equally spaced unless special splice locations are requested at time of order
- Keystones can be requested on wood cornices without a splice at time of order
 - Minimum width with a keystone: 12"
 - Maximum number of keystones: 3
- Keystones will be stained or painted to match the valance or cornice ordered as standard; optional different color selection available
- Keystones not available on authentic hardwood, barnwood, distressed wood, in sandblast finish, composite, or faux wood valances
- All inside mount applications will have a slight light gap at the top of the cornice or valance when installed with a keystone
- Keystones cannot be added to existing valances or symphony cornices because the keystones require splicing at the time of order


Splicing Requirements

Profile	Number of Sections	Number of Keystones	No Returns		With Returns (inside dimensions)	
			Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
2½" Classic Barnwood Valance*	1	0	8	100¼	8	98¾
3" Classic Wood Valance	2	1	100⅝	200½	98⅞	198⅝
3½" Craftsman Wood Valance	3	2	200⅞	300¾	198⅞	298⅞
3½" Legacy Wood Valance	1	0	8	95	8	95
4½" Symphony Wood Valance	2	1	95⅞	190⅞	95⅞	190⅞
4½" Symphony Cornice	3	2	190⅞	285¾	190⅞	285¾
	4	3	285⅞	300	285⅞	300
	1	0	8	94	8	92⅞
5½" Noble Cornice	2	1	94⅞	187⅞	92⅞	185⅞
	3	2	187⅞	280⅞	185⅞	278⅞
	4	3	280⅞	366	278⅞	366
	1	0	8	94	8	91⅞
7½" Noble Cornice	2	1	94⅞	186⅞	91⅞	184⅞
	3	2	186⅞	279⅞	184⅞	276⅞
	4	3	279⅞	366	276⅞	366
	1	0	8	94	8	91⅞
5½" Regal Cornice	2	1	94⅞	186⅞	91⅞	183⅞
	3	2	186⅞	279⅞	183⅞	276⅞
	4	3	279⅞	366	276⅞	366
	1	0	8	94	8	90
7½" Regal Cornice	2	1	94⅞	186	90⅞	182
	3	2	186⅞	278	182⅞	274
	4	3	278⅞	366	274⅞	366

*Keystones not available.


Outside Mount

- Wood cornices and valances requiring a splice will include a keystone (see chart above for details)



Inside Mount

- Wood valances 100¼" or wider and cornices 94" or wider will require a keystone




Options

Palladian Window Shelf

A wood shelf or header that may be installed in applications lacking a window frame for mounting a blind. Blinds or other window treatments may be installed either above or below the shelf.

- Created from premium North American hardwood
- Use with any Graber® blind or shade
- Ideal for arch top windows
- Use as a divider for long windows
- Easy mounting brackets included
- Available in all paints and stains to coordinate with Graber Wood Blinds, as well as unfinished or with custom color
- Available in depths from 4" to as narrow as 2"






Paint Colors				Stain Colors			
Angora.....	1052	Grey Beige.....	1817	Allspice	1821	Honey Maple	1013
Antique White	1026	Medium Grey.....	1841	Cappuccino.....	1546	Natural.....	1007
Base White	1051	Pearl	1840	Cherry Wood	1014	Roasted Chestnut	1849
Crisp White	1712	Snow White	1850	Cognac	1465	Saddle Brown	1694
Custom Color*.....	CUSP	Snowflake	1603	Custom Color*.....	CUSS	Sienna	1685
Dover White.....	1683	Stepping Stone	1889	Dark Cherry	1316	Timeless Grey	1847
Dovetail	1839	Stucco.....	1963	Dark Walnut.....	1641	True Taupe	1848
				Espresso	1716	Truffle	1054
				Golden Oak	1030	Unfinished	1717
				Harbor Grey.....	1761	Walnut.....	1012
				Henna	1949	Wheat	1710
				Homestead Oak	1943		

*Custom color: see price charts for net surcharge per color.

General Information

Valance Returns: Horizontal Blinds

Returns for inside mount must be specified.

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)			
2½" Classic Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Barnwood [^]	100¾	98¾	Cord tilt	2⅞	3¼
				Wand tilt	3⅞	3⅞
				Cordless wand tilt	3⅞	3¾
				Cordless cord tilt	2¾	3⅞
3" Classic Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¾	98¾	Wand tilt	2⅞	2⅞
	2" Wood 2" Elite Wood 2" Aluminum† 2" Vinyl†	100¾	98¾	Cord tilt	2⅞	3¼
				Wand tilt	3⅞	3⅞
				Cordless wand tilt	3⅞	3¾
				Cordless cord tilt	2¾	3⅞
	2⅝" Wood 2⅝" Elite Wood	100¾	98¾	Cord tilt	3¾	4⅞
				Wand tilt	3¾	4⅞
				Cordless wand tilt	3⅞	3⅞
				Cordless cord tilt	3⅞	3⅞
	Wood Verticals	100¾	98¾	N/A	5½	5⅞
	2" Composite [^]	106⅞	105⅞	Cord tilt	2⅞	3¼
				Wand tilt	3⅞	3⅞
				Cordless wand tilt	3⅞	3¾
				Cordless cord tilt	2¾	3⅞
	2½" Composite [^]	106⅞	105⅞	Cord tilt	3⅞	4¼
				Wand tilt	3⅞	4¼
				Cordless wand tilt	3¾	4⅞
				Cordless cord tilt	3¾	4⅞
	2" Premium Faux Wood [^] 2" Faux Wood [^]	106⅞	105⅞	Cord tilt	2⅞	3¼
				Wand tilt	3⅞	3⅞
				Cordless wand tilt	3⅞	3¾
				Cordless cord tilt	2¾	3⅞
	2½" Premium Faux Wood [^] 2½" Faux Wood [^]	106⅞	105⅞	Cord tilt	3⅞	4¼
				Wand tilt	3⅞	4¼
				Cordless wand tilt	3¾	4⅞
				Cordless cord tilt	3¾	4⅞
3" Majestic Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Composite [^]	106⅞	105⅞	Cord tilt	2⅞	3⅞
				Wand tilt	3⅞	4⅞
				Cordless wand tilt	3⅞	3⅞
				Cordless cord tilt	2¾	3⅞
	2½" Composite [^]	106⅞	105⅞	Cord tilt	3⅞	4⅞
				Wand tilt	3⅞	4⅞
				Cordless wand tilt	3¾	4¼
				Cordless cord tilt	3¾	4¼
	2" Premium Faux Wood [^] 2" Faux Wood [^]	106⅞	105⅞	Cord tilt	2⅞	3⅞
				Wand tilt	3⅞	4⅞
				Cordless wand tilt	3⅞	3⅞
				Cordless cord tilt	2¾	3⅞
	2½" Premium Faux Wood [^] 2½" Faux Wood [^]	106⅞	105⅞	Cord tilt	3⅞	4⅞
				Wand tilt	3⅞	4⅞
				Cordless wand tilt	3¾	4¼
				Cordless cord tilt	3¾	4¼

*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300¾".




[^]Keystones not available.

[†]Cordless lift not available.

General Information

Valance Returns: Horizontal Blinds

Returns for inside mount must be specified.

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)			
3½" Craftsman Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¾	98¾	Wand tilt	2⅛	2⅝
	2" Wood 2" Elite Wood 2" Aluminum† 2" Vinyl†	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	2⅞ 3⅞ 3⅞ 2¾	3¼ 3⅞ 3¼ 3⅞
	2⅝" Wood 2⅝" Elite Wood	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	3¼ 3¼ 3⅞ 3⅞	4⅞ 4⅞ 3⅞ 3⅞
	Wood Verticals	100¾	98¾	N/A	5½	5⅞
3½" Legacy Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¾	98¾	Wand tilt	2⅛	2⅞
	2" Wood 2" Elite Wood 2" Aluminum† 2" Vinyl†	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	2⅞ 3⅞ 3⅞ 2¾	3⅞ 4 3⅞ 3⅞
	2" Distressed Wood^ 2" Elite Authentic Hardwood^	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	2⅞ 3⅞ 3⅞ 2¾	3⅞ 4 3⅞ 3⅞
	2⅝" Wood 2⅝" Elite Wood	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	3¼ 3¼ 3⅞ 3⅞	4⅞ 4⅞ 4⅞ 4⅞
	Wood Verticals	100¾	98¾	N/A	5½	5⅞
4½" Symphony Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¾	98¾	Wand tilt	2⅛	2⅞
	2" Wood 2" Elite Wood 2" Aluminum† 2" Vinyl†	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	2⅞ 3⅞ 3⅞ 2¾	3⅞ 4⅞ 4⅞ 3⅞
	2⅝" Wood 2⅝" Elite Wood	100¾	98¾	Cord tilt Wand tilt Cordless wand tilt Cordless cord tilt	3¼ 3¼ 3⅞ 3⅞	4⅞ 4⅞ 4⅞ 4⅞
	Wood Verticals	100¾	98¾	N/A	5½	6¼

*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300¾".

^Keystones not available.

†Cordless lift not available.

General Information

Wood Valance Returns

Valance Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
1" Wood Horizontal Blinds			
3" Classic Wood Valance	Wand tilt	2 ¹ / ₁₆	2 ³ / ₈
3 ¹ / ₂ " Craftsman Wood Valance	Wand tilt	2 ¹ / ₁₆	2 ³ / ₈
3 ¹ / ₂ " Legacy Wood Valance	Wand tilt	2 ¹ / ₁₆	2 ⁷ / ₁₆
4 ¹ / ₂ " Symphony Wood Valance	Wand tilt	2 ¹ / ₁₆	2 ¹³ / ₁₆
2" Wood, Aluminum, and Vinyl Horizontal Blinds			
2 ¹ / ₂ " Classic Barnwood Valance†	Cord tilt	2 ⁷ / ₈	3 ¹ / ₄
	Wand tilt	3 ⁹ / ₁₆	3 ⁷ / ₈
	Cordless wand tilt	3 ³ / ₈	3 ³ / ₄
	Cordless cord tilt	2 ³ / ₄	3 ¹ / ₁₆
3" Classic Wood Valance*	Cord tilt	2 ⁷ / ₈	3 ¹ / ₄
	Wand tilt	3 ⁹ / ₁₆	3 ⁷ / ₈
	Cordless wand tilt	3 ³ / ₈	3 ³ / ₄
	Cordless cord tilt	2 ³ / ₄	3 ¹ / ₁₆
3 ¹ / ₂ " Craftsman Wood Valance*	Cord tilt	2 ⁷ / ₈	3 ¹ / ₄
	Wand tilt	3 ⁹ / ₁₆	3 ⁷ / ₈
	Cordless wand tilt	3 ³ / ₈	3 ³ / ₄
	Cordless cord tilt	2 ³ / ₄	3 ¹ / ₁₆
3 ¹ / ₂ " Legacy Wood Valance*	Cord tilt	2 ⁷ / ₈	3 ⁵ / ₁₆
	Wand tilt	3 ⁹ / ₁₆	4
	Cordless wand tilt	3 ³ / ₈	3 ¹³ / ₁₆
	Cordless cord tilt	2 ³ / ₄	3 ¹ / ₈
4 ¹ / ₂ " Symphony Wood Valance*	Cord tilt	2 ⁷ / ₈	3 ³ / ₈
	Wand tilt	3 ⁹ / ₁₆	4 ⁵ / ₁₆
	Cordless wand tilt	3 ³ / ₈	4 ¹ / ₈
	Cordless cord tilt	2 ³ / ₄	3 ¹ / ₂
2³/₈" Wood Horizontal Blinds			
3" Classic Wood Valance	Cord tilt	3 ³ / ₄	4 ¹ / ₁₆
	Wand tilt	3 ³ / ₄	4 ¹ / ₁₆
	Cordless wand tilt	3 ⁹ / ₁₆	3 ¹⁵ / ₁₆
	Cordless cord tilt	3 ⁹ / ₁₆	3 ¹⁵ / ₁₆
3 ¹ / ₂ " Craftsman Wood Valance	Cord tilt	3 ³ / ₄	4 ¹ / ₁₆
	Wand tilt	3 ³ / ₄	4 ¹ / ₁₆
	Cordless wand tilt	3 ⁹ / ₁₆	3 ¹⁵ / ₁₆
	Cordless cord tilt	3 ⁹ / ₁₆	3 ¹⁵ / ₁₆
3 ¹ / ₂ " Legacy Wood Valance	Cord tilt	3 ³ / ₄	4 ³ / ₁₆
	Wand tilt	3 ³ / ₄	4 ³ / ₁₆
	Cordless wand tilt	3 ⁹ / ₁₆	4 ¹ / ₁₆
	Cordless cord tilt	3 ⁹ / ₁₆	4 ¹ / ₁₆
4 ¹ / ₂ " Symphony Wood Valance	Cord tilt	3 ³ / ₄	4 ¹ / ₂
	Wand tilt	3 ³ / ₄	4 ¹ / ₂
	Cordless wand tilt	3 ⁹ / ₁₆	4 ⁵ / ₁₆
	Cordless cord tilt	3 ⁹ / ₁₆	4 ⁵ / ₁₆

*Cordless lift not available with 2" aluminum or vinyl blinds.

†Only available with 2" barnwood blinds.

NOTE: Minimum return width is 1/2"; maximum return width is 8". Valance returns 1/2" to 1" will be glued, 1 1/16" to 4 5/8" will be optional glued, 4 11/16" and greater cannot be glued.

Valances only available on bay or corner windows if bay or corner application is available on entire product line selected. See price list of product selected for measuring instructions. If the valance is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

Wood Valance Returns

Valance Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
Artisan Fabric Roman Shades			
3" Classic Wood Valance	Cord lift	4 $\frac{1}{8}$	4 $\frac{3}{8}$
	Other lift types	4 $\frac{1}{8}$	5 $\frac{3}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance	Cord lift	4 $\frac{1}{8}$	4 $\frac{3}{8}$
	Other lift types	4 $\frac{1}{8}$	5 $\frac{3}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance	Cord lift	4 $\frac{1}{8}$	4 $\frac{1}{2}$
	Other lift types	4 $\frac{1}{8}$	5 $\frac{1}{4}$
4 $\frac{1}{2}$ " Symphony Wood Valance	Cord lift	4 $\frac{1}{8}$	4 $\frac{7}{8}$
	Other lift types	4 $\frac{1}{8}$	5 $\frac{5}{8}$
Cellular, Pleated, and Fresco Roman Shades			
3" Classic Wood Valance	Cord lift	3 $\frac{3}{4}$	4 $\frac{1}{16}$
	Other lift types	4 $\frac{1}{8}$	4 $\frac{7}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance	Cord lift	3 $\frac{3}{4}$	4 $\frac{1}{16}$
	Other lift types	4 $\frac{1}{8}$	4 $\frac{7}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance	Cord lift	3 $\frac{3}{4}$	4 $\frac{1}{8}$
	Other lift types	4 $\frac{1}{8}$	4 $\frac{1}{2}$
4 $\frac{1}{2}$ " Symphony Wood Valance	Cord lift	3 $\frac{3}{4}$	4 $\frac{1}{2}$
	Other lift types	4 $\frac{1}{8}$	4 $\frac{7}{8}$
Cellular Shade Vertical Application			
3" Classic Wood Valance	All	4 $\frac{1}{4}$	4 $\frac{9}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance	All	4 $\frac{1}{4}$	4 $\frac{9}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance	All	4 $\frac{1}{4}$	4 $\frac{5}{8}$
4 $\frac{1}{2}$ " Symphony Wood Valance	All	4 $\frac{1}{4}$	5
Dual Shades			
3" Classic Wood Valance*	All	5 $\frac{1}{2}$	5 $\frac{13}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance*	All	5 $\frac{1}{2}$	5 $\frac{13}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance*	All	5 $\frac{1}{2}$	5 $\frac{7}{8}$
4 $\frac{1}{2}$ " Symphony Wood Valance	All	5 $\frac{1}{2}$	6 $\frac{1}{4}$
Natural Drapes			
3" Classic Wood Valance	All	6	6 $\frac{5}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance	All	6	6 $\frac{5}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance	All	6	6 $\frac{3}{8}$
4 $\frac{1}{2}$ " Symphony Wood Valance	All	6	6 $\frac{3}{4}$
Natural Shades			
3" Classic Wood Valance	All	3 $\frac{5}{8}$	3 $\frac{15}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance	All	3 $\frac{5}{8}$	3 $\frac{15}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance	All	3 $\frac{5}{8}$	4 $\frac{1}{16}$
4 $\frac{1}{2}$ " Symphony Wood Valance	All	3 $\frac{5}{8}$	4 $\frac{3}{8}$
Sheer Vertical Blinds			
3" Classic Wood Valance	All	6 $\frac{1}{4}$	6 $\frac{1}{16}$
3 $\frac{1}{2}$ " Craftsman Wood Valance	All	6 $\frac{1}{4}$	6 $\frac{1}{16}$
3 $\frac{1}{2}$ " Legacy Wood Valance	All	6 $\frac{1}{4}$	6 $\frac{5}{8}$
4 $\frac{1}{2}$ " Symphony Wood Valance	All	6 $\frac{1}{4}$	7

*Symphony valance recommended for better coverage.

NOTE: Minimum return width is $\frac{1}{2}$ "; maximum return width is 8". Valance returns $\frac{1}{2}$ " to 1" will be glued, 1 $\frac{1}{16}$ " to 4 $\frac{5}{8}$ " will be optional glued, 4 $\frac{11}{16}$ " and greater cannot be glued.

Valances only available on bay or corner windows if bay or corner application is available on entire product line selected. See price list of product selected for measuring instructions. If the valance is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

Wood Valance Returns

Valance Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
Sliding Panels			
3" Classic Wood Valance	All	5	5 ⁵ / ₁₆
3 ¹ / ₂ " Craftsman Wood Valance	All	5	5 ⁵ / ₁₆
3 ¹ / ₂ " Legacy Wood Valance	All	5	5 ⁵ / ₈
4 ¹ / ₂ " Symphony Wood Valance	All	5	5 ³ / ₄
Solar and Roller Shades			
3" Classic Wood Valance	All	3 ³ / ₄	4 ¹ / ₁₆
3 ¹ / ₂ " Craftsman Wood Valance	All	3 ³ / ₄	4 ¹ / ₁₆
3 ¹ / ₂ " Legacy Wood Valance	All	3 ³ / ₄	4 ¹ / ₈
4 ¹ / ₂ " Symphony Wood Valance	All	3 ³ / ₄	4 ¹ / ₂
Vertical Blinds			
3" Classic Wood Valance	All	5 ¹ / ₂	5 ¹³ / ₁₆
3 ¹ / ₂ " Craftsman Wood Valance	All	5 ¹ / ₂	5 ¹³ / ₁₆
3 ¹ / ₂ " Legacy Wood Valance	All	5 ¹ / ₂	5 ⁷ / ₈
4 ¹ / ₂ " Symphony Wood Valance	All	5 ¹ / ₂	6 ¹ / ₄

NOTE: Minimum return width is 1/2"; maximum return width is 8". Valance returns 1/2" to 1" will be glued, 1 1/16" to 4 5/8" will be optional glued, 4 11/16" and greater cannot be glued.

Valances only available on bay or corner windows if bay or corner application is available on entire product line selected. See price list of product selected for measuring instructions. If the valance is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

Wood Cornice Returns

Cornice Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
1" Wood Horizontal Blinds			
4½" Symphony Wood Cornice	All	3⅝	4⅞
5½" Noble Wood Cornice	All	3⅝	4⅞
7½" Noble Wood Cornice	All	3⅝	4⅞
5½" Regal Wood Cornice	All	3⅝	5⅞
7½" Regal Wood Cornice	All	3⅝	5⅞
2" Wood, Aluminum, and Vinyl Horizontal Blinds			
4½" Symphony Wood Cornice	All	5	5⅞
5½" Noble Wood Cornice	All	5	6
7½" Noble Wood Cornice	All	5	6⅞
5½" Regal Wood Cornice	All	5	6⅞
7½" Regal Wood Cornice	All	5	7
2⅝" Wood Horizontal Blinds			
4½" Symphony Wood Cornice	All	5	5⅞
5½" Noble Wood Cornice	All	5	6
7½" Noble Wood Cornice	All	5	6⅞
5½" Regal Wood Cornice	All	5	6⅞
7½" Regal Wood Cornice	All	5	7
Artisan Fabric Roman Shades			
4½" Symphony Wood Cornice	Cord lift	4⅞	4⅞
	Other lift types	4⅞	5⅞
5½" Noble Wood Cornice	Cord lift	4⅞	5⅞
	Other lift types	4⅞	5⅞
7½" Noble Wood Cornice	Cord lift	4⅞	5⅞
	Other lift types	4⅞	6⅞
5½" Regal Wood Cornice	Cord lift	4⅞	5⅞
	Other lift types	4⅞	6⅞
7½" Regal Wood Cornice	Cord lift	4⅞	6⅞
	Other lift types	4⅞	6⅞
Cellular, Pleated, and Fresco Roman Shades			
4½" Symphony Wood Cornice	All	4⅞	4⅞
5½" Noble Wood Cornice	All	4⅞	5⅞
7½" Noble Wood Cornice	All	4⅞	5⅞
5½" Regal Wood Cornice	All	4⅞	5⅞
7½" Regal Wood Cornice	All	4⅞	6⅞
Cellular Shade Vertical Application			
4½" Symphony Wood Cornice	All	4¼	5⅞
5½" Noble Wood Cornice	All	4¼	5⅞
7½" Noble Wood Cornice	All	4¼	5⅞
5½" Regal Wood Cornice	All	4¼	5⅞
7½" Regal Wood Cornice	All	4¼	6¼

NOTE: Minimum return width is ½"; maximum return width is 8".

Cornices are not available on bay or corner windows. If the cornice is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

Wood Cornice Returns

Cornice Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
Dual Shades			
4½" Symphony Wood Cornice	All	5½	6⅝
5½" Noble Wood Cornice	All	5½	6½
7½" Noble Wood Cornice	All	5½	6⅜
5½" Regal Wood Cornice	All	5½	6⅝
7½" Regal Wood Cornice	All	5½	7½
Natural Drapes			
4½" Symphony Wood Cornice	All	6	6⅜
5½" Noble Wood Cornice	All	6	7
7½" Noble Wood Cornice	All	6	7⅞
5½" Regal Wood Cornice	All	6	7⅞
7½" Regal Wood Cornice	All	6	8
Natural Shades			
4½" Symphony Wood Cornice	All	3⅝	4⅞
5½" Noble Wood Cornice	All	3⅝	4⅝
7½" Noble Wood Cornice	All	3⅝	4⅝
5½" Regal Wood Cornice	All	3⅝	5⅞
7½" Regal Wood Cornice	All	3⅝	5⅝
Sheer Vertical Blinds			
4½" Symphony Wood Cornice	All	6¼	7⅞
5½" Noble Wood Cornice	All	6¼	7¼
7½" Noble Wood Cornice	All	6¼	7⅞
5½" Regal Wood Cornice	All	6¼	7⅞
7½" Regal Wood Cornice	All	6¼	8¼
Sliding Panels			
4½" Symphony Wood Cornice	All	5	5⅜
5½" Noble Wood Cornice	All	5	6
7½" Noble Wood Cornice	All	5	6⅝
5½" Regal Wood Cornice	All	5	6⅞
7½" Regal Wood Cornice	All	5	7
Solar and Roller Shades			
4½" Symphony Wood Cornice	All	3¾	4⅞
5½" Noble Wood Cornice	All	3¾	4¾
7½" Noble Wood Cornice	All	3¾	5⅞
5½" Regal Wood Cornice	All	3¾	5⅞
7½" Regal Wood Cornice	All	3¾	5¾
Vertical Blinds			
4½" Symphony Wood Cornice	All	5½	6⅞
5½" Noble Wood Cornice	All	5½	6½
7½" Noble Wood Cornice	All	5½	6⅜
5½" Regal Wood Cornice	All	5½	6⅝
7½" Regal Wood Cornice	All	5½	7½

NOTE: Dual shades can be configured with 7½" cornices. 5½" cornices are available only when dual shade has no cassette with inside mount and cornices are outside mount.

Minimum return width is ½"; maximum return width is 8".

Cornices are not available on bay or corner windows. If the cornice is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

Composite and Faux Wood Valance Returns

Valance Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
2" Composite and Faux Wood Horizontal Blinds			
3" Classic Composite or Faux Wood Valance	Cord tilt	2 ⁷ / ₈	3 ¹ / ₄
	Wand tilt	3 ³ / ₈	3 ⁷ / ₈
	Cordless wand tilt	3 ³ / ₈	3 ³ / ₄
	Cordless cord tilt	2 ³ / ₄	3 ¹ / ₈
3" Majestic Composite or Faux Wood Valance	Cord tilt	2 ⁷ / ₈	3 ³ / ₈
	Wand tilt	3 ³ / ₈	4 ¹ / ₈
	Cordless wand tilt	3 ³ / ₈	3 ⁷ / ₈
	Cordless cord tilt	2 ³ / ₄	3 ³ / ₈
2¹/₂" Composite and Faux Wood Horizontal Blinds			
3" Classic Composite or Faux Wood Valance	Cord tilt	3 ¹⁵ / ₁₆	4 ¹ / ₄
	Wand tilt	3 ¹⁵ / ₁₆	4 ¹ / ₄
	Cordless wand tilt	3 ³ / ₄	4 ¹ / ₈
	Cordless cord tilt	3 ³ / ₄	4 ¹ / ₈
3" Majestic Composite or Faux Wood Valance	Cord tilt	3 ¹⁵ / ₁₆	4 ⁷ / ₁₆
	Wand tilt	3 ¹⁵ / ₁₆	4 ⁷ / ₁₆
	Cordless wand tilt	3 ³ / ₄	4 ¹ / ₄
	Cordless cord tilt	3 ³ / ₄	4 ¹ / ₄
Artisan Fabric Roman Shades			
3" Classic Composite or Faux Wood Valance	Cord lift	4 ¹ / ₈	4 ³ / ₈
	Other lift types	4 ⁷ / ₈	5 ³ / ₈
3" Majestic Composite or Faux Wood Valance	Cord lift	4 ¹ / ₈	4 ¹ / ₈
	Other lift types	4 ⁷ / ₈	5 ³ / ₈
Cellular, Pleated, and Fresco Roman Shades			
3" Classic Composite or Faux Wood Valance	Cord lift	3 ³ / ₄	4 ¹ / ₈
	Other lift types	4 ¹ / ₈	4 ⁷ / ₁₆
3" Majestic Composite or Faux Wood Valance	Cord lift	3 ³ / ₄	4 ³ / ₈
	Other lift types	4 ¹ / ₈	4 ¹ / ₈
Cellular Shade Vertical Application			
3" Classic Composite or Faux Wood Valance	All	4 ¹ / ₄	4 ³ / ₈
3" Majestic Composite or Faux Wood Valance	All	4 ¹ / ₄	4 ¹¹ / ₁₆
Dual Shades			
3" Classic Composite or Faux Wood Valance*	All	5 ¹ / ₂	5 ¹ / ₈
3" Majestic Composite or Faux Wood Valance*	All	5 ¹ / ₂	5 ¹ / ₈
Natural Drapes			
3" Classic Composite or Faux Wood Valance	All	6	6 ³ / ₈
3" Majestic Composite or Faux Wood Valance	All	6	6 ⁷ / ₈
Natural Shades			
3" Classic Composite or Faux Wood Valance	All	3 ⁵ / ₈	3 ¹⁵ / ₁₆
3" Majestic Composite or Faux Wood Valance	All	3 ⁵ / ₈	4 ¹ / ₈

*Faux wood and composite valances not recommended due to valance heights.

NOTE: Minimum return width is 1/2"; maximum return width is 8". Valance returns 1/2" to 1" will be glued, 1 1/16" to 4 5/8" will be optional glued, 4 11/16" and greater cannot be glued.

Valances only available on bay or corner windows if bay or corner application is available on entire product line selected. See price list of product selected for measuring instructions. If the valance is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

Composite and Faux Wood Valance Returns

Valance Type	Control Type	Standard Return Inside Width (inches)	Full Recess Depth (inches)
Sheer Vertical Blinds			
3" Classic Composite or Faux Wood Valance	All	6¼	6⅞
3" Majestic Composite or Faux Wood Valance	All	6¼	6⅞
Sliding Panels			
3" Classic Composite or Faux Wood Valance	All	5	5⅞
3" Majestic Composite or Faux Wood Valance	All	5	5⅞
Solar and Roller Shades			
3" Classic Composite or Faux Wood Valance	All	3¾	4⅞
3" Majestic Composite or Faux Wood Valance	All	3¾	4⅞
Vertical Blinds			
3" Classic Composite or Faux Wood Valance	All	5½	5⅞
3" Majestic Composite or Faux Wood Valance	All	5½	5⅞

NOTE: Minimum return width is ½"; maximum return width is 8". Valance returns ½" to 1" will be glued, 1⅞" to 4⅞" will be optional glued, 4⅞" and greater cannot be glued.

Valances only available on bay or corner windows if bay or corner application is available on entire product line selected. See price list of product selected for measuring instructions. If the valance is to be used alone (no product selected), the return width must be specified at the time of the order.

General Information

How to Measure for Valance Returns

Window depths vary considerably depending on the age and style of the window.

Always measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.


Use the information in your product information guide for wood, composite, and faux wood to calculate the needed return width (see previous pages).

To calculate the return width, use this formula:

[standard return width] minus [client window depth] =
special return length to order for inside mount blind

REMEMBER:

- Smallest return width is $\frac{1}{2}$ " (inside measurement)
- Returns $\frac{1}{2}$ " to 1" (inside measurement) will be glued; returns $1\frac{1}{16}$ " to $4\frac{5}{8}$ " (inside measurement) have the option of being glued
- The width of a return and the width of a valance are measured on the inside (back side) of the valance, not the outside (face) of the valance (see diagram at right)
- Standard return size for $2\frac{3}{8}$ " blinds—subtract $\frac{3}{16}$ " prior to determining special return width
- Standard return size for $2\frac{1}{2}$ " blinds—subtract $\frac{3}{8}$ " prior to determining special return width



A: Inside Measurement
B: Outside Measurement

General Information

How to Measure and Order Cornices and Valances

Wood cornices and valances are optional with your custom order or as a stand-alone order.

NOTE: Cornices and valances with returns are measured and cut from the **INSIDE** of the miter to ensure the most accurate fit when installed over the headrail or window frame.

Outside Mount


- Cornices and valances are supplied with returns sized to cover the end of the blinds back to the mounting surface
- Custom returns may be ordered up to 8"; minimum return is ½"
- Cornices include a dust cover to conceal the top of the blind

Inside Mount

- Cornices and valances are supplied without returns and look best when the blinds and valance or cornice can be completely recessed
- Ends of the valance and cornice are straight-cut
- Cornices do NOT have a dust cover and returns are NOT available
- Returns for inside mount valances must be specified



Additional Ordering Information

- Please state at the time of order if the valance or cornice return measurements are for the **EXACT** size required so that no additions or deductions are made
- Cornices and valances will be shipped separately from blind
- Manufacturer recommends installing blind and valance/cornice at the same time





Side View—Cornice

1. Full recess is from front of cornice to wall.
2. Return width is from miter to wall.



Side View—Valance


1. Full recess is from front of valance to wall.
2. Return width is from miter to wall.
3. Partial recess—subtract actual window recess from return width to arrive at exact return width.



General Information

How to Measure a Special Splice Location

A keystone is supplied for valance and cornice widths that require a splice. Keystone will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an INSIDE measurement from the mitered corner to the location specified on the order.



Each splice location should be recorded starting from the LEFT BACKSIDE corner.

EXAMPLE: Overall valance width = 80" backside measurement
First splice from left = 30" backside measurement
Second splice from left = 50" backside measurement

See size considerations for cornice and valance manufacturing formulas to determine exact back width size your cornice or valance will be prior to selecting splice locations.

For keystone pricing, see price charts.

NOTE: All measurements need to be from backside.

Custom Color

Graber® offers the unique option of custom color in either paint or stain. Use the following guidelines when placing your order.

With your order, please send a color chip (at least a 2" square sample) with the color name on the sample. A sample of the color can be requested before blinds are manufactured for your approval. An approval color sample will be automatically sent on orders for six or more blinds. A customer may waive their sample if they do not wish to receive one. Samples usually add approximately two (2) weeks to the lead time of an order. If a color sample is not requested, the sample you provided will be used to manufacture the wood blinds. If the color chip is to be returned to you, please note this on your order.

Please send all color chips to:

Springs Window Fashions, LLC
ATTN: Graber Custom Color
1500 Sycamore Road-G5
Montoursville, PA 17754


NOTE: Due to the nature of the custom color process, manufacturing requires an extended lead time. The standard manufacturing process does not apply. Lead-times vary depending on sizes and quantities ordered.

General Information

Mounting Brackets

Universal Cornice Mounting Bracket


- L-brackets
- Standard when ordered with
 - Any inside mount cornice
 - Outside mount cornice with returns greater than 1 $\frac{3}{4}$ "




L-Bracket

Short Return Cornice Mounting Bracket

- Bracket and hanger
- Standard when ordered with
 - Outside mount cornice with return width 1/2" to 1 $\frac{3}{4}$ "




Hanger




Bracket

Universal Valance Mounting Bracket

- Standard when ordered for any of the following products
 - Cellular, pleated, soft, artisan fabric Roman, fresco Roman, solar, and roller shades
 - Cellular shade vertical application
 - Dual shades
 - Sliding panels
 - Sheer vertical blinds
 - Vertical blinds
 - Natural shades or drapes
 - Other or alone




Valance Slide




Horizontal Valance Mounting Bracket


- Clip and slide brackets
- Projection width depends on slat size and control type selected
- Standard when ordered for any of the following products
 - 2" aluminum horizontal blinds
 - 2" and 2 $\frac{1}{2}$ " faux wood blinds
 - 2" vinyl horizontal blinds
 - 1", 2", and 2 $\frac{3}{8}$ " wood blinds



Valance Slide



Short Valance Clip
(Available with 1", 2"
cord tilt, or motorized tilt)



Long Valance Clip
(Available with wand tilt
or slat sizes greater than 2")

GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

10009-111 (11/19) | S19-20123

GRABER.

Grabber Cornices, Valances, & Palladian Window Shelf Designer US Price List — Effective June 2022

Wood Cornice Pricing

	Width up to inches (cm) →														
	23 (58.5)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)
4 1/2" (11.5 cm) Symphony Wood Cornice*	276	295	309	324	353	380	414	424	434	451	480	485	771	794	815
5 1/2" (14.0 cm) Regal Wood Cornice	344	366	380	408	434	462	498	517	534	551	605	614	924	954	981
7 1/2" (19.1 cm) Regal Wood Cornice	442	467	483	506	530	551	573	598	613	646	692	742	1103	1142	1179
5 1/2" (14.0 cm) Noble Wood Cornice	288	311	328	349	380	408	442	459	474	489	523	530	836	863	887
7 1/2" (19.1 cm) Noble Wood Cornice	410	438	457	475	492	511	534	551	571	613	670	719	1080	1113	1148

	Width up to inches (cm) →														
	126 (320.1)	136 (345.5)	146 (370.9)	156 (396.3)	166 (421.7)	176 (447.1)	186 (472.5)	192 (487.7)	216 (548.7)	240 (609.6)	264 (670.6)	283 (718.9)	312 (792.5)	336 (853.5)	366 (929.7)
4 1/2" (11.5 cm) Symphony Wood Cornice*	834	859	881	903	924	945	967	1266	1284	1330	1374	1418	1737		
5 1/2" (14.0 cm) Regal Wood Cornice	1007	1035	1066	1095	1122	1152	1179	1510	1540	1596	1654	1711	2072	2127	2185
7 1/2" (19.1 cm) Regal Wood Cornice	1220	1259	1297	1336	1376	1416	1455	1809	1844	1927	2004	2080	2474	2553	2629
5 1/2" (14.0 cm) Noble Wood Cornice	908	934	958	981	1004	1028	1050	1375	1397	1446	1494	1540	1887	1934	1981
7 1/2" (19.1 cm) Noble Wood Cornice	1179	1216	1248	1284	1317	1353	1385	1732	1767	1836	1902	1970	2352	2418	2488

*Maximum width 300 3/4" (764.0 cm).

NOTE: Includes returns (if requested) and mounting hardware. Minimum width 8" (20.4 cm) exact.

Decorative Cornice Keystone Pricing

Keystones are included in the price of a spliced cornice; additional keystones are available as a surcharge.

Maximum keystones on single piece cornice is 3

7 1/2" (19.1 cm) Noble and Regal	228 each
5 1/2" (14.0 cm) Noble and Regal	218 each
4 1/2" (11.5 cm) Symphony	193 each

Custom Color Pricing

Custom Color (net per color)	149
------------------------------	-----

Wood Valance Pricing

	Width up to inches (cm) →																
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	126 (320.1)	136 (345.5)
3" (7.7 cm) Classic Wood Valance	49	60	68	75	80	84	94	104	109	114	124	129	134	150	166	177	189
3 1/2" (8.9 cm) Craftsman Wood Valance	51	62	73	78	84	94	97	106	113	119	129	132	138	155	170	181	193
3 1/2" (8.9 cm) Legacy Wood Valance	51	62	73	78	84	94	97	106	113	119	129	132	138	155	170	181	193
4 1/2" (11.5 cm) Symphony Wood Valance	61	69	79	85	94	104	109	114	121	130	133	139	151	174	187	201	215

	Width up to inches (cm) →																
	146 (370.9)	156 (396.3)	166 (421.7)	176 (447.1)	186 (472.5)	196 (497.9)	206 (523.3)	216 (548.7)	226 (574.1)	236 (599.5)	246 (624.9)	256 (650.3)	266 (675.7)	276 (701.1)	286 (726.5)	296 (751.9)	300 (762)
3" (7.7 cm) Classic Wood Valance	203	215	227	239	254	264	278	288	305	314	328	341	353	365	378	391	401
3 1/2" (8.9 cm) Craftsman Wood Valance	206	218	232	244	257	268	282	293	308	319	331	344	357	368	383	395	408
3 1/2" (8.9 cm) Legacy Wood Valance	206	218	232	244	257	268	282	293	308	319	331	344	357	368	383	395	408
4 1/2" (11.5 cm) Symphony Wood Valance	230	242	257	270	284	301	312	326	341	354	367	383	396	410	424	437	452

NOTE: Includes returns (if requested) and mounting hardware. Minimum width 8" (20.4 cm) exact. Maximum width 300 3/4" (764.0 cm).

Decorative Wood Valance Keystone Pricing

Keystones are included in the price of a spliced valance; additional keystones are available as a surcharge.

Maximum keystones on single valance is 3

3" (7.7 cm) Classic Wood Valance 3 1/2" (8.9 cm) Craftsman Wood Valance 3 1/2" (8.9 cm) Legacy Wood Valance 4 1/2" (11.5 cm) Symphony Wood Valance	24 each
-------------------------------------------------------------------------------------------------------------------------------------------------------------	---------

Custom Color Pricing

Custom Color (net per color)	149
------------------------------	-----

Composite and Faux Wood Valance Pricing

	Width up to inches (cm) →																
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	126 (320.1)	136 (345.5)
3" (7.7 cm) Classic Composite and Faux Wood Valance	42	47	53	61	67	73	78	83	89	96	104	111	116	127	138	148	159
3" (7.7 cm) Majestic Composite and Faux Wood Valance	49	61	69	75	80	88	90	101	108	113	124	126	133	145	156	171	182

	Width up to inches (cm) →																
	146 (370.9)	156 (396.3)	166 (421.7)	176 (447.1)	186 (472.5)	196 (497.9)	206 (523.3)	216 (548.7)	226 (574.1)	236 (599.5)	246 (624.9)	256 (650.3)	266 (675.7)	276 (701.1)	286 (726.5)	296 (751.9)	300 (762)
3" (7.7 cm) Classic Composite and Faux Wood Valance	172	182	192	203	215	225	236	246	259	268	280	289	303	312	324	334	346
3" (7.7 cm) Majestic Composite and Faux Wood Valance	193	208	218	231	242	257	267	280	291	306	317	330	343	353	367	378	391

NOTE: Includes returns (if requested) and mounting hardware. Minimum width 8" (20.4 cm) exact. Maximum width 300 3/4" (764.0 cm).

NOTE: Spliced faux wood valances not available with keystones.

Palladian Window Shelf Pricing

	Width up to inches (cm) →												
	24	32	36	42	48	54	60	66	72	78	84	90	96
	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)
Palladian Window Shelf	103	136	151	179	204	231	256	281	307	331	357	383	408

NOTE: Minimum width 7" (17.8 cm) exact.