

GRABER®



Graber Exterior Solar Shades English US Price Guide

EXTERIOR SOLAR SHADES

Product Information Guide

Features

Summary	2
Fabric Styles and Information: Exterior Solar Shades	2-3
Light Gaps.	3
Fabric Recommendations	3
Fabric Disclaimers	3
Large Window Sizing	3
Light Control and Privacy	3
Fabric Certifications	3

Size Considerations

Continuous-Loop Lift and Motorized Lift: Maximum Shade Size	4-5
How to Determine Maximum Shade Size	6
Planning for Installation of Exterior Shades	6
Depth Requirements for Inside Mount	7
Guide Cables	7
Motor Power Cable.	7

Options

Summary.	8
Reverse Roll	8
Continuous-Loop Lift	8
Curved Cassette Valance	8
Motorized Lift	9

General Information

Exterior Continuous-Loop Lift Product Detail	10
Exterior Motorized Lift Shade Product Detail	11

GRABER®

JULY 2021

(07/21)S21-240350

Features

Exterior Solar Shades Expand Your Outdoor Living Space

- Maintain an outdoor view
 - Filter and diffuse light while maintaining an outward view
 - The higher the openness factor and the darker the fabric, the clearer the view
- Manage glare
 - Minimize glare on televisions and home office computers
 - The darker the fabric color, the better the glare control and visibility
- Block damaging UV rays
 - The amount of UV ray blockage is the inverse of a fabric's openness factor (i.e., a fabric with 10% openness blocks 90% of UV rays)
 - Protect furniture, carpets, artwork, etc. from fading due to harmful UV rays

- Temperature control
 - Exterior shades reduce solar heat gain before it enters the house, reducing air conditioning costs
 - Solar fabrics reduce heat transmittance, keeping rooms cooler and increasing the comfort level in your home
 - The lighter the fabric color, the better the temperature control

IMPORTANT: Shades must be raised fully during inclement weather and windy conditions.

Fabric Styles and Information: Exterior Solar Shades

Style Name	Openness	UV Blockage	Fabric Composition	Useable Fabric Width (inches)	GREENGUARD Certified	Anti-Microbial	FR Rated	Can be Railroaded Turned 90° (width for height)	Can be Seamed	Color Number
Broadcast	1%	99%	25% polyester/ 75% vinyl on polyester	116	•	•	•	•	•	All
Chronicles	4%	96%	15% polyester/ 85% vinyl on polyester	96	•	•	•	•	•	All
Merit	4%	96%	15% polyester/ 85% vinyl on polyester	96	•	•	•	•	•	All
Monticello	7%	93%	23.8% polyester/ 76.2% vinyl on polyester	96	•	•	•	•	•	All
Plexus 1%	1%	99%	19% polyester/ 81% vinyl on polyester	116	•	•	•	•	•	47601, 47611, 47612 47610, 47604, 47606, 47613, 47609, 47608, 47603, 47602, 47605, 47607
Plexus 3%	3%	97%	19% polyester/ 81% vinyl on polyester	116	•	•	•	•	•	47701, 47711, 47712 47710, 47704, 47706, 47713, 47709, 47708, 47703, 47702, 47705, 47707
Plexus 5%	5%	95%	13% Polyester/87% Vinyl on Polyester	116	•	•	•	•	•	47801, 47812, 47811 47810, 47804, 47806, 47813, 47809, 47808, 47803, 47802, 47805, 47807
Standard Weave 1%	1%	99%	21% polyester/ 79% vinyl on polyester	124	•	•	•	•	•	47905, 47907, 47908 47901, 47906
Standard Weave 3%	3%	97%	24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	47903, 47904
Standard Weave 5%	5%	95%	18% polyester/ 82% vinyl on polyester	124	•	•	•	•	•	48203, 48204
Standard Weave 10%	10%	90%	21% polyester/ 79% vinyl on polyester	116	•	•	•	•	•	48205, 48207, 48208 48201
Vanguard 1%	1%	99%	24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48303, 48304 48305, 48307, 48308 48301
			16% polyester/ 84% vinyl on polyester	124	•	•	•	•	•	48403, 48404 48405, 48407, 48408 48401
			21% polyester/ 79% vinyl on polyester	124	•	•	•	•	•	47912, 47914, 47918, 47917 47909, 47915, 47916 47910, 47919

Features

Fabric Styles and Information: Exterior Solar Shades

Style Name	Openness	UV Blockage	Fabric Composition	Useable Fabric Width (inches)	GREENGUARD Certified	Anti-Microbial	FR Rated	Can be Railroaded Turned 90° (width for height)	Can be Seamed	Color Number
Vanguard 3%	3%	97%	18% polyester/ 82% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48210, 48219 48212, 48214, 48217, 48218 48209, 48215, 48216
Vanguard 5%	5%	95%	16% polyester/ 84% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48310, 48319 48312, 48314, 48317, 48318 48309, 48315, 48316

Light Gaps

A light gap will be present on inside mounted shades. An outside mount with overlap is recommended to eliminate light gap.

Control Type	Light Gap Per Side (inches)
Continuous-Loop Lift No Cassette	$\frac{1}{16}$ to $\frac{13}{16}$
Continuous-Loop Lift with Cassette	$\frac{1}{16}$ to 1
Motorized Lift with Cassette	1 to $1\frac{1}{16}$

Fabric Recommendations

Please order all shades at the same time to ensure color consistency and minimize dye lot variation.

Fabric Disclaimers

Due to the nature of the weaving process, some imperfection in the weave is normal.

Roll direction cannot be reversed after a shade is ordered.

Fabric appearance can vary based on changing lighting conditions.

Fabrics turned width for height (referred to as railroaded) may curl along the edge. With extremely wide or railroaded shades, a V shape may appear in the center of the panel. This is expected behavior and occurs due to the weight of the fabric. This is not a defect in the product.

Large Window Sizing

Some fabrics can be turned 90° clockwise (width for height) to accommodate wider windows. In these cases some solar fabrics can be seamed for longer lengths. Fabrics turned width for height (referred to as railroaded) may curl along the edge. This is not a defect in the product.

Light Control and Privacy

Privacy: Solar shades do not offer nighttime privacy—lighted interiors allow inward visibility. If complete privacy is desired, consider adding an additional window treatment.

Fabric Certifications

GREENGUARD Indoor Air Quality Certified® Fabrics: Many Graber® fabrics have been certified by GREENGUARD Environmental Institute (GEI) to be low chemical and particle emitting fabrics, providing a healthier indoor air quality. The process used for certification complies with established indoor air quality standards and is performed by a third party lab. Please see graberblinds.com for more information.

greenguard.org

GREENGUARD Indoor Air Quality Certified is a registered trademark of the GREENGUARD Environmental Institute.



Size Considerations

Continuous-Loop Lift and Motorized Lift: Maximum Shade Size

Fabric	Normal Fabric Orientation				Fabric Turned Width for Height (Railroaded)					
	Continuous-Loop Lift Medium Cassette		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance		Continuous-Loop Lift Medium Cassette		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance at Max Width		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance at Max Width	
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Broadcast	76	118	116	144	76	118	121	144	121	144
Chronicles	96	118	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Merit	96	118	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Monticello	80	108	96	144	83	86	114	83	144	80
Plexus 1% (Black Granite; Chalcedony; Nutley Pier; Landmark; Niche; Penumbra; Provisions; Renewal; Stately; Travertine)	74	109	116	124	74	109	119	120	119	120
Plexus 1% (Soapstone; Sublime Gray; Tranquility)	74	113	115	130	74	113	119	125	119	125
Plexus 3% (Black Granite; Chalcedony; Nutley Pier; Landmark; Niche; Penumbra; Provisions; Renewal; Stately; Travertine)	74	114	114	133	74	114	121	124	121	124
Plexus 3% (Soapstone; Sublime Gray; Tranquility)	74	119	116	136	74	119	121	130	121	130
Plexus 5% (Black Granite; Chalcedony; Nutley Pier; Landmark; Niche; Penumbra; Provisions; Renewal; Stately; Travertine)	74	119	116	136	74	119	121	130	121	130
Plexus 5% (Soapstone; Sublime Gray; Tranquility)	75	121	116	144	75	121	126	133	126	133
Standard Weave 1% (Calcite; Polished)	108	114	124	144	108	114	139	144	139	144
Standard Weave 1% (Daikon; Infallible; Once)	107	125	116	144	107	125	140	144	140	144
Standard Weave 1% (Veranda; Café Doppio; Chiseled)	106	121	124	144	106	121	136	144	136	144
Standard Weave 10% (Chiseled; Daikon; Café Doppio; Infallible; Once; Veranda)	108	130	116	144	108	130	143	144	143	144
Standard Weave 10% (Polished; Calcite)	110	134	116	144	110	134	144	144	144	144
Standard Weave 3% (Daikon; Infallible; Once)	108	118	124	144	108	118	139	144	139	144
Standard Weave 3% (Polished; Calcite)	108	123	124	144	108	123	141	144	141	144

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. These tables provide the maximum shade size available by fabric and cassette. Seams may be added to fabrics to accommodate long shade requirements. For shades longer than material width, seams will be visible when the shade is fully extended.

Size Considerations

Continuous-Loop Lift and Motorized Lift: Maximum Shade Size

	Normal Fabric Orientation				Fabric Turned Width for Height (Railroaded)					
	Continuous-Loop Lift Medium Cassette		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance		Continuous-Loop Lift Medium Cassette		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance at Max Width		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance at Max Width	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Standard Weave 3% (Veranda; Café Doppio; Chiseled)	107	122	124	144	107	122	139	144	139	144
Standard Weave 5% (Calcite; Polished)	110	123	124	144	110	123	142	144	142	144
Standard Weave 5% (Infallible; Once; Daikon)	109	125	124	144	109	125	142	144	142	144
Standard Weave 5% (Veranda; Café Doppio; Chiseled)	108	127	124	144	108	127	141	144	141	144
Vanguard 1% (Authentic; Chrome; Pendulum; Gentle Beige)	108	114	124	144	108	114	139	144	139	144
Vanguard 1% (Cortina; Obsidian)	107	125	124	144	107	125	140	144	140	144
Vanguard 1% (Elusive; Macedonia; Dew; Homage; Peloton)	106	121	124	144	106	121	136	144	136	144
Vanguard 3% (Authentic; Gentle Beige; Chrome; Pendulum)	108	123	124	144	108	123	141	144	141	144
Vanguard 3% (Elusive; Macedonia; Dew; Homage; Peloton)	107	122	124	144	107	122	139	144	139	144
Vanguard 3% (Obsidian; Cortina)	108	118	124	144	108	118	139	144	139	144
Vanguard 5% (Cortina; Obsidian)	109	125	124	144	109	125	142	144	142	144
Vanguard 5% (Elusive; Macedonia; Dew; Homage; Peloton)	108	127	124	144	108	127	141	144	141	144
Vanguard 5% (Gentle Beige; Pendulum; Authentic; Chrome)	110	123	124	144	110	123	142	144	142	144

Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up-to-date size considerations. These tables provide the maximum shade size available by fabric and cassette. Seams may be added to fabrics to accommodate long shade requirements. For shades longer than material width, seams will be visible when the shade is fully extended.

Size Considerations

How to Determine Maximum Shade Size

Follow these easy steps to determine maximum shade size and valance size from the maximum shade size tables.

1. Determine your fabric style, shade size, and cassette (or no cassette for continuous-loop lift) requirement.
2. Find the fabric in the first column.
3. Determine if your shade size is within the normal fabric orientation size range.
4. Identify the appropriate size cassette (or no cassette for continuous-loop lift) for your shade size.
5. If your shade size is larger than either the maximum width or height range, your fabric may be able to be turned width for height for larger shades. Use the fabric turned width for height (railroaded) table.

EXAMPLE: Determine the maximum allowable shade size and cassette for normal orientation shades. The example continuous-loop lift shade is 110" x 120" Vanguard 5% with cassette.

1. Find Vanguard 5% in the first column.
2. Follow the Vanguard 5% fabric row to the width and height sizes.
3. The maximum width and maximum height in normal fabric orientation available for this configuration is 117" x 144".

NOTE: Both width and height must be less than the maximum width and height segment to fit the normal shade orientation.

4. Follow this segment to the top of the table. This segment is within the large cassette size indicating this shade's smallest segment cassette size available is a large size cassette.


Planning for Installation of Exterior Shades

Use the following planning guidelines for your exterior shade:

1. Determine the location of the shade.
2. Motorized lift shade: Determine the exterior power location. Measure the distance from the planned shade location to the electrical outlet or jbox to order the motor power cable lead length (10 feet).
3. Determine the side of the shade (left or right) the bead chain for continuous-loop lift or the motor power cable for motorized lift should exit.
4. For top mounts, large cassette installation: ½" spacing is required between the window and the back of the bracket.
5. For wall mounts, large cassette installation: ¾" clearance is required above bracket.
6. Use a stud finder to locate solid area to mount installation brackets.
7. Installation of motorized lift shades may require two people.
8. Never install exterior shades in windy conditions.
9. A licensed electrician is required for all electrical connections. All local and NEC codes must be followed.
10. The installation screws provided are for mounting on wood. For mounting on materials other than wood, please consult a qualified professional.

Size Considerations

Depth Requirements for Inside Mount



- The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements or deck/porch frames
- Motorized lift shades come standard with the large cassette valance
- Continuous-loop lift shades shown

Medium Cassette Valance

- 1 3/4" minimum inside mount (continuous-loop lift only)

Large Cassette Valance


- 1 3/4" minimum inside mount

No Valance*

- 3/4" minimum needed to attach bracket for an inside/side mount
- 4 1/8" minimum for an inside/top mount

*Largest possible measurement given. This will vary with fabric and window dimensions.

Guide Cables (motorized lift shades only)



Use the following to determine the guide cable length that will be provided with your shade:

1. Add 10" to the shade height.
2. The next longest cable length will be supplied.
 - Included in motorized lift pricing
 - Stainless steel guide cable
 - Four lengths available: 54", 80", 144", and 186"
 - Stainless steel cable locks included
 - Cables will be at least 10" longer than ordered height; longer cable can be cut to length needed

EXAMPLE: Shade height is 95". Add 10" = 105". Shade will come with a guide cable at 144" Cable can be cut to required length at time of installation.

Motor Power Cable

1. Estimate the number of feet from the cassette valance motor power cable exit to the electrical junction box or GFCI (ground fault circuit interrupter) outlet.
2. Select 10 feet.

Options

Summary

Control Type Options

- Continuous-loop lift
- Motorized lift with guide cables


Shade Options—No Charge

- Chain location
- Turning fabric width for height to accommodate wider windows
- Longer chain length
- Reverse roll
- Cable locks—motorized lift
- Guide cables—motorized lift
- Hold downs—continuous-loop lift

Shade Options—Surcharge

- Cassette valance
- Motorization accessories

Reverse Roll




• No charge

- Standard roll is where fabric rolls over the tube to the back
- Reverse roll is where the fabric rolls over the tube to the front
- Reverse roll not available with cassette valance
- Roll direction cannot be changed after shade is manufactured

NOTE: For optimal privacy and light control, standard roll should be used.

Continuous-Loop Lift




• For pricing, see price charts

- Beaded chain and clutch system makes raising and lowering shade easy
- Two clutch sizes depending on shade size
- Stainless bead chain stays same length regardless of shade position
- Bead chain length is approximately $\frac{7}{8}$ length of shade; customer can request longer chain length at time of order
- Chain is kept at a constant length and held taut by a safety hold down device
- **NOTE:** Hold down device must be installed to operate the shade.
- Choose left or right chain location (right is standard)
- Optional powder-coated cassette valance comes in two sizes (medium or large) and four colors: Black 939, Brown 873, Vanilla 970, White 871
- Component and cassette valance color is selectable
- Hem bar hold downs attach the shade to the frame of the window or deck/patio
- Fabrics and components are specifically designed for outdoor use

NOTE: All exterior shades must be fully raised in wind and inclement weather.

Curved Cassette Valance



• For surcharge, see price charts

- Curved, sleek, aluminum-extruded cassette valance
- Available in four colors: Black 939, Brown 873, Vanilla 970, White 871
- Powder-coated finish
- Rated for outdoor use
- Curved cassette valance must be ordered at the same time as the continuous-loop lift shade (**NOTE:** Automatically comes with motorized lift.)
- Sizes: medium $3\frac{5}{8}$ " high x $4\frac{1}{4}$ " deep (continuous-loop lift only); large $4\frac{5}{8}$ " high x $5\frac{1}{2}$ " deep

Options

Motorized Lift


- **For pricing, see price charts**
- Components are rated for exterior use
- Motorized lift shades come standard with a radio frequency AC motor providing convenient operation through wireless remote controllers and wall switches
- Powered using a 3-prong plug (residential outlet) (sold separately) or wired directly by an electrician
- Radio frequency operation allows shade operation from virtually anywhere without direct line of sight; no wiring is required between the motor and the controllers
- Upper and lower motor limits are pre-programmed for added convenience
- Large cassette valance is included in price, available in four colors: Black 939, Brown 873, Vanilla 970, White 871
- Universal cable locks are standard
- Guide cables are secured with unique, universal cable lock that can be mounted base/sill or back/wall
- Guide cables determined by shade height; 54", 80", 144", 186"

Motorized Lift Options


- Controllers and wall switches are wireless, providing installation and operation convenience
- 1- and 5-channel remote controllers operate individual or groups of shades
- Exterior rated remote controls are water resistant and shock proof
- Interior remote controllers and wireless wall switches can operate the same shades
- Interior wireless 1- and 5-channel wall switches provide convenient operation of individual or groups of shades from inside the home
- Wind sensor will automatically raise the shade in windy conditions, providing protection of your shades
- Choose left or right motor power cable location
- Power cable length available: 10 feet
- Exterior rated black plug available

General Information


Exterior Continuous-Loop Lift Product Detail



NOTE: The installation screws provided are for mounting on wood. For mounting on materials other than wood, please consult a qualified contractor.




Base/Sill Mount




Back/Wall Mount

General Information

Exterior Motorized Lift Shade Product Detail



NOTES: A licensed electrician is required for all electrical connections. All local and NEC codes must be followed. The installation screws provided are for mounting on wood. For mounting on materials other than wood, please consult a qualified contractor.



GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

SheerWeave is a registered trademark of Phifer Incorporated.

GRABER.

Grabber Exterior Solar Shades

Designer US Price List — Effective June 2022

Price Group CA: Continuous-Loop Lift: Broadcast, Chronicles, Exposition, Monticello, Plexus 1%, Plexus 3%, Plexus 5%, Standard Weave 1%, Standard Weave 3%, Standard Weave 5%, Standard Weave 10%, Vanguard 1%, Vanguard 3%, Vanguard 5%

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	106 (269.3)	120 (304.8)	132 (335.3)	144 (365.8)
36 (96)	223	237	252	266	277	304	330	356	387	489	513	577	630	698	774	860
42 (106.7)	226	240	260	283	304	334	362	392	426	527	561	623	688	758	844	937
48 (122)	233	244	270	301	327	362	396	430	462	569	604	669	734	824	911	1013
54 (137.2)	240	250	279	315	352	390	428	462	495	612	645	720	796	884	981	1090
60 (152.4)	250	254	289	330	372	415	458	494	528	652	685	770	853	947	1049	1166
66 (167.7)	254	259	307	355	398	457	492	528	568	696	724	807	911	1010	1120	1244
72 (182.9)	262	275	324	375	426	498	523	566	604	734	763	843	969	1072	1190	1322
78 (198.2)	270	295	345	397	448	512	551	597	643	779	818	898	1024	1132	1257	1396
84 (213.4)	278	311	364	417	473	526	579	629	679	824	867	951	1076	1190	1322	1466
96 (243.9)	286	336	397	458	519	581	644	699	752	920	1008	1115	1238	1376	1515	1654
108 (274.4)	309	379	446	513	582	652	721	784	844	1038	1099	1237	1504	1672	1839	2006
120 (304.8)	342	420	495	575	650	724	802	873	938	1151	1288	1471	1630	1812	1994	2084
132 (335.3)	409	480	549	634	720	806	890	965	1043	1280	1374	1618	1810	2012	2214	2313
144 (365.8)	422	517	612	704	800	893	985	1072	1158	1418	1630	1797	2009	2233	2455	2566

Add Surcharge to Shade Price

Medium Cassette Valance	73	83	90	97	110	127	137	153	163	165	180	192	206	221	238	255
Large Cassette Valance	83	97	110	120	127	137	153	163	173	183	197	220	243	263	285	306

Broadcast

Alfresco	47504	Genuine	47513	Simplicity	47509
Cashmere	47503	Gourmet	47514	Sonnet	47502
Constellation	47501	Motif	47505	Taliesin	47506
Continental	47508	Serenade	47515		

Chronicles

Skyline	49202	Sumatra	49203	Tuxedo	49204
---------	-------	---------	-------	--------	-------

Exposition

Consummate	48501	Resonance	48504	Wishlist	48503
Genesis	48502				

Monticello

Burro	40442	Mist	40441	Tiki	40444
Dune	40443	Rust	40445		

Plexus 1%

Black Granite	47610	Penumbra	47608	Sublime Gray	47612
Chalcedony	47604	Provisions	47603	Tranquility	47611
Landmark	47606	Renewal	47602	Travertine	47607
Nutley Pier	47609	Soapstone	47601		

Plexus 3%

Black Granite	47710	Penumbra	47708	Sublime Gray	47712
Chalcedony	47704	Provisions	47703	Tranquility	47711
Landmark	47706	Renewal	47702	Travertine	47707
Nutley Pier	47709	Soapstone	47701		

Plexus 5%

Black Granite	47810	Penumbra	47808	Sublime Gray	47812
Chalcedony	47804	Provisions	47803	Tranquility	47811
Landmark	47806	Renewal	47802	Travertine	47807
Nutley Pier	47809	Soapstone	47801		

Standard Weave 1%					
Café Doppio	47907	Infallible	47903	Veranda	47905
Calcite	47901	Once	47904		
Chiseled	47908	Polished	47906		

Standard Weave 3%					
Café Doppio	48207	Chiseled	48208	Once	48204
Calcite	48201	Infallible	48203	Veranda	48205

Standard Weave 5%					
Café Doppio	48307	Chiseled	48308	Once	48304
Calcite	48301	Infallible	48303	Veranda	48305

Standard Weave 10%					
Café Doppio	48407	Chiseled	48408	Once	48404
Calcite	48401	Infallible	48403	Veranda	48405

Vanguard 1%					
Authentic	47909	Dew	47914	Obsidian	47919
Chrome	47915	Elusive	47912	Peloton	47918
Cortina	47910	Homage	47917	Pendulum	47916

Vanguard 3%					
Authentic	48209	Dew	48214	Obsidian	48219
Chrome	48215	Elusive	48212	Peloton	48218
Cortina	48210	Homage	48217	Pendulum	48216

Vanguard 5%					
Authentic	48309	Dew	48314	Obsidian	48319
Chrome	48315	Elusive	48312	Peloton	48318
Cortina	48310	Homage	48317	Pendulum	48316

Price Group CB: Continuous-Loop Lift: Merit

	Width up to inches (cm) →												
Height up to inches (cm) ↓	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	108 (274.4)
36 (96)	244	259	275	291	304	332	362	390	423	535	563	630	691
42 (106.7)	248	262	286	310	332	367	397	428	466	579	612	682	755
48 (122)	255	269	296	328	358	397	433	471	506	623	661	732	807
54 (137.2)	262	272	307	345	386	426	468	506	543	670	705	788	870
60 (152.4)	272	279	317	362	406	456	500	542	580	714	750	844	934
66 (167.7)	279	285	336	388	437	498	537	580	622	761	794	884	1000
72 (182.9)	287	302	355	412	466	547	575	618	661	807	837	924	1061
78 (198.2)	296	323	378	435	492	562	604	653	703	853	894	982	1122
84 (213.4)	305	342	398	458	519	578	632	688	743	903	951	1040	1180
96 (243.9)	315	369	435	500	569	635	704	764	824	1008	1103	1221	1355
108 (274.4)	340	416	489	563	636	714	789	859	925	1137	1204	1354	1646
120 (304.8)	374	459	543	628	712	794	877	955	1028	1263	1413	1610	1788
132 (335.3)	448	527	602	696	788	882	976	1058	1142	1402	1506	1773	1983
144 (365.8)	462	566	670	772	876	979	1080	1173	1267	1555	1788	1968	2201

Add Surcharge to Shade Price

Medium Cassette Valance	73	83	90	97	110	127	137	153	163	165	180	192	206
Large Cassette Valance	83	97	110	120	127	137	153	163	173	183	197	220	243

Merit					
Atmosphere	49504	Clarity	49501	Exquisite	49505
Cavalier	49506	Emulation	49503	Panoramic	49502

Price Group MA: Motorized Lift: Broadcast, Chronicles, Monticello, Plexus 1%, Plexus 3%, Plexus 5%, Standard Weave 1%, Standard Weave 3%, Standard Weave 5%, Standard Weave 10%, Vanguard 1%, Vanguard 3%, Vanguard 5%

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	106 (269.3)	120 (304.8)	132 (335.3)	144 (365.8)
36 (96)	1902	1951	2008	2061	2090	2171	2198	2266	2304	2351	2424	2573	2725	2903	3131	3452
42 (106.7)	1924	1984	2036	2088	2117	2200	2230	2307	2375	2411	2478	2631	2784	2972	3186	3508
48 (122)	1949	2018	2067	2119	2141	2226	2264	2347	2433	2477	2523	2691	2841	3046	3242	3564
54 (137.2)	1972	2054	2098	2145	2171	2255	2297	2385	2461	2538	2574	2751	2901	3114	3301	3621
60 (152.4)	1993	2069	2120	2175	2195	2281	2329	2424	2505	2576	2616	2811	2968	3139	3372	3676
66 (167.7)	2019	2086	2145	2203	2223	2315	2362	2462	2553	2631	2667	2871	3041	3207	3417	3734
72 (182.9)	2038	2103	2165	2225	2283	2343	2394	2504	2600	2688	2727	2933	3097	3270	3496	3808
78 (198.2)	2059	2126	2193	2257	2314	2372	2425	2543	2646	2739	2787	2994	3153	3337	3554	3883
84 (213.4)	2076	2141	2215	2289	2349	2408	2459	2580	2692	2788	2842	3056	3208	3376	3615	3965
96 (243.9)	2116	2197	2260	2325	2387	2449	2499	2626	2743	2846	2916	3137	3341	3508	3747	4103
108 (274.4)	2157	2231	2291	2353	2419	2485	2558	2681	2821	2941	3010	3212	3492	3659	3904	4271
120 (304.8)	2202	2301	2349	2401	2471	2536	2627	2759	2901	3025	3125	3292	3612	3782	4029	4383
132 (335.3)	2252	2338	2372	2452	2538	2628	2687	2841	2984	3121	3219	3357	3747	3915	4167	4525
144 (365.8)	2295	2389	2425	2512	2602	2688	2751	2953	3054	3217	3349	3465	3887	4054	4307	4676

Pricing includes radio frequency motor, power cord, guide cable, cable locks, and large cassette.

Motorization Controls

Radio Frequency Remote Controls	
Situo 1 Single Channel Remote: White	119
Situo 1 Single Channel Remote: Silver	194
	147
Telis 1 Single-Channel Exterior RF Remote: White/Blue	
	160
Situo 5 Five Channel Remote: White	
	218
Situo 5 Five Channel Remote: Silver	
	161
Telis 4 Five-Channel Exterior RF Remote: White/Blue	
	649
Telis 16-Channel Remote: White	
Radio Frequency Wall Switches	
DecoFlex Single-Channel Wall Switch: White	308
DecoFlex Five-Channel Wall Switch: White	339
120 Volt Exterior Power	
120 Volt Exterior Electrical 3-Prong Plug: 15 Amp	58
Additional Radio Frequency Controls	
RF Wind Sensor (includes exterior power cord with 3-prong plug)	578

Broadcast					
Alfresco	47504	Genuine	47513	Simplicity	47509
Cashmere	47503	Gourmet	47514	Sonnet	47502
Constellation	47501	Motif	47505	Taliesin	47506
Continental	47508	Serenade	47515		

Chronicles					
Skyline	49202	Sumatra	49203	Tuxedo	49204

Monticello	
Rust	40445

Plexus 1%					
Soapstone	47601	Sublime Gray	47612	Tranquility	47611

Plexus 3%					
Soapstone	47701	Sublime Gray	47712	Tranquility	47711

Plexus 5%					
Soapstone	47801	Sublime Gray	47812	Tranquility	47811

Standard Weave 1%					
Café Doppio	47907	Infallible	47903	Veranda	47905
Calcite	47901	Once	47904		
Chiseled	47908	Polished	47906		

Standard Weave 3%					
Café Doppio	48207	Chiseled	48208	Once	48204
Calcite	48201	Infallible	48203	Veranda	48205

Standard Weave 5%					
Café Doppio	48307	Chiseled	48308	Once	48304
Calcite	48301	Infallible	48303	Veranda	48305

Standard Weave 10%					
Café Doppio	48407	Chiseled	48408	Once	48404
Calcite	48401	Infallible	48403	Veranda	48405

Vanguard 1%					
Authentic	47909	Dew	47914	Obsidian	47919
Chrome	47915	Elusive	47912	Peloton	47918
Cortina	47910	Homage	47917	Pendulum	47916

Vanguard 3%					
Authentic	48209	Dew	48214	Obsidian	48219
Chrome	48215	Elusive	48212	Peloton	48218
Cortina	48210	Homage	48217	Pendulum	48216

Vanguard 5%					
Authentic	48309	Dew	48314	Obsidian	48319
Chrome	48315	Elusive	48312	Peloton	48318
Cortina	48310	Homage	48317	Pendulum	48316

Price Group MB: Motorized Lift: Merit

	Width up to inches (cm) →												
Height up to inches (cm) ↓	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	108 (274.4)
36 (96)	1923	1973	2031	2086	2117	2199	2230	2300	2340	2397	2474	2626	2786
42 (106.7)	1946	2006	2062	2115	2145	2233	2265	2343	2415	2463	2529	2690	2851
48 (122)	1971	2043	2093	2146	2172	2261	2301	2388	2477	2531	2580	2754	2914
54 (137.2)	1994	2076	2126	2175	2205	2291	2337	2429	2509	2596	2634	2819	2975
60 (152.4)	2015	2094	2148	2207	2229	2322	2371	2472	2557	2638	2681	2885	3049
66 (167.7)	2044	2112	2174	2236	2262	2356	2407	2514	2607	2696	2737	2948	3130
72 (182.9)	2063	2130	2196	2262	2323	2392	2446	2556	2657	2761	2801	3014	3189
78 (198.2)	2085	2154	2226	2295	2358	2422	2478	2599	2706	2813	2863	3078	3251
84 (213.4)	2103	2172	2249	2330	2395	2460	2512	2639	2756	2867	2926	3145	3312
96 (243.9)	2145	2230	2298	2367	2437	2503	2559	2691	2815	2934	3011	3243	3458
108 (274.4)	2188	2268	2334	2403	2473	2547	2626	2756	2902	3040	3115	3329	3634
120 (304.8)	2234	2340	2397	2454	2533	2606	2702	2841	2991	3137	3250	3431	3770
132 (335.3)	2291	2385	2425	2514	2606	2704	2773	2934	3083	3243	3351	3512	3920
144 (365.8)	2335	2438	2483	2580	2678	2774	2846	3054	3163	3354	3507	3636	4079

Pricing includes radio frequency motor, power cord, guide cable, cable locks, and large cassette.

Motorization Controls

Radio Frequency Remote Controls	
Situo 1 Single Channel Remote: White	119
Situo 1 Single Channel Remote: Silver	194
Telis 1 Single-Channel Exterior RF Remote: White/Blue	147
Situo 5 Five Channel Remote: White	160
Situo 5 Five Channel Remote: Silver	218
Telis 4 Five-Channel Exterior RF Remote: White/Blue	161
Telis 16-Channel Remote: White	649
Radio Frequency Wall Switches	
DecoFlex Single-Channel Wall Switch: White	308
DecoFlex Five-Channel Wall Switch: White	339
120 Volt Exterior Power	
120 Volt Exterior Electrical 3-Prong Plug: 15 Amp	58
Additional Radio Frequency Controls	
RF Wind Sensor (includes exterior power cord with 3-prong plug)	578

Merit					
Atmosphere	49504	Clarity	49501	Exquisite	49505
Cavalier	49506	Emulation	49503	Panoramic	49502

Options Pricing

Cable Locks (motorized lift)	No charge
Cassette Valance	Continuous-loop lift: see price chart surcharges Motorized lift: included in price
Component Colors	No charge
Continuous-Loop Lift	Standard: see continuous-loop lift price chart
Fabric Turned 90° Width for Height (railroaded)	No charge
Guide Cables (motorized lift)	No charge
Hold Down Brackets (continuous-loop lift)	No charge
Motorized Lift	See motorization product information guide
Motorized Lift Accessories	See motorization product information guide
Reverse Roll	No charge
Seaming	No charge
Specific Channel Assignment (motorized lift)	No charge
Stainless Steel Chain	No charge