


GRABER®



Graber Fresco® Roman Fabric Shades
English US Price Guide

Product Information Guide

Features

Summary	2
Features and Benefits	2
Oeko-Tex® Standard 100 Certified Fabrics	2
Fabric Styles and Information	3
Light Control and Privacy	3
Fabric Disclaimers	3

Size Considerations

Cord Lift, Depth Requirements for Inside Mount	4
Cordless Lift, Depth Requirements for Inside Mount	5
Continuous-Loop Lift, Depth Requirements for Inside Mount	6

Options

Shade Options	7
Cord Lift	8
Cordless Lift	8
Continuous-Loop Lift	9
Motorized Lift	10
Bottom Up/Top Down: Cord Lift	11
Fabric Valance Only	11
Multiple Shades on One Headrail	12
Bead Trim	13
Gimp Trim	13
Corner Windows	14
Bay Windows	15

General Information

Shade Stack Height Chart	16
Bottom Panel Heights	16
Panel Count Chart: Cord Lift	17
Panel Count Chart: Cordless Lift, Continuous-Loop Lift, and Motorized Lift	18
Panel Count Chart: Bottom Up/Top Down Cord Lift	19
Flat Style Product Detail	20
Looped Style Product Detail	21
Cordless Lift Product Detail	22
Continuous-Loop Lift Product Detail	23
Bottom Up/Top Down Cord Lift Product Detail	24

PLEASE NOTE:

Photos and illustrations are for inspiration only.

Not all product configurations are available in all countries.

Window blind cords are a strangulation hazard for young children.

Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

Features

Summary

Graber® Fresco® Roman Shades offer the softness of drapery with the practicality of a shade, featuring a variety of fabric styles, colors, textures, and light control options. Select either the classic flat or the looped style—whichever shade best suits your decorating style.

- Finished edges guarantee fabric will not fray
- Fabric valance, **free of charge** at the time of order, creates a finished look
- Clear sill rail protects the bottom of the shade from dirt and wear
- Oeko-Tex® certified fabrics
- Components are color coordinated to fabric

Features	Benefits
Looped Style with Soft Folds of Fabric	• Provides a dimensional look with an emphasis on elegance
Flat Style with Fabric Panels	• Provides classic styling; perfect for any decorating style
Neutral Street Side Appearance	• Windows have consistent look from the street
Finished Edges	• Prevents edges from fraying
All Panels Always Full Size; Bottom Panel Adjusted According to Height of Shade	• Gives improved appearance when multiple shades are used in the same room
All Shade Components are Color Coordinated	• Color coordination with front fabric for a clean, neat look
Fabric Valance or Cornice	• Provides a finished look to the top of the shade • NOTE: Valance free of charge at the time of order
Shade is One Continuous Piece of Fabric	• Provides a unified, finished appearance
Continuous-Loop Lift	• Helps lift large, heavier shades
Bottom Up/Top Down Cord Lift	• Perfect for screening out unwanted views or maintaining privacy while enjoying natural sunlight • Great for bedrooms and bathrooms
Cordless Lift	• Provides safety with no external cords on front side • Clean aesthetics • Perfect for homes with children and pets
Motorized Lift	• Allows easy operation of hard-to-reach or large shades • Provides safety; no external cords on front side
Multiple Shades on One Headrail	• Provides a fabric solution for wider windows
Limited Lifetime Warranty	• Provides assurance for years of trouble-free operation
Mylar Tubes Inserted Between the Roman Panels Prior to Shipping	• Reduces wrinkling during shipping

Oeko-Tex® Standard 100 Certified Fabrics

Oeko-Tex Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits. Certified fabrics are Cristale, Crossweave, Desert, Grasses, Royale, and Versailles.

www.oeko-tex.com



Features

Fabric Styles and Information

Fabric Styles	Fabric Width (inches)	Light Control	Privacy	Color to Street Side	Fabric Content
Cristale	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Crossweave	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Desert	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Grasses	72	Light filtering	Moderate	Neutral	88% polyester/7% cotton/5% flax
Madrid	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Regal	72	Light filtering/room darkening	Moderate/ complete	Neutral	100% polyester with polyester backing
Royale	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Suburban	72	Blackout	Complete	Neutral	100% polyester with polyester backing
Versailles	72	Light filtering/room darkening	Moderate/ complete	Neutral	100% polyester with polyester backing

Light Control and Privacy

Light Filtering: Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric color provides moderate light control; light fabric color provides lower light control.

Room Darkening: Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric color darkens a room; light fabric color filters and diffuses bright sunlight.

Fabric Disclaimers




To ensure color consistency and avoid dye lot variation, please order all shades for the same room at the same time.

Fabrics cannot be seamed or overlapped.

Colors may appear to vary depending on the time of day and lighting type as well as when the shade is partially or fully lowered.

Size Considerations

Cord Lift



Fabric Styles	Maximum Fabric Width (inches)													
		Cord Lift				Cord Lift Multiple Shades on One Headrail**				Cord Lift Bottom Up/Top Down***				
		Width		Height		Width		Height		Width		Height		
		Min* (inches)	Max	Min (inches)	Max (inches)	Min* Panel (inches)	Max Panel	Max Shade (inches)	Min Shade (inches)	Max Shade (inches)	Min* (inches)	Max (inches)	Min (inches)	Max (inches)
Cristale	72	16	See fabric width	18	96	16	See fabric width	192	18	96	16	72 or fabric width	18	72
Crossweave	72													
Desert	72													
Grasses	72													
Madrid	72													
Regal	72													
Royale	72													
Suburban	72													
Versailles	72													

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

** Multiple shades on one headrail with cord lift control available as two on one only.



*** Bottom up/top down not available as multiple shades on one headrail.

Depth Requirements for Inside Mount

	Cord Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Headrail Depth Mount (inches)	 Fully recessed headrail in window casing/molding Headrail Flush with Casing (inches)
Flat	1 1/16 x 1 1/16	3/4	1 1/8
Looped	1 1/16 x 1 1/16	3/4 (fabric loops will overhang approximately 3" into room)	1 1/8 (fabric loops will overhang approximately 3" into room)



Size Considerations

Cordless Lift

Fabric Styles	Maximum Fabric Width (inches)									
		Cordless Lift				Cordless Lift Multiple Shades on One Headrail				
		Width		Height		Width			Height	
		Min* (inches)	Max	Min (inches)	Max (inches)	Min Panel* (inches)	Max Panel	Max Shade (inches)	Min Shade (inches)	Max Shade (inches)
Cristale	72	18	See fabric width	18	86	18	See fabric width	144	18	86
Crossweave	72									
Desert	72									
Grasses	72									
Madrid	72									
Regal	72									
Royale	72									
Suburban	72									
Versailles	72									



*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Depth Requirements for Inside Mount

	Cordless Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
Flat	1½ x 2	½	2½
Looped	1½ x 2	½ (fabric loops will overhang approximately 3" into room)	2½ (fabric loops will overhang approximately 3" into room)



Size Considerations

Continuous-Loop Lift

Fabric Styles	Maximum Fabric Width (inches)										
		Continuous-Loop Lift				Continuous-Loop Lift Multiple Shades on One Headrail					
		Width		Height		Width				Height	
		Min* (inches)	Max	Min (inches)	Max (inches)	Min Panel* (inches)	Max Panel	Max Shade One Control (inches)	Max Shade Two Control (inches)	Min Shade (inches)	Max Shade (inches)
Cristale	72	18	See fabric width	18	96	18	See fabric width	120	144	18	96
Crossweave	72										
Desert	72										
Grasses	72										
Madrid	72										
Regal	72										
Royale	72										
Suburban	72										
Versailles	72										

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Depth Requirements for Inside Mount

	Continuous-Loop Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Headrail Depth Mount (inches)	 Fully recessed headrail in window casing/molding Headrail Flush with Casing (inches)
Flat	1½ x 2	½	2½
Looped	1½ x 2	½ (fabric loops will overhang approximately 3" into room)	2½ (fabric loops will overhang approximately 3" into room)

Options

Shade Options (for surcharges and pricing refer to price charts)

The following is a list of options for Fresco® Roman shades. All options are available in all styles and colors. Limitations will be based on fabric width. See detailed descriptions on the following pages.

Control Type Options: see price charts for applicable cost and/or surcharges

- Cord lift
- Continuous-loop lift
- Cordless lift
- Motorized lift: see motorization product information guide

Shade Options—No Charge

- Bay and corner window shades
- Clear cord cleats (standard)
- Fabric valance (at time of order)
- Hold down brackets
- Projection brackets:
 - Long (adds up to 2½" extension from wall)
 - Medium (adds up to 1⅝" extension from wall)
 - Short (adds up to 1" extension from wall)
- Shims: ⅜"
- Side-mount brackets (inside mount only)

Shade Style Choices: see price charts for applicable cost

- 6" flat style shade
- 4⅝" looped pleat style shade

Shade Options—Surcharge

- Bottom up/top down cord lift
- Cord winder
- Decorative cord cleats
- Multiple shades on one headrail
- Valance gimp, fringe, bead trim
- Wood cornices: see wood cornice and valance product information guide


Options

Cord Lift



- **No charge**
- Cord control can be on the left- or right-hand side
- Cord length is approximately one third of the shade length; customer can request specific length at time of order
- Cord is color coordinated to shade fabric
- Available on both flat and looped styles

Cordless Lift



Horizontal Wand




Vertical Wand

- **For surcharges, see price charts**
- Provides safety with no external cords on front of shade
- Ideal for homes with children or pets
- Provides clean aesthetics
- Available on both flat and looped styles
- Vertical wand is used with bottom panels greater than 2 $\frac{3}{4}$ "
- Horizontal wand is used with bottom panels less than 2 $\frac{3}{4}$ "
- Shades wider than 48" have two wands for shade operation

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower them.

Options

Continuous-Loop Lift




- **For surcharge, see price charts**
- A single, white continuous-loop lift cord raises and lowers the shade; the cord is always the same length
- The clutch mechanism in the color coordinated aluminum headrail assists in raising and lowering the shade; it stops the shade at any point and holds the bottomrail level
- Continuous-loop lift stacks the fully raised shade more compactly than a standard cord and holds it more securely
- Continuous-loop lift comes with a locking cord loop guide; for shade operation, this tensioner must be installed
- Available on both flat and looped styles
- Not available on bottom up/top down
- Control length for continuous-loop lift shades varies based on the finished shade height (see below); optional cord loop length (sizes listed in chart) available upon request

Finished Shade Height (inches)	Cord Loop Length (inches)
12 to 26	18
26 $\frac{1}{8}$ to 38	24
38 $\frac{1}{8}$ to 50	36
50 $\frac{1}{8}$ to 62	48
62 $\frac{1}{8}$ to 74	60
74 $\frac{1}{8}$ to 96	72

Optional cord lengths: 84", 96", 108", 144", and 180".


Options

Motorized Lift



- **Refer to motorization product information guide for additional options, sizing, and pricing**
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operates multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Multiple control and power options available

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.



Options

Bottom Up/Top Down: Cord Lift



- **For surcharge, see price charts**
- Cord lift with cordlocks
- Allows shade to be raised from the bottom up like a conventional shade or from the top down
- Perfect for screening out unwanted views or maintaining privacy while enjoying natural sunlight
- Popular specialty application used in bedrooms and bathrooms
- Available in both flat and looped styles
- **Not available with multiple shades on one headrail**
- **Not available with continuous-loop lift, cordless lift, or motorized lift**

Fabric Valance Only




- **For surcharge, see price charts**
- Coordinating fabric valance creates an uninterrupted look and conceals the headrail
- Edges are finished and attached to the headrail with hook and loop tape
- Available on both flat and looped styles
- Fabric valances are free of charge at the time of order; replacement valances available
- Fabric valance returns are not available
- Continuous valance is only available up to fabric width
- Bead trims available; see bead trim page in shade options

NOTE: If used on multiple shades on one headrail, or the valance is greater than the fabric width, the valance will have the same breaks as the panels.

Options

Multiple Shades on One Headrail



1/4" Spacing

- **For surcharge, see price charts**
- Available as two-on-one headrail with cord lift, continuous-loop lift and cordless lift controls
- Available as three-on-one headrail with cordless lift or continuous-loop lift controls
- Available in flat and looped styles
- Standard valances on multiple shades will have the same breaks as the panels
- Continuous valance covering multiple shades is not available


	Maximum Overall Size for Multiple Shades* (inches)	Maximum Width with Side Mount (inches)	Control Locations	Gap (inches)
Cord Lift	192 x 96	60	Two on one: left shade, left control; right shade, right control	1/4
Continuous-Loop Lift—Single Control	120 x 96	60	Two on one: common lift cord can be on right or left to operate both shades at the same time Three on one: common lift cord can be on right or left to operate all shades at the same time	1/4
Continuous-Loop Lift—Multi Control	144 x 96	60	Two on one: left shade, left control; right shade, right control Three on one: left shade, left control; right shade, right control; middle shade, common right or left; continuous-loop lift cannot be used in the middle of the headrail on multiple shades	1/4
Cordless Lift	144 x 86	60	Not applicable	1/4
Motorized Lift	Refer to motorization product information guide			

*See size considerations or individual descriptions in the options section for maximum panels widths and heights.

Options

Bead Trim

1" Teardrop Crystal Bead Trim



½" Round Crystal Bead Trim



- **For surcharge, see price charts**
- Optional trims are attached to the bottom edge of the valances only

1" Teardrop Crystal Bead Trim

Bronze	201	Sand	204
Light Gold	202	White	205

½" Round Crystal Bead Trim

Black	10156	Morning Blue	10014
Clover	10049	Toffee	10296
Light Green	10008		

Gimp Trim

⅞" Gimp Trim




⅞" Gimp Trim

Angel Fire	972	Maroon	360
Bayberry	965	Morning Glory	639
Black	156	Night Shadow	826
Clover	049	Rock Gray	399
Cream	715	Stucco	963
Dark Beige	350	Tender Taupe	103
Light Green	08	Toffee	296
Maize	02	White	417


Options

Corner Windows



Shades on Corner Windows


- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate left or right for each shade
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a corner shade if you do not want manufacturer to take deductions
- **Cornices or decorative wood valances are not available on corner windows**
- For bottom up/top down cord lift, the corner controls will be hard to reach
- Flat style is recommended for corner windows
- Looped style will have light gaps due to fabric loops



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



Mounting Above the Molding:


Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


Options

Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices or decorative wood valances are not available on corner windows**
- For bottom up/top down cord lift, depending on the angle, controls may be hard to reach
- Flat style is recommended for bay windows
- Looped style will have light gaps due to fabric loops

Measuring Information: Three-Sided Bay Window




Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-R:** Angle between the (C1) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window



Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-C2:** Angle between the (C1) and (C2) windows.
- Angle C2-R:** Angle between the (C2) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated.

For additional windows on bays with up to five sides, continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (angle C1-C2, angle C2-C3, ...), as needed.

Measure each bay angle using a protractor or angle finder, or use two business cards in each bay corner as illustrated above and fax to customer service 1-800-552-4559.

The angle to use between adjacent center bay windows along a straight section of wall is 180 degrees.

General Information

Shade Stack Height Chart

Looped

Finish Shade Height (inches)	Stack Height (inches)
Up to 29	9
29 to 41	10
41 to 58	11
58 to 75	12
75 to 96	13

Flat

Finish Shade Height (inches)	Stack Height (inches)
Up to 32	10
32 to 56	11
56 to 80	12
80 to 96	13

NOTE: Stack height includes headrail and sill rail.

This chart is an approximation of the largest stack possible for all control types at each height range.

Bottom Panel Heights

The standard panel height is 6" for flat and 4⁵/₁₆" for looped style. Bottom panel is used as the adjustment panel to get to finished shade height. The bottom panel height varies depending on shade height. A small change in finished shade height can create significantly different looks.

For Example:


Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
60	9	5 ⁵ / ₁₆	13	3 ⁵ / ₁₆
61	10	3 ⁵ / ₁₆	14	0
61	10	3 ⁵ / ₁₆	14	0
62	10	1 ⁵ / ₁₆	14	1

*Approximate.

IMPORTANT ORDERING NOTE:

For shades hanging in the same room at the same height or for groups of shades, please add the words "hanging side-by-side" to the order comments. This is important for the manufacturing process and for panel adjustments.

It is very important to consider this possible variation when ordering more than one shade for a room. For approximate panel counts, see the following pages.



General Information

Panel Count Chart: Cord Lift

The purpose of this information is to help the consumer visualize what their shade will look like by approximating the number of full panels and the bottom panel length. Full panel lengths are 6" for flat and 4 $\frac{5}{16}$ " for looped; however, the bottom panel is used as the adjustment panel to get to finished shade height. **Therefore, the bottom panel length varies depending on shade height.** A small change in finished shade height can create significantly different looks.

This chart should be used to compare the effect of various lengths. The information can vary depending on the pleat length tolerance.

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
18	2	5 $\frac{3}{8}$	4	1 $\frac{1}{8}$
19	3	$\frac{3}{4}$	4	1 $\frac{1}{8}$
20	3	1 $\frac{1}{8}$	4	2 $\frac{1}{8}$
21	3	2 $\frac{3}{8}$	4	3 $\frac{1}{8}$
22	3	3 $\frac{3}{8}$	4	4 $\frac{1}{8}$
23	3	4 $\frac{3}{8}$	5	$\frac{7}{8}$
24	3	5 $\frac{3}{8}$	5	1 $\frac{1}{8}$
25	4	$\frac{3}{4}$	5	2 $\frac{1}{8}$
26	4	1 $\frac{1}{8}$	5	3 $\frac{1}{8}$
27	4	2 $\frac{3}{8}$	6	$\frac{1}{2}$
28	4	3 $\frac{3}{8}$	6	1 $\frac{1}{2}$
29	4	4 $\frac{3}{8}$	6	2 $\frac{1}{2}$
30	4	5 $\frac{3}{8}$	6	3 $\frac{1}{2}$
31	5	$\frac{3}{4}$	7	$\frac{1}{4}$
32	5	1 $\frac{1}{8}$	7	1 $\frac{1}{4}$
33	5	2 $\frac{3}{8}$	7	2 $\frac{1}{4}$
34	5	3 $\frac{3}{8}$	7	3 $\frac{1}{4}$
35	5	4 $\frac{3}{8}$	7	4 $\frac{1}{4}$
36	5	5 $\frac{3}{8}$	8	$\frac{7}{8}$ (2.3)
37	6	$\frac{3}{4}$	8	1 $\frac{1}{8}$
38	6	1 $\frac{1}{8}$	8	2 $\frac{1}{8}$
39	6	2 $\frac{3}{8}$	8	3 $\frac{1}{8}$
40	6	3 $\frac{3}{8}$	9	$\frac{5}{8}$
41	6	4 $\frac{3}{8}$	9	1 $\frac{1}{8}$
42	6	5 $\frac{3}{8}$	9	2 $\frac{1}{8}$
43	7	$\frac{3}{4}$	9	3 $\frac{3}{8}$
44	7	1 $\frac{1}{8}$	10	$\frac{1}{4}$
45	7	2 $\frac{3}{8}$	10	1 $\frac{1}{4}$
46	7	3 $\frac{3}{8}$	10	2 $\frac{1}{4}$
47	7	4 $\frac{3}{8}$	10	3 $\frac{1}{4}$
48	7	5 $\frac{3}{8}$	10	4 $\frac{1}{4}$
49	8	$\frac{3}{4}$	11	1
50	8	1 $\frac{1}{8}$	11	2
51	8	2 $\frac{3}{8}$	11	3
52	8	3 $\frac{3}{8}$	11	4
53	8	4 $\frac{3}{8}$	12	$\frac{5}{8}$
54	8	5 $\frac{3}{8}$	12	1 $\frac{1}{8}$
55	9	$\frac{3}{4}$	12	2 $\frac{1}{8}$
56	9	1 $\frac{1}{8}$	12	3 $\frac{1}{8}$
57	9	2 $\frac{3}{8}$	13	$\frac{3}{8}$

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
58	9	3 $\frac{3}{8}$	13	1 $\frac{1}{8}$
59	9	4 $\frac{3}{8}$	13	2 $\frac{3}{8}$
60	9	5 $\frac{3}{8}$	13	3 $\frac{3}{8}$
61	10	$\frac{3}{4}$	14	0
62	10	1 $\frac{1}{8}$	14	1
63	10	2 $\frac{3}{8}$	14	2
64	10	3 $\frac{3}{8}$	14	3
65	10	4 $\frac{3}{8}$	14	4
66	10	5 $\frac{3}{8}$	15	$\frac{3}{4}$
67	11	$\frac{3}{4}$	15	1 $\frac{1}{4}$
68	11	1 $\frac{1}{8}$	15	2 $\frac{3}{4}$
69	11	2 $\frac{3}{8}$	15	3 $\frac{3}{4}$
70	11	3 $\frac{3}{8}$	16	$\frac{3}{4}$
71	11	4 $\frac{3}{8}$	16	1 $\frac{1}{8}$
72	11	5 $\frac{3}{8}$	16	2 $\frac{1}{8}$
73	12	$\frac{3}{4}$	16	3 $\frac{3}{8}$
74	12	1 $\frac{1}{8}$	17	$\frac{1}{8}$
75	12	2 $\frac{3}{8}$	17	1 $\frac{1}{8}$
76	12	3 $\frac{3}{8}$	17	2 $\frac{1}{8}$
77	12	4 $\frac{3}{8}$	17	3 $\frac{1}{8}$
78	12	5 $\frac{3}{8}$	17	4 $\frac{1}{8}$
79	13	$\frac{3}{4}$	18	$\frac{3}{4}$
80	13	1 $\frac{1}{8}$	18	1 $\frac{1}{4}$
81	13	2 $\frac{3}{8}$	18	2 $\frac{1}{4}$
82	13	3 $\frac{3}{8}$	18	3 $\frac{1}{4}$
83	13	4 $\frac{3}{8}$	19	$\frac{1}{2}$
84	13	5 $\frac{3}{8}$	19	1 $\frac{1}{2}$
85	14	$\frac{3}{4}$	19	2 $\frac{1}{2}$
86	14	1 $\frac{1}{8}$	19	3 $\frac{1}{2}$
87	14	2 $\frac{3}{8}$	20	$\frac{1}{8}$
88	14	3 $\frac{3}{8}$	20	1 $\frac{1}{8}$
89	14	4 $\frac{3}{8}$	20	2 $\frac{1}{8}$
90	14	5 $\frac{3}{8}$	20	3 $\frac{1}{8}$
91	15	$\frac{3}{4}$	20	4 $\frac{1}{8}$
92	15	1 $\frac{1}{8}$	21	$\frac{7}{8}$
93	15	2 $\frac{3}{8}$	21	1 $\frac{1}{8}$
94	15	3 $\frac{3}{8}$	21	2 $\frac{1}{8}$
95	15	4 $\frac{3}{8}$	21	3 $\frac{1}{8}$
96	15	5 $\frac{3}{8}$	22	$\frac{1}{2}$

*Finished shade height equals ordered height; there are no factory deductions for height.

EXAMPLE: A flat shade with a 48" finished shade height will have seven full panels and the eighth panel will be approximately 5 $\frac{3}{8}$ " long.

General Information

Panel Count Chart: Cordless Lift, Continuous-Loop Lift, and Motorized Lift

The purpose of this information is to help the consumer visualize what their shade will look like by approximating the number of full panels and the bottom panel length. Full panel lengths are 6" for flat and 4 $\frac{5}{16}$ " for looped; however, the bottom panel is used as the adjustment panel to get to finished shade height. **Therefore, the bottom panel length varies depending on shade height.** A small change in finished shade height can create significantly different looks.

This chart should be used to compare the effect of various lengths. The information can vary depending on the pleat length tolerance.

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
18	2	4 $\frac{1}{2}$	3	3 $\frac{3}{8}$
19	2	5 $\frac{1}{2}$	4	$\frac{1}{4}$
20	3	$\frac{1}{2}$	4	1 $\frac{1}{4}$
21	3	1 $\frac{1}{2}$	4	2 $\frac{1}{4}$
22	3	2 $\frac{1}{2}$	4	3 $\frac{1}{4}$
23	3	3 $\frac{1}{2}$	4	4 $\frac{1}{4}$
24	3	4 $\frac{1}{2}$	5	1
25	3	5 $\frac{1}{2}$	5	2
26	4	$\frac{1}{2}$	5	3
27	4	1 $\frac{1}{2}$	5	4
28	4	2 $\frac{1}{2}$	6	$\frac{5}{8}$
29	4	3 $\frac{1}{2}$	6	1 $\frac{5}{8}$
30	4	4 $\frac{1}{2}$	6	2 $\frac{5}{8}$
31	4	5 $\frac{1}{2}$	6	3 $\frac{5}{8}$
32	5	$\frac{1}{2}$	7	$\frac{3}{8}$
33	5	1 $\frac{1}{2}$	7	1 $\frac{3}{8}$
34	5	2 $\frac{1}{2}$	7	2 $\frac{3}{8}$
35	5	3 $\frac{1}{2}$	7	3 $\frac{3}{8}$
36	5	4 $\frac{1}{2}$	8	0
37	5	5 $\frac{1}{2}$	8	1
38	6	$\frac{1}{2}$	8	2
39	6	1 $\frac{1}{2}$	8	3
40	6	2 $\frac{1}{2}$	8	4
41	6	3 $\frac{1}{2}$	9	$\frac{3}{4}$
42	6	4 $\frac{1}{2}$	9	1 $\frac{1}{4}$
43	6	5 $\frac{1}{2}$	9	2 $\frac{1}{4}$
44	7	$\frac{1}{2}$	9	3 $\frac{1}{4}$
45	7	1 $\frac{1}{2}$	10	$\frac{3}{8}$
46	7	2 $\frac{1}{2}$	10	1 $\frac{3}{8}$
47	7	3 $\frac{1}{2}$	10	2 $\frac{3}{8}$
48	7	4 $\frac{1}{2}$	10	3 $\frac{3}{8}$
49	7	5 $\frac{1}{2}$	11	$\frac{1}{8}$
50	8	$\frac{1}{2}$	11	1 $\frac{1}{8}$
51	8	1 $\frac{1}{2}$	11	2 $\frac{1}{8}$
52	8	2 $\frac{1}{2}$	11	3 $\frac{1}{8}$
53	8	3 $\frac{1}{2}$	11	4 $\frac{1}{8}$
54	8	4 $\frac{1}{2}$	12	$\frac{3}{4}$
55	8	5 $\frac{1}{2}$	12	1 $\frac{3}{4}$
56	9	$\frac{1}{2}$	12	2 $\frac{3}{4}$
57	9	1 $\frac{1}{2}$	12	3 $\frac{3}{4}$

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
58	9	2 $\frac{1}{2}$	13	$\frac{1}{2}$
59	9	3 $\frac{1}{2}$	13	1 $\frac{1}{2}$
60	9	4 $\frac{1}{2}$	13	2 $\frac{1}{2}$
61	9	5 $\frac{1}{2}$	13	3 $\frac{1}{2}$
62	10	$\frac{1}{2}$	14	$\frac{1}{8}$
63	10	1 $\frac{1}{2}$	14	1 $\frac{1}{8}$
64	10	2 $\frac{1}{2}$	14	2 $\frac{1}{8}$
65	10	3 $\frac{1}{2}$	14	3 $\frac{1}{8}$
66	10	4 $\frac{1}{2}$	14	4 $\frac{1}{8}$
67	10	5 $\frac{1}{2}$	15	$\frac{7}{8}$
68	11	$\frac{1}{2}$	15	1 $\frac{1}{8}$
69	11	1 $\frac{1}{2}$	15	2 $\frac{1}{8}$
70	11	2 $\frac{1}{2}$	15	3 $\frac{1}{8}$
71	11	3 $\frac{1}{2}$	16	$\frac{1}{2}$
72	11	4 $\frac{1}{2}$	16	1 $\frac{1}{2}$
73	11	5 $\frac{1}{2}$	16	2 $\frac{1}{2}$
74	12	$\frac{1}{2}$	16	3 $\frac{1}{2}$
75	12	1 $\frac{1}{2}$	17	$\frac{1}{4}$
76	12	2 $\frac{1}{2}$	17	1 $\frac{1}{4}$
77	12	3 $\frac{1}{2}$	17	2 $\frac{1}{4}$
78	12	4 $\frac{1}{2}$	17	3 $\frac{1}{4}$
79	12	5 $\frac{1}{2}$	17	4 $\frac{1}{4}$
80	13	$\frac{1}{2}$	18	$\frac{7}{8}$
81	13	1 $\frac{1}{2}$	18	1 $\frac{7}{8}$
82	13	2 $\frac{1}{2}$	18	2 $\frac{7}{8}$
83	13	3 $\frac{1}{2}$	18	3 $\frac{7}{8}$
84	13	4 $\frac{1}{2}$	19	$\frac{5}{8}$
85	13	5 $\frac{1}{2}$	19	1 $\frac{5}{8}$
86	14	$\frac{1}{2}$	19	2 $\frac{5}{8}$
87	14	1 $\frac{1}{2}$	19	3 $\frac{5}{8}$
88	14	2 $\frac{1}{2}$	20	$\frac{1}{4}$
89	14	3 $\frac{1}{2}$	20	1 $\frac{1}{4}$
90	14	4 $\frac{1}{2}$	20	2 $\frac{1}{4}$
91	14	5 $\frac{1}{2}$	20	3 $\frac{1}{4}$
92	15	$\frac{1}{2}$	20	4 $\frac{1}{4}$
93	15	1 $\frac{1}{2}$	21	1
94	15	2 $\frac{1}{2}$	21	2
95	15	3 $\frac{1}{2}$	21	3
96	15	4 $\frac{1}{2}$	21	4

*Finished shade height equals ordered height; there are no factory deductions for height.

EXAMPLE: A flat shade with a 48" finished shade height will have seven full panels and the eighth panel will be approximately 5 $\frac{3}{8}$ " long.

General Information

Panel Count Chart: Bottom Up/Top Down Cord Lift

The purpose of this information is to help the consumer visualize what their shade will look like by approximating the number of full panels and the bottom panel length. Full panel lengths are 6" for flat and 4 $\frac{5}{16}$ " for looped; however, the bottom panel is used as the adjustment panel to get to finished shade height. **Therefore, the bottom panel length varies depending on shade height.** A small change in finished shade height can create significantly different looks.

This chart should be used to compare the effect of various lengths. The information can vary depending on the pleat length tolerance.

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
18	2	5	3	3 $\frac{3}{8}$
19	2	6	4	$\frac{1}{2}$
20	3	1	4	1 $\frac{1}{2}$
21	3	2	4	2 $\frac{1}{2}$
22	3	3	4	3 $\frac{1}{2}$
23	3	4	5	$\frac{1}{4}$
24	3	5	5	1 $\frac{1}{4}$
25	3	6	5	2 $\frac{1}{4}$
26	4	1	5	3 $\frac{1}{4}$
27	4	2	5	4 $\frac{1}{4}$
28	4	3	6	$\frac{7}{8}$
29	4	4	6	1 $\frac{7}{8}$
30	4	5	6	2 $\frac{7}{8}$
31	4	6	6	3 $\frac{7}{8}$
32	5	1	7	$\frac{5}{8}$
33	5	2	7	1 $\frac{5}{8}$
34	5	3	7	2 $\frac{5}{8}$
35	5	4	7	3 $\frac{5}{8}$
36	5	5	8	$\frac{1}{4}$
37	5	6	8	1 $\frac{1}{4}$
38	6	1	8	2 $\frac{1}{4}$
39	6	2	8	3 $\frac{1}{4}$
40	6	3	8	4 $\frac{1}{4}$
41	6	4	9	1
42	6	5	9	2
43	6	6	9	3
44	7	1	9	4
45	7	2	10	$\frac{5}{8}$
46	7	3	10	1 $\frac{5}{8}$
47	7	4	10	2 $\frac{5}{8}$
48	7	5	10	3 $\frac{5}{8}$
49	7	6	11	$\frac{3}{8}$
50	8	1	11	1 $\frac{3}{8}$
51	8	2	11	2 $\frac{3}{8}$
52	8	3	11	3 $\frac{3}{8}$
53	8	4	12	0
54	8	5	12	1
55	8	6	12	2
56	9	1	12	3
57	9	2	12	4

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
58	9	3	13	$\frac{3}{4}$
59	9	4	13	1 $\frac{3}{4}$
60	9	5	13	2 $\frac{3}{4}$
61	9	6	13	3 $\frac{3}{4}$
62	10	1	14	$\frac{3}{8}$
63	10	2	14	1 $\frac{3}{8}$
64	10	3	14	2 $\frac{3}{8}$
65	10	4	14	3 $\frac{3}{8}$
66	10	5	15	$\frac{1}{8}$
67	10	6	15	1 $\frac{1}{8}$
68	11	1	15	2 $\frac{1}{8}$
69	11	2	15	3 $\frac{1}{8}$
70	11	3	15	4 $\frac{1}{8}$
71	11	4	16	$\frac{3}{4}$
72	11	5	16	1 $\frac{3}{4}$
73	11	6	16	2 $\frac{3}{4}$
74	12	1	16	3 $\frac{3}{4}$
75	12	2	17	$\frac{1}{2}$
76	12	3	17	1 $\frac{1}{2}$
77	12	4	17	2 $\frac{1}{2}$
78	12	5	17	3 $\frac{1}{2}$
79	12	6	18	$\frac{1}{8}$
80	13	1	18	1 $\frac{1}{8}$
81	13	2	18	2 $\frac{1}{8}$
82	13	3	18	3 $\frac{1}{8}$
83	13	4	18	4 $\frac{1}{8}$
84	13	5	19	$\frac{7}{8}$
85	13	6	19	1 $\frac{7}{8}$
86	14	1	19	2 $\frac{7}{8}$
87	14	2	19	3 $\frac{7}{8}$
88	14	3	20	$\frac{1}{2}$
89	14	4	20	1 $\frac{1}{2}$
90	14	5	20	2 $\frac{1}{2}$
91	14	6	20	3 $\frac{1}{2}$
92	15	1	21	$\frac{1}{4}$
93	15	2	21	1 $\frac{1}{4}$
94	15	3	21	2 $\frac{1}{4}$
95	15	4	21	3 $\frac{1}{4}$
96	15	5	21	4 $\frac{1}{4}$

*Finished shade height equals ordered height; there are no factory deductions for height.

EXAMPLE: A flat shade with a 48" finished shade height will have seven full panels and the eighth panel will be approximately 5" long.

General Information

Flat Style Product Detail

Installation Brackets

- Zinc-plated spring steel for easy installation
- Hidden snap-in design
- Facilitate easy installation and removal of shade

Aluminum Headrail

- Color coordinated to shade fabric
- 1 $\frac{1}{16}$ " profile, 1 $\frac{1}{16}$ " depth
- Extremely durable and rustproof

Fabric Valance (shown in illustration)

- Free of charge; must be requested at time of order
- Matches shade fabric for uninterrupted look
- Attaches to the headrail with hook and loop fastener
- Valance height is 5 $\frac{1}{4}$ "
- Valance returns not available

Flat 6" Tabbed Fabric

- Pleats provide an elegant look
- Variety of patterns and color choices
- Finished edges guaranteed not to fray

Projection Brackets

- Long (adds 2 $\frac{1}{2}$ " extension from wall)
- Medium (adds 1 $\frac{1}{2}$ " extension from wall)
- Short (adds 1" extension from wall)

Side Mount Brackets (optional)

- Maximum width 60"

Flush Mount End Caps

- Color coordinated to shade fabric
- Sleek look, tighter fit

Cordlock (not visible)

- Sleek, streamlined design
- Color coordinated to shade fabric
- Free-floating serrated cord-locking roller for dependable operation

Lift Cord

- Color coordinated to shade fabric
- 1.2 mm braided polyester with a core for durability

Joiner Ball and End Ball

- Color coordinated to shade fabric

Sill Rail


- Wrapped in fabric and covered by clear channel for tailored look and maximum durability

Hold Down Brackets (optional)

- Secure shade to door, wall, or window sill

This panel will vary in height depending on shade height.


Cord Management Options



Back View with Safety Loop Cord

Safety Loop Cord

- Prevents cord from being easily pulled away from the shade and forming a loop



NOTE: Shown with standard cord.

General Information

Looped Style Product Detail

Installation Brackets

- Zinc-plated spring steel for easy installation
- Hidden snap-in design
- Facilitate easy installation and removal of shade

Aluminum Headrail

- Color coordinated to shade fabric
- 1 $\frac{1}{16}$ " profile, 1 $\frac{1}{16}$ " depth
- Extremely durable and rustproof

Fabric Valance (shown in illustration)

- Free of charge; must be requested at time of order
- Matches shade fabric for uninterrupted look
- Attaches to the headrail with hook and loop fastener
- Valance height is 5 $\frac{1}{4}$ "
- Valance returns not available

Looped 4 $\frac{5}{16}$ " Fabric Panels

- Looped fabric adds a touch of elegance and a dimensional look to the shade
- Variety of patterns and color choices
- Loops are created by the cord loops on rear of shade
- Finished edges are guaranteed not to fray

Projection Brackets

- Long (adds 2 $\frac{1}{2}$ " extension from wall)
- Medium (adds 1 $\frac{1}{2}$ " extension from wall)
- Short (adds 1" extension from wall)

Side Mount Brackets (optional)

- Maximum width 60"

Flush Mount End Caps

- Color coordinated to shade fabric
- Sleek look, tighter fit

Cordlock (not visible)

- Sleek, streamlined design
- Color coordinated to shade fabric
- Free-floating serrated cord-locking roller for dependable operation

Lift Cord

- Color coordinated to shade fabric
- 1.2 mm braided polyester with a core for durability

Joiner Ball and End Ball

- Color coordinated to shade fabric

Sill Rail


- Wrapped in fabric and covered by clear channel for tailored look and maximum durability

Hold Down Brackets (optional)

- Secure shade to door, wall, or window sill

This panel will vary in height depending on shade height.


Cord Management Options



Back View with Safety Loop Cord

Safety Loop Cord


- Prevents cord from being easily pulled away from the shade and forming a loop




NOTE: Shown with standard cord.

General Information

Cordless Lift Product Detail




Back View with Vertical and Horizontal Wands



Hidden Wand

- For ease of opening and closing shade without touching fabric
- Vertical wand is used with bottom panels greater than 2¾" in height
- Horizontal wand is used with bottom panels less than 2¾" in height
- Shades wider than 48" will have two wands for shade operation

Back View with Safety Loop Cord




Safety Loop Cord

- Prevents cord from being easily pulled away from the shade and forming a loop


NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower them.

General Information

Continuous-Loop Lift Product Detail



Back View with Safety Loop Cord




Safety Loop Cord


- Prevents cord from being easily pulled away from the shade and forming a loop

General Information

Bottom Up/Top Down Cord Lift Product Detail




Cord Management Options



Back View with Safety Loop Cord

Safety Loop Cord

- Prevents cord from being easily pulled away from the shade and forming a loop



NOTE: Shown with standard cord.

GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

10007-110 (11/19)|S19-20101

GRABER.

Graber Fresco® Roman Shades Designer US Price List — Effective June 2022

Price Group A: Grasses, Regal

Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	296	313	352	390	435	453	508	578	603	648	688	864	953	1232	1310	1385	1675	1854
42 (106.7)	318	335	364	409	453	498	549	601	642	672	719	962	1033	1288	1377	1467	1776	1958
48 (122)	342	360	401	443	492	540	593	638	665	707	756	1021	1136	1430	1534	1640	1990	2198
54 (137.2)	360	381	428	474	527	582	620	662	708	749	785	1109	1223	1493	1585	1682	2036	2247
60 (152.4)	394	412	474	498	580	603	648	703	748	782	817	1284	1393	1632	1750	1863	2255	2480
66 (167.7)	412	435	492	549	598	638	672	743	778	813	877	1329	1470	1700	1822	1947	2350	2592
72 (182.9)	421	441	531	582	631	669	707	772	809	868	931	1414	1564	1828	1965	2104	2542	2802
78 (198.2)	453	476	554	623	665	705	748	806	860	907	962	1467	1640	1923	2066	2211	2673	2949
84 (213.4)	484	508	593	648	703	743	785	847	902	945	991	1557	1762	2040	2205	2365	2861	3154
90 (228.6)	500	527	607	688	731	778	821	891	951	962	1012	1615	1820	2117	2277	2441	2950	3255
96 (243.9)	527	554	658	719	766	813	860	936	973	1000	1036	1670	1876	2272	2450	2616	3168	3498

Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Looped Style

	Width up to inches (cm) →																	
Height up to inches (cm) ↓	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	342	360	398	451	499	529	582	617	688	724	758	983	1062	1361	1448	1538	1863	2059
42 (106.7)	366	385	400	469	524	560	612	647	719	758	804	1056	1150	1430	1516	1622	1962	2169
48 (122)	383	401	465	498	557	587	640	686	756	802	844	1139	1258	1590	1704	1815	2201	2430
54 (137.2)	422	441	486	520	582	626	677	719	799	844	889	1249	1358	1655	1760	1861	2250	2482
60 (152.4)	453	476	517	552	617	655	708	754	842	887	936	1428	1549	1805	1934	2070	2501	2753
66 (167.7)	483	504	539	609	642	701	748	799	852	931	985	1514	1622	1889	2024	2164	2611	2879
72 (182.9)	498	524	570	631	693	734	785	840	927	983	1036	1613	1734	2028	2176	2328	2814	3100
78 (198.2)	527	555	595	671	731	774	824	880	979	1034	1091	1674	1813	2126	2291	2455	2971	3277
84 (213.4)	562	593	631	703	772	813	862	921	1030	1088	1150	1784	1956	2263	2444	2623	3170	3500
90 (228.6)	582	612	665	743	813	860	904	1021	1083	1143	1205	1851	2021	2344	2530	2706	3271	3613
96 (243.9)	615	647	731	772	858	899	945	1077	1139	1180	1207	1919	2082	2524	2710	2902	3512	3879

Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Grasses*					
Chestnut	0123	Coast	0125	Maple	0120

Regal					
Black	3216	Jute	3217	Snow White	3210
Brick	3233	Midnight	3232	Silver	3236
Chocolate	3235	Platinum	3237	Vanilla	3211

*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Price Group B: Cristale

Flat Style

Width up to inches (cm) →																		
Height up to inches (cm) ↓	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	384	401	457	502	548	587	658	731	780	835	879	1111	1220	1572	1676	1773	2148	2377
42 (106.7)	408	430	468	526	587	643	708	774	818	863	928	1236	1327	1652	1762	1867	2264	2499
48 (122)	440	464	514	579	633	692	756	811	857	912	973	1307	1454	1838	1973	2099	2546	2814
54 (137.2)	461	485	547	602	676	743	796	847	906	960	1002	1416	1567	1916	2036	2154	2610	2878
60 (152.4)	502	529	602	640	740	780	838	892	956	1002	1048	1646	1786	2090	2250	2392	2893	3181
66 (167.7)	522	548	633	708	772	811	863	943	996	1042	1121	1707	1879	2182	2337	2497	3015	3323
72 (182.9)	547	578	678	743	804	857	912	986	1040	1114	1190	1808	2000	2345	2513	2690	3252	3586
78 (198.2)	579	608	723	799	857	906	956	1036	1108	1167	1236	1867	2097	2461	2646	2837	3431	3787
84 (213.4)	626	658	756	835	892	943	1002	1088	1156	1210	1271	1994	2259	2616	2825	3032	3667	4044
90 (228.6)	634	669	787	886	936	996	1056	1142	1216	1236	1302	2065	2331	2710	2922	3128	3778	4170
96 (243.9)	687	723	843	928	983	1042	1108	1199	1250	1275	1329	2137	2408	2917	3137	3360	4068	4495

Add Surcharge to Shade Price

Cordless Lift	119
----------------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Looped Style

	Width up to inches (cm) →																	
Height up to inches (cm) ↓	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	435	457	494	562	624	672	742	774	866	907	965	1239	1342	1719	1821	1934	2346	2595
42 (106.7)	457	479	509	590	671	704	771	820	902	965	1012	1333	1450	1804	1919	2040	2473	2729
48 (122)	476	502	584	626	702	749	812	857	957	1010	1062	1425	1586	1999	2142	2285	2773	3062
54 (137.2)	529	557	619	658	742	780	849	902	1005	1062	1116	1581	1710	2079	2211	2345	2837	3131
60 (152.4)	580	609	643	693	774	828	890	957	1057	1116	1176	1794	1943	2276	2440	2605	3148	3466
66 (167.7)	597	631	681	758	814	881	940	1003	1077	1175	1241	1917	2044	2376	2542	2727	3294	3630
72 (182.9)	632	665	712	799	874	924	990	1051	1168	1239	1306	2023	2183	2549	2740	2928	3540	3902
78 (198.2)	661	694	755	836	921	971	1037	1106	1237	1304	1380	2112	2283	2677	2891	3092	3736	4122
84 (213.4)	713	750	796	887	968	1024	1085	1159	1299	1368	1450	2252	2468	2852	3079	3306	4000	4409
90 (228.6)	730	771	834	931	1024	1081	1140	1283	1366	1440	1515	2330	2543	2957	3186	3415	4125	4550
96 (243.9)	781	820	912	968	1077	1137	1198	1360	1424	1451	1515	2407	2627	3173	3418	3652	4421	4882

Add Surcharge to Shade Price

Cordless Lift	119
----------------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Cristale*					
Angora	3271	Parchment	3272	Pristine	3273
Antique White	3274				

*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Price Group C: Crossweave, Desert, Madrid, Royale, Versailles

Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	451	474	539	593	648	694	775	864	925	983	1036	1311	1445	1862	1983	2097	2540	2808
42 (106.7)	483	504	549	623	694	762	836	914	967	1021	1095	1461	1564	1949	2082	2205	2673	2950
48 (122)	521	548	609	684	748	817	895	958	1012	1076	1149	1546	1720	2175	2331	2485	3013	3326
54 (137.2)	547	575	642	713	799	874	936	1005	1073	1130	1186	1678	1851	2264	2402	2543	3075	3394
60 (152.4)	600	630	713	752	868	925	987	1051	1126	1179	1242	1950	2111	2466	2654	2826	3418	3762
66 (167.7)	617	648	748	836	907	958	1021	1116	1171	1236	1329	2011	2221	2580	2761	2949	3562	3923
72 (182.9)	645	678	802	874	951	1012	1076	1166	1228	1320	1408	2141	2362	2768	2972	3178	3845	4239
78 (198.2)	679	717	851	942	1012	1067	1126	1223	1306	1377	1461	2209	2478	2909	3128	3352	4055	4471
84 (213.4)	736	775	895	983	1051	1116	1186	1282	1368	1428	1501	2355	2670	3091	3339	3580	4328	4774
90 (228.6)	754	792	932	1045	1109	1171	1247	1349	1437	1461	1535	2441	2754	3200	3451	3691	4461	4923
96 (243.9)	810	851	998	1095	1163	1236	1306	1416	1476	1508	1571	2527	2846	3449	3709	3974	4811	5312

Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Looped Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	499	527	576	652	729	782	860	899	1006	1052	1122	1439	1558	2104	2227	2363	2862	3165
42 (106.7)	531	560	591	688	781	820	898	958	1050	1122	1179	1554	1686	2208	2350	2500	3024	3339
48 (122)	554	584	675	730	817	869	944	1000	1111	1172	1237	1663	1848	2447	2623	2791	3387	3741
54 (137.2)	620	653	717	764	860	907	991	1050	1171	1237	1300	1836	1994	2545	2706	2868	3474	3833
60 (152.4)	673	708	749	807	899	958	1038	1111	1232	1296	1367	2089	2260	2783	2986	3188	3854	4246
66 (167.7)	695	731	796	887	954	1026	1088	1166	1249	1366	1445	2234	2380	2905	3111	3336	4032	4444
72 (182.9)	733	773	832	929	1022	1076	1149	1227	1360	1439	1516	2355	2543	3119	3352	3578	4324	4769
78 (198.2)	772	811	877	973	1073	1132	1206	1284	1437	1515	1607	2459	2652	3272	3533	3779	4568	5040
84 (213.4)	833	874	927	1025	1126	1193	1269	1355	1508	1590	1686	2617	2871	3488	3765	4042	4889	5393
90 (228.6)	852	898	969	1088	1193	1262	1329	1499	1587	1678	1762	2713	2957	3617	3892	4176	5044	5566
96 (243.9)	912	958	1064	1126	1255	1320	1393	1582	1662	1693	1766	2800	3060	3883	4182	4471	5412	5976

Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Crossweave*

Beechwood	3410	Elm	3411	Slate	3416
Diamond	3418	Nutbrown	3412	Spruce	3415

*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Desert*

Haze	3452	Natural	3434	Shell	3431
Mesa	3435	Sandstone	3432	Snow	3450

*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Madrid

Azure	3515	Granate	3517	Teal	3516
Chocolate	3519	Sand	3512	White	3510
Glow	3511	Sienna	3518		

Royale*

Granite	3426	Rapture	3425	Storm	3424
Ivory	3420	Saddle	3423		

*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Versailles*

Chocolate	3261	Toast	3260	White	3265
French Beige	3264				

*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Price Group D: Suburban

Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	509	535	612	673	734	787	876	981	1047	1113	1172	1483	1635	2108	2244	2372	2874	3176
42 (106.7)	546	572	621	707	787	865	950	1036	1096	1156	1244	1654	1776	2211	2363	2503	3033	3345
48 (122)	590	620	688	774	848	926	1014	1085	1147	1216	1301	1754	1950	2463	2637	2816	3416	3773
54 (137.2)	613	646	726	809	903	992	1062	1137	1213	1283	1343	1902	2098	2567	2726	2881	3487	3850
60 (152.4)	677	714	809	857	984	1047	1118	1195	1279	1336	1402	2209	2392	2798	3012	3206	3876	4264
66 (167.7)	700	734	848	950	1028	1085	1156	1262	1329	1398	1508	2284	2514	2924	3130	3347	4042	4457
72 (182.9)	729	771	906	992	1075	1147	1216	1321	1393	1496	1595	2426	2676	3138	3368	3598	4350	4799
78 (198.2)	772	811	965	1067	1147	1210	1279	1387	1480	1560	1654	2503	2812	3295	3545	3799	4597	5069
84 (213.4)	833	876	1014	1113	1195	1262	1343	1454	1551	1618	1700	2672	3023	3499	3782	4056	4903	5408
90 (228.6)	858	901	1057	1181	1253	1329	1415	1527	1631	1654	1740	2770	3121	3626	3907	4181	5051	5574
96 (243.9)	919	965	1135	1244	1314	1398	1480	1601	1674	1707	1780	2862	3224	3905	4200	4501	5450	6018

Add Surcharge to Shade Price

Cordless Lift	119
----------------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Looped Style

	Width up to inches (cm) →																	
Height up to inches (cm) ↓	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	563	595	645	734	824	879	966	1012	1132	1186	1260	1618	1749	2365	2501	2658	3219	3558
42 (106.7)	603	633	664	774	876	920	1007	1075	1179	1260	1325	1747	1896	2480	2638	2806	3394	3747
48 (122)	624	658	758	825	918	983	1062	1125	1250	1320	1389	1867	2079	2753	2947	3140	3805	4202
54 (137.2)	695	731	807	860	966	1022	1113	1179	1321	1389	1460	2064	2240	2860	3041	3225	3903	4308
60 (152.4)	760	800	841	906	1012	1077	1168	1250	1384	1455	1537	2351	2541	3129	3355	3583	4332	4772
66 (167.7)	784	827	898	993	1069	1151	1226	1314	1403	1535	1626	2511	2674	3264	3498	3750	4534	5000
72 (182.9)	820	865	932	1043	1147	1210	1290	1380	1529	1618	1710	2646	2861	3509	3766	4026	4865	5363
78 (198.2)	866	911	986	1096	1206	1273	1359	1447	1615	1707	1804	2764	2979	3678	3967	4249	5136	5667
84 (213.4)	934	984	1040	1153	1269	1340	1423	1520	1695	1789	1896	2942	3227	3917	4229	4541	5492	6057
90 (228.6)	958	1007	1091	1223	1340	1418	1494	1681	1789	1888	1980	3053	3325	4063	4373	4690	5670	6256
96 (243.9)	1023	1075	1195	1269	1409	1481	1564	1779	1866	1900	1986	3147	3437	4366	4699	5024	6082	6716

Add Surcharge to Shade Price

Cordless Lift	119
----------------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Suburban				
Clay	3473	Stone	3471	White 3470
Sand	3472			

Options Pricing

Bottom Up/Top Down Cord Lift	99
Continuous-Loop Lift	99
Cordless Lift	See price charts for surcharge
Cord Cleats	Clear: No charge 10 Solid brass 5 Antique brass
Cord Winder	8
Motorized Lift	See motorization product information guide
Fabric Valance Trim	33
Multiple Shades on One Headrail	No charge: Shades exceeding fabric width 99 If shade width less than or equal to fabric width
Wood Cornices and Valances	See cornices and valances product information guide

Fabric Valance-Only Pricing

Width up to inches (cm) →

	18	24	31	36	42	48	54	60	66	72	84	96	108	120	132	144	174	192
	(45)	(61)	(78.8)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.4)	(304.8)	(335.3)	(365.8)	(442)	(487.7)
Valance Only	84	89	93	98	105	107	110	114	123	128	140	149	158	165	179	189	268	294

NOTE: Continuous valance is only available up to fabric width. If used on multiple shade on one headrail, or the valance is greater than the fabric width, the valance will have the same breaks as the panels.