

GRABER®



Graber Pleated Shades
English US Price Guide

PLEATED SHADES

Product Information Guide

Features

Fabric Styles and Information	4
Light Control and Privacy Levels	4
Oeko-Tex® Standard 100 Certified Fabrics	4
Summary	5

Control Type and Size Considerations

Cord Lift	6
Depth Requirements for Inside Mount Cord Lift	6
Cord Lift	7
Bottom Up/Top Down Cord Lift	8
Sun Up/Sun Down Cord Lift	8
Cordless Lift	9
Depth Requirements for Inside Mount Cordless Lift	9
Cordless Lift	10
Bottom Up/Top Down Cordless Lift	10
Sun Up/Sun Down Cordless Lift	11
Continuous-Loop Lift Shades	12
Depth Requirements for Inside Mount Continuous-Loop Lift	12
Continuous-Loop Lift	13
Perfect-View® Cord Lift	14
Depth Requirements for Inside Mount for Perfect-View	14
Perfect-View Cord Lift	15
Perfect-View Cordless Lift	16
Depth Requirements for Inside Mount	16
Perfect-View Cordless Lift	17

Options

Shade Liner	18
Motorized Lift	18
Multiple Shades on One Headrail	19
Corner Windows	20
Bay Windows	21
Specialty Shapes: Arch Shades	22
Specialty Shapes: Angle Top	23
SkyTrack™ Skylight	23
Enhanced Light Control Features	24
Making a Template for Specialty Windows	25
Using a Template Service	25

General Information

Stack Height Chart Cord Lift	26
Stack Height Chart: Perfect-View®.	27
Pleated Shade Color Coordination Chart.	28
Cord Control Product Detail	29
Cordless Lift Product Detail	30
Continuous-Loop Lift Product Detail	31
Bottom Up/Top Down: Cord Lift Product Detail.	32
Bottom Up/Top Down: Cordless Lift Product Detail	33
Perfect-View Cord Lift Product Detail	34
Perfect-View Cordless Lift Product Detail	35

Features

Graber® Pleated Shades include a variety of prints and elegant weaves in fashionable colors. The unique design of the back ladder support of EvenPleat® ensures that pleats will not sag or flatten. These classic shades are an elegant addition to any window and match easily with other window treatments.

- EvenPleat back ladder support gives pleats an even, dimensional appearance
- Many fashion-inspired patterns, colors, and textures enhance any room
- Color coordinated rails and components
- Offer numerous light control and privacy levels
- Two liners offered for light control: light filtering and room darkening
- Two pleat sizes offered: 1" and 2" pleat (select styles)

Features	Benefits
EvenPleat® Shades	
EvenPleat Loop Tape	• Ensures consistent pleat spacing from top to bottom for a perfect, tailored look; pleats won't sag • Patterns remain uniform throughout the shade • No need to periodically raise the shade
Many Fabric Styles	• Great design flexibility • Something to suit everyone's taste and budget • Fresh color offerings in tune with today's decor trends • 2" pleat is an ideal solution for larger windows
Limited Lifetime Warranty	• Guarantees years of trouble-free shade operation
FashionPleat® Shades	
Many Fabric Styles	• Great design flexibility • Something to suit everyone's taste and budget
Three-Year Warranty	• Guarantees trouble-free shade operation • Product is warranted against original defects in materials or workmanship
Pleated Shades	
Aluminum Headrail System	• Strong, yet lightweight • Color coordinated to fabric • Extremely durable • Rail color coordination can be specified at the time of purchase
Two Different Fabric Liners Available	• Changes privacy level of any fabric to either light filtering or room darkening • Provides neutral exterior appearance regardless of interior color • Available with select 1" or 2" fabrics
Cordless Lift	• Eliminate external lift cords and cord loops • Available on select fabrics
Continuous-Loop Lift	• Continuous-loop remains at constant length • Eliminates cords gathering on floor • Helps lift large, heavy shades • Sleek, low profile; color coordinated headrail is sturdy aluminum
Variety of Specialty Shades Available	• Coordinated hard-to-cover specialty windows for total room decor • Provides light control
Motorized Lift	• Provides easy operation of hard to reach or large windows • Eliminates external lift cords and cord loops • Available with all fabrics

Features

Fabric Styles and Information

Fabric Styles	1" FashionPleat®	1" EvenPleat®	2" EvenPleat	Fabric Content	Fabric Width (inches)	Privacy Rating	Liner Available	Overlap*	Cordless Lift Available
Allure	•	•		100% polyester	72	Light filtering	•	•	•
Crossweave			•	100% polyester	72	Light filtering	•		•
Debonair		•	•	92.6% polyester 4.3% cotton strap 3.1% flax	94	Light filtering	•		•
Desert	•	•	•	100% polyester	94	Light filtering	•	•	•
Eloquence	•	•		100% polyester	94	Light filtering	•		•
Geneva	•	•	•	100% polyester	72	Light filtering	•	•	
Grasscloth		•	•	100% polyester	72	Light filtering	•		•
Imperial		•		100% polyester	92	Light filtering	•		•
Marquis		•	•	100% polyester	76	Light filtering	•		•
Muse		•		100% polyester	92	Light filtering	•		•
Prism		•	•	100% polyester	92	Light filtering	•	•	•
Serendipity		•	•	100% polyester	92	Sheer	•	•	•
Sheer Linen	•	•	•	100% polyester	72	Sheer	•	•	•
Tuvalu	•	•		100% polyester	72	Light filtering	•	•	•
Blackout Liner		•	•	100% polyester	72	Room darkening		•	
Privacy Liner		•	•	100% polyester	72	Light filtering		•	•

*Overlaps are not available with bottom up/top down, sun up/sun down, Perfect-Vue®, and multiple shades on one headrail.

Light Control and Privacy Levels

Sheer: Allows the most sunlight and least privacy

Light Filtering: Blocks some sunlight and offers some privacy

Privacy Liner: Offers increased light control and privacy. At night, objects in your home will appear as silhouettes from the outside.

Blackout Liner: Blocks light and offers complete privacy. At night, objects in your home will not be seen from the outside.

Oeko-Tex® Standard 100 Certified Fabrics

Fabric styles Debonair, Desert, Eloquence, Grasscloth, Imperial, Marquis, Muse, Prism, Tuvalu, and Crossweave are Oeko-Tex Standard 100 Certified and are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

Oeko-Tex is a registered trademark of the Oeko-Tex Association.



Features

Summary (for surcharges and pricing refer to price charts)

The following is a list of options for pleated shades. Most options are available in all styles and colors. Limitations will be based on fabric width and fabric type. See detailed descriptions on the following pages.

Control Type Options (see price charts for pricing and/or surcharges)

- Cord lift
- Continuous-loop lift
- Cordless lift
- Motorized lift (see motorization product information guide)

Shade Options—No Charge

- Cord placement on right or left
- Custom cord length is available upon request at time of order
- Corner or bay window
- Hold down brackets
- Projection brackets
 - With 1" cord lift, 1", 2" cordless lift, continuous-loop lift, and motorized lift pleated shades
 - Long (adds up to 2½" extension from wall)
 - Medium (adds up to 1⅝" extension from wall)
 - Short (adds up to 1" extension from wall)
 - With 2" EvenPleat®
 - Long (adds up to 2¼" extension from wall)
 - Medium (adds up to 1⅜" extension from wall)
 - Short (adds up to ¾" extension from wall)
- Rail color can be specified at the time of order
- Shims
- Side-mount brackets: inside mount only
- Standard cord cleats: clear
- Lightblocking strip available with cordless lift, continuous-loop lift, and motorized lift controls

Specialty Shape Shade Options (see price charts for pricing and/or surcharges)

- Angled Top
- Arches


Shade Options—Surcharge (see price charts for pricing and/or surcharges)

- Room-darkening side channels: 2" pleated; cord and cordless lift
- Bottom up/top down cord lift
- Bottom up/top down cordless lift
- Cord winder
- Decorative cord cleats
- Liners
- Multiple shades on one headrail
- Perfect-Vue® shade: cord lift
- Perfect-Vue shade: cordless lift
- Sky pole
- Skylight shades
- Sun up/sun down cord lift
- Sun up/sun down cordless lift

Pleat Size	Cord Lift	Cordless Lift	Continuous-Loop Lift	Motorized Lift	Bottom Up/Top Down	Sun Up/Sun Down	Perfect-Vue	Side Channels	Skylights	Arches	Angle Top
1"	•	•	•	•	•	•	•			•	•
2"	•	•	•	•	•	•	•	•	•	•	

Control Type and Size Considerations

Cord Lift

Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available													
				Cord Lift (inches)				Cord Lift Two-On-One Headrail (inches)					Cord Lift Bottom Up/Top Down (inches)			
				Width		Height		Width			Height		Width		Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel‡	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max
1" FashionPleat®																
Allure	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Desert	94	●	●	9	144	12	96	9	94	144	12	96	12	72	12	96
Eloquence	94		●	9	94	12	96	9	94	144	12	96	12	72	12	96
Geneva	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Sheer Linen	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Tuvalu	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
1" EvenPleat®																
Allure	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Blackout Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Debonair	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
Desert	94	●	●	12	120	12	96	12	94	120	12	96	12	78	12	96
Eloquence	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
Geneva	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Grasscloth	72		●	12	72	12	96	12	72	120	12	96	12	72	12	96
Imperial	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96
Marquis	76		●	12	76	12	96	12	76	120	12	96	12	76	12	96
Muse	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96
Prism	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96
Privacy Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Serendipity	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96
Sheer Linen	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Tuvalu	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
2" EvenPleat																
Blackout Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Crossweave	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120
Debonair	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120
Desert	94	●	●	18	144	12	144*	18	94	144	12	120	18	78	12	120
Geneva	72	●	●	18	144	12	144*	18	72	144	12	120	18	72	12	120
Grasscloth	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120
Marquis	76		●	18	76	12	144*	18	76	144	12	120	18	76	12	120
Prism	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120
Privacy Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Serendipity	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120
Sheer Linen	72	●	●	18	144	12	144*	18	72	144	12	120	18	72	12	120



*Height limited to 96" with overlap.

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Please refer to area limit chart for size restrictions by fabric name. Maximum width and height for shades with side channels is 96".


‡Two-on-one headrail not available with overlap.

Depth Requirements for Inside Mount Cord Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 13/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

Control Type and Size Considerations

Cord Lift



- **No charge**
- Controls can be placed on the right (standard) or left side; side mounts available up to 60" wide by 96" high
- Room-darkening side channels are available
 - Surcharge (see price charts)
 - 2" pleated only
 - Available in cord lift and cordless lift
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	9	144	12	96
1" EvenPleat®	12	120	12	96
2" EvenPleat	18	144	12	144 **

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.


†Based on fabric width with overlap.

Maximum width and height for shades with side channels is 96".

Cord Lift Area Limit Chart			No Overlap		With Overlap	
Pleat Size	Fabric Style	Fabric Width (inches)	Area Limit (square inches)	With Liner (square inches)	Area Limit (square inches)	With Liners (square inches)
1"	Allure	72				10,000
	Debonair	94		8,000		
	Desert	94		8,000	9,000	6,000
	Geneva	72				8,000
	Prism	92				8,000
	Serendipity	92				7,000
	Sheer Linen	72				8,000
	Tuvalu	72			11,000	8,000
2"	Crossweave	72		8,000		
	Debonair	94	10,000	7,000		
	Desert	94	10,000	7,000	8,000	5,000
	Geneva	72			10,000	7,000
	Grasscloth	72	9,000	6,000		
	Prism	92				7,000
	Serendipity	92	11,000	8,000	9,000	6,000
	Sheer Linen	72				8,000

Control Type and Size Considerations

Bottom Up/Top Down Cord Lift



- **For surcharges** (see price charts)
- Option allows for privacy; lets in natural light
- Standard control is right control that operates bottomrail; left cord operates midrail (can be reversed)
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	12	72	12	96
1" EvenPleat	12	78	12	96
2" EvenPleat	18	78	12	120


*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 96".

NOTE: See corded area limit chart for fabric-specific limitations.

Sun Up/Sun Down Cord Lift



- **Price as two separate standard shades from price charts and combine the prices for total cost**
- Perfect for combining light controls of sheer or light filtering and room darkening
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Standard control is right control that operates bottomrail, left cord operates midrail (can be reversed)
- Headrail coordinates with top fabric
- Bottomrail coordinates with bottom fabric
- Midrail will match headrail as a default, however, can specify to match bottomrail at time of order
- Overlap not available
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	72	12	96
2" EvenPleat	18	72	12	96




*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 96".

Control Type and Size Considerations

Cordless Lift



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available													
				Cordless Lift (inches)				Cordless Lift Multiple Shades on One Headrail (inches)				Cordless Lift Bottom Up/Top Down (inches)				
				Width		Height		Width		Height		Width		Height		
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max
1" FashionPleat®																
Allure	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
Desert	94	●	●	12	96	9	86	12	94	144	9	86	15	84	9	86
Eloquence	94		●	12	94	9	86	12	94	144	9	86	15	84	9	86
Sheer Linen	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
Tuvalu	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
1" EvenPleat®																
Allure	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Debonair	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86
Desert	94	●	●	12	96	6	86	12	94	120	6	86	15	84	9	86
Eloquence	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86
Grasscloth	72		●	12	72	6	86	12	72	120	6	86	15	72	9	86
Imperial	92		●	12	92	6	86	12	92	120	6	86	15	84	9	86
Marquis	76	●	●	12	76	6	86	12	76 (193.1)	120	6	86	15	76	9	86
Muse	92		●	12	92	6	86	12	92	120	6	86	15	84	9	86
Prism	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86
Privacy Liner	72	●		12	96	6	86	12	72	120	6	86	15	72	9	86
Serendipity	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86
Sheer Linen	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Tuvalu	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
2" EvenPleat																
Crossweave	72		●	12	72	12	86	12	72	144	12	86	15	72	12	86
Debonair	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86
Desert	94	●	●	12	96	12	86	12	94	144	12	86	15	84	12	86
Grasscloth	72	●	●	12	72	12	86	12	72	144	12	86	15	72	12	86
Marquis	76		●	12	76	12	86	12	76	144	12	86	15	76	12	86
Prism	92	●	●	12	96	12	86	12	92	144	12	86	15	84	12	86
Privacy Liner	72	●		12	96	12	86	12	72	144	12	86	15	72	12	86
Serendipity	92	●	●	12	96	12	86	12	92	144	12	86	15	84	12	86
Sheer Linen	72	●	●	12	96	12	86	12	72	144	12	86	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

NOTE: Cordless lift maximum overall area for 2" Debonair is 4,800 square inches, 1" Debonair is 5,400 square inches, 2" Desert and Serendipity is 6,000 square inches, 1" Desert and Tuvalu is 6,400 square inches, 1" Serendipity is 7,000 square inches, 2" Prism and Sheer Linen is 7,400 square inches, and 1" Eloquence is 7,600 square inches.


Maximum width and height for shades with side channels is 96".

Depth Requirements for Inside Mount Cordless Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	5/8	2 3/8
2" Pleat	1 1/16 x 2 3/8	5/8	2 3/8

Control Type and Size Considerations

Cordless Lift



- **For surcharge, see price charts**
- Available with the privacy liner option on single panels of fabric (no overlap)
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available with Debonair, Eloquence, Grasscloth, Imperial, Marquis, Muse, or Crossweave
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down cord lift shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation
- Room-darkening side channels are available:
 - Surcharge (see price charts)
 - 2" pleated only
 - Available in cord lift and cordless lift
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205


Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	96	9	86
1" EvenPleat®	12	96	6	86
2" EvenPleat	12	96	12	86

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

†Based on fabric width with overlap.

NOTE: Cordless lift maximum overall area for 2" Debonair is 4,800 square inches, 1" Debonair is 5,400 square inches, 2" Desert and Serendipity is 6,000 square inches, 1" Desert and Tuvalu is 6,400 square inches, 1" Serendipity is 7,000 square inches, 2" Prism and Sheer Linen is 7,400 square inches, and 1" Eloquence is 7,600 square inches.

Bottom Up/Top Down Cordless Lift



- **For surcharge, see price charts**
- Option allows for privacy; lets in natural light
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	15	84	9	86
1" EvenPleat	15	84	9	86
2" EvenPleat	15	84	12	86

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


†Not available with overlap.

Maximum width and height for shades with side channels is 96".

NOTE: See cordless size considerations chart for fabric specific limitations.

Control Type and Size Considerations

Sun Up/Sun Down Cordless Lift



- **Price as two separate cord lift shades from price charts and add one cordless lift surcharge for total cost**
- Perfect for combining light controls of sheer or light-filtering and room-darkening fabrics
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Headrail coordinates with top fabric, bottomrail coordinates with bottom fabric, and midrail will match headrail as a default
- Overlap not available
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleated	15	84	12	86
2" Pleated	15	84	12	86

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.



†Based on fabric width; narrowest of the two fabrics is the maximum width.

Maximum width and height for shades with side channels is 96".

NOTE: See cordless size considerations chart for fabric specific limitations.

Control Type and Size Considerations

Continuous-Loop Lift Shades



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available										
				Continuous-Loop Lift (inches)				Continuous-Loop Lift Multiple Shades on One Headrail (inches)					
				Width		Height		Width				Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade Single Control	Max Shade Multiple Controls	Min Shade	Max Shade
1" FashionPleat®													
Allure	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Desert	94	●	●	18½	120	9	96	18½	94	120	144	9	96
Eloquence	94	●	●	18½	94	9	96	18½	94	120	144	9	96
Geneva	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Sheer Linen	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Tuvalu	72	●	●	18½	120	9	96	18½	72	120	144	9	96
1" EvenPleat®													
Allure	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Blackout Liner	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Debonair	94	●	●	18½	94	6	96	18½	94	120	120	6	96
Desert	94	●	●	18½	120	6	96	18½	94	120	120	6	96
Eloquence	94	●	●	18½	94	6	96	18½	94	120	120	6	96
Geneva	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Grasscloth	72	●	●	18½	72	6	96	18½	72	120	120	6	96
Imperial	92	●	●	18½	92	6	96	18½	92	120	120	6	96
Marquis	76	●	●	18½	76	6	96	18½	76	120	120	6	96
Muse	92	●	●	18½	92	6	96	18½	92	120	120	6	96
Prism	92	●	●	18½	120	6	96	18½	92	120	120	6	96
Privacy Liner	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Serendipity	92	●	●	18½	120	6	96	18½	92	120	120	6	96
Sheer Linen	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Tuvalu	72	●	●	18½	120	6	96	18½	72	120	120	6	96
2" EvenPleat													
Blackout Liner	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Crossweave	72	●	●	18½	72	12	120*	18½	72	144	144	12	120
Debonair	94	●	●	18½	94	12	120*	18½	94	144	144	12	120
Desert	94	●	●	18½	144	12	120*	18½	94	144	144	12	120
Geneva	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Grasscloth	72	●	●	18½	72	12	120*	18½	72	144	144	12	120
Marquis	76	●	●	18½	76	12	120*	18½	76	144	144	12	120
Prism	92	●	●	18½	144	12	120*	18½	92	144	144	12	120
Privacy Liner	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Serendipity	92	●	●	18½	144	12	120*	18½	92	144	144	12	120
Sheer Linen	72	●	●	18½	144	12	120*	18½	72	144	144	12	120

†For all inside mount applications, ½" deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.


NOTE: Please refer to continuous-loop lift area limit chart for size restrictions by fabric.

Depth Requirements for Inside Mount Continuous-Loop Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1⅞ x 2⅞	⅝	2⅞
2" Pleat	1⅞ x 2⅞	⅝	2⅞

Control Type and Size Considerations

Continuous-Loop Lift



- For surcharges, see price charts
- Recommended for larger, heavier shades
- Larger shades use a geared clutch for easier lifting, but additional pulls are required to lift the shade
- A single continuous-loop cord raises and lowers the shade and keeps the cord the same length
- Safety locking cord guide included; cord guide must be installed for shade operation

NOTE: When ordered as multiple shades on one headrail, there can be either one or two controls. A single control on the left or right can be used on shades up to 120" wide to operate all panels. With two controls, the left control operates the left panel and the right control operates the right panel. For three panel shades, specify middle panel as control right or control left. Continuous-loop controls cannot be located in the middle of a headrail.

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	18½	120	9	96
1" EvenPleat®	18½	120	6	96
2" EvenPleat	18½	144	12	120**

*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.

†Based on fabric width with overlap.

Loop Cord and Tensioner Device Colors	
Bamboo	601
Smokey Gray	026
Tender Taupe	103
Tuscany	578
White	00

Continuous-Loop Lift Area Limit Chart	
Fabric Style	Maximum Shade Size (square inches)
2" Debonair, Desert, Grasscloth, and Serendipity	9,000
1" Debonair; 2" Crossweave, Geneva and Prism	11,000
1" Desert, Eloquence, Grasscloth, Imperial, Muse, Prism, Serendipity, and Tuvulu; 2" Marquis and Sheer Linen	13,000
1" Allure, Geneva, Marquis, and Sheer Linen; Liner only shades	17,000


Control length for continuous-loop lift shades varies based on the finished shade height. Optional cord loop lengths are available and must be specified at the time of the order. The chart below lists the standard cord length.

Finished Shade Height	1" Pleated Continuous-Loop Cord Length (inches)	2" Pleated Continuous-Loop Cord Length (inches)
12 to 26	18	18
26⅞ to 38	24	24
38⅞ to 50	36	36
50⅞ to 62	48	48
62⅞ to 74	60	60
74⅞ to 96	72	72
96⅞ to 120	N/A	84

Optional cord lengths: 84", 96", and 108".

Control Type and Size Considerations

Perfect-Vue® Cord Lift





Cord Lift
All Cellular Fabric Styles
(inches)

Fabric Styles	Fabric Width (inches)	Width		Height	
		Min†	Max	Min	Max
1" FashionPleat®					
Allure	72	12	72	12	96
Desert	94	12	72	12	96
Eloquence	94	12	72	12	96
Geneva	72	12	72	12	96
Sheer Linen	72	12	72	12	96
Tuvalu	72	12	72	12	96
1" EvenPleat®					
Allure	72	12	72	12	96
Debonair	94	12	78	12	96
Desert	94	12	78	12	96
Eloquence	94	12	78	12	96
Geneva	72	12	72	12	96
Grasscloth	72	12	72	12	96
Imperial	92	12	78	12	96
Marquis	76	12	76	12	96
Muse	92	12	78	12	96
Prism	92	12	78	12	96
Serendipity	92	12	78	12	96
Sheer Linen	72	12	72	12	96
Tuvalu	72	12	72	12	96
2" EvenPleat					
Crossweave	72	18‡	72	12	96
Debonair	94	18‡	78	12	96
Desert	94	18‡	78	12	96
Geneva	72	18‡	72	12	96
Grasscloth	72	18‡	72	12	96
Marquis	76	18‡	76	12	96
Prism	92	18‡	78	12	96
Serendipity	92	18‡	78	12	96
Sheer Linen	72	18‡	72	12	96

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Depth Requirements for Inside Mount for Perfect-Vue®

Shade Type	Cord Lift Shades Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/ molding Flush with Casing (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 15/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

Control Type and Size Considerations

Perfect-Vue® Cord Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Standard control is right control—operates bottomrail, while left control operates intermediate rail (can be reversed)
- 1" pleated can be combined with $\frac{3}{8}$ " single cell cellular fabrics only
- 2" pleated can be combined with $\frac{1}{2}$ " double cell or $\frac{3}{4}$ " single cell cellular fabrics only
- Headrail coordinates with top fabric and bottomrail coordinates with bottom cellular fabric
- Midrail will match headrail as default, however, can specify to match bottomrail at time of order
- Product will have one or more cord release devices in compliance with ANSI/WCMA safety standards
- Midrail cord includes a cord release device


Size Considerations	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	78**	12	96
2" EvenPleat	18	78**	12	96

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

**Maximum single shade width is 78" or maximum fabric width, whichever is smaller.

Control Type and Size Considerations

Perfect-Vue® Cordless Lift



Cordless Lift
All Cellular Fabric Styles
(inches)

Fabric Styles (inches)	Fabric Width (inches)	Width		Height	
		Minimum†	Maximum	Minimum	Maximum
1" FashionPleat®					
Allure	72	15	72	12	86
Desert	94	15	94	12	86
Eloquence	94	15	94	12	86
Sheer Linen	72	15	72	12	86
Tuvalu	72	15	72	12	86
1" EvenPleat®					
Allure	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Eloquence	94	15	94	12	86
Grasscloth	72	15	72	12	86
Imperial	92	15	92	12	86
Marquis	76	15	76	12	86
Muse	92	15	92	12	86
Prism	92	15	92	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86
Tuvalu	72	15	72	12	86
2" EvenPleat					
Crossweave	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Grasscloth	72	15	72	12	86
Marquis	76	15	76	12	86
Prism	92	15	92	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


NOTE: Maximum area for 1" Debonair is 6,400 square inches and 2" Debonair is 5,800 square inches.

Depth Requirements for Inside Mount

Shade Type	Cordless Lift Shades Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding	
		Minimum Depth Mount (inches)	Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	3/8	2 3/8
2" Pleat	1 1/16 x 2 3/8	3/8	2 3/8

Control Type and Size Considerations

Perfect-Vue® Cordless Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Cordless lift shades are a safer alternative to shades with accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- 1" pleated can be combined with single cell cellular fabrics only
- 2" pleated can be combined with ½" double cell or ¾" single cell cellular fabrics only
- Headrail coordinates with pleated top fabric; bottomrail coordinates with bottom cellular fabric; midrail will match headrail as default; not available with multiple shades on one headrail
- All Perfect-Vue cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access; very high windows should use the cord lift option, rather than cordless lift; operation of shade requires both sets of handles be used to properly raise and lower rails
- Sky poles not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations		Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleat	All fabric styles	15	94**	12	86
2" Pleat	All fabric styles	15	94**	12	86


*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Maximum single shade width is 94" or maximum fabric width, whichever is smaller.

NOTE: Maximum area for 1" Debonair is 6,400 square inches and 2" Debonair is 5,800 square inches.

Options

Shade Liner



Liner on
backside
of shade

- **For surcharge, see price charts**
- Available on select styles with standard cord control, continuous-loop, and motorized lift systems
- Privacy liner is available with cordless lift as a single panel only (no overlap)
- Creates neutral to the street side appearance
- Create room-darkening effects by adding a blackout liner
- FashionPleat® privacy and blackout liner are not available as a shade alone
- Due to construction of shade, light will filter through the route holes even with a blackout liner


Optional liners increase privacy and light control.

Privacy: Allows a small amount of light to enter the room for a greater sense of privacy. Inside objects appear as shadows.

Blackout Liner: Prevents light from entering for a high level of light control with maximum privacy, preventing even silhouettes from showing through. Due to construction of the shade, light will filter through the route holes even with blackout liner.


NOTE: For shade widths greater than fabric width and heights up to 60", the liners will overlap at the same location as the fabric overlap. For shade widths greater than fabric width and heights over 60", the liners will overlap in the center of the shade. Maximum finished shade width limited to 142" for 1" fabrics and 140" for 2" fabrics.

Motorized Lift




- Refer to motorization product information guide for additional options, sizing, and pricing
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Not available with room darkening channels
- Available with lightblocking strip
- Multiple control and power options available; see motorization product information guide for options

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.



Options

Multiple Shades on One Headrail




- Surcharge for two or three shades on one headrail less than or equal to fabric width (see price charts)
- Shade widths exceeding fabric width made as two or three shades on one headrail—no charge
- Side mounts available
 - Single shade width: 60"
 - Multiple shades on one headrail: 42"

Size Considerations		Maximum Overall Size for Multiple Shades* (inches)	Maximum Size with Side Mount (inches)	Control Locations	Gap (inches)
Cord Lift	FashionPleat®	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control	½
	EvenPleat®	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Single Control	FashionPleat	120 x 96	60 x 96	Two-on-one: Common lift cord can be on right or left to operate both shades at the same time Three-on-one: Common lift cord can be on right or left to operate all shades at the same time	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Multi Control	FashionPleat	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control Three-on-one: Left shade, left control Right shade, right control Middle shade, common lift cord to right or left shade. Continuous-loop lift system cannot be used in the middle of the headrail on multiple shades	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Cordless Lift	FashionPleat	144 x 86	60 x 96	Not applicable	¾
	EvenPleat	120 x 86			
	2" EvenPleat	144 x 86			

*See size considerations section for the minimum and maximum panel widths.


Options

Corner Windows



- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether left or right and butt or bypass
- Bypass shade is mounted into the corner; butt shade is abutted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices are not available on corner windows**
- For bottom up/top down and sun up/sun down cord lift shades, the corner controls will be hard to reach


Top View



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.




Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.
Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


Options

Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as bay window shade if you do not want manufacturing to take deductions
- For bottom up/top down and sun up/sun down with cord lift the corner controls will be hard to reach
- **Cornices are not available on bay windows**

Measuring Information: Three-Sided Bay Window



Measure:


- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

Angle L-C1: Angle between the (L) and (C1) windows.

Angle C1-R: Angle between the (C1) and (R) windows.

Projection: If needed: The depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window



- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

Angle L-C1: Angle between the (L) and (C1) windows.

Angle C1-C2: Angle between the (C1) and (C2) windows.


Angle C2-R: Angle between the (C2) and (R) windows.

Projection (P): If needed: The depth of the trim or molding the shade will be mounted above.


NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (Angle C1-C2, Angle C2-C3, ...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, **trace on paper**, and fax to customer service. The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

Options


Specialty Shapes: Arch Shades




Perfect Arch: Half Circle




Palladian
(template required)
Illustration not to scale




Eyebrow Arch
(template required)



Elongated Arch
(arch with straight sides)
(template required)



Triangle
(template required)



Quarter Circle
(template not required
if perfect quarter)

Perfect Arches (template not required)

- **For surcharges, see price charts**
- Perfect arches are those where the radius of the circle is constant at all points; height is exactly half the width
- Perfect quarter circle is where height and width are equal
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- Include width and height measurements on all orders
- Side mount available up to 60" wide exact
- Liner available if fabric allows

Non-Perfect Arches (require a template)

- **For surcharges, see price charts**
- Non-perfect arches are those where the radius of the circle is NOT constant at all points; height is not exactly half the width
- Include width and height measurements on all orders
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- See template instructions
- Side mount available up to 60" wide exact
- Liner available if fabric allows

NOTE: Arches can be made in EvenPleat® fabrics, however they will not have the back loop tape.


Size Considerations				
Specialty	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Perfect Arch, Half Circle	9	96	4½	48
Palladian, Elongated, Eyebrow and Triangle	9	96	20% of width; minimum 4½	60% of width; max of 57.5
Quarter Circle	9	43	9	1.5 times width; max of 64.5

*For all inside mount applications, ⅜" deduction is taken on overall width.

Recess Depth and Flush Mount	Minimum Recess Depth (inches)	Maximum Flush Mount (inches)
1" Pleated	1⅞	1⅞
2" Pleated	1⅞	2¼

Options

Specialty Shapes: Angle Top




NOTE: Angle will not have loop tape.

- Price as a cord lift shade using angled width and longest side measurement; then add surcharge for total cost of shade (see price charts)
- Shade only lifts to intermediate rail, will not raise to complete angle
- Short side of angle height of 12" or less will be stationary
- As the low side measurement approaches 0", a light gap will exist to allow for the rails and fabrics to fit
- Lift cord is on low side of angle
- Not available with privacy or blackout liner only shades
- Only available with cord lift and 1" pleated fabric
- Side mount not available

Minimum Angled Width	12"
Maximum Angled Width	82"*
Minimum Short Side Height	0"
Minimum Long Side Height	12"
Maximum Long Side Height	96"
Maximum Angled Top Degree	60° (degrees)

*Maximum angled width determined by fabric width minus 2".

SkyTrack™ Skylight



Sky Pole

Sizes available:
3 to 6½ foot and 5 to 9½ foot

- **For surcharge, see price charts**
- Price as cord lift shade and add surcharge
- Widths over 24¾" will have a center cord visible when the shade is open
- Includes color coordinated aluminum side channels; colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, White Satin 205
- Operates with handle on center rail
- Brackets will be visible on an outside mount
- Skylight poles are telescoping and available upon request
- Side mounts not available
- Not available with continuous-loop lift, cordless lift, or motorized lift
- Skylights only available in 2" EvenPleat® fabrics


Size Considerations	Minimum Recess (inches)	Flush Mount (inches)
Mounting Depth	1½"	2½"

Size Considerations	Minimum Width (inches)	Maximum Width* (inches)	Minimum Height (inches)	Maximum Height* (inches)
All Fabric Styles	12¾"	61"	12"	61"

*For a width of 30¾" or less, maximum shade height is 96".

Options

Enhanced Light Control Features



Lightblocking Strip

- Boost room-darkening performance by reducing light leakage between the window and headrail
- Ideal option for bedrooms, nurseries, and those who prefer blackout light control
- Available for pleated shades with cordless lift, continuous-loop lift, and motorized lift controls

Room-Darkening Side Channels

- **For surcharge, see price charts**
- Boost room-darkening performance by reducing light leakage at sides of shades between the fabric and window frame
- Maximizes privacy
- Ideal option for bedrooms, nurseries, and those who prefer enhanced light control
- Available for 2" pleated shades, with cord lift and cordless lift
- Room-darkening side channel colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, White Satin 205
- Maximum width and height is 96" x 96"


Options

Making a Template for Specialty Windows

1. Tape butcher paper or heavy brown wrapping paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the shade is an outside mount, add the desired amount of overlap to the window outline. Draw a second outline around it to match the shape of the finished shade. **Be sure to erase the inside line.**
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

NOTE: Make sure the template is of the window opening, not the measurement of the glass only.

5. Cut the shape from the paper.
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT.**
7. **Indicate on the template:**
 - “Room side” and “top”
 - Purchase order number
 - Customer’s name
 - Your store name and account number
8. Attach a copy of your purchase order to the template.
9. Roll up template and place in a mailing tube.
DO NOT FOLD TEMPLATE.



Mail to: SPRINGS WINDOW FASHIONS, LLC
1500 Sycamore Road—G5
Montoursville, PA 17754
ATTN: SPECIALTY DEPT

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES

Kraft paper
Butcher paper
Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS

Newspaper	Plastic
Wax paper	Fabric
Tissue paper	Roofing paper
Existing arch shades	Wrapping paper
Cardboard	Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, or will mark the fabric, IT WILL NOT BE USED.

Using a Template Service

For surcharge, see price charts

To use the template service, simply:

1. Select template service when entering your order online.
2. Use the template worksheet to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments. The comments have been pre-programmed to all of the measurements you need to enter for your special shape.

For additional information, contact customer service.

General Information

Stack Height Chart Cord Lift

Height of Shade (inches)	1" Blackout Liner 1" Privacy Liner (inches)	1" Pleated Allure, Imperial, Marquis, Muse, Prism, Serendipity (inches)	1" Pleated Desert, Eloquence, Geneva, Sheer Linen, Tuvalu (inches)	1" Pleated Debonair, Grasscloth (inches)	2" Blackout Liner 2" Privacy Liner (inches)	2" Pleated Desert, Geneva, Marquis, Prism, Serendipity, Sheer Linen (inches)	2" Pleated Crossweave, Debonair (inches)	2" Pleated Grasscloth (inches)
18	1½	1⅝	1¾	2⅝	1⅝	1⅝	1⅝	2
30	1⅝	1⅝	2	2⅝	1½	1¾	2⅝	2⅝
42	1⅝	2	2⅝	3⅝	1½	2	2⅝	2¾
54	1¾	2¼	2⅝	3⅝	1⅝	2⅝	2⅝	3⅝
66	1⅝	2½	2⅝	4⅝	1⅝	2¼	2⅝	3⅝
78	1⅝	2⅝	3⅝	4⅝	1¾	2⅝	3¼	3¾
90	2	2⅝	3½	5	1¾	2⅝	3½	4⅝
96	2	3	3⅝	5¼	1¾	2⅝	3⅝	4⅝
108					1⅝	2⅝	3⅝	4¾
120					1⅝	3	4⅝	5
132					1⅝	3⅝	4⅝	5⅝
144					2	3¾	4¾	5¾

1" and 2" Pleated

All stack calculations are with standard controls. For cordless, continuous-loop, and motorized lift controls, add ¾".

For bottom up/top down with standard controls, add ¼"; with cordless lift controls add 1½".

For sun up/sun down with standard controls, add the two fabric stacks together and subtract ⅞" for the total stack height.

For sun up/sun down with cordless lift controls, add the two fabric stacks together.

NOTE: Stack height includes headrail and bottomrail. The stack measurements above are approximate. All stack heights as shown are without overlap, for overlap add an additional 60% to the given height for total stack height.

General Information

Stack Height Chart: Perfect-Vue®

All Pleated Fabrics Plus Cellular Fabrics Below				
Height of Shade (inches)	1¼" Single Cell Sanctuary, Valletta ¾" Single Cell Sanctuary, Scroll FR, Simply Sheer (inches)	1¼" Single Cell Splendor ¾" Single Cell Enchantment, Endeavor, Montage, Valletta ¾" Single Cell Endeavor (inches)	¾" Single Cell Couture, Discovery, Fanfare, Splendor, Valletta ½" Double Cell Splendor ¾" Single Cell Discovery (inches)	½" Double Cell Sanctuary (inches)
18	1¼	1⅞	2	2⅞
30	1⅞	2⅞	2⅞	2½
42	2⅞	2⅞	2¾	3
54	2⅞	2¾	3⅞	3⅞
66	2⅞	3	3½	3⅞
78	2¾	3⅞	3¾	4¼
90	3	3⅞	4⅞	4¾
96	3⅞	3¾	4⅞	4⅞
108	3¼	4	4¾	5⅞
120	3½	4⅞	5⅞	5¾
132	3¾	4⅞	5⅞	6¼
144	4	4⅞	5¾	6⅞

NOTE: Sizes are approximate.

All stack calculations are with cord lift controls; for cordless lift controls add ⅞".

Stack height includes all rails and both pleated and cellular fabrics together, but is based on the cellular fabric chosen.

Thickest pleated fabric was used for calculation.

General Information

Pleated Shade Color Coordination Chart

NOTE: Default color coordination is noted below. If desired, color coordination can be specified at the time of order.

Base Color	Default Rail Color	Rail Color Number
Allure		
Bone	Cream	715
Savvy Gray	Online	187
Shimmery Tan	Revere Pewter	190
Silver Lining	White Satin	205
White	White Satin	205
Crossweave		
Barley	Beige	011
Brick	Sable	565
Burnished Gold	Creamy Pearl	356
Natural	Quietude	188
Tahiti	Quietude	188
White Delight	White Satin	205
Debonair		
Haberdasher Gray	Canyon Gray	053
Natural White	White Satin	205
Unexpected Taupe	Quietude	188
Desert		
Clamshell	Online	187
Lunar Light	Creamy Pearl	356
Natural	Beige	011
Shell	Cream	715
Strata	Canyon Gray	053
Sugarcane	White Satin	205
Eloquence		
Delicate White	White Satin	205
Elegant Taupe	Canyon Gray	053
Ethereal White	Cream	715
Nuanced Gray	White Satin	205
Geneva		
Blue Calm	Navy	369
Frost White	White Satin	205
Gray Glow	Online	187
Mottled Sycamore	Sable	565
Pearl Stone	Cream	715
Grasscloth		
Boardwalk	Beige	011
Fence Post	Canyon Gray	053
Natural	Lamplight	904
Saddle	Sable	565
Safari	Sable	565
Winter Day	Creamy Pearl	356

Base Color	Default Rail Color	Rail Color Number
Imperial		
Modern Sphere	White Satin	205
Tropical White	White Satin	205
White Impact	White Satin	205
Marquis		
Gilded Age	White Satin	205
Victorian Age	Arctic Seal	183
White Mystic	White Satin	205
Muse		
Coastal Gray	Online	187
Etched Taupe	Canyon Gray	053
Haven	Revere Pewter	190
Navy Mosaic	Navy	369
Prism		
Liquid Bronze	Quietude	188
Radiant Moon	Creamy Pearl	356
Sequin	White Satin	205
Tinsel	Online	187
Serendipity		
Bold Roast	Sable	565
Greige Fusion	Revere Pewter	190
Heavenly	White Satin	205
Muted Tan	Creamy Pearl	356
Stone Mountain	Canyon Gray	053
Sheer Linen		
Abstract Gray	Revere Pewter	190
Alabaster	Cream	715
Chocolate Dream	Sable	565
Surreal Stone	Canyon Gray	053
White	White Satin	205
Tuvalu		
Tenuous Sand	Revere Pewter	190
White Dew	Cream	715
Wisteria White	White Satin	205

General Information

Cord Control Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Aluminum Headrail

- Color coordinated to fabric
- Extremely durable

Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

Aluminum Bottomrail

- Color coordinated to fabric

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to ¾" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated spring steel
- Durable brackets designed for easy installation

Cord Lock

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Cord Release Device/ Joiner Ball and Tassel

- Color coordinated to fabric

Braided Polyester Pull Cord

- Color coordinated to fabric
- Single strand for safety

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



Cord Winder


Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Cordless Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

Aluminum Headrail

- Color coordinated to fabric

Internal Cord Lift System

- Prevents cords from tangling or rolling on top of each other
- Gear-driven for a smooth, operation and long-lasting life

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

Dust Cover

- Reduces build-up of dust and debris

Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

Aluminum Bottomrail


- Color coordinated to fabric

Handle(s)

- A simple push or pull raises or lowers the shade evenly

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

NOTE: Not available with the following fabrics: Brighton, Brighton FR, Geneva, and Blackout liner.

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access. Suggest adding a sky pole for hard-to-reach applications, up to 24" wide. Sky poles are not recommended over 24"; however, if required, two sky poles should be ordered to ensure even operation. See options for details.

General Information

Continuous-Loop Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

Aluminum Headrail

- Color coordinated to shade fabric
- Extremely durable

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Continuous-Loop Lift Cord with Tension Device


- Length stays consistent regardless of shade height

Aluminum Bottomrail

- Color coordinated to fabric

Safety Cord Loop Tensioner

- Must be mounted for safety and shade operation



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Bottom Up/Top Down: Cord Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Aluminum Headrail

- Color coordinated to fabric
- Headrail and intermediate rail nest to prevent light gaps

Aluminum Intermediate Rail and Bottomrail

- Color coordinated to fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2 1/4" extension from wall)
- Medium (adds up to 1 5/8" extension from wall)
- Short (adds up to 3/4" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable and designed for easy installation

Cord Locks

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Pull Cord

- Allows for conventional shade operation

Cord Release Device/Joiner Ball and Tassle

- Color coordinated to fabric

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



Cord Winder


Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats




EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Bottom Up/Top Down: Cordless Lift Product Detail



NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

General Information

Perfect-Vue® Cord Lift Product Detail

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Cord Release Device

- Color coordinated to cord
- Cords coordinate with pleated fabric

Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to 1" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available

Flush Mount End Caps

- Color coordinated to rails
- Sleeker look and tighter fit

Cord Locks

- Sleek, streamlined design
- Color coordinated to headrail
- Free-floating serrated cord locking roller for dependable operation
- Standard control is right control—operates bottomrail, while left control operates intermediate rail


Cord Release Device/Joiner Ball and Tassel

- Color coordinated to cord
- Cords coordinate with pleated fabric

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



View From Back of Shade

EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Perfect-Vue® Cordless Lift Product Detail

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Internal Cord Lift System

- Prevents cords from tangling or twisting
- Gear drive for a smooth operation and long lasting life
- Cords coordinate to pleated fabric

Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Handles

- A simple push or pull raises or lowers the shade evenly

Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to 1" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available (optional)

Dust Cover


- Reduces build-up of dust and debris

End Caps

- Flush mount for a trim, smooth fit
- Color coordinated to rails

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



View From Back of Shade

EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10005-110 (11/19)|S19-20115

GRABER.

Graber Pleated Shades

Designer US Price List — Effective June 2022

Price Group A: 1" (2.6 cm) FashionPleat®: Allure, Sheer Linen

	Width up to inches (cm) →														
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	170	192	215	250	262	287	310	332	354	395	521	572	620	666	705
42 (106.7)	186	207	234	260	288	313	337	363	385	433	572	620	669	720	773
48 (122)	199	226	255	274	306	336	367	388	414	468	614	675	734	782	828
54 (137.2)	207	234	263	293	322	354	384	416	445	504	644	704	772	829	889
60 (152.4)	214	253	288	315	357	384	414	443	475	545	714	774	827	890	954
66 (167.7)	228	262	302	335	374	408	441	477	514	577	750	815	878	954	1030
72 (182.9)	234	271	315	349	393	432	466	505	545	610	781	857	927	1006	1083
78 (198.2)	250	290	335	368	406	447	489	530	572	653	815	896	974	1061	1145
84 (213.4)	258	302	346	385	430	472	518	562	605	687	857	950	1036	1124	1211
90 (228.6)	263	310	357	404	441	489	534	579	624	713	883	974	1072	1162	1254
96 (243.9)	269	322	368	418	452	505	555	602	647	737	911	1009	1103	1198	1294

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Maximum fabric continuous width is 72" (182.9 cm). Cordless lift is not available with a blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Allure					
Bone	2002	Shimmery Tan	2408	White	2001
Savvy Gray	2409	Silver Lining	2007		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sheer Linen					
Abstract Gray	3109	Chocolate Dream	3111	White	3101
Alabaster	3102	Surreal Stone	3110		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group B: 1" (2.6 cm) FashionPleat®: Desert, Geneva

	Width up to inches (cm) →														
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	186	211	243	268	289	315	343	368	388	437	572	631	684	731	777
42 (106.7)	204	226	255	288	315	342	369	397	425	472	631	684	735	791	850
48 (122)	213	249	285	305	336	371	405	432	456	514	675	739	810	861	912
54 (137.2)	226	255	290	321	354	387	424	457	490	552	704	775	847	914	979
60 (152.4)	242	271	315	348	395	424	452	488	521	598	789	853	905	978	1046
66 (167.7)	252	289	334	364	414	448	485	522	562	638	821	894	965	1047	1127
72 (182.9)	255	301	348	384	430	470	513	555	598	671	861	940	1023	1109	1194
78 (198.2)	269	317	364	405	445	491	535	586	631	716	894	982	1073	1166	1259
84 (213.4)	286	334	381	425	468	518	567	615	661	754	940	1042	1139	1234	1327
90 (228.6)	290	343	390	441	486	540	591	639	691	785	967	1073	1172	1275	1377
96 (243.9)	298	354	406	457	503	555	609	660	711	813	1000	1109	1215	1320	1422

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Geneva is 72" (182.9 cm) and for Desert is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with Geneva or blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Desert					
Clamshell	1443	Natural	1441	Strata	1442
Lunar Light	1439	Shell	1440	Sugarcane	1444

Geneva					
Blue Calm	5316	Gray Glow	5315	Pearl Stone	5314
Frost White	5301	Mottled Sycamore	5302		

Price Group C: 1" (2.6 cm) FashionPleat®: Eloquence, Tuvalu

	Width up to inches (cm) →														
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	206	232	267	296	319	346	376	404	430	480	629	696	753	806	853
42 (106.7)	224	249	281	318	346	375	406	437	467	519	696	753	810	870	936
48 (122)	234	271	313	335	370	408	445	474	499	566	743	813	891	948	1004
54 (137.2)	249	281	320	352	387	428	466	502	541	606	776	850	931	1005	1077
60 (152.4)	266	300	346	383	435	466	496	538	574	658	868	938	996	1076	1151
66 (167.7)	277	319	368	400	456	492	532	576	618	702	903	982	1063	1153	1240
72 (182.9)	281	331	383	424	471	517	564	609	658	736	948	1035	1125	1220	1314
78 (198.2)	297	347	400	445	490	542	589	644	696	787	982	1081	1181	1283	1385
84 (213.4)	314	368	421	467	515	570	622	676	728	831	1035	1146	1252	1357	1458
90 (228.6)	320	376	431	486	535	592	651	703	757	863	1065	1181	1291	1403	1514
96 (243.9)	329	387	447	502	553	609	671	726	783	895	1099	1220	1335	1451	1564

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Tuvalu is 72" (182.9 cm) and for Eloquence is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Eloquence					
Delicate White	2763	Ethereal White	2762	Nuanced Gray	2761
Elegant Taupe	2760				

Tuvalu					
Tenuous Sand	1155	White Dew	1154	Wisteria White	1153

Price Group D: 1" (2.6 cm) EvenPleat®: Allure, Liner Only Shades (blackout and privacy liner), Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	206	234	260	294	315	341	369	398	423	474	627	682	746
42 (106.7)	223	249	276	313	344	371	400	433	463	516	682	746	802
48 (122)	236	269	307	329	366	402	441	467	493	561	729	805	876
54 (137.2)	249	276	315	349	385	423	460	495	532	600	770	840	917
60 (152.4)	260	302	344	375	431	460	492	531	569	647	857	921	986
66 (167.7)	271	315	361	399	447	486	523	569	612	694	899	971	1049
72 (182.9)	276	324	375	417	468	512	555	600	647	727	932	1022	1109
78 (198.2)	297	346	399	442	487	535	582	633	682	777	971	1071	1167
84 (213.4)	308	361	411	463	512	567	617	672	722	820	1022	1129	1237
90 (228.6)	318	369	430	480	526	586	641	697	748	853	1051	1167	1279
96 (243.9)	323	385	442	497	542	601	661	719	774	883	1087	1204	1323

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width is 72" (182.9 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Allure					
Bone	2002	Shimmery Tan	2408	White	2001
Savvy Gray	2409	Silver Lining	2007		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Liner only Shades			
Blackout	8001	Privacy	8000

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sheer Linen					
Abstract Gray	3109	Chocolate Dream	3111	White	3101
Alabaster	3102	Surreal Stone	3110		

Price Group E: 1" (2.6 cm) EvenPleat®: Desert, Eloquence, Geneva, Grasscloth, Serendipity

	Width up to inches (cm) →												
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	214	245	279	310	332	364	390	421	450	498	666	726	787
42 (106.7)	236	260	293	331	366	395	425	458	489	545	726	787	847
48 (122)	251	285	326	348	386	426	467	496	523	590	778	851	930
54 (137.2)	260	293	332	371	406	450	489	528	568	636	812	891	973
60 (152.4)	277	319	366	400	454	490	523	564	602	683	909	976	1045
66 (167.7)	288	332	382	424	475	515	555	601	647	732	950	1033	1116
72 (182.9)	293	345	400	444	495	543	588	638	683	773	990	1082	1177
78 (198.2)	314	367	424	468	515	569	620	673	727	827	1033	1136	1239
84 (213.4)	328	382	436	489	543	599	658	711	766	867	1081	1195	1308
90 (228.6)	335	390	453	510	556	617	677	734	792	903	1117	1239	1357
96 (243.9)	343	406	468	528	577	640	703	760	818	936	1155	1273	1400

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Geneva and Grasscloth is 72" (182.9 cm), Serendipity is 92" (233.7 cm), Desert and Eloquence is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with Geneva or blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Desert					
Clamshell	1443	Natural	1441	Strata	1442
Lunar Light	1439	Shell	1440	Sugarcane	1444

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Eloquence					
Delicate White	2763	Ethereal White	2762	Nuanced Gray	2761
Elegant Taupe	2760				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Geneva					
Blue Calm	5316	Gray Glow	5315	Pearl Stone	5314
Frost White	5301	Mottled Sycamore	5302		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Grasscloth					
Boardwalk	0501	Natural	0500	Safari	0550
Fence Post	0504	Saddle	0502	Winter Day	0503

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Serendipity					
Bold Roast	5708	Heavenly	5700	Stone Mountain	5707
Greige Fusion	5706	Muted Tan	5705		

Price Group F: 1" (2.6 cm) EvenPleat®: Debonair, Marquis, Prism, Tuvalu

	Width up to inches (cm) →												
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	225	259	293	326	348	382	411	441	471	523	698	762	828
42 (106.7)	249	271	308	347	383	414	445	482	514	571	762	828	890
48 (122)	263	298	342	367	407	447	490	521	550	619	815	894	977
54 (137.2)	271	308	348	388	426	471	514	555	596	669	853	935	1023
60 (152.4)	291	335	383	421	476	515	550	592	632	718	955	1025	1098
66 (167.7)	302	348	401	444	497	542	583	631	679	770	997	1083	1171
72 (182.9)	308	363	421	467	520	569	617	670	718	810	1039	1137	1236
78 (198.2)	329	384	444	491	542	597	653	706	763	866	1083	1192	1300
84 (213.4)	344	401	458	514	569	629	692	747	806	912	1136	1255	1375
90 (228.6)	350	411	475	535	584	647	711	773	833	950	1172	1300	1424
96 (243.9)	360	426	491	555	605	672	737	801	860	982	1213	1335	1471

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Tuvalu is 72" (182.9 cm), Marquis is 76" (193.1 cm), Prism 92" (233.7 cm), and Debonair 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Debonair and Marquis.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Debonair					
Haberdasher Gray	3120	Natural White	3122	Unexpected Taupe	3121

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Marquis					
Gilded Age	0654	Victorian Age	0655	White Mystic	0653

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Prism					
Liquid Bronze	2251	Sequin	2250	Tinsel	2252
Radiant Mood	2253				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Tuvalu					
Tenuous Sand	1155	White Dew	1154	Wisteria White	1153

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group G: 1" (2.6 cm) EvenPleat®: Imperial, Muse

	Width up to inches (cm) →												
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	248	285	322	358	383	421	452	485	518	576	766	837	909
42 (106.7)	271	300	339	381	422	456	490	529	564	627	837	909	977
48 (122)	289	328	375	402	447	491	540	573	604	679	896	982	1074
54 (137.2)	300	339	383	430	468	518	564	609	655	734	937	1028	1125
60 (152.4)	321	368	422	462	522	567	604	651	697	788	1049	1127	1206
66 (167.7)	332	383	441	489	548	595	640	695	748	844	1094	1191	1288
72 (182.9)	339	399	462	514	572	625	677	735	788	891	1142	1249	1357
78 (198.2)	361	424	489	542	595	656	716	778	839	953	1191	1309	1428
84 (213.4)	378	441	503	564	625	693	757	820	886	1003	1248	1380	1511
90 (228.6)	385	452	521	588	641	711	782	847	916	1043	1289	1428	1564
96 (243.9)	396	468	542	609	667	737	811	880	945	1080	1332	1470	1616

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Imperial and Muse is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

Imperial					
Modern Sphere	4162	Tropical White	4163	White Impact	4164

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Muse					
Coastal Gray	4132	Haven	4133	Navy Mosaic	4130
Etched Taupe	4131				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group H: 2" (5.1 cm) EvenPleat®: Crossweave, Debonair, Desert, Grasscloth

	Width up to inches (cm) →														
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	290	335	372	415	451	490	530	568	604	831	894	974	1208	1341	1475
42 (106.7)	317	347	398	450	490	531	571	612	656	892	983	1064	1315	1480	1613
48 (122)	336	382	439	472	519	572	624	668	708	952	1043	1145	1413	1620	1751
54 (137.2)	347	398	452	494	547	600	655	706	756	992	1090	1199	1518	1759	1891
60 (152.4)	370	425	490	543	677	726	776	820	878	1077	1356	1455	1761	1898	2032
66 (167.7)	393	451	514	566	704	757	810	876	940	1134	1411	1515	1878	2037	2170
72 (182.9)	398	470	543	596	722	786	849	918	985	1189	1442	1570	1971	2179	2310
78 (198.2)	418	490	566	625	760	833	905	977	1047	1255	1529	1670	2091	2317	2451
84 (213.4)	442	514	591	656	787	865	944	1018	1091	1315	1577	1734	2186	2456	2589
90 (228.6)	456	530	607	688	812	893	973	1050	1129	1370	1622	1783	2261	2597	2728
96 (243.9)	490	571	656	733	841	925	1004	1082	1160	1471	1684	1845	2323	2734	2868
108 (274.4)	524	612	702	780	867	953	1035	1114	1193	1569	1746	1907	2383	2874	3008
120 (304.8)	562	655	747	823	898	981	1064	1147	1223	1671	1809	1970	2445	3014	3147
132 (335.3)	598	695	794	867	926	1011	1093	1179	1256	1773	1871				
144 (365.8)	633	735	841	915	953	1040	1126	1211	1288	1872	1935				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Crossweave and Grasscloth is 72" (182.9 cm), and for Debonair and Desert is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with 2" (5.1 cm) blackout liner only shades.

Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Debonair, Crossweave, and Grasscloth.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Crossweave					
Barley	3003	Burnished Gold	3008	Tahiti	3009
Brick	3002	Natural	3000	White Delight	3001

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Debonair					
Haberdasher Gray	3220	Natural White	3222	Unexpected Taupe	3221

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Desert					
Clamshell	1538	Natural	1534	Strata	1536
Lunar Light	1539	Shell	1531	Sugarcane	1537

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Grasscloth					
Boardwalk	2301	Natural	2300	Safari	2350
Fence Post	2304	Saddle	2302	Winter Day	2303

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group I: 2" (5.1 cm) EvenPleat®: Geneva, Liner Only Shades (blackout and privacy liner), Serendipity, Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	331	382	424	474	514	557	603	646	688	945	1020	1109	1375	1514	1654
42 (106.7)	359	396	454	513	557	604	651	698	747	1016	1121	1212	1497	1647	1797
48 (122)	383	435	498	540	592	653	711	758	808	1082	1188	1303	1611	1772	1935
54 (137.2)	396	454	515	566	622	683	745	804	862	1130	1245	1370	1730	1905	2078
60 (152.4)	422	485	557	617	774	827	881	936	1002	1226	1544	1657	2004	2208	2409
66 (167.7)	447	514	584	644	803	863	924	998	1072	1292	1608	1725	2140	2354	2568
72 (182.9)	454	537	617	678	823	896	967	1046	1123	1356	1643	1789	2242	2470	2695
78 (198.2)	477	557	644	712	865	948	1032	1113	1191	1431	1741	1903	2382	2621	2858
84 (213.4)	504	584	673	747	899	986	1075	1161	1246	1497	1796	1974	2490	2736	2984
90 (228.6)	517	603	695	784	926	1017	1108	1196	1288	1560	1848	2029	2575	2833	3089
96 (243.9)	557	651	747	836	959	1051	1142	1234	1323	1673	1918	2102	2645	2909	3173
108 (274.4)	603	698	797	887	991	1087	1181	1270	1360	1789	1988	2175	2715	2992	3264
120 (304.8)	646	747	848	939	1024	1121	1219	1307	1397	1909	2062	2250	2788	3068	3349
132 (335.3)	688	792	902	991	1056	1158	1252	1342	1435	2029	2151				
144 (365.8)	733	841	954	1040	1089	1189	1292	1381	1470	2149	2238				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Geneva, Sheer Linen, privacy, and blackout liners is 72" (182.9 cm) and for Serendipity is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner or Geneva. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Geneva					
Blue Calm	5016	Gray Glow	5015	Pearl Stone	5014
Frost White	5001	Mottled Sycamore	5002		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Liner only Shades			
Blackout	8004	Privacy	8005

Serendipity					
Bold Roast	5808	Heavenly	5800	Stone Mountain	5807
Greige Fusion	5806	Muted Tan	5805		

Sheer Linen					
Abstract Gray	2809	Chocolate Dream	2811	White	2801
Alabaster	2802	Surreal Stone	2810		

Price Group J: 2" (5.1 cm) EvenPleat®: Marquis, Prism

	Width up to inches (cm) →														
Height up to inches (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	341	395	437	488	529	573	621	667	708	973	1050	1142	1415	1560	1704
42 (106.7)	370	407	468	528	573	624	671	719	770	1046	1155	1248	1540	1698	1853
48 (122)	396	447	515	555	609	672	732	782	832	1116	1222	1342	1658	1824	1994
54 (137.2)	407	468	530	582	641	704	766	828	889	1164	1281	1410	1779	1965	2139
60 (152.4)	435	497	573	634	795	850	907	964	1032	1265	1592	1707	2064	2274	2481
66 (167.7)	460	529	601	665	827	890	952	1030	1103	1329	1656	1776	2205	2425	2645
72 (182.9)	468	552	634	699	848	924	997	1077	1156	1397	1692	1844	2311	2545	2776
78 (198.2)	491	573	665	733	892	976	1062	1147	1226	1476	1793	1962	2454	2700	2943
84 (213.4)	519	601	694	770	926	1016	1108	1195	1282	1540	1851	2033	2566	2818	3074
90 (228.6)	532	621	714	808	954	1047	1141	1234	1326	1606	1902	2089	2653	2919	3182
96 (243.9)	573	671	770	860	989	1083	1177	1271	1362	1724	1975	2163	2724	2997	3269
108 (274.4)	621	719	820	914	1020	1120	1216	1307	1401	1844	2047	2239	2798	3080	3361
120 (304.8)	667	770	874	967	1054	1155	1255	1349	1438	1968	2124	2317	2871	3161	3449
132 (335.3)	708	816	929	1020	1088	1192	1291	1382	1479	2089	2215				
144 (365.8)	755	866	981	1072	1123	1223	1329	1422	1513	2214	2306				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Geneva, Sheer Linen, privacy, and blackout liners is 72" (182.9 cm) and for Serendipity is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner or Geneva. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Marquis					
Gilded Age	4550	Victorian Age	4552	White Mystic	4551

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Prism					
Liquid Bronze	4651	Sequin	4650	Tinsel	4652
Radiant Mood	4653				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Options Pricing

Options

Bottom Up/Top Down—Cord Lift	99
Bottom Up/Top Down—Cordless Lift	99 add to price of a cordless lift shade
Continuous-Loop Lift (recommended for large, heavy shades)	99
Cord Cleats	10 Solid brass 5 Antique brass
Cord Winder	8
Cordless Lift	119
Multiple Shades on One Headrail	If less than or equal to fabric width, surcharge applies: 99 Two-on-one headrail 99 Three-on-one headrail
Perfect-View® Shade—Cord Lift	See price charts
Perfect-View Shade—Cordless Lift	See price charts and add one cordless lift surcharge
Room Darkening Side Channels	108
Sky Pole	46 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 70 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
SkyTrack Skylight	138
Sun Up/Sun Down—Cord Lift	Price as two separate cord lift shades and combine both prices for total shade cost
Sun Up/Sun Down—Cordless Lift	Price as two separate cord lift shades and add one cordless lift surcharge
Template Service	25 net
Wood Cornices and Valances	See wood cornices and valances product information guide

Specialty Shapes

Angled Top	208
Non-perfect Arches	See price charts
Perfect Arches	See price charts

Perfect Arches

	Width up to inches (cm) →								
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
Charts A and D	182	200	229	256	291	371	462	510	580
Charts B and E	199	225	251	285	322	413	515	564	646
Charts C and F	210	236	263	298	337	434	541	592	678
Chart G	229	255	290	327	371	476	589	651	740
Chart H	233	260	291	328	371	477	594	653	747
Chart I	292	322	368	412	469	601	742	820	934
Chart J	301	332	379	424	484	621	764	846	963

Non-Perfect Arches

	Width up to inches (cm) →								
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
Charts A and D	234	262	296	332	375	486	601	659	755
Charts B and E	260	291	327	368	418	538	667	736	837
Charts C and F	272	305	343	385	440	565	700	774	880
Chart G	298	334	376	423	483	617	769	847	964
Chart H	301	335	379	424	484	622	770	850	966
Chart I	375	418	476	534	606	779	968	1066	1217
Chart J	386	432	490	549	626	803	997	1099	1252

Perfect-Vue® Shade Pricing

How to Order and Price Perfect-Vue Shades

1. Select the corresponding price group for the top of the shade (pleated fabric).
2. Select the corresponding price group for the bottom of the shade (cellular fabric).
3. Find your width and height.
4. Add together cost of the top and bottom shades for the total cost of standard cord lift Perfect-Vue shade.

		Height up to in. (cm) ↓	Width up to inches (cm) →										
Fabric Type	Price Group		24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)
Pleated	A	36 (91.5)	170	192	215	250	262	287	310	332	354		
	B		186	211	243	268	289	315	343	368	388	437	572
	C		206	232	267	296	319	346	376	404	430	480	629
	D		206	234	260	294	315	341	369	398	423		
	E		214	245	279	310	332	364	390	421	450	498	666
	F		225	259	293	326	348	382	411	441	471	523	698
	G		248	285	322	358	383	421	452	485	518	576	766
	H		290	335	372	415	451	490	530	568	604	831	894
	I		331	382	424	474	514	557	603	646	688	945	1020
	J		341	395	437	488	529	573	621	667	708	973	1050
Cellular	A		176	191	220	244	275	296	318	345	368	426	480
	B		187	208	234	262	291	313	342	366	392	449	508
	C		239	268	306	343	378	407	440	477	511	581	656
	D		259	291	329	368	407	441	479	516	552	628	712
	E		267	294	336	378	417	448	486	525	564	640	724
	F		312	350	396	442	489	531	573	620	665	754	976
	G		322	362	409	459	506	550	593	643	690	784	1010
	H		375	422	477	536	586	640	692	747	801	910	1176
	I		470	528	598	670	734	802	865	935	1003	1139	1472
Pleated	A	42 (106.7)	186	207	234	260	288	313	337	363	385		
	B		204	226	255	288	315	342	369	397	425	472	631
	C		224	249	281	318	346	375	406	437	467	519	696
	D		223	249	276	313	344	371	400	433	463		
	E		236	260	293	331	366	395	425	458	489	545	726
	F		249	271	308	347	383	414	445	482	514	571	762
	G		271	300	339	381	422	456	490	529	564	627	837
	H		317	347	398	450	490	531	571	612	656	892	983
	I		359	396	454	513	557	604	651	698	747	1016	1121
	J		370	407	468	528	573	624	671	719	770	1046	1155
Cellular	A		187	208	234	262	291	313	342	366	392	449	508
	B		198	223	256	283	313	345	373	405	436	494	547
	C		259	291	331	369	407	447	489	521	564	643	711
	D		280	313	361	402	441	484	531	569	610	695	765
	E		284	319	362	409	448	491	537	574	621	711	780
	F		336	373	430	482	531	580	630	682	732	834	1061
	G		347	386	447	498	550	600	651	706	756	864	1098
	H		406	452	516	579	640	698	758	823	884	1007	1278
	I		508	566	647	725	802	876	951	1029	1107	1260	1598
Pleated	A	48 (122)	199	226	255	274	306	336	367	388	414		
	B		213	249	285	305	336	371	405	432	456	514	675
	C		234	271	313	335	370	408	445	474	499	566	743
	D		236	269	307	329	366	402	441	467	493		
	E		251	285	326	348	386	426	467	496	523	590	778
	F		263	298	342	367	407	447	490	521	550	619	815
	G		289	328	375	402	447	491	540	573	604	679	896
	H		336	382	439	472	519	572	624	668	708	952	1043
	I		383	435	498	540	592	653	711	758	808	1082	1188
	J		396	447	515	555	609	672	732	782	832	1116	1222
Cellular	A		199	225	261	292	318	356	384	417	448	512	576
	B		213	238	274	309	342	373	406	439	475	543	614
	C		270	313	353	399	440	489	525	571	614	706	800
	D		296	339	386	431	479	529	573	623	666	761	863
	E		310	344	390	438	486	537	577	629	677	776	881
	F		355	404	460	519	573	630	684	747	801	914	1146
	G		368	420	478	538	593	651	709	772	827	945	1186
	H		428	486	554	626	692	758	825	899	962	1101	1379
	I		537	608	695	783	865	951	1032	1124	1204	1379	1726

Pleated	A	54 (137.2)	207	234	263	293	322	354	384	416	445	
	B		226	255	290	321	354	387	424	457	490	552 704
	C		249	281	320	352	387	428	466	502	541	606 776
	D		249	276	315	349	385	423	460	495	532	
	E		260	293	332	371	406	450	489	528	568	636 812
	F		271	308	348	388	426	471	514	555	596	669 853
	G		300	339	383	430	468	518	564	609	655	734 937
	H		347	398	452	494	547	600	655	706	756	992 1090
	I		396	454	515	566	622	683	745	804	862	1130 1245
	J		407	468	530	582	641	704	766	828	889	1164 1281
Cellular	A		214	238	278	311	345	383	415	452	484	554 630
	B		224	257	294	329	366	405	438	477	513	587 668
	C		292	333	382	430	477	521	570	621	664	764 867
	D		313	363	412	465	516	569	618	676	718	828 941
	E		320	367	420	471	525	574	627	683	730	841 956
	F		380	434	495	556	620	678	743	807	866	990 1238
	G		393	449	513	576	643	704	770	833	895	1026 1283
	H		459	520	595	672	747	815	893	970	1044	1195 1491
	I		574	651	746	841	935	1023	1119	1215	1308	1493 1867
Pleated	A	60 (152.4)	214	253	288	315	357	384	414	443	475	
	B		242	271	315	348	395	424	452	488	521	598 789
	C		266	300	346	383	435	466	496	538	574	658 868
	D		260	302	344	375	431	460	492	531	569	
	E		277	319	366	400	454	490	523	564	602	683 909
	F		291	335	383	421	476	515	550	592	632	718 955
	G		321	368	422	462	522	567	604	651	697	788 1049
	H		370	425	490	543	677	726	776	820	878	1077 1356
	I		422	485	557	617	774	827	881	936	1002	1226 1544
	J		435	497	573	634	795	850	907	964	1032	1265 1592
Cellular	A		223	261	296	333	368	409	448	484	521	603 680
	B		236	274	313	354	392	431	475	513	552	635 722
	C		309	352	407	459	511	564	614	664	720	826 940
	D		331	382	441	497	552	609	666	718	779	895 1020
	E		341	388	448	509	564	621	677	730	794	911 1034
	F		399	458	528	594	662	729	801	866	935	1071 1324
	G		412	476	548	614	683	754	827	895	968	1109 1373
	H		479	551	636	716	797	880	962	1044	1124	1291 1595
	I		601	691	798	895	998	1099	1204	1308	1408	1616 1998
Pleated	A	66 (167.7)	228	262	302	335	374	408	441	477	514	
	B		252	289	334	364	414	448	485	522	562	638 821
	C		277	319	368	400	456	492	532	576	618	702 903
	D		271	315	361	399	447	486	523	569	612	
	E		288	332	382	424	475	515	555	601	647	732 950
	F		302	348	401	444	497	542	583	631	679	770 997
	G		332	383	441	489	548	595	640	695	748	844 1094
	H		393	451	514	566	704	757	810	876	940	1134 1411
	I		447	514	584	644	803	863	924	998	1072	1292 1608
	J		460	529	601	665	827	890	952	1030	1103	1329 1656
Cellular	A		236	275	314	356	399	435	480	520	565	646 735
	B		254	291	333	373	418	461	508	550	593	680 776
	C		320	378	433	489	547	602	657	713	771	885 1009
	D		350	407	467	531	593	653	714	776	839	962 1091
	E		355	417	475	537	603	665	725	784	851	972 1111
	F		425	489	562	630	711	783	858	925	1004	1150 1415
	G		437	506	580	651	733	808	886	958	1037	1188 1465
	H		511	586	676	758	853	941	1032	1116	1206	1382 1705
	I		639	734	847	951	1068	1178	1292	1397	1510	1732 2134

Pleated	A	72 (182.9)	234	271	315	349	393	432	466	505	545		
	B		255	301	348	384	430	470	513	555	598	671	861
	C		281	331	383	424	471	517	564	609	658	736	948
	D		276	324	375	417	468	512	555	600	647		
	E		293	345	400	444	495	543	588	638	683	773	990
	F		308	363	421	467	520	569	617	670	718	810	1039
	G		339	399	462	514	572	625	677	735	788	891	1142
	H		398	470	543	596	722	786	849	918	985	1189	1442
	I		454	537	617	678	823	896	967	1046	1123	1356	1643
	J		468	552	634	699	848	924	997	1077	1156	1397	1692
Cellular	A		244	290	333	375	426	464	511	554	600	692	787
	B		262	307	354	402	449	494	540	583	631	729	831
	C		343	398	459	516	581	642	699	763	825	948	1080
	D		368	430	497	567	628	695	758	824	890	1026	1172
	E		378	437	509	572	640	708	772	839	910	1044	1188
	F		442	514	594	673	754	834	913	988	1069	1228	1508
	G		459	531	614	697	784	864	944	1025	1108	1270	1561
	H		536	621	716	810	910	1007	1100	1193	1290	1478	1815
	I		670	777	895	1014	1139	1260	1377	1492	1614	1851	2272
Pleated	A	78 (198.2)	250	290	335	368	406	447	489	530	572		
	B		269	317	364	405	445	491	535	586	631	716	894
	C		297	347	400	445	490	542	589	644	696	787	982
	D		297	346	399	442	487	535	582	633	682		
	E		314	367	424	468	515	569	620	673	727	827	1033
	F		329	384	444	491	542	597	653	706	763	866	1083
	G		361	424	489	542	595	656	716	778	839	953	1191
	H		418	490	566	625	760	833	905	977	1047	1255	1529
	I		477	557	644	712	865	948	1032	1113	1191	1431	1741
	J		491	573	665	733	892	976	1062	1147	1226	1476	1793
Cellular	A		261	304	352	400	448	498	546	592	636	733	839
	B		274	318	370	419	475	526	573	625	675	775	887
	C		355	418	482	549	619	683	746	811	876	1009	1153
	D		389	452	524	593	675	740	805	880	950	1091	1246
	E		391	460	528	604	679	751	822	894	965	1111	1270
	F		461	539	624	711	802	886	967	1052	1139	1308	1598
	G		479	560	646	733	828	918	1003	1091	1180	1355	1657
	H		555	651	749	853	963	1066	1164	1269	1373	1579	1925
	I		697	814	938	1068	1205	1336	1457	1588	1717	1976	2409
Pleated	A	84 (213.4)	258	302	346	385	430	472	518	562	605		
	B		286	334	381	425	468	518	567	615	661	754	940
	C		314	368	421	467	515	570	622	676	728	831	1035
	D		308	361	411	463	512	567	617	672	722		
	E		328	382	436	489	543	599	658	711	766	867	1081
	F		344	401	458	514	569	629	692	747	806	912	1136
	G		378	441	503	564	625	693	757	820	886	1003	1248
	H		442	514	591	656	787	865	944	1018	1091	1315	1577
	I		504	584	673	747	899	986	1075	1161	1246	1497	1796
	J		519	601	694	770	926	1016	1108	1195	1282	1540	1851
Cellular	A		271	314	367	417	477	524	573	627	676	775	887
	B		283	333	389	439	503	556	609	664	717	822	940
	C		369	436	506	571	651	723	794	860	925	1063	1220
	D		402	472	546	623	704	783	857	933	1006	1154	1321
	E		409	480	556	629	717	798	870	947	1021	1171	1342
	F		482	569	657	747	842	938	1030	1116	1205	1381	1690
	G		498	587	679	772	872	970	1066	1155	1246	1431	1750
	H		579	682	792	899	1014	1128	1238	1344	1452	1667	2037
	I		725	855	992	1124	1271	1413	1550	1683	1817	2087	2551

Pleated	A	90 (228.6)	263	310	357	404	441	489	534	579	624		
	B		290	343	390	441	486	540	591	639	691	785	967
	C		320	376	431	486	535	592	651	703	757	863	1065
	D		318	369	430	480	526	586	641	697	748		
	E		335	390	453	510	556	617	677	734	792	903	1117
	F		350	411	475	535	584	647	711	773	833	950	1172
	G		385	452	521	588	641	711	782	847	916	1043	1289
	H		456	530	607	688	812	893	973	1050	1129	1370	1622
	I		517	603	695	784	926	1017	1108	1196	1288	1560	1848
	J		532	621	714	808	954	1047	1141	1234	1326	1606	1902
Cellular	A		280	333	385	435	502	554	608	660	714	818	940
	B		296	354	408	461	528	583	643	697	753	864	994
	C		388	459	527	603	690	763	833	907	980	1124	1293
	D		418	497	574	654	746	824	908	981	1066	1220	1400
	E		426	509	580	666	756	839	918	999	1083	1241	1425
	F		502	594	687	785	893	988	1083	1178	1273	1459	1784
	G		520	614	712	811	924	1025	1121	1220	1319	1512	1848
	H		606	716	829	944	1077	1193	1302	1421	1535	1759	2151
	I		758	895	1039	1182	1347	1492	1631	1778	1919	2203	2694
Pleated	A	96 (243.9)	269	322	368	418	452	505	555	602	647		
	B		298	354	406	457	503	555	609	660	711	813	1000
	C		329	387	447	502	553	609	671	726	783	895	1099
	D		323	385	442	497	542	601	661	719	774		
	E		343	406	468	528	577	640	703	760	818	936	1155
	F		360	426	491	555	605	672	737	801	860	982	1213
	G		396	468	542	609	667	737	811	880	945	1080	1332
	H		490	571	656	733	841	925	1004	1082	1160	1471	1684
	I		557	651	747	836	959	1051	1142	1234	1323	1673	1918
	J		573	671	770	860	989	1083	1177	1271	1362	1724	1975
Cellular	A		294	352	405	459	524	580	639	696	754	865	991
	B		312	370	427	489	556	615	677	736	797	915	1049
	C		404	480	555	636	721	802	878	954	1034	1186	1366
	D		436	524	601	692	780	867	953	1032	1118	1289	1483
	E		446	527	610	701	795	883	967	1051	1139	1306	1502
	F		526	621	722	824	936	1043	1139	1238	1342	1541	1872
	G		545	644	747	853	969	1081	1180	1283	1388	1595	1936
	H		632	748	868	992	1125	1259	1373	1491	1616	1855	2256
	I		794	936	1088	1243	1409	1577	1717	1867	2024	2322	2825
Cordless Control			No Charge										
Cord Cleat: Antique Brass			5										
Cord Cleat: Solid Brass			10										