

GRABER®



Graber Vertical Blinds English US Price Guide

Features

Vertical Blinds: Vane Styles and Information	3
Sheer Vertical Blinds: Styles, Fabric Content, Light Control, Light Control Levels	4
Oeko-Tex® Standard 100 Certified Fabrics	4
NFPA 701	4
Vertical Blinds: Vane Features	5

Size Considerations

Vertical Blinds, Depth Requirements for Inside Mount	6
Sheer Vertical Blinds, Depth Requirements for Inside Mount	6

Options

Summary	7
Vertical Blinds: Control Options	8
Sheer Vertical Blinds: Control Options	8
Vertical Blinds: Headrail Systems	9
Vertical Blinds and Sheer Vertical Blinds: Stacking Options	10
Vertical Blinds and Sheer Vertical Blinds: Installation Types	10
Vertical Blinds: Cut-Out Blinds	11
Vertical Blinds: Bottom Chain	11
Vertical Blinds: Stay Clear™ Channel Panel for Fabric Vanes	12
Vertical Blinds and Sheer Vertical Blinds: Paired Blinds	12
Vertical Blinds and Sheer Vertical Blinds: Vane Replacement Ordering	12
Sheer Vertical Blinds: Hem Style	12
Vertical Blinds: Square-Corner Valance	13
Vertical Blinds and Sheer Vertical Blinds: Round-Corner	13
Vertical Blinds and Sheer Vertical Blinds: Double Round-Corner Valances	13
Sheer Vertical Blinds: Dauphine® Valance	13
Vertical Blinds and Sheer Vertical Blinds: Bay and Corner Windows	14
Vertical Blinds: Specialty Shapes: Angled Window Headrail	15

General Information

Vertical Blinds and Sheer Vertical Blinds: Installation Hardware	16
Vertical Blinds and Sheer Vertical Blinds: Number of Mounting Brackets	16
Vertical Blinds and Sheer Vertical Blinds: Clear Opening: How to Measure for Uncovered Window	17
Vertical Blinds: Vane Stacking Chart: G-71 Super-Vue® 3½"	17
Vertical Blinds: Vane Stacking Chart: G-98 Ultra-Vue™ 3½"	18
Vertical Blinds: Vane Stacking Chart: G-85 Dura-Vue® 3½"	18
Vertical Blinds: Vane Stacking Chart: One Touch® Control	19
Sheer Vertical Blinds: Vane Stacking Chart: Outside Mount	20

PLEASE NOTE:

Photos and illustrations are for inspiration only.

Not all product configurations are available in all countries.

Window blind cords are a strangulation hazard for young children.

Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

Table of Contents

General Information

Sheer Vertical Blinds: Vane Stacking Chart: Inside Mount	20
Sheer Vertical Blinds: Vane Color Coordination Chart	21
G-71 Super-Vue Product Detail	22
G-98 Ultra-Vue Product Detail	23
G-85 Dura-Vue Product Detail	24
Sheer Vertical Blinds: G-71 Super-Vue Product Detail	25

Features

- Choose from a variety of fabric, crown vinyl, or S-shaped vinyl vanes
- S-shaped vanes feature a rolling drapery look
- Fabric vanes can be free hanging or inserted into channel panel for more light control and privacy
- Many vinyl styles coordinate with Graber® 2" Horizontal Vinyl Blinds
- Several fabric styles coordinate with Graber FashionPleat®, EvenPleat®, or LightWeaves® Shades

Vertical Blinds: Vane Styles and Information

Collection Name	Material Content	Light Control	Vane Style	Street Side Appearance	Coordinates
Fabric					
Allure	Fabric	Light filtering/room darkening	FH or INS		LightWeaves Roller
Baskerville	Fabric	Light filtering/transparent	FH or INS		
Brighton FR	Fabric	Light filtering	FH or INS		FashionPleat and EvenPleat
Compass®	Fabric	Room darkening	FH		
Crossweave®	Fabric	Light filtering	FH or INS		LightWeaves Roller, FashionPleat, and EvenPleat
Devon	Fabric	Light filtering	FH or INS		
Grasses	Fabric	Light filtering	FH or INS		
Harmony®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Network	Fabric	Light filtering	FH or INS		
Prescott®	Fabric	Room darkening	FH		
Royale®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Sheffield®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Strings	Fabric	Transparent	FH		
Tahiti Weave	Fabric	Light filtering	FH or INS		
Thatch	Fabric	Light filtering	FH or INS		
Tuvalu®	Fabric	Light filtering/transparent	FH or INS		EvenPleat
Urban Loft®	Fabric	Light filtering/transparent	FH or INS		
S-Shaped Vinyl					
Georgetown S	100% vinyl	Room darkening	S-shaped	Neutral	2" horizontal vinyl
Homespun II S	100% vinyl	Room darkening	S-shaped	Neutral	
Linen S	100% vinyl	Room darkening	S-shaped	Neutral	2" horizontal vinyl
Quantum S	100% vinyl	Room darkening	S-shaped	Neutral	
Crown Vinyl					
Acropolis	100% vinyl	Room darkening	Crown	Neutral	
Cachet	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Channel Panel	100% vinyl	Room darkening	Crown	Same front and back	
Chenille	100% vinyl	Room darkening	Crown	Neutral	
Coronation	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Crown	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Fiber	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Grotto	100% vinyl	Room darkening	Crown	Same front and back	
Homespun II	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Kensington	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Lake Forest®	100% vinyl	Room darkening	Crown	Same front and back	Lake Forest Faux Wood Blinds
Parallels	100% vinyl	Room darkening	Crown	Neutral	
Quantum	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Rapture	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Safari	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Satin Stripe	100% vinyl	Room darkening	Crown	Neutral	
Stowe	100% vinyl	Room darkening	Crown	Neutral	
Window Weaves	100% vinyl	Room darkening	Crown	Neutral	

®Oeko-Tex® fabric

FR = Flame resistant NFPA 701

FH = Free hanging fabric

INS = Fabric inserted into channel panel

Features

Sheer vertical blinds combine the soft look of sheer fabric draperies and the light control benefits of vinyl vertical blinds. When the vanes are open, softly diffused light streams into the room through sheer fabric for minimal privacy and light control; when closed, light is blocked from entering the room to provide maximum privacy and light control. Not only for patio doors, sheer vertical blinds also look beautiful on wider or uniquely shaped windows. Plus, sheer vertical fabrics are easily removed and machine washable.

- Fabric easily installed and removed—no need to take down entire blind
- Easily replace original fabric with different style or color when décor changes
- Fabric is machine washable
- Color coordinated thread for a finished appearance
- Heavy-duty aluminum headrail with steel pantograph system ensures smooth operation and proportional spacing of vanes
- Available as both inside and outside mount
- Cord and chain control only
- Stems are removable for easy replacement in the home

Sheer Vertical Blinds: Styles, Fabric Content, and Light Control

Collection Name	Material Content	Light Control	Vane Style	Street Side Appearance	Coordinates
Bengali	100% polyester	Sheer/room darkening	FH	Neutral	Graber® Artisan
Cascade	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan
Dijon	100% polyester	Sheer/room darkening	FH	Neutral	
Gossamer	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan
Highlight	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan

Light Control Levels

Light Filtering: Light is filtered to varying degrees depending on fabric style and color; silhouettes of objects and people are visible through the blind.

Room Darkening: Light is substantially blocked; vague shadows of objects or people may be visible; maximum room darkening is achieved with darker colors.

Sheer: Allows light to enter the room where light control and privacy are not a concern. Objects in the room can be seen quite clearly through open blinds.

Oeko-Tex® Standard 100 Certified Fabrics

Oeko-Tex Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.






NFPA 701


NFPA 701 Flame resistance test is the standard method of fire tests for flame propagation of textiles and films by the National Fire Protection Agency.

Features


Vertical Blinds: Vane Features



Vane View: Side the color or texture is facing when vanes are rotated open so you can see through the vanes to the street.



Free Hanging Fabric with Optional Bottom Chain and Clips



Vinyl Styles

- All vinyl vanes offer value, durability, easy cleaning, and superior light control
- Choose from embossed crown, smooth crown, or S-shaped embossed vinyl vanes
- Embossed textures offered in solids or prints with the look of jacquard or linen fabrics, wood, or stucco
- Coordinating 2" horizontal vinyl blinds available for many styles; for pricing on 2" horizontal vinyl blinds, see the Graber® 2" horizontal vinyl product information guide

Vinyl Crown Vanes

- Traditional curved vanes

Vinyl S-Shaped Vanes

- Provide a more drapery like look to your vertical blinds
- Provide better closure for more light control and privacy
- Valances are made with crown PVC of the same texture and color; dye lot cannot be guaranteed
- S-shaped vanes are NOT reversible; vane view shows which side the color/texture is facing when vanes are rotated open so you can see out the window
 - Right stack and split stack—left
 - Left stack—right
- You may choose a vane view other than the recommended if you are concerned about which side of the vane you will see when blinds are rotated open
- For paired, bay and corner blinds, the same vane view is recommended for all blinds

NOTE: See illustrations on how S-shaped vanes will hang.

Fabric Vanes

- Designer fabric vane styles range from sheer to room darkening in a variety of weaves and materials
- Free-hanging vanes come with sewn-in bottom weights and optional chain and clips
- For increased privacy and room darkening, fabric vanes can be inserted into channel panels; the clear edge channels hold fabric securely and will not yellow over time; the opaque vinyl vanes provide additional privacy and light control; see price charts for replacement pricing
- Coordinating Graber pleated, Roman, solar, and roller shade fabric and Graber sliding panels are available for selected styles
- Available in 3½" fabric styles

Additional Information

- Due to the nature of vane materials (both fabric and vinyl prints), colors may vary slightly from dye lot to dye lot; exact matches cannot be guaranteed
- Due to the random design of some vane patterns, exact alignment of the pattern across the blind is not possible

Size Considerations

Vertical Blinds

	Width			Height	
	Minimum Single Stack (inches)	Minimum Split Stack (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
G-71 Super-Vue®	9	12	191	12	192
G-98 Ultra-Vue™	9	17	191	12	192
G-85 Dura-Vue®	9	12	178¾	12	144
One Touch®	9	N/A	144	12	96

One Touch Control: 10,080 square inches maximum overall size. Minimum wand length is 33".

Factory Deductions

Mount	Mount Bracket Location	Valance	Height Deduction G-71 (inches)	Height Deduction G-98 (inches)	Height Deduction G-85 (inches)
Outside	All types	Yes/no	0	0	0
Inside	Ceiling or top	No	¾	½	½
Inside	Ceiling or top	Yes	¾	¾	½
Inside	Wall or back	No	1⅞	¾	¾
Inside	Wall or back	Yes	1⅞	1⅞	1⅞

Mount	Width Deductions (inches)
Outside	0
Inside	¼

Depth Requirements for Inside Mount

	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	Headrail Flush with Casing (vanes and/or valance not flush with casing) (inches)	Depth Needed for Flush Mount Vane (inches)	 Fully recessed valance in window casing/molding Depth Needed for Flush Mount Valance (inches)
G-71 Super-Vue	1⅞ x 1⅞	2⅞	3	3¼	4⅞
G-98 Ultra-Vue	1⅞ x 1⅞	2⅞	2⅞	3¼	4⅞
G-85 Dura-Vue	1⅞ x 1½	2⅞	2¾	3¼	4⅞

Sheer Vertical Blinds

	Width		Height	
	Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
Sheer Vertical Blinds	17	191	19	104

Depth Requirements for Inside Mount

 Partially recessed headrail in window casing/molding Minimum Depth Partially Recessed Mount (inches)	Depth Needed for Flush Mount Headrail (inches)	Depth Needed for Flush Mount Vane (inches)	 Fully recessed valance in window casing/molding Depth Needed for Flush Mount Valance (inches)
2⅞	3	5¼	6

Partially Recessed: A partially recessed window treatment is where the depth of the window casing is less than the space necessary for a flush mount.

Flush Mount: If the window casing is deep enough to mount the entire blind inside of it, this is called a flush mount.

Options

Summary

The following is a list of options for vertical and sheer vertical blinds. All options are available in all styles and colors. Limitations will be based on fabric width. See detailed descriptions on the following pages.

Vertical Blinds

Control Type Options—No Charge

- Cord and chain controls
- One Touch® Control (standard)

Options—No Charge

- Bay and corner windows
- Paired blinds
- Projection bracket: 4 $\frac{3}{8}$ "

Options—Surcharge (see price charts for pricing and/or surcharges)

- Bottom chain and clips (fabric)
- Bottom chain (vinyl)
- Cut-outs
- Round-corner valance
- Double round-corner valance
- Square-corner valance
- Stay Clear™ channel panels
- Wood cornices and valances (see cornices and valances product information guide)

Specialty Options (see price charts for pricing and/or surcharges)

- Angled top

Sheer Vertical Blinds

Control Type Options—No Charge

- Standard cord and chain controls

Options—No Charge


- Bay and corner windows
- Dauphine® valance
- Paired blinds

Options—Surcharge (see price charts for pricing and/or surcharges)

- Round-corner valance
- Double round-corner valance
- Wood cornices and valances (see cornices and valances product information guide)

Options

Vertical Blinds: Control Options



Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation

One Touch® Wand Control—Standard


- **No charge**
- A slender wand controls vane rotation and traversing
- Simple, convenient, safe (no cords and chains)
- Recommended for homes with children or pets
- Available with single stack only; no split stack or opposite stack
- Wand is always attached to leading vane

Width		Height	
Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
9	144	12*	96

Maximum overall size: 10,080 square inches (width x height)

Wand Sizes


Keep in mind that the wand length is determined by the finished blind height. If the vertical blind covers a patio door or the bottom of the vertical blind reaches the floor, the following chart indicates wand length. If the headrail distance from the floor is greater than 77" or there is any furniture in front of the blind, specify a 48" or 60" wand for easy accessibility.



Blind Height (inches)	Wand Height (inches)
77 or less*	33
77 1/8 to 92	48
92 1/8 to 96	60

*If blind is less than 35", wand will be longer than vanes. The standard cord and chain control is recommended.

Sheer Vertical Blinds: Control Options




Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation


Options

Vertical Blinds: Headrail Systems




G-71 Super-Vue®

The top-of-the-line G-71 Super-Vue features the patented pantograph traversing system to assure proportional spacing of vanes when closed. G-71 Super-Vue is available in a smooth, anodized aluminum channel. Ball bearing pulleys in the control mechanism and thermoplastic self-lubricating wheels on every carriage allow for smooth traversing vanes. Clear stems provide a sleek appearance with both fabrics and vinyl vanes. E-Z Open™, available only on the G-71 headrail, automatically rotates the vanes when the cord is pulled to traverse the blind.



G-98 Ultra-Vue™

The anodized aluminum G-98 Ultra-Vue headrail system traverses vanes smoothly through the consecutive action of stainless steel pick-up tails. Ultra-Vue carriers are wheeled for smooth traversing and are self-aligning.



G-85 Dura-Vue®

G-85 Dura-Vue headrails traverse vanes smoothly with a thermoplastic strap system. Dura-Vue steel headrail is offered in an ivory painted finish. Dura-Vue carriers are wheeled for smooth traversing.

The design of all Graber® headrails allows for reversible installation, providing versatile placement of controls on either the left or right.

Options

Vertical Blinds and Sheer Vertical Blinds: Stacking Options



Split Stack
Left Controls
(right controls available)



Left Stack
Same Side Stack
and Controls




Right Stack
Same Side Stack
and Controls




Opposite Stack
and Controls

VERTICALS ONLY: There is a surcharge for center/uneven stack and opposite stack.
Center/uneven stack available on G-71 Super-Vue® headrails for blinds with vanes only.

Vertical Blinds and Sheer Vertical Blinds: Installation Types



Inside/Ceiling Mount





Outside Mount

1. Inside Mount—Ceiling or Top of Window Frame (standard)
Manufacturing height deduction is taken for blinds being installed as inside, ceiling mount with or without a valance.
2. Inside Mount—Wall or Back of Window Frame
Manufacturing height deduction is taken for blinds being installed as inside mount using the L-bracket for a wall mount. An additional manufacturing height deduction is taken if a valance is included, to accommodate the height of the Dauphine® valance bracket.
3. Outside Mount—Wall or Back (standard)
No manufacturing height deduction is taken.
4. Outside Mount—Ceiling or Top (optional)
No manufacturing height deduction is taken.


Options

Vertical Blinds: Cut-Out Blinds



- **For surcharges, see price charts**
- Order when air conditioner, heating register, or other object would interfere with vanes
- Blind must stack away from cut-out area
- Specify size and base price by maximum width and height of blind
- Submit drawing to identify size and location of cut-out (see example)
- Minimum cut-out width 3½"
- Cut-out must be a full vane width (3½"); therefore may be wider than ordered
- Not available with bottom chain


Vertical Blinds: Bottom Chain



Bottom Chain
Vinyl Vanes
(Must be requested at time of order.)

- **For surcharges, see price charts**
- Optional, must be requested at time of order
- Not available with channel panel, S-shaped vanes, angle top, or cut-out blinds

Vane Style	Standard/Option	Description
Fabric	Standard	3-sided sewn-in weight
	Option	Single nickel-plated chain at back of vanes with clips
Vinyl	Standard	No bottom chain
	Option	Single nickel-plated chain in the middle of the vanes
Channel Panel	Standard	No bottom weights or chain




Back Side
of Vanes
Shown

Bottom Chain and Clip
Fabric Vanes
(Free hang only.)

Options

Vertical Blinds: Stay Clear™ Channel Panel for Fabric Vanes



- **See price charts for surcharges**
- For replacement channel panel pricing, see price charts
- Vane material inserted into extruded channel panel with clear edges; see blind features for fabric styles available
- Offers improved privacy, room darkening, and a neutral color appearance from exterior of window
- Channel panel colors are: Ivory (#7137) or White (#7136)
- Not available with bottom chain


Vertical Blinds and Sheer Vertical Blinds: Paired Blinds



- **Price as two separate blinds**
- The appearance of a split stack blind can be achieved by pairing blinds; the center opening point can be either on center or off center
- Paired blinds can also be used when the required width is larger than the maximum width available for a single blind
- Specify paired blinds on your order
- Control locations must be same as stack
- Recommend ordered as left/left and right/right
- Square-corner valance with dust cover only
- **Available with one-way cord and chain only**

Vertical Blinds and Sheer Vertical Blinds: Replacement Vane Ordering

See the column at the far right of each price chart, for individual vane pricing based on material desired.



How to Price a Replacement Vane

- Use the price charts for individual vane pricing
- Determine which chart based on material desired
- Locate height of your vane on the left side of the chart
- Use the price in the "Replmt Vanes" column in the price charts that coincides with the height of vane desired

How to Measure a Replacement Existing Vane, No Changes

- Measure the vane(s) from tip to tip to determine the exact finished vane length/height (FLL)
- No additional deductions will be taken by manufacturing; vanes will be manufactured to the exact size you provide
- Submit the measurement as exact height


How to Measure a Replacement Existing Vane, Changing the Height of the Vanes

- Measure from top of mounted headrail to bottom of location to be covered
- Record this measurement; this is the finished blind length/height (FBL)
- Manufacturing will take appropriate deduction so vanes will cover desired area

NOTE: Free hang fabric vanes include bottom weights.

Bottom chains for vinyl vanes are optional; must be specified at time of order


Sheer Vertical Blinds: Hem Style



- 4" drapery hem is standard


Options

Vertical Blinds: Square-Corner Valance



Square-Corner Valance
without Dust Cover

Square-Corner Valance
with Dust Cover




5 1/2" Returns

- **For surcharge, see price charts**
- The square-corner valance is an extruded vinyl, Stay-Clear™ channel panel, which is sized to hold 3 1/2" wide vane material; it includes two 5 1/2" returns
- Valances greater than 192" must have a dust cover
- Vinyl valance inserts are not available over 191" wide

Maximum Valance Size Limitations


	Valance		Returns	
	Maximum Vinyl (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Square-Corner Valance	191	191	3	8

Vertical Blinds and Sheer Vertical Blinds: Round-Corner and Double Round-Corner Valances



5" Return

Round-Corner
Valance




5" Return

4" Return

Double Round-Corner
Valance

Round-Corner Valance
with Dust Cover




Outside Mount Only

- **For surcharge, see price charts**
- The round-corner valance system features the Stay-Clear channel panel and is guaranteed not to yellow; accommodates vinyl and fabric vanes as inserts; S-shaped style vanes use matching crown profile for valance insert
- Create a layered look with a double round-corner valance
- Round and double round-corner valances include 5 1/2" returns
- Single round-corner valance: 3 3/4" high
- Double round-corner valance: 6 1/2" high

Maximum Valance Size Limitations

	Valance		Returns	
	Maximum Vinyl (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Round-Corner Valance	175	191	3	8
Double Round-Corner Valance	175	191	3	8

Sheer Vertical Blinds: Dauphine® Valance



4 1/2"

- **No charge**
- Fabric is Shirred for a soft look
- Snap-in brackets for easy installation
- Threader cap provides no-sag shirring of sheer fabric
- Notched for minimum 2 1/2" returns and will extend to 7 1/2" using the additional return slides which are included

NOTE: Top hem of blind will be visible below the Dauphine valance.

Also available are wood cornices and valances; see cornice and valance product information guide for more information.


Options

Vertical Blinds and Sheer Vertical Blinds: Bay and Corner Windows

- No charge
- Minimal corner gaps
- Square-corner valance with dust cover only
- Chain and cord only
- Each blind is controlled separately


- List each track width and height on separate lines
- Price as separate blinds
- If no deductions are required, do not order as bay or corner
- Sheer verticals—Dauphine® valance only

Measuring Information



Corner Window

Measure: Width of each window from corner to the point you would like to cover.




Three-Sided Bay Window

Measure:

- A and C: Width of side windows from the corners to the point you would like the blind to cover.
 B: Width of the center window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).

Measure bay angle using protractor or angle finder. Or use two business cards in bay corner as illustrated and fax to customer service.




Four-Sided Bay Window

Measure:

- A and D: Width of side windows from the corners to the point you would like the blind to cover.
 B and C: Width of each window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).
 Angle C-D: Angle between windows (C) and (D).

Measure bay angle using protractor or angle finder. Or use two business cards in bay corner as illustrated and fax to customer service.



Five-Sided Bay Window


Measure:

- A and E: Width of side windows from the corners to the point you would like the blind to cover.
 B, C, and D: Width of each center window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).
 Angle C-D: Angle between windows (C) and (D).
 Angle D-E: Angle between windows (D) and (E).

Measure bay angle using protractor or angle finder. Or use two business cards as illustrated and fax to customer service.

Options

Vertical Blinds: Specialty Shapes: Angled Window Headrail

















- **For surcharges, see price charts**
- Ideal for sloping, cathedral-type windows
- Only available in single stack cord control vertical blinds
- Vane stack and cord control must be at the highest point of the window
- Exact dimensions must accompany orders to ensure proper fit
- Steepest slope possible is 55°
- Maximum size: 144" wide x 144" long, depending on angle
- Minimum low end is 6"
- Available on G71 Super-View® headrail only
- Square-corner valance with dust cover only; must be mitered at time of installation
- Bottom chains are not available

Measuring Outside Mount

1. Measure exact width and height of area to be covered. It is recommended that shades overlap window frame or opening by 1½" on each side.
2. Measure height of opening on left side and mark this dimension "left". Allow for overlap as desired: 1½" on top and bottom is recommended.
3. Measure height of opening on right side and mark this dimension "right". Allow for the same overlap as left side.
4. Factory will determine the angle from these three dimensions.

General Information

Vertical Blinds and Sheer Vertical Blinds: Installation Hardware

	G-71	G-98	G-85	Sheer Vertical Blinds	
Track Clip for Inside or Ceiling Mount					Dauphine® Valance Bracket 
L-Bracket for Outside or Wall Mount					Dauphine Valance Bracket 
Optional Flat Projection Bracket (NOTE: Attaches to angle bracket with nut/bolt pairs. Must be requested at time of order.)					

Vertical Blinds and Sheer Vertical Blinds: Number of Mounting Brackets

Sheer Vertical Blinds: Number of headrail and Dauphine valance mounting brackets

Blind Width (inches)	17 to 54	54 $\frac{1}{16}$ to 81	81 $\frac{1}{16}$ to 108	108 $\frac{1}{16}$ to 135	135 $\frac{1}{16}$ to 162	162 $\frac{1}{16}$ to 191
Number of Brackets	2	3	4	5	6	7

G-98 Headrail

Blind Width (inches)	9 to 50	50 to 90	91 to 130	131 to 170	171 to 191
Number of Brackets	2	3	4	5	6


G-71 and G-85 Headrail

Blind Width (inches)	9 to 62	63 to 98	99 to 134	135 to 170	171 to 191
Number of Brackets	2	3	4	5	6


General Information

Vertical Blinds and Sheer Vertical Blinds: Clear Opening: How to Measure for Uncovered Window

Stack Left Finished Blind Width (FBW)



Split Stack
(recommended for
balanced appearance)
Finished Blind Width (FBW)



1. Determine headrail type and the clear opening width for split stack, stack right or stack left (see diagrams)—the additional 3" shown for privacy is recommended if ordering a right or left stack.
2. Match the clear opening width with dimension found under "CO" column below. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even number of vanes.
3. Order the corresponding dimension found in the "FBW" (finished blind width) column below.

EXAMPLE: Stack Left

If determined width for clear opening window view is 54 $\frac{1}{4}$ ", order width needed to provide full unobstructed view is 66 $\frac{3}{4}$ ".

NOTE: For stack right or stack left blinds add an additional 3" to the clear opening before calculating the finished blind width.

For G-98 Ultra-Vue™ and G-85 Dura-Vue® headrails, and One Touch® Control, see appropriate stacking charts for single stack blinds only on the following pages.

Vertical Blinds: Vane Stacking Chart: G-71 Super-Vue® 3 $\frac{1}{2}$ "

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6 $\frac{5}{8}$	10 $\frac{5}{8}$		
4	9 $\frac{1}{2}$	13 $\frac{3}{4}$	7 $\frac{1}{4}$	12 $\frac{1}{2}$
5	12 $\frac{1}{8}$	16 $\frac{1}{8}$		
6	14 $\frac{7}{8}$	19 $\frac{5}{8}$	12 $\frac{1}{2}$	18 $\frac{3}{4}$
7	17 $\frac{1}{2}$	22 $\frac{3}{4}$		
8	20 $\frac{1}{8}$	25 $\frac{5}{8}$	17 $\frac{5}{8}$	25 $\frac{5}{8}$
9	22 $\frac{3}{4}$	29		
10	25 $\frac{5}{8}$	32 $\frac{1}{8}$	23 $\frac{1}{4}$	31 $\frac{1}{8}$
11	28 $\frac{1}{8}$	35 $\frac{1}{8}$		
12	30 $\frac{3}{4}$	38 $\frac{1}{2}$	28 $\frac{1}{2}$	37 $\frac{3}{4}$
13	33 $\frac{3}{8}$	41 $\frac{1}{8}$		
14	36 $\frac{1}{8}$	44 $\frac{3}{4}$	33 $\frac{3}{4}$	44
15	38 $\frac{3}{4}$	47 $\frac{7}{8}$		
16	41 $\frac{1}{8}$	51	39 $\frac{5}{8}$	50 $\frac{1}{4}$
17	44	54 $\frac{1}{4}$		
18	46 $\frac{3}{8}$	57 $\frac{1}{8}$	44 $\frac{1}{2}$	56 $\frac{3}{8}$
19	49 $\frac{3}{8}$	60 $\frac{1}{2}$		
20	52	63 $\frac{3}{8}$	49 $\frac{3}{4}$	62 $\frac{7}{8}$
21	54 $\frac{5}{8}$	66 $\frac{1}{4}$		
22	57 $\frac{3}{8}$	70	55	69 $\frac{1}{8}$
23	60	73 $\frac{1}{8}$		
24	62 $\frac{5}{8}$	76 $\frac{1}{4}$	60 $\frac{5}{8}$	75 $\frac{1}{2}$
25	65 $\frac{1}{4}$	79 $\frac{3}{8}$		
26	67 $\frac{1}{8}$	82 $\frac{1}{2}$	65 $\frac{3}{4}$	81 $\frac{1}{4}$
27	70 $\frac{5}{8}$	85 $\frac{3}{4}$		
28	73 $\frac{1}{4}$	88 $\frac{1}{8}$	71	88
29	75 $\frac{3}{8}$	92		
30	78 $\frac{5}{8}$	95 $\frac{1}{8}$	76 $\frac{1}{4}$	94 $\frac{3}{8}$
31	81 $\frac{1}{4}$	98 $\frac{1}{4}$		
32	83 $\frac{3}{8}$	101 $\frac{1}{8}$	81 $\frac{1}{2}$	100 $\frac{5}{8}$

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
33	86 $\frac{1}{2}$	104 $\frac{5}{8}$		
34	89 $\frac{1}{8}$	107 $\frac{3}{4}$	86 $\frac{1}{8}$	107
35	91 $\frac{1}{4}$	110 $\frac{1}{8}$		
36	94 $\frac{1}{2}$	114	92 $\frac{1}{8}$	113 $\frac{3}{4}$
37	97 $\frac{1}{8}$	117 $\frac{1}{8}$		
38	99 $\frac{3}{4}$	120 $\frac{3}{8}$	97 $\frac{3}{8}$	119 $\frac{1}{2}$
39	102 $\frac{3}{8}$	123 $\frac{1}{2}$		
40	105 $\frac{1}{8}$	126 $\frac{1}{8}$	102 $\frac{3}{4}$	125 $\frac{5}{8}$
41	107 $\frac{3}{4}$	129 $\frac{1}{4}$		
42	110 $\frac{1}{8}$	132 $\frac{1}{8}$	108 $\frac{1}{8}$	132 $\frac{1}{8}$
43	113	136		
44	115 $\frac{3}{4}$	139 $\frac{1}{4}$	113 $\frac{3}{8}$	138 $\frac{3}{8}$
45	118 $\frac{3}{8}$	142 $\frac{3}{8}$		
46	121	145 $\frac{1}{2}$	118 $\frac{3}{8}$	144 $\frac{1}{4}$
47	123 $\frac{3}{8}$	148 $\frac{3}{8}$		
48	126 $\frac{3}{8}$	151 $\frac{1}{4}$	124	151
49	129	155		
50	131 $\frac{1}{8}$	158 $\frac{3}{8}$	129 $\frac{1}{4}$	157 $\frac{1}{4}$
51	134 $\frac{1}{4}$	161 $\frac{1}{4}$		
52	137	164 $\frac{3}{8}$	134 $\frac{3}{8}$	163 $\frac{3}{8}$
53	139 $\frac{3}{8}$	167 $\frac{1}{2}$		
54	142 $\frac{1}{4}$	170 $\frac{1}{8}$	139 $\frac{3}{8}$	169 $\frac{3}{8}$
55	144 $\frac{7}{8}$	173 $\frac{3}{8}$		
56	147 $\frac{5}{8}$	177	145 $\frac{1}{4}$	176 $\frac{1}{4}$
57	150 $\frac{1}{4}$	180 $\frac{1}{8}$		
58	152 $\frac{1}{2}$	183 $\frac{1}{4}$	150 $\frac{1}{2}$	182 $\frac{1}{2}$
59	155 $\frac{1}{2}$	186 $\frac{3}{8}$		
60	158 $\frac{1}{4}$	189 $\frac{3}{8}$	155 $\frac{5}{8}$	188 $\frac{3}{4}$
61	159 $\frac{3}{8}$	191		
62			157	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

For even spacing on outside mounts, round up width measurement to the next size in the stack chart. Split stack blinds must have an even number of vanes.

General Information

Vertical Blinds: Vane Stacking Chart: G-98 Ultra-Vue™ 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	7¼	10¼		
4	10	13¾	8½	13½
5	12⅞	16½		
6	15½	19 ⅝	14	19¾
7	18⅞	22¾		
8	21⅞	25⅞	19½	26
9	23 ⅞	29		
10	26¾	32¾	25⅞	32¼
11	29⅞	35⅞		
12	32¼	38¼	30⅞	38⅞
13	35	41⅞		
14	37¾	44½	36¼	44⅞
15	40½	47⅞		
16	43⅞	50¾	41¾	50⅞
17	46⅞	53⅞		
18	48⅞	57	47⅞	57⅞
19	51⅞	60		
20	54¾	63⅞	52⅞	63¼
21	57¼	66¼		
22	60	69⅞	58⅞	69½
23	62¾	72½		
24	65½	75⅞	64	75¾
25	68¼	78¾		
26	71⅞	80⅞	69½	82
27	73⅞	85		
28	76⅞	88	75	88⅞
29	79⅞	91⅞		
30	82¼	94¼	80⅞	94⅞
31	85	97⅞		
32	87¾	100½	86⅞	100⅞
33	90½	103⅞		
34	93¼	106¾	91¾	106⅞
35	96⅞	109⅞		
36	98¾	112⅞	97¼	113
37	101⅞	116		
38	104¾	119⅞	102⅞	119¼
39	107⅞	122¼		
40	109⅞	125⅞	108⅞	125½
41	112¾	128½		
42	115½	131 ⅝	113⅞	131¼
43	118¼	134¾		
44	121⅞	137⅞	119½	138
45	123¾	140⅞		
46	126⅞	144	125	144⅞
47	129⅞	147⅞		
48	132⅞	150¼	130⅞	150⅞
49	134⅞	153⅞		
50	137⅞	156½	136⅞	156⅞
51	140½	159⅞		
52	143¼	162¾	141¾	162⅞
53	146	165¾		
54	148¾	168⅞	147¼	169
55	151⅞	172		
56	154⅞	175⅞	152¾	175¼
57	157⅞	178¼		
58	159⅞	181⅞	158¼	181½
59	162⅞	184½		
60	165⅞	187⅞	163⅞	187¾
61	168⅞	190⅞		
62	168⅞	191	166½	191

Vertical Blinds: Vane Stacking Chart: G-85 Dura-Vue® 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6⅞	10⅞		
4	9½	13¼	7¼	12½
5	12⅞	16⅞		
6	14¾	19½	12½	18¾
7	17⅞	22⅞		
8	20	25¾	17¾	25
9	22¾	28⅞		
10	25⅞	32	23	31¼
11	28	35 ⅞		
12	30⅞	38 ¼	28⅞	37½
13	33¼	41⅞		
14	35⅞	44½	33⅞	43¾
15	38½	47⅞		
16	41⅞	50 ¾	38⅞	50
17	43¾	53⅞		
18	46⅞	57	44⅞	56¼
19	49	60⅞		
20	51⅞	63¼	49⅞	62½
21	54⅞	66⅞		
22	57	69½	54⅞	68¾
23	59⅞	72⅞		
24	62¼	75¾	60	75
25	64⅞	78⅞		
26	67½	82	65¼	81¼
27	70⅞	85⅞		
28	72¾	88¼	70½	87½
29	75⅞	91⅞		
30	78	94½	75¾	93¾
31	80⅞	97⅞		
32	83¼	100¾	81	100
33	85⅞	103⅞		
34	88½	107	86¼	106 ¼
35	91⅞	110⅞		
36	93¾	113¼	91½	112½
37	96½	116⅞		
38	99⅞	119½	96¾	118¾
39	101¾	122⅞		
40	104⅞	125¾	102	125
41	107	128⅞		
42	109⅞	132	107⅞	131¼
43	112¼	135⅞		
44	114⅞	138¼	112⅞	137½
45	117½	141⅞		
46	120⅞	144½	117⅞	143¾
47	122¾	147⅞		
48	125½	150¾	123⅞	150
49	128⅞	153⅞		
50	130¾	157	128⅞	156¼
51	133⅞	160⅞		
52	136	163¼	133⅞	162½
53	138⅞	166⅞		
54	141¼	169½	139	168¾
55	143⅞	172⅞		
56	146½	175¾	144¼	175
57	149⅞	178⅞		
58	151¾	182	149½	181¼
59	154⅞	185⅞		
60	157	188¼	154¾	187½
61	159⅞	191		
62			157¼	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

18 | graberdirect.com

November 2019

General Information

Vertical Blinds: Vane Stacking Chart: One Touch® Control (all headrail styles)

G-71 Super-Vue®		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6½	9¾
4	8¾	12⅞
5	11½	16
6	14⅞	19¼
7	16¾	22⅞
8	19½	25½
9	22⅞	25⅞
10	24¾	31¾
11	27⅞	35
12	30	38⅞
13	32¾	41¼
14	35⅞	44⅞
15	38	47½
16	40⅞	50⅞
17	43⅞	53⅞
18	46	57
19	48⅞	60⅞
20	51⅞	63¼
21	54	66 ⅝
22	56⅞	69⅞
23	59⅞	73⅞
24	62¼	76¼
25	65	79⅞
26	67⅞	82½
27	70¼	85¼
28	73	88⅞
29	75⅞	92
30	78¼	95⅞
31	80⅞	98¼
32	83½	101⅞
33	86¼	104⅞
34	88⅞	107¼
35	91½	110⅞
36	94⅞	114
37	96¼	117⅞
38	99½	120⅞
39	102⅞	123½
40	104¼	126⅞
41	107½	129¼
42	110⅞	132⅞
43	112¼	136
44	115⅞	139¼
45	118	142⅞
46	120¼	145⅞
47	123⅞	148⅞
48	126	151¼
49	128¼	155
50	129¼	156

G-98 Ultra-Vue™		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6½	10
4	9	13⅞
5	11¼	16¼
6	14½	19⅞
7	17¼	22½
8	20⅞	25⅞
9	22¾	28⅞
10	25⅞	31¾
11	28⅞	34⅞
12	31⅞	38
13	33⅞	41⅞
14	36⅞	44¼
15	39½	47⅞
16	42¼	50½
17	45	53½
18	47¼	56⅞
19	50⅞	59¼
20	53⅞	62⅞
21	56⅞	66
22	58⅞	69⅞
23	62	72⅞
24	64¼	75¼
25	67½	78⅞
26	70⅞	81½
27	73	84⅞
28	75⅞	87¼
29	78⅞	90⅞
30	81⅞	94
31	84¼	97⅞
32	87	100⅞
33	89¼	103¼
34	92½	106⅞
35	95⅞	109½
36	98	112⅞
37	100⅞	115¼
38	103⅞	118⅞
39	106⅞	122
40	109⅞	125
41	111⅞	128⅞
42	114¼	131¼
43	117½	134⅞
44	120¼	137½
45	123⅞	140⅞
46	125¼	144
47	128⅞	147⅞
48	131¼	150¼
49	134⅞	153⅞
50	136¼	156

G-85 Dura-Vue®		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6¼	10⅞
4	8⅞	13¼
5	11½	16⅞
6	14⅞	19½
7	16¾	22⅞
8	19⅞	25¼
9	22	28⅞
10	24¾	32
11	27⅞	35⅞
12	30	38¼
13	32⅞	41⅞
14	35¼	44½
15	37⅞	47⅞
16	40½	50¼
17	43⅞	53⅞
18	45¼	57
19	48⅞	60⅞
20	51	63¼
21	53⅞	66⅞
22	56¼	69½
23	59¼	72⅞
24	61⅞	75¼
25	64½	78⅞
26	67⅞	82
27	69¼	85⅞
28	72⅞	88¼
29	75	91⅞
30	77⅞	94½
31	80¼	97⅞
32	82⅞	100¼
33	85½	103⅞
34	88⅞	107
35	90¼	110⅞
36	93⅞	113¼
37	96⅞	116⅞
38	98¼	119½
39	101⅞	122⅞
40	104	125¼
41	106⅞	128⅞
42	109¼	132
43	111⅞	135⅞
44	114½	138¼
45	117⅞	141⅞
46	119¼	144½
47	122⅞	147⅞
48	125	150¼
49	127⅞	153⅞
50	129⅞	156

Split stack One Touch Control not available.

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

General Information

**Sheer Vertical Blinds: Vane Stacking Chart:
Outside Mount**

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
6	14 $\frac{1}{8}$	19 $\frac{1}{8}$	11 $\frac{1}{8}$	17
7	17 $\frac{1}{2}$	22 $\frac{3}{4}$		
8	20 $\frac{1}{8}$	25 $\frac{1}{8}$	16 $\frac{3}{8}$	23 $\frac{1}{4}$
9	22 $\frac{3}{4}$	29		
10	25 $\frac{1}{8}$	32 $\frac{1}{8}$	21 $\frac{1}{4}$	29 $\frac{1}{8}$
11	28 $\frac{1}{8}$	35 $\frac{1}{8}$		
12	30 $\frac{3}{4}$	38 $\frac{1}{2}$	27	35 $\frac{1}{8}$
13	33 $\frac{1}{8}$	41 $\frac{1}{8}$		
14	36 $\frac{1}{8}$	44 $\frac{3}{4}$	32 $\frac{3}{8}$	42 $\frac{1}{8}$
15	38 $\frac{3}{4}$	47 $\frac{1}{8}$		
16	41 $\frac{1}{8}$	51	37 $\frac{3}{4}$	48 $\frac{1}{2}$
17	44	54 $\frac{1}{4}$		
18	46 $\frac{3}{8}$	57 $\frac{3}{8}$	43	54 $\frac{3}{4}$
19	49 $\frac{1}{8}$	60 $\frac{1}{2}$		
20	52	63 $\frac{1}{8}$	48 $\frac{1}{4}$	61
21	54 $\frac{3}{8}$	66 $\frac{3}{4}$		
22	57 $\frac{1}{8}$	70	53 $\frac{1}{8}$	67 $\frac{1}{8}$
23	60	73 $\frac{1}{8}$		
24	62 $\frac{3}{8}$	76 $\frac{1}{4}$	58 $\frac{3}{8}$	73 $\frac{1}{8}$
25	65 $\frac{1}{4}$	79 $\frac{1}{8}$		
26	67 $\frac{1}{8}$	82 $\frac{1}{2}$	64 $\frac{1}{4}$	80
27	70 $\frac{1}{8}$	85 $\frac{3}{4}$		
28	73 $\frac{1}{4}$	88 $\frac{1}{8}$	69 $\frac{1}{2}$	86 $\frac{1}{4}$
29	75 $\frac{1}{8}$	92		
30	78 $\frac{1}{8}$	95 $\frac{1}{8}$	74 $\frac{1}{8}$	92 $\frac{1}{2}$
31	81 $\frac{1}{4}$	98 $\frac{1}{4}$		
32	83 $\frac{1}{8}$	101 $\frac{1}{8}$	80 $\frac{1}{4}$	98 $\frac{1}{8}$
33	86 $\frac{1}{2}$	104 $\frac{1}{8}$		
34	89 $\frac{1}{8}$	107 $\frac{3}{4}$	85 $\frac{1}{2}$	105 $\frac{1}{8}$
35	91 $\frac{1}{4}$	110 $\frac{1}{8}$		
36	94 $\frac{1}{2}$	114	90 $\frac{3}{4}$	111 $\frac{1}{8}$
37	97 $\frac{1}{8}$	117 $\frac{1}{8}$		
38	99 $\frac{1}{4}$	120 $\frac{1}{8}$	96 $\frac{1}{8}$	117 $\frac{3}{4}$
39	102 $\frac{1}{8}$	123 $\frac{1}{2}$		
40	105 $\frac{1}{8}$	126 $\frac{1}{8}$	101 $\frac{1}{8}$	124
41	107 $\frac{1}{4}$	129 $\frac{1}{8}$		
42	110 $\frac{1}{8}$	132 $\frac{1}{8}$	106 $\frac{1}{8}$	130 $\frac{1}{4}$
43	113	136		
44	115 $\frac{1}{4}$	139 $\frac{1}{4}$	112	136 $\frac{1}{8}$
45	118 $\frac{1}{8}$	142 $\frac{1}{8}$		
46	121	145 $\frac{1}{2}$	117 $\frac{3}{8}$	142 $\frac{1}{8}$
47	123 $\frac{1}{8}$	148 $\frac{1}{8}$		
48	126 $\frac{1}{4}$	151 $\frac{1}{4}$	122 $\frac{3}{4}$	149 $\frac{1}{4}$
49	129	155		
50	131 $\frac{1}{8}$	158 $\frac{1}{8}$	128	155 $\frac{1}{2}$
51	134 $\frac{1}{4}$	161 $\frac{1}{4}$		
52	137	164 $\frac{1}{8}$	133 $\frac{1}{4}$	161 $\frac{3}{4}$
53	139 $\frac{1}{8}$	167 $\frac{1}{2}$		
54	142 $\frac{1}{4}$	170 $\frac{1}{8}$	138 $\frac{1}{8}$	168 $\frac{1}{8}$
55	144 $\frac{1}{8}$	173 $\frac{1}{8}$		
56	147 $\frac{1}{8}$	177	143 $\frac{1}{8}$	174 $\frac{3}{8}$
57	150 $\frac{1}{4}$	180 $\frac{1}{8}$		
58	152 $\frac{1}{8}$	183 $\frac{1}{4}$	149 $\frac{1}{8}$	180 $\frac{5}{8}$
59	155 $\frac{1}{2}$	186 $\frac{1}{8}$		
60	158 $\frac{1}{4}$	189 $\frac{1}{8}$	154 $\frac{1}{2}$	187
61	159 $\frac{1}{8}$	191		
62			157 $\frac{1}{8}$	191

**Sheer Vertical Blinds: Vane Stacking Chart:
Inside Mount**

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
7	10 $\frac{1}{8}$	19 $\frac{1}{4}$		
8	13 $\frac{3}{4}$	22 $\frac{1}{8}$	11 $\frac{1}{8}$	19 $\frac{1}{4}$
9	15 $\frac{1}{8}$	25 $\frac{1}{2}$		
10	18 $\frac{1}{2}$	28 $\frac{1}{8}$	16 $\frac{1}{8}$	26
11	21 $\frac{1}{4}$	31 $\frac{1}{8}$		
12	24	35	21 $\frac{1}{4}$	32 $\frac{3}{8}$
13	26 $\frac{1}{8}$	38 $\frac{1}{8}$		
14	29 $\frac{1}{4}$	41 $\frac{1}{4}$	27	38 $\frac{1}{8}$
15	31 $\frac{1}{8}$	44 $\frac{3}{8}$		
16	34 $\frac{1}{8}$	47 $\frac{1}{8}$	32 $\frac{1}{4}$	44 $\frac{1}{8}$
17	37 $\frac{1}{4}$	50 $\frac{1}{8}$		
18	39 $\frac{1}{8}$	53 $\frac{1}{8}$	37 $\frac{1}{4}$	51 $\frac{1}{4}$
19	42 $\frac{1}{2}$	57		
20	45 $\frac{1}{8}$	60 $\frac{1}{8}$	43	57 $\frac{1}{2}$
21	47 $\frac{3}{4}$	63 $\frac{1}{4}$		
22	50 $\frac{1}{2}$	66 $\frac{1}{2}$	48 $\frac{1}{4}$	63 $\frac{3}{4}$
23	53 $\frac{1}{8}$	69 $\frac{1}{8}$		
24	55 $\frac{1}{8}$	72 $\frac{1}{8}$	53 $\frac{1}{8}$	70 $\frac{1}{8}$
25	58 $\frac{1}{2}$	76		
26	61 $\frac{1}{8}$	79 $\frac{1}{8}$	59	76 $\frac{1}{2}$
27	63 $\frac{1}{8}$	82 $\frac{1}{4}$		
28	66 $\frac{1}{8}$	85 $\frac{1}{2}$	64 $\frac{1}{4}$	82 $\frac{3}{4}$
29	69 $\frac{1}{4}$	88 $\frac{1}{8}$		
30	71 $\frac{1}{8}$	91 $\frac{1}{4}$	69 $\frac{1}{8}$	89 $\frac{1}{8}$
31	74 $\frac{1}{2}$	94 $\frac{1}{8}$		
32	77 $\frac{1}{8}$	98	74 $\frac{1}{8}$	95 $\frac{1}{8}$
33	80 $\frac{1}{4}$	101 $\frac{1}{8}$		
34	82 $\frac{1}{8}$	104 $\frac{1}{4}$	80 $\frac{1}{4}$	102 $\frac{1}{8}$
35	85 $\frac{1}{2}$	107 $\frac{1}{8}$		
36	88 $\frac{1}{4}$	111 $\frac{1}{8}$	86	108 $\frac{1}{8}$
37	90 $\frac{1}{8}$	114 $\frac{1}{4}$		
38	93 $\frac{1}{2}$	117 $\frac{1}{8}$	91 $\frac{1}{8}$	114 $\frac{1}{4}$
39	96 $\frac{1}{8}$	120 $\frac{1}{2}$		
40	98 $\frac{3}{4}$	123 $\frac{1}{8}$	96 $\frac{1}{8}$	121
41	101 $\frac{1}{2}$	126 $\frac{1}{8}$		
42	104 $\frac{1}{8}$	130	101 $\frac{1}{2}$	127 $\frac{1}{4}$
43	106 $\frac{1}{8}$	133 $\frac{1}{8}$		
44	109 $\frac{1}{2}$	136 $\frac{1}{4}$	106 $\frac{1}{8}$	133 $\frac{1}{8}$
45	112 $\frac{1}{8}$	139 $\frac{1}{8}$		
46	114 $\frac{3}{4}$	142 $\frac{1}{2}$	112 $\frac{1}{8}$	139 $\frac{1}{8}$
47	117 $\frac{1}{2}$	145 $\frac{1}{4}$		
48	120 $\frac{1}{8}$	148 $\frac{1}{8}$	117 $\frac{1}{2}$	146 $\frac{1}{4}$
49	122 $\frac{3}{4}$	152		
50	125 $\frac{1}{8}$	155 $\frac{1}{8}$	122 $\frac{3}{4}$	152 $\frac{1}{2}$
51	128 $\frac{1}{8}$	158 $\frac{1}{8}$		
52	130 $\frac{3}{4}$	161 $\frac{1}{2}$	128	158 $\frac{3}{4}$
53	133 $\frac{1}{2}$	164 $\frac{1}{4}$		
54	136 $\frac{1}{8}$	167 $\frac{1}{8}$	133 $\frac{1}{8}$	165 $\frac{1}{8}$
55	138 $\frac{1}{4}$	171		
56	141 $\frac{1}{8}$	174 $\frac{1}{8}$	138 $\frac{1}{8}$	171 $\frac{1}{8}$
57	144	177 $\frac{1}{4}$		
58	146 $\frac{1}{8}$	180 $\frac{1}{2}$	144	177 $\frac{1}{8}$
59	149 $\frac{1}{2}$	183 $\frac{1}{8}$		
60	152 $\frac{1}{8}$	186 $\frac{1}{8}$	149 $\frac{1}{8}$	184
61	154 $\frac{1}{4}$	189 $\frac{1}{8}$		
62	155 $\frac{1}{8}$	191	154 $\frac{1}{8}$	190 $\frac{1}{4}$
64			154 $\frac{1}{4}$	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW - CO


General Information

Sheer Vertical Blinds: Vane Color Coordination Chart


Fabric Name	Color Name	Color Number	Recommended Vane, Bead Chain, and Cord Weight Color
Bengali	Jute	2760	Ivory
Cascade	Champagne	2080	Ivory
Dijon	Downey	2221	White
	Extra White	2220	White
	Stucco	2222	Ivory
Gossamer	Champagne	1720	Ivory
	Parchment	1722	Ivory
	Snowstone	1724	White
	White	1725	White
Highlight	Champagne	1740	Ivory
	Snowstone	1741	White
	White	1742	White

General Information


G-71 Super-Vue® Product Detail



Exterior View



Interior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high-humidity applications
Rack and Pinion Gear System	Allows vanes to rotate smoothly and easily
Centrally Located Carrier Stems	Reversible headrail
Pantograph System	Requires very little draw force to open and close blinds; vanes stay proportionately spaced when opening the blind
One Touch® Control	Safety and convenience
Removable Stems	Ability to repair instead of remaking—less invasive for the customer
E-Z Open™	Automatically rotates the vanes when the cord is pulled to traverse the blind; not available with cord tension pulley, One Touch, and center, opposite, or uneven stack
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong

NOTE: Wand control is standard. See control options section for details.

General Information

G-98 Ultra-Vue™ Product Detail

Thin Profile Carrier System

- Narrow carrier width provides reduced vane stack
- Self-aligning carriers for trouble-free operation

Color Coordinated End Caps

- Provide a clean, finished look

Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight

Aluminum Headrail

- Will not rust
- Perfect for high-humidity applications

Traverse Cord

Rotation Chain with Tassels

Cord Safety Guide


Cord Tension Pulley

- Provides added safety and peace of mind


Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Inside Headrail View



Exterior View



Interior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high-humidity applications
Thin Profile Carriers	Reduced stack
Self-Aligning Carriers	Trouble-free operation
Fully Enclosed Drive and Flush End Caps	Provides a secure fit and clean finished appearance
Low-Friction Wheeled Carriers	Vaness traverse smoothly
One Touch® Control	Safety and convenience
Centrally Located Carrier Stems and Symmetrical Cord and Chain Control	Headrail reversible for right or left control installation
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Removable Stems	Ability to repair instead of remaking; less invasive for customer

NOTE: Wand control is standard. See control options section for details.

General Information

G-85 Dura-Vue® Product Detail

Thermolastic Carrier Linkage System

- Provides smooth traversing of vanes

Color Coordinated End Caps

- Provide a clean, finished look

Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight

Steel Headrail

Traverse Cord

Rotation Chain with Tassels

Cord Safety Guide


Cord Tension Pulley

- Provides added safety and peace of mind


Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Inside Headrail View



Exterior View



Interior View





Features	Benefits
Steel Headrail with Ivory Finish	Provides strength and durability
Wheeled Carriers	Vaness traverse smoothly and easily
Centrally Located Carrier Stems	Headrail is reversible for right or left control position
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Optional Stack and Control Positions	Single stack, split stack, opposite stack are available
One Touch® Control (standard)	Safety and convenience
Removable Stems	Ability to repair instead of remaking; less invasive for customer

NOTE: Wand control is standard. See control options section for details.

General Information

Sheer Vertical Blinds: G-71 Super-Vue® Product Detail



Features	Benefits
Easy Install Fabric	Install fabric after headrail installation; to clean, no need to take down entire blind
Skirt Only Option	Change fabric style or color when changing room décor
Washable Fabric	Remove fabric from blind to machine wash
Color Coordinated Thread	For finished appearance

NOTE: EZ Open™ feature is not available on sheer vertical blinds.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10003-110 (11/19)|S19-19701

GRABER.

Graber Vertical Blinds Designer US Price List — Effective June 2022

Price Group A: Vinyl: Crown, Grotto

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	213	262	318	363	418	458	470	532	578	604	668	713	761	810	860	908	958	4
60 (152.4)	228	274	338	384	439	483	496	565	613	642	704	755	804	855	906	957	1008	5
72 (182.9)	235	292	360	407	463	502	522	596	649	672	748	799	854	908	964	1019	1077	6
84 (213.4)	252	310	380	425	486	528	548	623	679	708	785	837	895	956	1012	1073	1130	6
96 (243.9)	259	319	397	449	511	564	575	652	708	748	824	880	940	1000	1061	1120	1180	8
108 (274.4)	268	336	415	470	538	586	603	684	746	781	860	922	981	1045	1108	1168	1232	8
120 (304.8)	284	355	435	496	568	620	638	725	781	811	904	961	1031	1097	1167	1237	1303	10
132 (335.3)	293	375	461	522	597	650	671	760	820	859	953	1013	1089	1163	1237	1310	1383	11
144 (365.8)	302	397	483	548	628	683	707	799	860	904	1008	1067	1144	1221	1297	1375	1452	12
156 (396.3)	309	416	503	573	655	717	743	835	904	948	1058	1120	1202	1285	1368	1447	1530	15
168 (426.8)	313	439	528	601	691	749	781	873	943	989	1109	1172	1262	1345	1434	1522	1608	17
180 (457.2)	318	461	551	623	718	784	809	913	985	1034	1161	1227	1319	1410	1503	1595	1685	18
192 (487.7)	328	482	575	650	749	811	844	948	1029	1081	1212	1285	1383	1481	1579	1678	1775	19

Add Surcharge to Blind Price

Square-Corner Valance	22	34	37	44	48	51	53	59	63	68	74	78	83	88	93	97	102
Round-Corner Valance*	24	37	43	51	54	58	59	68	73	77	87	93	98	104	109	114	
Double Round-Corner Valance*	48	75	85	102	108	116	119	135	146	154	175	185	196	208	218	229	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 1/4 (454.1)	
48 (122)	154	184	216	243	272	293	297	340	366	381	420	445	474	508	535	567	4
60 (152.4)	163	202	231	257	289	313	319	363	398	406	453	479	515	547	582	618	5
72 (182.9)	176	213	250	274	308	335	340	390	421	437	485	516	549	586	623	655	6
84 (213.4)	182	222	265	292	331	354	359	413	448	465	516	547	584	623	658	695	6
96 (243.9)	190	235	277	309	348	379	385	437	472	493	541	579	620	658	697	737	8
108 (274.4)	202	249	293	329	366	399	404	464	498	521	577	610	650	694	736	778	8
120 (304.8)	214	263	313	348	393	424	430	493	527	548	608	645	690	735	779	825	10
132 (335.3)	218	277	334	370	417	454	460	522	565	586	649	692	740	788	837	886	11
144 (365.8)	223	294	350	390	441	479	487	551	600	624	695	737	788	841	892	942	12

Add Surcharge to Blind Price

Square-Corner Valance	22	34	37	44	48	51	53	59	63	68	74	78	83	88	93	97	
Round-Corner Valance*	24	37	43	51	54	58	59	68	73	77	87	93	98	104	109	114	
Double Round-Corner Valance*	48	75	85	102	108	116	119	135	146	154	175	185	196	208	218	229	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Vinyl: Crown*					
Alabaster	9303	Ivory	9307	White	9306
Candelabra	9300	Misty Gray	9312		
Carob	9317	Tan	9308		
Vinyl: Grotto					
Alabaster	6587	Stormcloud	6584	White	6585
Ivory	6586				

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group B: Vinyl: Cachet, Fiber, Quantum, Stowe, Window Weaves Channel Panel

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	256	315	382	439	502	550	568	647	699	736	804	859	918	977	1033	1094	1150	5
60 (152.4)	272	336	411	463	528	579	597	679	743	774	851	913	971	1031	1093	1150	1212	5
72 (182.9)	284	352	433	490	555	613	631	716	781	811	904	961	1023	1089	1150	1215	1275	6
84 (213.4)	303	368	457	514	589	642	656	755	815	855	942	1012	1083	1148	1219	1285	1351	8
96 (243.9)	313	385	479	538	616	671	693	788	855	899	989	1062	1133	1202	1274	1345	1420	8
108 (274.4)	321	407	498	568	649	703	726	825	896	938	1034	1108	1178	1253	1325	1400	1472	12
120 (304.8)	341	431	526	597	683	749	766	872	938	981	1085	1160	1240	1318	1399	1477	1557	14
132 (335.3)	352	457	555	633	717	787	804	925	989	1034	1150	1224	1306	1392	1474	1557	1637	15
144 (365.8)	356	477	589	666	755	824	843	965	1045	1094	1213	1295	1383	1470	1559	1644	1733	17
156 (396.3)	363	498	620	699	788	859	884	1012	1098	1150	1274	1359	1452	1543	1633	1726	1815	18
168 (426.8)	372	522	649	736	824	896	927	1060	1151	1206	1338	1430	1526	1618	1717	1812	1907	19
180 (457.2)	379	546	679	766	858	936	964	1108	1206	1263	1403	1496	1596	1694	1795	1892	1990	20
192 (487.7)	382	569	707	799	894	973	1004	1151	1262	1317	1461	1564	1666	1769	1874	1975	2080	21

Add Surcharge to Blind Price

Square-Corner Valance	24	40	43	54	59	60	62	71	78	81	92	98	104	109	114	121	126
Round-Corner Valance*	28	43	52	61	67	69	71	81	90	95	104	113	121	127	133	140	
Double Round-Corner Valance*	56	85	104	123	133	137	141	162	181	189	208	227	241	254	266	281	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

	Width up to inches (cm) →																Vanes
Height up to inches (cm) ↓	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178¾" (454.1)	Only
48 (122)	188	229	272	306	349	380	385	440	475	493	540	577	620	658	697	740	5
60 (152.4)	206	249	293	323	370	401	406	467	510	526	578	618	658	700	747	787	5
72 (182.9)	216	264	313	349	392	422	433	495	537	560	619	658	703	751	795	841	6
84 (213.4)	225	274	334	366	414	448	459	526	567	595	655	697	749	795	843	892	8
96 (243.9)	236	292	350	390	440	476	486	555	601	628	692	740	788	837	889	938	8
108 (274.4)	248	305	365	408	465	504	516	584	631	664	730	778	832	889	942	999	12
120 (304.8)	260	323	392	433	494	534	541	624	668	692	773	818	877	933	988	1044	14
132 (335.3)	267	342	416	461	521	566	573	658	707	740	820	873	932	990	1047	1107	15
144 (365.8)	272	361	440	487	548	597	606	697	753	784	872	929	990	1049	1113	1173	17

Add Surcharge to Blind Price

Square-Corner Valance	24	40	43	54	59	60	62	71	78	81	92	98	104	109	114	121	
Round-Corner Valance*	28	43	52	61	67	69	71	81	90	95	104	113	121	127	133	140	
Double Round-Corner Valance*	56	85	104	123	133	137	141	162	181	189	208	227	241	254	266	281	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Vinyl: Cachet*					
Ivory	6657	Shimmer Sage	6660	Tan	6654
Satin White	6651	Silver Dollar	6655	White	6650

Vinyl: Fiber*					
Bloodroot	3977	Midnight	3974	Shale	3090
Buttercream	3972	Pebble	3092	White	3973
Cinnamon	3976	Sandstone	3970		

Vinyl: Quantum*					
Chevre	6874	Model	6881	Shipwreck	6875
Cream	6879				

Vinyl: Stowe					
Bone	9014	Embankment	9022	Willow	9015
Cocoa	9011	Resort	9021	Yew	9020

Vinyl: Window Weaves					
Deep Walnut	3892	Melting Snow	3890	Pilaf	3896
Heath	3895	Millet	3897	Rice Paper	3893

Vinyl: Channel Panel					
Ivory	7137	White	7136		

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group C: Fabric: Baskerville, Brighton, Harmony, Sheffield
Vinyl: Homespun II, Lake Forest®, Rapture, Satin Stripe
Vinyl S-Shaped: Linen S, Quantum S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	286	364	444	485	562	614	632	717	779	812	894	957	1023	1093	1161	1227	1295	10
60 (152.4)	303	373	459	514	590	647	668	756	823	862	944	1012	1083	1154	1224	1297	1368	12
72 (182.9)	314	396	479	545	617	679	703	795	867	906	1002	1068	1140	1214	1289	1361	1434	12
84 (213.4)	333	410	508	572	651	713	734	838	907	953	1050	1125	1201	1282	1359	1437	1516	14
96 (243.9)	343	425	532	603	691	748	774	876	953	1002	1101	1178	1263	1343	1424	1506	1589	14
108 (274.4)	363	449	555	632	719	785	810	926	995	1045	1151	1232	1316	1400	1482	1564	1650	16
120 (304.8)	381	478	589	668	762	830	854	967	1045	1092	1207	1292	1379	1472	1559	1649	1736	16
132 (335.3)	390	508	620	703	805	876	899	1019	1101	1151	1278	1363	1458	1553	1648	1741	1836	17
144 (365.8)	400	535	651	736	847	918	944	1068	1161	1215	1348	1437	1536	1634	1732	1828	1925	18
156 (396.3)	410	564	691	775	887	962	995	1118	1219	1278	1416	1509	1611	1715	1818	1917	2017	20
168 (426.8)	418	596	719	810	933	1009	1040	1168	1272	1341	1485	1581	1685	1791	1898	2002	2108	21
180 (457.2)	424	623	755	844	973	1054	1086	1278	1333	1402	1554	1657	1765	1874	1983	2091	2200	22
192 (487.7)	438	650	785	881	1014	1095	1133	1326	1390	1462	1622	1731	1842	1954	2069	2178	2291	23

Add Surcharge to Blind Price

Square-Corner Valance	28	42	47	56	61	63	66	72	80	85	94	100	107	113	121	127	134	
Round-Corner Valance*	31	47	53	63	68	71	73	85	94	97	108	116	123	131	141	150	159.00	
Double Round-Corner Valance*	62	94	106	127	135	141	146	171	187	193	216	230	245	262	283	300	318.00	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	212	258	306	339	391	422	431	491	530	555	608	649	696	744	787	833	10
60 (152.4)	229	276	331	366	414	448	460	521	571	588	649	695	745	792	841	891	12
72 (182.9)	239	294	349	386	439	474	486	557	603	628	695	736	787	839	892	943	12
84 (213.4)	249	307	371	414	464	506	515	587	636	664	733	780	836	892	945	1002	14
96 (243.9)	265	327	391	436	491	530	541	624	670	702	776	827	884	942	1000	1057	14
108 (274.4)	288	338	413	460	518	565	574	654	706	740	817	872	934	995	1052	1113	16
120 (304.8)	293	362	436	486	552	597	608	697	749	776	861	914	979	1045	1110	1174	16
132 (335.3)	298	386	462	517	584	632	646	733	795	827	914	976	1043	1111	1177	1244	17
144 (365.8)	306	413	488	543	622	669	685	775	842	878	971	1035	1103	1174	1243	1315	18

Add Surcharge to Blind Price

Square-Corner Valance	28	42	47	56	61	63	66	72	80	85	94	100	107	113	121	127	
Round-Corner Valance*	31	47	53	63	68	71	73	85	94	97	108	116	123	131	141	150	
Double Round-Corner Valance*	62	94	106	127	135	141	146	171	187	193	216	230	245	262	283	300	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Baskerville					
Caffeine	0393	Havarti	0390	Provalone	0391
Gouda	0392				

Fabric: Brighton ^ø					
Bark	4205	Platinum	4250	Tundra	4201
Bone	4222	Sugar Maple	4202	White	4219
Graham Cracker	4203	Toast	4282		

Fabric: Harmony ^ø					
Cityscape	0232	Pebble	0230	Tassel	0231
Glacial	0233				

Fabric: Sheffield ^ø					
Chelsea	0201	Meadow	0207	Windsor	0203
Eclipse	0205	Tuscon	0204		
Henley	0202	Weathered	0206		

Vinyl: Homespun II*					
Beach	9113	Chocolate	9114	Ivory	9111
Butterscotch	9112				

Vinyl: Lake Forest ^Δ					
Cognac	3771	Natural	3773	Wheat	3770
Golden Oak	3772				

Vinyl: Rapture*					
Bleach	3612	Heather	3610	Steel	3614

Vinyl: Satin Stripe					
Imperial	9489	Sand	9481	Snow	9485
Ivory	9480	Silversmith	9488		

Vinyl S-Shaped: Linen S*					
Café	6263	Granite	6267	Snow	6260
Cream	6261	Lakebed	6266		
Ebony	6265	Lichen	6262		

Vinyl S-Shaped: Quantum S					
Chevre	3396	Model	3395	Shipwreck	3397
Cream	3391				

* Available in coordinating 2" (5 .1 cm) horizontal vinyl blinds.

Δ Available in coordinating Lake Forest® Faux Wood blinds.

ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group D: Fabric: Devon, Grasses, Tahiti Weave, Thatch

Vinyl: Chenille, Parallels, Safari

Vinyl S-Shaped: Homespun II S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm)																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	336	414	506	579	668	731	749	852	928	966	1065	1137	1216	1296	1375	1455	1531	12
60 (152.4)	356	446	543	613	699	769	795	899	977	1021	1128	1201	1289	1370	1456	1538	1624	15
72 (182.9)	379	464	572	649	733	805	831	948	1032	1074	1193	1272	1361	1452	1538	1631	1719	15
84 (213.4)	393	486	603	684	776	843	873	995	1083	1129	1250	1338	1427	1523	1613	1707	1799	15
96 (243.9)	414	511	631	717	820	889	918	1044	1134	1187	1314	1403	1502	1591	1691	1787	1884	18
108 (274.4)	427	537	662	749	856	937	960	1095	1184	1243	1372	1466	1571	1673	1775	1874	1977	18
120 (304.8)	457	566	698	795	906	991	1012	1154	1243	1297	1437	1531	1638	1744	1849	1959	2063	19
132 (335.3)	464	606	748	843	958	1048	1071	1219	1318	1379	1530	1637	1751	1863	1974	2089	2201	20
144 (365.8)	479	648	795	890	1012	1104	1128	1282	1398	1461	1628	1739	1858	1975	2095	2219	2334	21
156 (396.3)	487	690	840	940	1065	1163	1188	1348	1474	1545	1721	1842	1968	2092	2222	2348	2471	22
168 (426.8)	501	725	887	991	1118	1219	1246	1411	1551	1624	1816	1944	2075	2208	2343	2472	2607	23
180 (457.2)	510	768	937	1040	1169	1274	1303	1475	1631	1707	1909	2046	2184	2325	2465	2603	2745	24
192 (487.7)	522	805	983	1092	1221	1331	1363	1538	1707	1790	2006	2146	2294	2440	2586	2731	2879	25

Add Surcharge to Blind Price

Square-Corner Valance	30	45	54	61	66	70	71	81	93	95	105	113	122	129	136	146	153	
Round-Corner Valance*	35	54	61	70	75	80	87	97	104	108	122	129	138	148	157	165	174	
Double Round-Corner Valance*	71	108	123	139	150	160	175	193	208	216	243	258	277	295	314	331	347	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 1/4 (454.1)	
48 (122)	252	311	373	422	485	525	535	612	661	692	757	809	868	922	982	1039	12
60 (152.4)	271	337	400	444	510	558	571	649	703	733	809	863	921	983	1043	1103	15
72 (182.9)	285	354	424	473	535	586	602	685	747	775	861	916	980	1044	1109	1171	15
84 (213.4)	300	366	446	504	571	622	632	727	786	817	905	967	1037	1104	1171	1239	15
96 (243.9)	315	388	472	529	600	651	666	762	829	865	952	1019	1089	1160	1230	1298	18
108 (274.4)	328	406	494	558	631	691	702	802	867	905	1006	1069	1145	1219	1293	1369	18
120 (304.8)	347	431	525	589	669	732	745	849	912	950	1057	1122	1200	1279	1358	1434	19
132 (335.3)	355	463	564	629	711	777	789	899	976	1017	1132	1203	1288	1372	1455	1539	20
144 (365.8)	363	494	600	666	753	821	836	950	1037	1081	1204	1283	1373	1462	1550	1641	21

Add Surcharge to Blind Price

Square-Corner Valance	30	45	54	61	66	70	71	81	93	95	105	113	122	129	136	146	
Round-Corner Valance*	35	54	61	70	75	80	87	97	104	108	122	129	138	148	157	165	
Double Round-Corner Valance*	71	108	123	139	150	160	175	193	208	216	243	258	277	295	314	331	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Devon					
Abbot	0032	Plymouth	0030	Torbay	0031
Newton	0033				

Fabric: Grasses					
Chestnut	1713	Maple	1710	Twig	1711
Hardwood	1712				

Fabric: Tahiti Weave					
Autumn	0455	Bourbon	0451	Tortoise Shell	0454
Basket Weave	0453	Hudson	0450		

Fabric: Thatch					
Coffee	1565	Natural	1560	Toffee	1563

Vinyl: Chenille					
Aluminum	6801	Cream	6791	Off White	6790
Chantarelle	6802	Filigree	6799	Syrah	6800

Vinyl: Parallels					
Amaretto	6952	Spice	6951	Waterloo	6953
Mesa	6950				

Vinyl: Safari*					
Buffalo	3640	Moccasin	3643	Stormy Sage	3646
Hearthstone	3648	Quarry	3647		

Vinyl S-Shaped: Homespun II S					
Beach	9683	Chocolate	9684	Ivory	9681
Butterscotch	9682				

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group E: Fabric: Allure, Royale, Strings, Tuvalu, Urban Loft
Vinyl: Acropolis, Coronation, Kensington
Vinyl S-Shaped: Georgetown S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	373	459	562	644	737	809	827	940	1025	1071	1178	1258	1348	1434	1525	1610	1695	15
60 (152.4)	392	494	599	675	775	852	878	995	1082	1128	1249	1331	1424	1516	1611	1702	1798	17
72 (182.9)	416	514	632	719	811	890	922	1048	1140	1189	1320	1409	1507	1607	1702	1803	1902	21
84 (213.4)	438	542	669	757	860	933	965	1101	1198	1250	1383	1481	1580	1683	1787	1889	1991	21
96 (243.9)	459	568	698	791	906	985	1016	1155	1254	1315	1451	1553	1658	1764	1870	1975	2081	26
108 (274.4)	474	593	733	827	944	1035	1061	1213	1310	1374	1522	1623	1736	1848	1966	2077	2194	29
120 (304.8)	502	625	774	878	1004	1097	1119	1275	1374	1435	1590	1695	1815	1932	2051	2165	2284	30
132 (335.3)	514	671	825	933	1060	1163	1187	1349	1458	1528	1694	1813	1938	2061	2186	2310	2437	31
144 (365.8)	529	717	878	987	1119	1222	1249	1420	1545	1615	1799	1924	2056	2187	2321	2454	2586	32
156 (396.3)	543	760	931	1043	1178	1286	1316	1489	1631	1712	1907	2038	2178	2315	2458	2598	2738	33
168 (426.8)	553	803	983	1097	1239	1349	1378	1563	1717	1798	2010	2151	2298	2445	2593	2739	2883	34
180 (457.2)	567	851	1035	1151	1295	1411	1444	1632	1803	1889	2115	2262	2416	2572	2727	2880	3036	35
192 (487.7)	577	890	1089	1206	1354	1475	1508	1702	1889	1978	2221	2376	2540	2703	2863	3024	3188	36

Add Surcharge to Blind Price

Square-Corner Valance	33	51	60	70	73	79	84	90	102	106	119	125	134	144	152	161	171	
Round-Corner Valance*	37	58	70	79	84	90	94	106	118	121	136	146	155	165	177	186	197	
Double Round-Corner Valance*	75	116	139	158	168	181	187	212	235	241	272	291	310	331	354	372	393	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)		
48 (122)	279	342	410	465	530	578	588	672	728	759	833	890	954	1017	1078	1141	15	
60 (152.4)	297	371	440	488	560	615	628	713	774	806	890	947	1016	1081	1146	1212	17	
72 (182.9)	313	388	467	520	588	644	661	752	817	851	945	1007	1076	1148	1217	1288	21	
84 (213.4)	332	402	491	552	628	683	695	797	864	900	996	1065	1137	1213	1288	1362	21	
96 (243.9)	348	424	519	582	659	718	732	838	911	952	1045	1120	1198	1274	1353	1428	26	
108 (274.4)	358	447	541	615	694	758	773	882	953	996	1106	1175	1259	1341	1422	1504	29	
120 (304.8)	380	473	578	647	735	805	816	933	1004	1044	1161	1232	1319	1406	1491	1579	30	
132 (335.3)	390	509	620	692	781	853	868	987	1070	1116	1241	1322	1415	1508	1600	1691	31	
144 (365.8)	400	541	659	732	828	904	918	1044	1137	1188	1323	1410	1509	1606	1705	1801	32	

Add Surcharge to Blind Price

Square-Corner Valance	33	51	60	70	73	79	84	90	102	106	119	125	134	144	152	161	
Round-Corner Valance*	37	58	70	79	84	90	94	106	118	121	136	146	155	165	177	186	
Double Round-Corner Valance*	75	116	139	158	168	181	187	212	235	241	272	291	310	331	354	372	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Allure ^ø					
Fog	0511	Latte	0513	Titanium	0510
Glimmer	0512	Still Water	0514		

Fabric: Royale ^ø					
Granite	0431	Rapture	0434	Storm	0432
Ivory	0430	Saddle	0433		

Fabric: Strings					
Delicate	4750	Urban Mist	4753	Winsome	4752
Parfait	4751				

Fabric: Tuvalu ^ø					
Cream Caramel	0440	Cream Silk	0441	French Silk	0442

Fabric: Urban Loft					
Ductwork	0380	Rooftop	0383	Skyline	0381
Exposed Brick	0382				

Vinyl: Acropolis					
Laurel Wreath	3134	Olympus	3130	Poseidon	3131
Olive Oil	3132	Parthenon	3133		

Vinyl: Coronation*					
Decree	3751	Proclamation	3752	Sceptre	3754
Princess	3750	Royal Coach	3753		

Vinyl: Kensington*					
Bellhop	3255	Passport	3252	Titanium	3254
Fresh Linens	3250	Room Key	3253		

Vinyl S-Shaped: Georgetown S*					
Capitol Hill	6698	National Mall	6699	Tawny	6693
Flax	6697	Smithsonian	6700	White	6691

* Available in coordinating 2" (5 .1 cm) horizontal vinyl blinds.

ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group F: Fabric: Compass, Crossweave, Network, Prescott

G-71 Super-Vue® and G-98 Ultra-Vue™

		Width up to inches (cm) →																	Vanes Only
		25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)		415	520	630	725	827	907	931	1058	1155	1200	1327	1416	1512	1611	1708	1804	1903	20
60 (152.4)		445	553	674	756	873	957	987	1119	1215	1270	1403	1494	1600	1701	1806	1913	2016	22
72 (182.9)		468	578	708	804	915	1004	1033	1176	1282	1338	1485	1584	1693	1802	1913	2020	2131	24
84 (213.4)		492	606	748	852	965	1051	1083	1240	1345	1407	1559	1663	1778	1892	2007	2122	2235	25
96 (243.9)		520	638	785	889	1016	1107	1142	1297	1411	1477	1631	1742	1863	1985	2108	2227	2349	32
108 (274.4)		535	666	823	931	1063	1167	1195	1361	1472	1543	1708	1827	1954	2080	2209	2338	2467	34
120 (304.8)		566	705	867	987	1126	1236	1258	1437	1543	1614	1790	1907	2038	2175	2305	2438	2572	37
132 (335.3)		579	755	929	1048	1192	1303	1337	1518	1637	1718	1907	2036	2178	2319	2461	2602	2745	38
144 (365.8)		597	804	985	1109	1255	1376	1409	1600	1734	1818	2027	2164	2313	2465	2616	2764	2914	40
156 (396.3)		612	854	1044	1169	1321	1447	1485	1680	1831	1917	2144	2297	2456	2618	2775	2936	3095	41
168 (426.8)		622	905	1098	1236	1390	1522	1561	1762	1922	2019	2266	2427	2595	2763	2930	3098	3267	42
180 (457.2)		636	953	1160	1296	1455	1589	1635	1844	2019	2124	2385	2555	2729	2907	3085	3260	3435	43
192 (487.7)		650	1002	1215	1356	1522	1663	1710	1922	2117	2225	2506	2681	2867	3050	3236	3423	3604	48

Add Surcharge to Blind Price

Square-Corner Valance	42	63	75	88	90	99	102	114	126	128	148	155	165	177	186	197	206	
Round-Corner Valance*	47	72	88	99	105	114	116	128	147	150	167	181	193	205	218	231	242	
Double Round-Corner Valance*	94	144	177	198	210	229	233	256	293	300	335	362	387	410	437	462	485	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

		Width up to inches (cm) →																	Vanes Only
Height up to inches (cm) ↓		25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178½ (454.1)		
48 (122)		314	391	466	525	601	651	668	758	825	860	943	1009	1081	1153	1225	1295	20	
60 (152.4)		337	417	497	552	632	693	710	808	874	913	1009	1072	1148	1223	1295	1372	22	
72 (182.9)		357	439	527	589	668	730	750	852	927	964	1068	1141	1217	1295	1376	1454	24	
84 (213.4)		373	459	558	624	710	771	788	904	979	1020	1127	1204	1289	1373	1456	1540	25	
96 (243.9)		393	482	587	660	749	810	831	948	1029	1074	1188	1269	1357	1444	1532	1621	32	
108 (274.4)		406	508	616	693	787	859	873	1000	1076	1127	1251	1331	1423	1516	1605	1697	34	
120 (304.8)		431	536	651	733	832	912	925	1057	1137	1185	1314	1398	1494	1591	1691	1790	37	
132 (335.3)		441	577	698	781	886	967	984	1121	1210	1266	1407	1499	1604	1711	1814	1919	38	
144 (365.8)		453	618	748	831	936	1024	1045	1185	1286	1343	1501	1600	1712	1822	1934	2047	40	

Add Surcharge to Blind Price

Square-Corner Valance	42	63	75	88	90	99	102	114	126	128	148	155	165	177	186	197	
Round-Corner Valance*	47	72	88	99	105	114	116	128	147	150	167	181	193	205	218	231	
Double Round-Corner Valance*	94	144	177	198	210	229	233	256	293	300	335	362	387	410	437	462	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Compass					
Due North	0072	South Seas	0071	True West	0070
Fabric: Crossweave®					
Beechwood	2510	Tahiti	2512	Thatched Roof	2513
Brick	2504				
Fabric: Network					
Medallion	0372	Quicksilver	0371	Seashell	0370
Fabric: Prescott					
Dune	0172	Fossil	0171	Mirage	0170

⌘ Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group G: Sheer Vertical Blinds: Gossamer, Highlight

Height up to inches (cm) ↓	Width up to inches (cm) →													Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)	
48 (122)	921	1125	1374	1633	1834	2115	2150	2393	2661	3023	3958	4186	4490	2
60 (152.4)	1002	1358	1540	1739	1978	2150	2189	2424	2854	3414	4106	4339	4633	5
72 (182.9)	1052	1374	1557	1754	2001	2167	2264	2538	2942	3509	4141	4374	4675	5
84 (213.4)	1069	1395	1580	1780	2018	2189	2281	2562	2998	3746	4178	4415	4723	5
96 (243.9)	1078	1421	1604	1805	2045	2214	2306	2584	3074	3805	4218	4453	4759	5
104 (264.2)	1096	1426	1619	1825	2064	2234	2326	2600	3150	3867	4248	4487	4789	7

Add Surcharge to Blind Price

Dauphine® Valance	No charge													
Round-Corner Valance	51	79	97	109	115	126	129	141	165	199	240	254	267	
Double Round-Corner Valance	102	158	193	218	231	252	258	283	331	397	480	508	535	

Sheer: Gossamer[§]

Champagne	1720	Snowstone	1724	White	1725
Parchment	1722				

Sheer: Highlight[§]

Champagne	1740	Snowstone	1742	White	1741
-----------	------	-----------	------	-------	------

§Available in coordinating Graber® Artisan.

Price Group H: Sheer Vertical Blinds: Bengali, Cascade, Dijon

Height up to inches (cm) ↓	Width up to inches (cm) →													Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)	
48 (122)	1054	1282	1567	1864	2091	2411	2451	2726	3034	3442	4514	4773	5114	2
60 (152.4)	1144	1553	1761	1981	2256	2451	2492	2763	3252	3892	4683	4948	5281	5
72 (182.9)	1203	1570	1778	2001	2279	2472	2579	2892	3358	3999	4725	4988	5333	5
84 (213.4)	1222	1596	1804	2031	2305	2492	2602	2920	3421	4275	4764	5033	5385	5
96 (243.9)	1234	1622	1830	2056	2333	2529	2628	2948	3508	4341	4809	5080	5431	5
104 (264.2)	1258	1630	1851	2084	2356	2550	2654	2967	3598	4414	4841	5116	5462	7

Add Surcharge to Blind Price

Dauphine® Valance	No charge													
Round-Corner Valance	53	84	102	114	122	132	135	148	174	208	253	267	280	
Double Round-Corner Valance	106	168	204	229	243	264	270	295	347	416	505	535	560	

Bengali[§]

Jute	2760
------	------

Cascade[§]

Champagne	2080
-----------	------

Dijon

Downey	2221	Extra White	2220	Stucco	2222
--------	------	-------------	------	--------	------

§Available in coordinating Graber® Artisan.

Options Pricing

Vertical Blind Options

Angled Window Blind	420 surcharge added to price from G-71 charts using angled width and longest height
Angled Window Headrail	420 surcharge added to price from G-71 replacement headrail chart using angled width
Bay and Corner Window	No charge
Bottom Chain and Clips (fabric vanes)	45
Bottom Chain (vinyl vanes)	45
Cut-Outs	67
Double-Round Corner Valance	See price charts for surcharge
Headrail Pricing	See headrail pricing
One Touch® Wand Control (standard)	No charge
Paired Blinds	Price as two blinds and add together; no surcharge
Projection Brackets: 4 3/8" (11.2 cm)	No charge
Replacement Valances	See price charts (same as valance surcharges)
Round-Corner Valance	See price charts for surcharge
Square-Corner Valance	See price charts for surcharge
Stacking Options	42 per blind for center/uneven stack 42 per blind for opposite stack
Stay Clear™ Channel Panels	See price charts for surcharge
Vane Replacements	See price charts
Wood Cornices and Valances	See cornices and valances product information guide

Sheer Vertical Blind Options

Bay and Corner Window	No charge
Dauphine® Valance	No charge
Double Round-Corner Valance	See price charts for surcharge
Paired Blinds	Price as two separate blinds and add together
Round-Corner Valance	See price charts for surcharge
Vane Replacement	See price charts
Wood Cornices and Valances	See cornices and valances product information guide

Vertical Blinds: Replacement Headrail Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	158 (401.4)	170 (431.8)	177 (449.6)	191 (485.2)
G-71 Super-Vue and G-98 Ultra-Vue	82	128	168	212	251	287	295	336	376	406	444	483	524	568	586	640
G-85 Dura-Vue	71	109	137	172	200	228	232	266	298	323	352	385	412	449	462	

NOTE: Dura-Vue maximum size 178 3/4" (454.1 cm).

NOTE: Valance not included with replacement headrail. Must be ordered separately. See individual price chart for ordering.

NOTE: Replacement headrails include installation hardware.

Sheer Vertical Blinds: Replacement Headrail Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Headrail	109	166	220	276	330	367	384	439	522	627	740	769	831

Sheer Vertical Blinds: Replacement Valance Pricing

Round-Corner Valance

Width up to →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Group G	54	83	102	115	122	133	136	150	175	210	254	268	283
Group H	56	89	108	121	129	139	142	156	183	219	267	283	295

Double Round-Corner Valance

Width up to →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Group G	108	167	205	231	244	266	272	298	349	420	508	537	565
Group H	112	178	215	241	257	279	286	312	367	440	535	565	592

NOTE: Replacement valances include mounting hardware and returns.

Sheer Vertical Blinds: Replacement Fabric Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Chart G	812	1234	1321	1589	1759	1823	1928	2162	2547	3020	3564	3729	4006
Chart H	937	1429	1540	1846	2075	2141	2270	2549	3010	3573	4216	4411	4738

Sheer Vertical Blinds: Replacement Valance Fabric Only Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Valance Fabric Only	19	25	41	52	57	64	67	77	96	112	134	137	147

Replacement Dauphine® Valance with Shirred Fabric Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Chart G	98	144	193	245	295	343	348	410	470	579	683	718	766
Chart H	112	167	222	270	322	361	375	426	508	613	727	755	814