

A close-up photograph of dark-colored horizontal vinyl blinds. The slats are angled, creating a strong sense of depth and texture. A solid purple rectangular bar is positioned at the top of the image, containing the brand name in white serif font.

GRABER®

Graber Horizontal Vinyl Blinds English US Price Guide

2" HORIZONTAL VINYL BLINDS

Product Information Guide

Features and Size Considerations

2" Horizontal Vinyl Blinds: Slat Styles and Information	2
Size Considerations	2
Depth Requirements for Inside Mount	2

Options

Summary	3
Control Options	4
Motorized Tilt Control	5
Multiple Blinds on One Headrail	6
Cloth Tapes	7
Cut-Out Blinds	7
NoHoles™ Option	7
Control Length Chart for Cords and Wands	7
Bay and Corner Windows	8
Valance Styles	9
How to Measure and Order Valances	9
How to Order Valance Returns	9

General Information

Slat Count Table	10
Ladder Count Table	10
2" Horizontal Vinyl Product Detail	11

GRABER®

DECEMBER 2021

Features and Size Considerations

- SureClose™ headrail 1½" x 2¼" with premium lightblocking features
- Non-lead vinyl slats offer superior privacy and room darkening
- Neutral street side appearance
- White vinyl bottomrail
- Color coordinated components
- All styles coordinate with Graber® Vinyl Vertical Blinds
- Wand tilt standard, cord tilt optional
- 2" single slat valance standard (other options available)
- Decorative cloth tapes or NoHoles™ available
- Limited lifetime warranty on headrail and components; three year warranty on slats

2" Horizontal Vinyl Blinds: Slat Styles and Information

Collection Name	Coordinates with Vertical Blinds	Neutral to Street Side	Light Control	Flame Retardant NFPA 701
Cachet	•	•	Roomdarkening	Yes
Coronation	•	•	Room darkening	Yes
Crown	•	•	Room darkening	Yes
Fiber	•	•	Room darkening	Yes
Georgetown	•	•	Room darkening	Yes
Homespun II	•	•	Room darkening	Yes
Kensington	•	•	Room darkening	Yes
Linen	•	•	Room darkening	Yes
Quantum	•	•	Room darkening	Yes
Rapture	•	•	Room darkening	Yes
Safari	•	•	Room darkening	Yes

Size Considerations

Minimum Blind Width	9" outside mount 9½" inside mount
Minimum Blind Width (exceptions)	9" to 11½" are center tilt only 16½" minimum for same side controls
Maximum Single Blind Width	84"
Maximum Width (multiple blinds on one headrail)	120"
Minimum Blind Height	12"
Maximum Blind Height	108"

Depth Requirements for Inside Mount

Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1½ x 2¼	¾	Without valance: 2⅞ With standard valance: 3⅞ With double valance: 4

Options

Summary

The following is a list of options for 2" horizontal vinyl blinds. All options are available in all styles and colors. See detailed descriptions on the following pages.

Control Type Options:

(see price charts for pricing and/or surcharges)

- Wand tilt (standard): no charge
- Cord tilt (optional): no charge
- Ring tilt and ring lift: no charge
- Motorized tilt: surcharge

Blind Options—No Charge

- Bay or corner window
- Standard clear cord cleats
- Controls:
 - Standard control location (tilt left, lift right)
 - Same side control location (tilt right, lift right or tilt left, lift left)
 - Reverse control location (tilt right, lift left)
- Hold down brackets
- Projection brackets (not available on inside mount)
 - 2¾"
 - 4¾"
- Shims
- Special control length

Blind Options—Surcharge

(see price charts for pricing and/or surcharges)

- Cloth tapes:
 - 1"
 - 1½"
- Cut-outs
- Double valance
- Multiple blinds on one headrail less than 84"
- Sky pole
 - 3 feet to 6½ feet
 - 5 feet to 9½ feet
- Wood cornice (see cornice and valance product information guide)
- Decorative cord cleats
- NoHoles™

Options

Control Options



Cord Tilt

- No charge
- Optional



Wand Tilt

- No charge
- Standard



Ring Tilt

- No charge
- Optional
- Sky pole available for a surcharge for operation of the ring tilt



Sky Pole

Options

Motorized Tilt Control



Refer to motorization product information guide for additional options, sizing, and pricing


Features

- Motorization will only tilt slats; raising or lowering the blind is manual with cord lift
- Provides easy operation of hard-to-reach or large window coverings
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on the left side within the headrail; lift is on the right side
- Not available with specialty shapes or hold down brackets
- Not available as multiple blinds on one headrail
- Available with multiple power and control options

NOTE: Refer to the motorization product information guide for control and power options.

Options


Multiple Blinds on One Headrail



- **Surcharge:** blinds less than or equal to 84"
 - Two blinds on one headrail
 - See price charts
- **No charge:** blinds 84 $\frac{1}{16}$ " to 120"
- Two blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, blinds over 84" must be manufactured as two blinds on one headrail.

Multiple Blinds	Maximum Overall Size for Multiple Blinds (inches)	Standard Control Locations	Gap (inches)
Two-On-One Headrail	120 x 108	Left panel (tilt and lift left) Right panel (tilt and lift right)	$\frac{1}{4}$ $\frac{1}{2}$ on NoHoles™

NOTE: Optional control positions may be requested. Lift position cannot be located in the center of the blind for two-on-one headrail.



Measuring:


1. Measure overall width of the area to be covered. If space permits, an overlap of 1 $\frac{1}{2}$ " per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of $\frac{1}{4}$ " between blinds for operating clearance.
3. Total width of all blinds, plus clearance(s) must equal overall width.
4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within $\frac{3}{4}$ " of floor, either from ceiling or a point at least 6 $\frac{1}{2}$ " above the door frame. Check slat count table if blind is to completely clear the doorway.

Ordering:

1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions, if other than standard.
5. Add appropriate surcharge (if less than 84").

Options

Cloth Tapes




- For surcharge, see price charts
- Not available with NoHoles™
- Colors available:

1" Solid Tapes		1½" Solid Tapes	
Black	1033	Aztec Amber	2177
Cocoa	1297	Beige	2011
Duck White	1136	Black	2033
Toffee	1296	Chocolate	2353
White Smoke	1617	Cocoa	2297
		Dark Grey	2857
		Duck White	2136
		Golden Honey	2176
		Light Grey	2861
		Navy	2369
		Shadow Grey	2178
		Taupe	2659
		Toffee	2296
		White	2005
		White Smoke	2617

Cut-Out Blinds




- For surcharge, see price charts
- Bottom corner and side cut-outs only
- Maximum cut-out is 1" before route hole or NoHoles notch (corner and side cut-outs only)
- Cut-outs are created with slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the blind up to the desired location



NoHoles Option



- For surcharge, see price charts
- Provides maximum privacy and light control
- The design of the NoHoles option eliminates route holes, providing additional privacy and the best available light control
- Cleaning is simplified by sliding the NoHoles slats out and wiping clean, or keep the slats in place and vacuuming using a soft brush attachment
- Not available on blinds with cloth tape option



Control Length Chart for Cords and Wands

Finished Blind Height (inches)	Wand Length (inches)	Cord Length
FBL LT/= 36	12	⅓ of blind height
36⅞ to 60	20	
60⅞ to 70	30	
70⅞ to 80	40	
80⅞ to 90	50	
90⅞ to 100	60	
100⅞ to 120	72	

NOTE: Above control lengths may not fit your control needs based on window location or operator. Special cords and wands may be requested at the time of ordering.





Options

Bay and Corner Windows

- Made as individual blinds to fit in bay or corner windows
- Each section will have its own control, we recommend opposite corners
- Indicate each blind with “bypass” or “butt”; bypass means the blind is mounted into the corner; butt means the blind is butted up to the other blind

- Must provide blind location (left and right blind)
- Slat alignment cannot be guaranteed on side by side blinds
- Manufacturer will take appropriate deductions for proper fit
- No additional charge
- Cornices are not available

NOTE: If you do not want manufacturer to take deductions, DO NOT order as bay or corner.



Measuring Information

Corner Window

Measure:

Width of each window from corner to the point you would like to cover.

Three-Sided Bay Window

Measure:

A and C: Width of side windows from the corners to the point you would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Four-Sided Bay Window

Measure:

A and D: Width of side windows from the corners to the point you would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you would like the blind to cover.

B, C and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).


Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above trace angle onto paper and fax to customer service.

Options

Valance Styles



Standard Valance


- No charge
- 2" single slat valance is standard and provides a finished look

Double Valance

- Surcharge option
- Provides better headrail coverage for a more upscale look
- Height of double valance is 3"

Valance Type	Tilt Type	Return Length (inches)	Full Recess Depth (inches)	Inside Mount (inches)	Outside Mount (inches)
Standard	All	3 ⁵ / ₁₆	3 ⁵ / ₁₆	120 FBW	120 FBW
Double	All	3 ¹ / ₁₆	4	120 FBW	120 FBW

How to Measure and Order Valances



The appropriate valance (inside or outside mount) will be supplied with your blind order. For a more custom look, valance and returns may be special ordered.

NOTE: Valances with returns are measured and cut from the **INSIDE (BACKSIDE)** of the valance to ensure the most accurate fit when installed over the headrail or window frame.

Outside Mount Valance

It is typically required that the valance is entered into the system and manufactured **WITH** returns. However, outside mount valances are available **WITHOUT** returns if needed.

NOTE: **FAXED** orders for outside mount valances will **AUTOMATICALLY** be entered with returns unless otherwise specified. Certain accounts that enter orders electronically **WILL BE REQUIRED TO SELECT WITH OR WITHOUT RETURNS** in their system during entry.

Inside Mount Valance


It is typically required for the valance to be entered in the system and manufactured **WITHOUT** returns.

NOTE: Valance without returns have ends that are cut straight and look best when the blind and valance are fully recessed into the window casing. However, inside mount valances are available **WITH** returns for blinds that are unable to be fully recessed into the window casing.

Additional ordering information:

- If projection brackets are requested at the time of order for a valance with returns, longer returns will be automatically sent
- Please state at the time of order if the valance and return measurements are for the **EXACT** size required so that no additions or deductions are made

How to Order Valance Returns



1. Full recess is from front of valance to wall.
2. Return length is from back of the valance corner to wall.

Determining a special return length for **INSIDE MOUNT** blinds not fully recessed:

1. Using the chart above, locate the standard return length by selecting your valance type.
2. Measure the recessed space (depth) of your window casing.
3. Subtract the recessed space measurement from the standard return length.
4. The difference will be the special return length you will need to order for your **INSIDE MOUNT** valances.

NOTE: Minimum return length is 1³/₄".

General Information

Slat Count Table

Finished Blind Height (inches)	Number of Slats	Finished Stack Height (inches)	Finished Blind Height (inches)	Number of Slats	Finished Stack Height (inches)	Finished Blind Height (inches)	Number of Slats	Finished Stack Height (inches)
12	7		45	26	5 ⁵ / ₁₆	78	45	
13	7		46	26		79	45	
14	8		47	27		80	46	8
15	8	4 ¹ / ₁₆	48	27		81	46	
16	9		49	28		82	47	
17	10		50	29	6 ³ / ₁₆	83	48	
18	10		51	29		84	48	
19	11		52	30		85	49	8 ¹ / ₄
20	11	4 ³ / ₁₆	53	30		86	49	
21	12		54	31		87	50	
22	12		55	31	6 ¹ / ₂	88	51	
23	13		56	32		89	51	
24	14		57	33		90	52	8 ⁹ / ₁₆
25	14	4 ¹¹ / ₁₆	58	33		91	52	
26	15		59	34		92	53	
27	15		60	34	6 ³ / ₄	93	53	
28	16		61	35		94	54	
29	16		62	36		95	55	8 ⁷ / ₁₆
30	17	5	63	36		96	55	
31	18		64	37		97	56	
32	18		65	37	7 ¹ / ₁₆	98	56	
33	19		66	38		99	57	
34	19		67	38		100	57	9 ³ / ₁₆
35	20	5 ¹ / ₄	68	39		101	58	
36	21		69	40		102	59	
37	21		70	40	7 ⁷ / ₁₆	103	59	
38	22		71	41		104	60	
39	22		72	41		105	60	9 ¹ / ₂
40	23	5 ⁹ / ₁₆	73	42		106	61	
41	23		74	42		107	62	
42	24		75	43	7 ¹¹ / ₁₆	108	62	
43	25		76	44				
44	25		77	44				

NOTE: Finished heights include headrail and bottomrail.

Ladder Count Table

Standard or Reversed Controls

Finished Blind Width (inches)	Number of Ladders	Number of Lifts	Number of NoHoles™ Lifts
9 to 26	2	2	4
26 ¹ / ₁₆ to 44	3	3	6
44 ¹ / ₁₆ to 62	4	4	8
62 ¹ / ₁₆ to 84	5	5	10

Same Side Controls

Finished Blind Width (inches)	Number of Ladders	Number of Lifts	Number of NoHoles Lifts
16 ¹ / ₁₆ to 30	2	2	4
30 ¹ / ₁₆ to 48	3	3	6
48 ¹ / ₁₆ to 66	4	4	8
66 ¹ / ₁₆ to 84	5	5	10

Motorized Tilt

Finished Blind Width (inches)	Number of Ladders	Number of Lifts
19 to 30	2	2
30 ¹ / ₁₆ to 48	3	3
48 ¹ / ₁₆ to 66	4	4
66 ¹ / ₁₆ to 84	5	5

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity. Cloth ladder quantity is the same as number of ladders listed above.

Inside Mount:

Order width minus 1/2"

EXAMPLE:


30" width inside mount blind minus 1/2" deduction equals 29 1/2" finished blind width

Outside Mount: No deduction


NOTE: Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down each ending in a tassel.

General Information


2" Horizontal Vinyl Product Detail



Cord Management Options



NoHoles™



GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10004-111 (12/21) | 21-285050

GRABER.

Graber 2" Horizontal Vinyl Blinds Designer US Price List — Effective June 2022

Price Group A: 2" (5.1 cm) Horizontal Vinyl Blinds: Crown

Width up to inches (cm) →																
Height up to inches (cm) ↓	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	163	139	173	194	231	240	254	306	330	343	365	391	433	462	519	589
48 (122)	172	150	192	215	246	264	284	338	362	383	404	433	480	513	568	643
54 (137.2)	186	160	200	234	269	285	306	373	391	414	438	470	520	556	619	697
60 (152.4)	201	176	216	246	288	306	330	399	425	449	468	503	557	594	672	758
66 (167.7)	213	187	236	264	306	333	356	428	456	486	509	550	601	642	721	817
72 (182.9)	225	198	249	285	330	356	379	463	486	520	543	589	644	687	774	874
78 (198.2)	235	212	269	304	356	379	408	486	520	550	579	624	690	734	814	921
84 (213.4)	248	225	285	317	379	405	428	518	550	589	615	660	733	783	866	979
90 (228.6)	262	236	304	333	391	425	449	550	579	624	652	701	771	822	924	1044
96 (243.9)	271	246	317	356	414	445	480	574	614	652	688	739	817	874	969	1093
102 (259.1)	285	261	330	373	433	470	501	602	644	690	726	780	864	922	1018	1149
108 (274.4)	294	269	343	387	463	496	527	639	684	716	759	817	906	966	1073	1208

Surcharge: Valance Option

Double Valance	3	3	3	3	4	4	4	6	6	6	6	6	6	6	6	10
----------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

With Cloth Tapes or NoHoles™

	Width up to inches (cm) →															
Height up to inches (cm) ↓	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	196	167	208	233	277	288	305	367	396	412	438	469	520	554	623	707
48 (122)	206	180	230	258	295	317	341	406	434	460	485	520	576	616	682	772
54 (137.2)	223	192	240	281	323	342	367	448	469	497	526	564	624	667	743	836
60 (152.4)	241	211	259	295	346	367	396	479	510	539	562	604	668	713	806	910
66 (167.7)	256	224	283	317	367	400	427	514	547	583	611	660	721	770	865	980
72 (182.9)	270	238	299	342	396	427	455	556	583	624	652	707	773	824	929	1049
78 (198.2)	282	254	323	365	427	455	490	583	624	660	695	749	828	881	977	1105
84 (213.4)	298	270	342	380	455	486	514	622	660	707	738	792	880	940	1039	1175
90 (228.6)	314	283	365	400	469	510	539	660	695	749	782	841	925	986	1109	1253
96 (243.9)	325	295	380	427	497	534	576	689	737	782	826	887	980	1049	1163	1312
102 (259.1)	342	313	396	448	520	564	601	722	773	828	871	936	1037	1106	1222	1379
108 (274.4)	353	323	412	464	556	595	632	767	821	859	911	980	1087	1159	1288	1450

Surcharge: Valance Option

Double Valance	3	3	3	3	4	4	4	6	6	6	6	6	6	6	6	10
----------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

Surcharge: Multiple Blinds on One Headrail

Blinds less than or equal to 84" (213.3 cm) wide	44 Two-on-one Headrail
Blinds 84 1/16" (213.6 cm) to 120" (304.8 cm) wide	No charge

Crown					
Alabaster	3112	Ivory	3325	Tan	3093
Candelabra	3051	Misty Gray	3050	White	3205
Carob	3005	Satin White	3075		

Price Group B: 2" (5.1 cm) Horizontal Vinyl Blinds: Cachet, Fiber, Linen, Quantum, Rapture

	Width up to inches (cm) →															
Height up to inches (cm) ↓	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	207	176	217	244	290	305	319	383	416	433	461	496	543	580	653	739
48 (122)	216	189	240	272	312	332	355	425	454	483	506	543	605	645	717	809
54 (137.2)	232	204	253	293	340	356	383	469	496	524	552	594	655	700	780	880
60 (152.4)	254	219	276	312	362	383	416	501	535	567	591	638	701	747	849	955
66 (167.7)	269	234	295	332	383	419	448	538	576	614	643	692	758	808	908	1031
72 (182.9)	284	248	314	356	416	448	477	581	614	655	687	739	813	864	976	1098
78 (198.2)	294	267	340	381	448	477	515	614	655	692	731	786	868	927	1024	1161
84 (213.4)	313	284	356	404	477	508	538	652	692	739	774	833	925	983	1094	1233
90 (228.6)	330	295	381	419	496	535	567	692	731	786	820	884	971	1036	1163	1318
96 (243.9)	341	312	404	448	524	563	605	723	772	820	865	934	1031	1098	1220	1376
102 (259.1)	356	327	416	469	543	594	631	759	813	868	914	982	1091	1162	1283	1450
108 (274.4)	374	340	433	488	581	624	665	803	862	902	957	1031	1142	1218	1352	1523

Surcharge: Valance Option

Double Valance	4	4	4	4	6	6	6	8	8	10	10	14	14	16	19	20
----------------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

With Cloth Tapes or NoHoles™

	Width up to inches (cm) →															
Height up to inches (cm) ↓	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	248	211	260	293	348	366	383	460	499	520	553	595	652	696	784	887
48 (122)	259	227	288	326	374	398	426	510	545	580	607	652	726	774	860	971
54 (137.2)	278	245	304	352	408	427	460	563	595	629	662	713	786	840	936	1056
60 (152.4)	305	263	331	374	434	460	499	601	642	680	709	766	841	896	1019	1146
66 (167.7)	323	281	354	398	460	503	538	646	691	737	772	830	910	970	1090	1237
72 (182.9)	341	298	377	427	499	538	572	697	737	786	824	887	976	1037	1171	1318
78 (198.2)	353	320	408	457	538	572	618	737	786	830	877	943	1042	1112	1229	1393
84 (213.4)	376	341	427	485	572	610	646	782	830	887	929	1000	1110	1180	1313	1480
90 (228.6)	396	354	457	503	595	642	680	830	877	943	984	1061	1165	1243	1396	1582
96 (243.9)	409	374	485	538	629	676	726	868	926	984	1038	1121	1237	1318	1464	1651
102 (259.1)	427	392	499	563	652	713	757	911	976	1042	1097	1178	1309	1394	1540	1740
108 (274.4)	449	408	520	586	697	749	798	964	1034	1082	1148	1237	1370	1462	1622	1828

Surcharge: Valance Option

Double Valance	4	4	4	4	6	6	6	8	8	10	10	14	14	16	19	20
----------------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

Surcharge: Multiple Blinds on One Headrail

Blinds less than or equal to 84" (213.3 cm) wide	44 Two-on-one Headrail
Blinds 84 1/16" (213.6 cm) to 120" (304.8 cm) wide	No charge

Cachet					
Ivory	3146	Shimmer Sage	3272	Tan	3280
Satin White	3275	Silver Dollar	3270	White	3274

Fiber					
Bloodroot	3014	Midnight	3125	Shale	3055
Buttercream	3122	Pebble	3056	White	3124
Cinnamon	3127	Sandstone	3120		

Linen					
Café	3022	Granite	3098	Snow	3028
Cream	3023	Lakebed	3096		
Ebony	3024	Lichen	3025		

Quantum					
Chevre	3099	Model	3068	Shipwreck	3100
Cream	3715				

Rapture					
---------	--	--	--	--	--

Bleach	3034	Heather	3027	Steel	3039
--------	------	---------	------	-------	------

Price Group C: 2" (5.1 cm) Horizontal Vinyl Blinds: Coronation, Georgetown, Homespun II, Kensington, Safari

	Width up to inches (cm) →															
Height up to inches (cm) ↓	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	240	209	257	288	341	355	374	449	486	504	539	579	639	681	764	865
48 (122)	254	218	284	317	364	388	414	498	532	566	594	639	712	756	835	946
54 (137.2)	272	238	293	345	397	416	449	550	579	613	644	695	768	817	914	1028
60 (152.4)	295	261	320	364	423	449	486	587	626	662	690	744	820	877	993	1118
66 (167.7)	314	274	350	388	449	492	525	630	673	718	754	811	886	945	1065	1208
72 (182.9)	330	290	367	416	486	525	557	682	718	768	804	865	950	1011	1143	1288
78 (198.2)	349	313	397	445	525	557	601	718	768	811	855	920	1018	1084	1199	1358
84 (213.4)	365	330	416	470	557	595	630	761	811	865	906	976	1083	1154	1280	1444
90 (228.6)	386	350	445	492	579	626	662	811	855	920	961	1035	1138	1213	1360	1540
96 (243.9)	400	364	470	525	613	655	712	847	905	961	1013	1094	1208	1288	1427	1609
102 (259.1)	416	382	486	550	639	695	737	887	950	1018	1068	1149	1273	1359	1501	1697
108 (274.4)	439	397	504	571	682	731	778	939	1009	1054	1119	1208	1334	1425	1582	1778

Surcharge: Valance Option

Double Valance	8	8	8	8	10	10	14	19	19	19	21	21	21	22	22	24
----------------	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

With Cloth Tapes or NoHoles™

	Width up to inches (cm) →															
Height up to inches (cm) ↓	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	288	251	308	346	409	426	449	539	583	605	647	695	767	817	917	1038
48 (122)	305	262	341	380	437	466	497	598	638	679	713	767	854	907	1002	1135
54 (137.2)	326	286	352	414	476	499	539	660	695	736	773	834	922	980	1097	1234
60 (152.4)	354	313	384	437	508	539	583	704	751	794	828	893	984	1052	1192	1342
66 (167.7)	377	329	420	466	539	590	630	756	808	862	905	973	1063	1134	1278	1450
72 (182.9)	396	348	440	499	583	630	668	818	862	922	965	1038	1140	1213	1372	1546
78 (198.2)	419	376	476	534	630	668	721	862	922	973	1026	1104	1222	1301	1439	1630
84 (213.4)	438	396	499	564	668	714	756	913	973	1038	1087	1171	1300	1385	1536	1733
90 (228.6)	463	420	534	590	695	751	794	973	1026	1104	1153	1242	1366	1456	1632	1848
96 (243.9)	480	437	564	630	736	786	854	1016	1086	1153	1216	1313	1450	1546	1712	1931
102 (259.1)	499	458	583	660	767	834	884	1064	1140	1222	1282	1379	1528	1631	1801	2036
108 (274.4)	527	476	605	685	818	877	934	1127	1211	1265	1343	1450	1601	1710	1898	2134

Surcharge: Valance Option

Double Valance	8	8	8	8	10	10	14	19	19	19	21	21	21	22	22	24
----------------	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

Surcharge: Multiple Blinds on One Headrail

Blinds less than or equal to 84" (213.3 cm) wide	44 Two-on-one Headrail
Blinds 84 1/16" (213.6 cm) to 120" (304.8 cm) wide	No charge

Coronation					
Decree	3045	Proclamation	3043	Sceptre	3049
Princess	3046	Royal Coach	3047		
Georgetown					
Captol Hill	3072	National Mall	3078	Tawny	3070
Flax	3071	Smithsonian	3073	White	3065
Homespun II					
Beach	3008	Chocolate	3011	Ivory	3006
Butterscotch	3007				
Kensington					
Bellhop	3041	Passport	3037	Titanium	3040
Fresh Linens	3042	Room Key	3038		
Safari					
Buffalo	3105	Moccasin	3106	Stormy Sage	3104
Hearthstone	3103	Quarry	3102		

Valance Replacement Pricing

Width up to inches (cm) →

18	24	31	36	42	48	54	60	66	72	78	84	90	96	108	120
(96)	(61)	(78.8)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(274.4)	(304.8)

Price Group A: Crown

Standard	21	21	21	23	23	23	27	27	33	33	34	36	40	45	49	49
Double	21	21	23	23	26	26	33	33	36	36	37	40	41	52	52	56

Price Group B: Cachet, Fiber, Linen, Quantum, Rapture

Standard	21	21	23	23	23	23	27	27	33	33	34	36	40	45	49	52
Double	21	21	23	23	26	26	33	33	36	36	37	41	41	52	56	59

Price Group C: Coronation, Georgetown, Homespun II, Kensington, Safari

Standard	23	23	26	26	27	27	36	36	41	41	41	44	49	61	61	63
Double	26	26	27	33	33	36	44	44	49	49	52	56	61	69	75	78

Options Pricing

Cloth Tapes	See price charts
Decorative Cord Cleats	10 Solid brass cleat 5 Antique brass cleat
Corner or Bay Window	No charge
Cut-outs	67
Double Valance	See price charts for ordering with blinds and previous chart for replacement pricing.
Hold Down Brackets	No charge
Motorized Tilt	See motorization product information guide
Multiple Blinds on One Headrail	No charge: Blinds 84 1/16" to 120" (213.6 cm to 304.8 cm) wide 44 for blinds less than or equal to 84" (213.4 cm) wide
NoHoles™	See price charts
Projection Brackets (2 3/4" and 4 3/4") (7.0 cm and 12.1 cm)	No charge (outside mount only)
Shims (3/16") (0.5 cm)	No charge
Sky Poles	46 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 70 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
Wood Cornices	See cornices and valances product information guide