



Graber Aluminum Blinds Price Guide

January 2026

ALUMINUM HORIZONTAL BLINDS

Product Information Guide

Features and Size Considerations

½" Supreme Micro Cordless, 1" Supreme Cordless, 1" Classics Cordless, 2" Grandeur™ Cordless	2
Privacy and Light Control	2
Cordless Lift Blinds, Depth Requirements for Inside Mount.	3
Summary	4

Options

Tilt Controls, Cordless Lift, Inverted Slats.	5
Control Length Chart for Wands (Cordless Lift), Multi-Colored Striped Blinds.	6
Multiple Blinds on One Headrail	7
Cut-Out Blinds.	8
Bay and Corner Windows	9
Specialty Shapes: Skylights Dual Headrail or Incline Wire Blinds.	10-11
Specialty Shapes: Arches and Circles	12
Specialty Shapes: Side Cut, Angle Top, Angle Bottom.	13
Specialty Shapes: Octagons, Triangles, Other Shapes.	14
Making a Template for Specialty Shape Windows, Using Template Service	15

General Information

Valance Measuring Information, Valance Ordering Information	16
Stack Height Chart	17
Cordless Slat Count Chart	18
Slat Route and Ladder Count Charts: ½" Supreme Micro Cordless, ½" Supreme Micro Cordless with Side Mount Brackets, 1" Supreme Cordless, 1" Supreme Cordless with Side Mount Brackets, 1" Classic Cordless, 2" Grandeur™ Cordless	19
½" Supreme Micro Cordless and 1" Supreme Cordless Product Detail.	20
1" Classics Cordless Product Detail	21
2" Grandeur Cordless Product Detail	22
Cleaning Instructions.	22

PLEASE NOTE:

Photos and illustrations are for inspiration only.
Not all product configurations are available in all countries.

Window blind cords are a strangulation hazard for young children. Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

VEUILLEZ NOTER :

Les photos et les illustrations ne sont offertes qu'à titre d'inspiration. Toutes les configurations de produits ne sont pas disponibles dans tous les pays.

Les cordons pour store de fenêtre représentent un risque d'étranglement pour les jeunes enfants. Consultez votre dépositaire ou un associé de magasin pour des produits sans cordon ou des produits dont les cordons ne sont pas accessibles.

Retirez ce produit immédiatement si un cordon mesurant plus de 22 cm de longueur ou une boucle dépassant 44 cm deviennent accessibles.

GRABER®

MAY 2024

(05/24) 24-539300_CORRECTED

Features

½" Supreme Micro Cordless

- Great for French doors and small windows
- .006 gauge ½" aluminum slats
- Sleek light blocking headrail requires no valance (1" x 1½" steel)
- Hidden headrail brackets reduce light gaps
- Gear driven motors for smooth operation
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Cordless lift handle keeps the blind clean

1" Supreme Cordless

- Improved safety for children's rooms and play areas
- Cordless lift system allows blind to be raised and lowered easily
- Eliminates unsightly cords
- Cordless lift handle keeps the blind clean
- Gear-driven motor provides smooth, quiet operation
- .008 thick 1" aluminum slats
- Patented, sleek headrail design features a light blocking lip and requires no valance (1" x 1½" steel)
- Hidden headrail brackets reduce light gaps
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look

1" Classics Cordless

- Available in .006 1" aluminum slats only
- 1" x 1½" steel rectangular headrail
- Box brackets make it a snap to install
- Deluxe two-slat valance provides a more finished look
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Cordless lift handle keeps the blind clean

2" Grandeur™ Cordless

- Proportionate for large windows
- Maximizes view to outside when slats are open
- .008 gauge 2" aluminum slats
- Durable headrail (1⅝" x 2¼" steel)
- Box brackets make it a snap to install
- Deluxe channel panel valance provides a sleek finished look
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look

Privacy and Light Control

Use the chart below to select slat size, headrail, and slat gauge.

	Uses	Headrail	Brackets	Valance	.006 Gauge	.008 Gauge
½" Supreme Micro Cordless	• French doors • Small windows • Sidelights next to door	Sleek light blocking 1" x 1½"	Hidden brackets	Sleek headrail requires no valance	•	
1" Supreme Cordless	• Great for children's rooms • More streamlined look without cords • Bedrooms where more light control is desired	Sleek light blocking 1½" x 1½"	Hidden brackets	Sleek headrail requires no valance		•
1" Classics Cordless	• Skylights • Specialty shaped windows	Sturdy 1" x 1½"	Easy to install box brackets	Deluxe two-slat valance	•	
2" Grandeur™ Cordless	• Cleaner look for larger windows • Maximizes view when slats are open	Durable 1⅝" x 2¼"	Easy to install box brackets	Deluxe channel valance		•

Size Considerations

Cordless Lift Blinds

Styles									
	Cordless Lift Blinds				Cordless Lift Multiple Blinds on One Headrail				
	Width		Height		Width			Height	
	Minimum*	Maximum	Minimum	Maximum	Minimum Panel*	Maximum Panel	Maximum Blind	Minimum Blind	Maximum Blind
	(inches)	(inches)	(inches)	(inches)	(inches)	(inches)	(inches)	(inches)	(inches)
½" Supreme Micro Cordless	18 exact	84	12	96	18	84	120 (2 on 1) 144 (3 on 1) ^Δ	12	96
1" Supreme Cordless	18 exact	96	12	96	18	96	120 (2 on 1) 144 (3 on 1) ^Δ	12	96
1" Classics Cordless	18 exact	96	12	96	18	96	120 (2 on 1) 144 (2 on 1) ^Δ	12	96
2" Grandeur Cordless	17 exact	84	24	84	34	84	142 (2 on 1)	17	84

*For all inside mount applications—¾" deduction is taken by manufacturer on overall width (½" Supreme cordless and 1" supreme cordless).
For all inside mount applications - ½" deduction is taken by manufacturer on overall width (1" classics cordless and 2" grandeur cordless).

^ΔThe control for the center panel on a three-on-one cordless lift blind will always be on the left.

Depth Requirements for Inside Mount

Blind Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Cord lift headrail shown	 Fully recessed headrail in window casing/molding Cord lift headrail shown
		Minimum Depth Mount (inches)	Flush with Casing (inches)
½" Supreme Micro Cordless	1 x 1½	¾	1¾
1" Supreme Cordless	1 x 1½	¾	2¼
1" Classics Cordless	1 x 1½	¾	1⅞
2" Grandeur Cordless	1⅞ x 2¼	¾	2⅞

Options

Summary

The following is a chart of options for ½", 1", and 2" aluminum blinds. Options that are available vary by blind type. See specific option for availability and detailed descriptions on the following pages.

Features	½" Supreme Micro Cordless	1" Supreme Cordless	1" Classics Cordless	2" Grandeur™ Cordless
Bay or Corner Window	•	•	•	•
Control Location				
Standard	Tilt left	Tilt left	Tilt left	Tilt left
Reverse	Tilt right	Tilt right	Tilt right	Tilt right
Inverted Slat	•	•	•	•
Multiple Blinds on One Headrail	•	•	•	•
Multi-Colored Striped Blinds	•	•	•	•
Projection Brackets—1¾", 2¾", 4¾" (outside mount only)	•	•	•	• (1¾" not available)
Ring Tilt	•	•	•	•
Side Mount Brackets	•*	•*	Standard	Standard
Sky Poles				
3 to 6½ feet	•	•	•	•
5 to 9½ feet	•	•	•	•
Wand Tilt	Standard	Standard	Standard	Standard

*Available up to 60" wide.

Options

Tilt Controls



Wand Tilt

- No charge
- Standard



Ring Tilt

- No charge
- Optional
- Optional sky pole available—for surcharge, see price charts

Cordless Lift



- Great for kids' rooms—improved safety
- .006 gauge available on 1" Classics and ½" Supreme Micro aluminum slats, .008 gauge available on 1" Supreme and 2" aluminum slats
- Cordless lift system allows blinds to be raised and lowered easily
- Cordless lift handle keeps the blind clean
- Eliminates unsightly cords
- Hidden headrail brackets reduce light gaps (½" Supreme Micro and 1" Supreme only)
- Gear-driven motor provides smooth, quiet operation
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Available with side mount brackets on blinds up to 60" wide (½" Supreme Micro and 1" Supreme Micro only)

Inverted Slats



- **For surcharge, see price charts**
- Inverted slat option brings up to 38% more daylight into the room
- Reflective surface throws more natural light into the room
- Available on 1" and 2" styles; not available on ½" Supreme Micro

Options

Control Length Chart for Wands (Cordless Lift)

Finished Blind Height (inches)	Wand Length (inches)
Up to 36	12
36 $\frac{1}{16}$ to 60	20
60 $\frac{1}{16}$ to 70	30
70 $\frac{1}{16}$ to 80	40
80 $\frac{1}{16}$ to 90	50
90 $\frac{1}{16}$ to 96	60

NOTE: The control lengths listed above may not fit your control needs based on window location or operator.

Special length wands may be requested at time of ordering.

Optional 72" (1/2" & 1") and 72" and 96" (2") length wands are available upon request.

Multi-Colored Striped Blinds



Example of Repeat Pattern:

3 Slats—648 Shadow
 3 Slats—205 Arctic White
 3 Slats—771 Distant Thunder
 3 Slats—648 Shadow
 3 Slats—205 Arctic White
 1 Slat—771 Distant Thunder

- **For surcharge, see price charts**

- Multi-colored blinds are the combination of two or more colors on one blind
- Headrail, bottomrail, and installation brackets will match the color of the top slat
- Maximum of five colors can be used in a repeated or exact striped design
- Ladder supports and lifts will be color-coordinated to the headrail color
- Contact customer service to change color coordination

Specifying Colors

1. Make a diagram of the blind, showing height.
2. From the slat count table, determine the total number of slats.
3. Bottomrail will match the color of the last slat if color pattern consists of at least four color slats in each color group. Otherwise, it will be the color of the headrail.

Ordering

1. Please specify if an exact or repeat pattern.
 Repeat: color order repeats in a pattern
 Exact: color order is specifically defined; not in a repeated pattern
2. May specify headrail, bottomrail, ladder, and cord colors.

Example of Repeat Pattern:

Multi-color diagram (sample of 1" Supreme)

Height = 14"

Total slats = 16

Options

Multiple Blinds on One Headrail



Gap ¼"

- **Surcharge: blinds to the left of the dashed line on the price charts**
- **No charge: blinds to the right of the dashed line on the price charts**
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

Options: Standard Controls

Multiple Blinds	Panel	Control Locations
Cordless Lift		
Two-On-One Headrail	Left Right	Tilt/left Tilt/right
Three-On-One Headrail	Left Center Right	Tilt/left Tilt/left Tilt/right

NOTE: For two-on-one headrail.

Non-standard control positions can be requested.

NOTE: The control for the center panel on a three-on-one cordless lift blind will always be on the left.

Measuring



1. Measure overall width of the area to be covered. If space permits, an overlap of 1½" per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of ¼" between blinds for operating clearance. **NOTE:** Cordless lift has minimum ⅜" gap.
3. Total width of all blinds, plus clearance(s), must equal overall width.
4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within ¾" of floor, either from ceiling or a point at least 6½" above the door frame. (Check slat count tables if blind is to completely clear the doorway.)

Ordering



1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions.
5. Add appropriate surcharge, if to the left of the dashed line on the price chart.

Options

Cut-Out Blinds



- For surcharge, see price charts
- Used to work around any architectural detail
- Blind will be tilt only if ordered with cordless controls





Bottom Corner and Side (Door Knob):

1" and ½" aluminum: maximum cut-out is blind width minus 10". A cut-out over 10" requires an intermediate rail.

2" aluminum: maximum cut-out is 1" before the route hole.

Remaining non cut-out width minimum is 5" (W-B must be greater than 5")





Bottom Center:

(A) and (C) minimum is 5".

If (B) is greater than 10", there will be an intermediate rail.

Not available on 2" blinds.





Top Corner:

Remaining non cut-out width minimum is 14" (W-A must be greater than 14").

(A) is limited to ¼ total blind width.

If (B) is greater than 8", there will be an intermediate rail.

Not available on 2" blinds.



Interior:





Both (A) and (C) minimum width is 5". Maximum width for (B) is blind width minus 20".

Not available on 2" blinds.

Options

Bay and Corner Windows

- Made as individual blinds to fit in bay or corner windows
- Each section will have its own control; we recommend opposite corners
- Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind



Measuring Information

Corner Window

Measure:

Width of each window from corner to the point you would like to cover.

Three-Sided Bay Window

Measure:

A and C: Width of side windows from the corners to the point you would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Four-Sided Bay Window

Measure:

A and D: Width of side windows from the corners to the point you would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you would like the blind to cover.

B, C, and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).


Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace angle onto paper, and fax to customer service.


Options

Specialty Shapes: Skylights Dual Headrail or Incline Wire Blinds



Incline Wire Features

- **For surcharge, see price charts**
- Degree from vertical cannot exceed 45 degrees
- Available in all specialty shapes except arches and circles
- Choose .006 or .008 gauge 1" aluminum slat
- Will use Classics 1" x 1 ½" steel headrail, box design
- Wand or ring tilt available left (standard) or right
- Cord lift right (standard) or left
- Color-coordinated components provide a finished look
- Sky poles for easy tilting available upon request
- Blinds inclined over 30 degrees from vertical will have marginal tilt operation
- Blinds inclined over 40 degrees from vertical will lower marginally



Dual Headrail Features

- **For surcharge, see price charts**
- For windows at more than a 45 degree angle
- Blinds are tilt only
- Choose .006 or .008 gauge 1" aluminum slat
- Will use Classics 1" x 1 ½" steel headrail, box design
- Wand or ring tilt available left (standard) or right
- Color-coordinated components provide a finished look
- Sky poles for easy tilting available upon request
- When hanging on flat ceiling surface, the tilt function is not fully functional



Sky Pole

	Incline Wire (inches)		Dual Headrail (inches)	
Minimum Width	12 exact		12 exact	
Maximum Width	122		142	
Minimum Height	12		12	
	Blind Width (inches)	Max Height (inches)	Blind Width (inches)	Max Height (inches)
Maximum Height	12 to 32	126	12 to 23	126
	32 1/8 to 57	108	23 1/8 to 32	102
	57 1/8 to 92	102	32 1/8 to 72	90
	92 1/8 to 122	90	72 1/8 to 142	80

Options



Specialty Shapes: Skylights Dual Headrail or Incline Wire Blinds

Measuring Information

Inside Mount

- A. Width**—Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
- B. Height**—Measure the exact height in three different places from the top edge of the opening to the top of the sill. Record the longest measurement.

Do not deduct for headrail clearance gaps. Manufacturer will make all allowances for both width and height. Headrail, tension rail, and slats will be manufactured $\frac{1}{2}$ " less than the dimension given as width. Proper deductions will be made for blind height.



Outside Mount

Measure width and height dimensions, and specify as "blind size, cut exact." The manufacturer will not make any allowances for width or height. Headrail, tension rail, and slats will equal dimensions given as width. Blind height will refer to the distance from the top of the upper bracket to the lower bracket of the installed blind and will equal dimension given as height. Do not deduct for headrail and tension rail clearance gaps.

Incline Wire Skylight

Ideal for skylights with less than a 45 degree angle.

NOTE: Blinds can lift and tilt.

- A. Width**—Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
- B. Height**—Measure the exact height in three different places from the top edge of the opening to the top of the sill. Record the longest measurement.
- C. Rise**—The vertical measurement from the top of a window to the RUN to form a 90 degree angle.
- D. Run**—The horizontal measurement from the bottom of a window to the RISE to form a 90 degree angle.
- E. Angle**—The degree the window is slanted perpendicular (at a right angle) to the floor.
- F. Catenary**—The degree a blind may possibly bow. No measurement needed. "C" and "D" are used to calculate the angle (must be less than 45 degrees).


Dual Headrail Skylight

Ideal for skylights with more than a 45 degree angle.

NOTE: Blind is tilt only, no lift.

Options

Specialty Shapes: Arches




- For surcharge, see price charts
- Choose .006 or .008 gauge 1" aluminum slat
- Uses Classics 1" x 1" steel headrail
- Valance not available
- May require up to four to six weeks lead time to manufacture
- A template is required for all arches except perfect arches

Size Considerations	Full Arch (inches)	Quarter Arch (inches)
Minimum Width	10	12¾
Maximum Width	Base 142	142
Minimum Height	5	6
Maximum Height	126	126

Controls

- Arches: tilt only left or right
- Quarter arch: low side
- Full tilt
- Cord tilt not available

Specialty Shapes: Circles



- For surcharge, see price charts
- Choose .006 or .008 gauge 1" aluminum slat
- Uses Classics 1" x 1" steel headrail
- Valance not available
- May require up to four to six weeks lead time to manufacture
- A template is required for all non perfect circles


Size Considerations	
Minimum Width	12" diameter
Maximum Width/Height	72"

Controls


- Wand or ring tilt available (left or right)
- Cord tilt not available
- Lift not available

Options


Specialty Shapes: Side Cut, Angle Top, Angle Bottom




Side Cut
Option V




Double Side Cut
Option V




Extended Side Cut
Option V




Extended Double Side Cut
Option V




Angle Top
Option P



Extended Angle Top
Option P



Angle Bottom
Option B



Extended Angle Bottom
Option B

- **For surcharge, see price charts**
- Choose .006 or .008 gauge 1" aluminum slat
- Will use Classics 1" x 1 1/2" steel headrail, box design
- Valance not available
- May require up to four to six weeks lead time to manufacture
- Send drawn diagram to customer service for easier ordering process
- Available as incline wire for skylights


Size Considerations	Side Cuts (inches)	Angle Top and Bottom (inches)
Minimum Bottomrail	4 1/2 exact	12 exact
Maximum Width	142	142
Minimum Height	6	12
Maximum Height	126	126
Minimum Headrail	7 1/2	12

Controls


- Wand or ring tilt available
 - Side cuts: left, right, or same side (straight side only)
 - Angle top
 - Tilt can be left or right. If short side is 0", tilt must be on high side
 - If extended, lift must be on low side
 - Angle bottom
 - If short side is 0", will not lift
 - If extended, lift must be on low side
 - Tilt can always be left or right
- Lift availability depends on shape; contact customer service to determine availability

Options


Specialty Shapes: Octagons, Triangles, Other Shapes




Octagon
Option U




Extended Triangle
Option T




Triangle
Option I




Extended
Inverted Side Cut
Option I




Inverted Side Cut
Option I




Inverted Double Side Cut
Option I



Extended Inverted
Double Side Cut
Option I



Extended Offset Cut
Option I



Offset Cut
Option I

- **For surcharge, see price charts**
- Choose .006 or .008 gauge 1" aluminum slat
- Will use Classics 1" x 1 1/2" steel headrail, box design
- Headrail is split on many of these shapes
- Valance not available
- May require up to four to six weeks lead time to manufacture
- Send drawn diagram to customer service for easier ordering process
- Available as incline wire for skylights

Size Considerations	Octagon (inches)	Triangle (inches)	Other Shapes (inches)
Minimum Width	7 1/2 exact headrail	12	7 1/2 exact headrail
Maximum Width	142 or 192 maximum total combined headrail segments		
Minimum Height	18 1/4	12	12
Maximum Height	126	126	126

Controls

- Wand or ring tilt available (left, right, or same side (straight side only))
- Lift availability depends on shape; contact customer service to determine availability

Options


Making a Template for Specialty Shape Windows

1. Tape butcher paper, kraft, or construction paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the blind is an outside mount, add the desired amount of overlap to the window outline and draw a second outline around it to match the shape of the finished blind. **Be sure to erase the inside line.**
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

NOTE: Make sure the template is of the window opening, not the glass only measurement.

5. **Cut the shape from the paper.**
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT COMPLETELY AROUND.**
7. Indicate on the template
 - “Room side” and “top” on the template
 - Purchase order number
 - Customer’s name
 - Your store name and account number
8. Roll up template and place in a mailing tube.
DO NOT FOLD TEMPLATE.

NOTE: If extended arch; only 6" past the springline (point where arch portion begins) is required on the template



NOTE: This is just a sample for illustration purposes only—other information may be needed for your order.

Mail to: Springs Window Fashions LLC
8467 Route 405 Highway South
PO Box 500
Montgomery, PA 17752
ATTN: Specialty Department

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES:

Kraft paper
Butcher paper
Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS:

Newspaper	Plastic
Wax paper	Fabric
Tissue paper	Roofing paper
Existing arch blinds	Wrapping paper
Cardboard	Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, is not precut from paper, or will mark the fabric—IT WILL NOT BE USED.

Using Template Service

Template service is used when a customer is unable to make or supply a template.


To use the template service:

1. Select template service when entering your order online.
2. Use the Specialty Shapes Reference Guide to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments. The comments have been preprogrammed to all of the measurements you need to enter for your special shape.

For surcharge, see price charts

General Information

Valance Measuring Information



Valances are supplied with your order in one of the following styles depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.

NOTE: Valances with returns are measured and cut from the INSIDE of the miter to ensure the most accurate fit when installed over the headrail or window frame.

Blinds ordered as an outside mount will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, wider returns will be sent automatically. Outside mount blinds are available without returns upon request. Blinds ordered as an inside mount are supplied without returns and look best when the blind and valance can be completely recessed because the ends of the valance are straight cut. Returns are available if requested at the time of order for inside mount blinds that are not completely recessed.

NOTE: Minimum return width is 1 3/4".

Additional ordering information:

- Please state at the time of order if the valance and return measurements are for the exact size required so that no additions or deductions are made.

Valance Ordering Information

Blind Type	Valance Style	Tilt Type	Return Width (inches)	Full Recess Depth (inches)
1" Classics	Deluxe two slat valance	All	2 1/16	2 1/2
2" Grandeur™	Deluxe channel panel	All	3 1/8	3 1/8

Additional information: all measurements listed above are to the inside.

1. Full recess is from front of valance to wall.
2. Return width is from inside miter to wall.
3. Partial recess—subtract actual window recess from return width to arrive at exact return width.

General Information

Stack Height Chart

Finished Blind Height (inches)	½" Supreme Micro Cordless (inches)	1" Supreme Cordless (inches)	1" Classics Cordless (inches)	2" Grandeur™ Cordless (inches)
10	2⅛	2	2	3⅞
15	2¼	2⅛	2⅛	3½
20	2⅞	2¾	2¾	3⅞
25	2⅞	2¼	2¼	3⅞
30	2⅞	2¾	2¾	3⅞
35	3⅞	2½	2½	3⅞
40	3¼	2⅞	2⅞	4⅞
45	3⅞	2¾	2¾	4⅞
50	3⅞	2⅞	2⅞	4⅞
55	3⅞	3	3	4⅞
60	4⅞	3⅞	3⅞	4½
65	4⅞	3¼	3¼	4⅞
70	4½	3⅞	3⅞	4¾
75	4⅞	3⅞	3⅞	4⅞
80	4⅞	3⅞	3⅞	5
84	5⅞	3⅞	3⅞	5⅞
90	5⅞	3⅞	3⅞	
96	5½	3⅞	3⅞	

NOTE: Estimated finished blind heights include headrail and bottomrail.

General Information

Cordless Slat Count Chart

Finished Blind Height (inches)	½" Supreme Micro Cordless	1" Supreme Cordless	1" Classics Cordless	2" Grandeur™ Cordless
10		12		
11		13		
12	23	14	14	
13	25	15	15	
14	27	16	16	
15	29	18	17	
16	31	19	18	
17	33	20	19	
18	35	21	20	
19	37	22	22	
20	39	24	23	
21	41	25	24	
22	43	26	25	
23	45	27	26	
24	47	28	27	14
25	49	29	28	15
26	51	31	29	15
27	53	32	31	16
28	55	33	32	17
29	57	34	33	17
30	59	35	34	18
31	61	37	35	18
32	63	38	36	19
33	65	39	37	20
34	67	40	38	20
35	69	41	40	21
36	71	42	41	21
37	73	44	42	22
38	75	45	43	22
39	77	46	44	23
40	80	47	45	24
41	82	48	46	24
42	84	50	48	25
43	86	51	49	25
44	88	52	50	26
45	90	53	51	26
46	92	54	52	27
47	94	55	53	28
48	96	57	54	28
49	98	58	55	29
50	100	59	57	29
51	102	60	58	30
52	104	61	59	31
53	106	63	60	31

Finished Blind Height (inches)	½" Supreme Micro Cordless	1" Supreme Cordless	1" Classics Cordless	2" Grandeur™ Cordless
54	108	64	61	32
55	110	65	62	32
56	112	66	63	33
57	114	67	64	33
58	116	68	66	34
59	118	70	67	35
60	120	71	68	35
61	122	72	69	36
62	124	73	70	36
63	126	74	71	37
64	128	76	72	37
65	130	77	73	38
66	132	78	75	39
67	134	79	76	39
68	136	80	77	40
69	138	81	78	40
70	140	83	79	41
71	143	84	80	41
72	145	85	81	42
73	147	86	83	43
74	149	87	84	43
75	151	89	85	44
76	153	90	86	44
77	155	91	87	45
78	157	92	88	46
79	159	93	89	46
80	161	94	90	47
81	163	96	92	47
82	165	97	93	48
83	167	98	94	48
84	169	99	95	49
85	171	100	96	
86	173	102	97	
87	175	103	98	
88	177	104	99	
89	179	105	101	
90	181	106	102	
91	183	107	103	
92	185	109	104	
93	187	110	105	
94	189	111	106	
95	191	112	107	
96	193	113	108	

General Information

Slat Route and Ladder Count Charts

½" Supreme Micro Cordless

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
18 to 22	4	2	2	2
22½ to 36	4	3	2	2
36½ to 50	4	4	2	2
50½ to 64	4	5	4	3 over 60" FBW
64½ to 78	4	6	4	3
78½ to 84	4	7	4	4

NOTES:

1. Maximum spacing between ladders is 14".
2. Standard control position: tilt left.

½" Supreme Micro Cordless with Side Mount Brackets

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts
18 to 22	4	2	2
22½ to 36	4	3	2
36½ to 50	4	4	2
50½ to 60	4	5	4

NOTES:

1. Maximum spacing between ladders is 14".
2. Standard control position: tilt left.

2" Grandeur™ Cordless

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
17 to 24	4	2	2	0
24½ to 36	6	2	2	0
36½ to 60	6	3	2	1 over 48" FBW
60½ to 84	6	4	4	2 over 72" FBW

NOTES:

1. Maximum spacing between ladders is 24".
2. Standard control position: tilt left.

1" Supreme Cordless

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
18 to 20½	6	2	2	2
21 to 37	6½	2	2	2
37½ to 61	6½	3	2	2, 3 over 42" FBW
61½ to 85	6½	4	4	3, 4 over 72" FBW
85½ to 96	6½	5	4	4, 5 over 102" FBW

NOTES:

1. Maximum spacing between ladders is 24".
2. Standard control position: tilt left.

1" Supreme Cordless with Side Mount Brackets

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts
18 to 20½	4	2	2
21 to 37	6½	2	2
37½ to 60	6½	3	2

NOTES:

1. Maximum spacing between ladders is 24".
2. Standard control position: tilt left.

1" Classics Cordless

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
18 to 20½	4	2	2	0
21 to 37	6½	2	2	0
37½ to 61	6½	3	2	1 over 60" FBW
61½ to 85	6½	4	4	1
85½ to 96	6½	5	4	2 over 96" FBW


NOTES:

1. Maximum spacing between ladders is 24".
2. Standard control position: tilt left.

General Information


½" Supreme Micro Cordless and 1" Supreme Cordless Product Detail

Cordless lift blinds are the safest window blind alternative; ideal for homes with children and pets. Elimination of lift cords and cord loops provides a more attractive appearance.




General Information

1" Classics Cordless Product Detail



General Information

2" Grandeur™ Cordless Product Detail



Cleaning Instructions

Occasional light vacuuming with a brush attachment should keep blinds clean. More severe soiling can be removed by using a soft cloth and a mild detergent and water solution.



GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

(05/24) 24-539300_CORRECTED

PRICE GROUP A: 1/2" (1.3 cm) Supreme Micro Cordless

	Width up to inches (cm) →													
Height up to inches (cm) ↓	24" (61.0)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	72" (182.9)	84" (213.4)	96" (243.8)	108" (274.3)	120" (304.8)	132" (335.3)	143.75" (365.1)
42" (106.7)	277	307	337	367	397	426	456	516	576	635	695	754	814	873
48" (122)	289	322	354	387	420	453	485	551	616	682	747	813	878	942
54" (137.2)	301	336	372	407	443	479	514	586	657	728	799	871	942	1012
60" (152.4)	312	351	389	428	466	505	543	621	698	775	852	929	1006	1081
66" (167.7)	324	365	407	448	490	531	573	655	738	821	904	987	1070	1151
72" (182.9)	335	380	424	468	513	557	602	690	779	868	956	1045	1134	1221
78" (198.2)	347	394	442	489	536	583	631	725	820	914	1009	1103	1198	1290
84" (213.4)	359	409	459	509	559	610	660	760	860	961	1061	1161	1262	1360
96" (243.9)	382	438	494	550	606	662	718	830	942	1054	1166	1278	1390	1499

Add Surcharge to Blind Price

Multiple Blinds on One Headrail		47	No charge for multi-blinds over 84"
Premium Color*		10%	

NOTE: Minimum single blind size is 18"W x 12"H (45.7 cm W x 30.5 cm H). Minimum 2-on-1 headrail size is 36-1/4"W x 12"H (92.1 cm W x 30.5 cm H). Minimum 3-on-1 headrail is 55"W x 12"H (139.7 cm W x 30.5 cm H).

NOTE: 84" (213.4 cm) maximum single blind width (indicated by dashed line).

NOTE: 143 3/4" (365.1 cm) maximum multi blind width.

Note: Price Group B was eliminated.

PRICE GROUP C: 1" (2.6 cm) Supreme Cordless**.008 Gauge Slats**

Height up to inches (cm) ↓	Width up to inches (cm) →													
	24" (61.0)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	72" (182.9)	84" (213.4)	96" (243.8)	108" (274.3)	120" (304.8)	132" (335.3)	143.75" (365.1)
42 (106.7)	285	317	348	380	412	444	475	539	602	666	729	793	856	918
48 (122)	298	333	368	402	437	472	507	577	647	717	787	856	926	995
54 (137.2)	310	348	387	425	463	501	539	615	691	768	844	920	996	1071
60 (152.4)	323	364	406	447	488	530	571	653	736	818	901	984	1066	1147
66 (167.7)	336	380	425	469	514	558	603	692	780	869	958	1047	1136	1223
72 (182.9)	349	396	444	491	539	587	634	730	825	920	1015	1111	1206	1299
78 (198.2)	361	412	463	514	565	615	666	768	869	971	1073	1174	1276	1376
84 (213.4)	374	428	482	536	590	644	698	806	914	1022	1130	1238	1346	1452
96 (243.9)	399	460	520	581	641	701	762	882	1003	1124	1244	1365	1486	1604

Add Surcharge to Blind Price

Multiple Blinds on One Headrail		47	No charge for multi-blinds over 96"
Premium Color*		10%	

NOTE: Minimum single blind size is 18"W x 12"H (45.7 cm W x 30.5 cm H). Minimum 2-on-1 headrail size is 36-1/4"W x 12"H (92.1 cm W x 30.5 cm H). Minimum 3-on-1 headrail is 55"W x 12"H (139.7 cm W x 30.5 cm H).

NOTE: 96" (243.8 cm) maximum single blind width (indicated by dashed line).

NOTE: 143 3/4" (365.1 cm) maximum multi blind width.

PRICE GROUP D: 1" (2.6 cm) Classics Cordless**.006 Gauge Slats**

Width up to inches (cm) →														
Height up to inches (cm) ↓	24" (61.0)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	72" (182.9)	84" (213.4)	96" (243.8)	108" (274.3)	120" (304.8)	132" (335.3)	143.75" (365.1)
42 (106.7)	254	278	302	326	350	374	398	446	494	543	591	639	687	734
48 (122)	262	289	315	341	367	393	419	471	524	576	628	680	732	784
54 (137.2)	271	299	327	355	384	412	440	496	553	609	665	722	778	833
60 (152.4)	279	309	340	370	400	430	461	521	582	642	703	763	824	883
66 (167.7)	287	320	352	384	417	449	481	546	611	676	740	805	870	933
72 (182.9)	296	330	365	399	433	468	502	571	640	709	778	847	915	983
78 (198.2)	304	341	377	414	450	487	523	596	669	742	815	888	961	1033
84 (213.4)	312	351	390	428	467	505	544	621	698	775	853	930	1007	1082
96 (243.9)	329	372	414	457	500	543	585	671	756	842	927	1013	1098	1182

Add Surcharge to Blind Price

Multiple Blinds on One Headrail		47	No charge for multi-blinds over 96"
Premium Color*		10%	

NOTE: Minimum single blind size is 18"W x 12"H (45.7 cm W x 30.5 cm H). Minimum 2-on-1 headrail size is 36-1/4"W x 12"H (92.1 cm W x 30.5 cm H). Minimum 3-on-1 headrail is 55"W x 12"H (139.7 cm W x 30.5 cm H).

NOTE: 96" (243.8 cm) maximum single blind width (indicated by dashed line).

NOTE: 143 3/4" (365.1 cm) maximum multi blind width.

Note: Price Group E was eliminated.

PRICE GROUP F:

2" (5.1 cm) Grandeur™ Cordless

Height up to inches (cm) ↓	Width up to inches (cm) →													
	24 (61.0)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.8)	108 (274.3)	120 (304.8)	132 (335.3)	142 (360.7)
42 (106.7)	240	282	324	365	407	449	491	574	658	741	825	909	992	1074
48 (122)	259	305	351	398	444	491	537	630	723	815	908	1001	1094	1185
54 (137.2)	277	328	379	430	481	532	583	685	787	889	991	1093	1195	1295
60 (152.4)	295	351	407	462	518	574	629	740	852	963	1074	1185	1297	1406
66 (167.7)	314	374	434	495	555	615	675	796	916	1037	1157	1278	1398	1516
72 (182.9)	332	397	462	527	592	657	722	851	981	1111	1240	1370	1500	1627
78 (198.2)	351	420	490	559	629	698	768	907	1046	1184	1323	1462	1601	1737
84 (213.4)	369	443	517	592	666	740	814	962	1110	1258	1406	1555	1703	1848
Add Surcharge to Blind Price														
Multiple Blinds on One Headrail					47					No charge for multi-blinds over 84"				
Premium Color*	10%													

NOTE: Minimum single blind size is 17"W x 24"H (43.2 cm W x 61 cm H). Minimum 2-on-1 headrail size is 34"W x 24"H (86.4 cm W x 61 cm H). Minimum 3-on-1 headrail size is 51"W x 24"H (129.5 cm W x 61 cm H).
NOTE: 84" (213.4 cm) maximum single blind width (indicated by dashed line).
NOTE: 142" (360.7 cm) maximum multi blind width.

PRICE GROUP G:

Skylights—Dual Headrail and Incline Wire

.006 Gauge 1" (2.6cm) Slats															
Height up to inches (cm) ↓	Width up to inches (cm) →														
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)
42 (106.7)	318	287	309	319	334	416	430	443	461	472	554	589	620	633	740
48 (122)	334	309	324	334	349	438	458	471	488	504	589	630	655	676	798
54 (137.2)	342	319	339	349	371	464	484	500	513	531	630	670	692	723	857
60 (152.4)	354	328	349	367	389	488	507	522	547	563	664	713	738	760	902
66 (167.7)	369	342	371	385	407	510	528	551	576	596	703	749	786	807	969
72 (182.9)	387	360	386	404	427	531	555	579	602	629	738	792	826	854	1079
78 (198.2)	406	380	406	423	448	563	582	605	629	641	789	841	874	912	1153
84 (213.4)	416	389	417	434	464	579	605	635	658	683	807	868	906	946	1128
90 (228.6)	429	404	434	450	484	605	635	662	686	714	850	906	952	982	1181
96 (243.9)	441	416	448	469	501	630	658	686	714	744	889	948	992	1028	1232
102 (259.1)	458	430	467	488	518	657	683	714	749	782	918	982	1031	1035	1290
108 (274.4)	467	440	477	501	535	675	706	740	776	804	957				
114 (289.6)	485	460	500	518	555										
120 (304.8)	500	471	507	531	577										
126 (320.1)	511	488	522	551	596										
Add Surcharge to Blind Price															
Premium Color*															10%

NOTE: Dual headrail only available in sizes above the heavy line.
NOTE: 122" (309.9cm) maximum blind width for Incline Wire (indicated by dashed line).

.008 Gauge 1" (2.6 cm) Slats															
Height up to inches (cm) ↓	Width up to inches (cm) →														
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)
42 (106.7)	342	319	339	347	367	458	472	488	507	520	608	649	676	699	813
48 (122)	364	339	354	367	386	484	502	518	539	554	649	692	718	749	882
54 (137.2)	377	347	371	386	409	510	528	548	566	587	692	736	762	797	946
60 (152.4)	391	364	386	406	427	539	562	577	599	623	729	783	811	837	992
66 (167.7)	404	380	409	423	446	563	582	607	630	657	776	824	865	890	1065
72 (182.9)	423	398	425	443	469	587	612	633	662	691	811	870	908	939	1090
78 (198.2)	443	417	445	464	498	623	641	666	691	706	868	926	958	1007	1192
84 (213.4)	450	427	460	477	510	633	666	700	723	751	890	953	997	1036	1236
90 (228.6)	470	443	477	500	528	666	700	724	752	784	934	997	1049	1081	1299
96 (243.9)	483	458	498	513	549	692	723	752	784	814	976	1039	1090	1131	1357
102 (259.1)	500	472	511	539	567	720	751	784	824	857	1013	1081	1134	1137	1415
108 (274.4)	510	485	525	549	589	745	777	813	853	885	1055				
114 (289.6)	529	504	548	567	612										
120 (304.8)	547	518	562	587	631										
126 (320.1)	564	539	577	607	657										
Add Surcharge to Blind Price															
Premium Color*															10%

NOTE: Dual headrail only available in sizes above the heavy line.
NOTE: 122" (309.9cm) maximum blind width for Incline Wire (indicated by dashed line).

PRICE GROUP H: Skylights—Incline Wire Specialty Shapes

Side Cuts, Inverted Triangles, Angle Tops and Bottoms: .006 Gauge 1" (2.6 cm) Slats

Width up to inches (cm) →																			
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)
42 (106.7)	797	774	792	798	814	953	972	980	999	1067	1147	1187	1216	1300	1410	1454	1639	1684	1727
48 (122)	816	792	806	814	831	976	997	1012	1028	1103	1187	1226	1252	1347	1466	1513	1701	1756	1799
54 (137.2)	826	798	823	831	854	1002	1022	1036	1055	1131	1226	1264	1291	1391	1525	1568	1764	1820	1870
60 (152.4)	841	813	831	851	871	1028	1050	1061	1081	1158	1258	1304	1334	1426	1568	1632	1836	1897	1950
66 (167.7)	853	826	854	868	890	1053	1067	1090	1114	1194	1299	1344	1384	1477	1635	1693	1904	1965	2027
72 (182.9)	870	843	870	885	908	1069	1095	1117	1141	1223	1334	1388	1423	1522	1660	1746	1972	2032	2099
78 (198.2)	889	863	889	903	934	1105	1121	1142	1168	1236	1385	1438	1471	1580	1748	1821	2061	2127	2195
84 (213.4)	895	871	897	916	948	1117	1142	1175	1197	1280	1404	1464	1503	1611	1791	1864	2101	2179	2249
90 (228.6)	911	885	916	936	966	1142	1175	1198	1223	1306	1446	1503	1546	1650	1848	1919	2170	2247	2326
96 (243.9)	922	895	934	952	980	1171	1197	1223	1253	1342	1482	1541	1586	1696	1901	1984			
102 (259.1)	939	912	951	972	999	1196	1221	1253	1290	1375	1519	1580	1626	1701	1956	2039			
108 (274.4)	951	922	958	980	1019	1218	1242	1282	1313	1401	1555								
114 (289.6)	970	946	978	999	1038														
120 (304.8)	978	953	992	1014	1059														
126 (320.1)	997	972	1007	1035	1079														
Add Surcharge to Blind Price																			
Premium Color*	10%																		

Side Cuts, Inverted Triangles, Angle Tops and Bottoms: .008 Gauge 1" (2.6 cm) Slats

Width up to inches (cm) →																																									
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)																						
42 (106.7)	826	798	823	828	851	997	1013	1028	1050	1117	1207	1242	1277	1369	1480	1533	1725	1772	1821																						
48 (122)	850	823	841	851	870	1022	1039	1059	1075	1147	1242	1291	1315	1415	1546	1608	1793	1856	1901																						
54 (137.2)	857	828	854	870	891	1053	1067	1087	1110	1184	1291	1333	1359	1465	1611	1660	1864	1924	1981																						
60 (152.4)	874	850	870	889	908	1075	1103	1116	1137	1218	1325	1378	1410	1503	1660	1727	1944	2006	2063																						
66 (167.7)	889	863	891	903	933	1105	1121	1143	1171	1253	1371	1420	1458	1559	1733	1791	2019	2083	2149																						
72 (182.9)	903	878	906	926	952	1130	1148	1174	1198	1290	1410	1465	1504	1608	1757	1858	2092	2157	2232																						
78 (198.2)	926	897	931	948	976	1158	1181	1207	1229	1300	1464	1522	1559	1672	1859	1937	2189	2265	2334																						
84 (213.4)	936	908	946	958	995	1174	1207	1237	1263	1347	1484	1553	1590	1702	1904	1985	2233	2315	2396																						
90 (228.6)	952	926	958	978	1013	1207	1237	1264	1295	1382	1531	1590	1642	1749	1966	2044	2310	2391	2479																						
96 (243.9)	966	939	976	998	1034	1232	1263	1295	1319	1412	1575	1639	1690	1797	2022	2118																									
102 (259.1)	980	956	997	1021	1054	1260	1291	1319	1364	1454	1611	1684	1732	1805	2083	2179																									
108 (274.4)	995	969	1009	1034	1069	1288	1315	1356	1391	1480	1650																														
114 (289.6)	1013	983	1031	1054	1095																																				
120 (304.8)	1028	999	1048	1067	1116																																				
126 (320.1)	1049	1021	1059	1089	1137																																				
Add Surcharge to Blind Price																																									
Premium Color*	10%																																								

PRICE GROUP H: Skylights—Incline Wire Specialty Shapes (cont.)

Octagons, Triangles, and Other Shapes: .006 Gauge 1" (2.6 cm) Slats

Width up to inches (cm) →																			
Height up to inches (cm) ↓	12" (30.5)	23" (58.5)	26" (66.1)	29" (73.7)	32" (81.3)	36" (91.5)	40" (101.6)	44" (111.8)	48" (122)	52" (132.1)	57" (144.8)	62" (157.5)	67" (170.2)	72" (182.9)	82" (208.3)	92" (233.7)	102" (259.1)	112" (284.5)	122" (309.9)
42" (106.7)	954	931	948	956	973	1137	1153	1168	1187	1283	1364	1396	1426	1574	1676	1725	1965	2007	2053
48" (122)	973	948	963	973	989	1161	1181	1196	1213	1313	1396	1441	1464	1617	1738	1784	2028	2083	2125
54" (137.2)	980	956	976	989	1012	1191	1208	1221	1237	1343	1441	1478	1503	1662	1793	1838	2092	2145	2200
60" (152.4)	997	972	989	1007	1028	1213	1232	1243	1269	1374	1472	1520	1546	1697	1838	1901	2165	2219	2274
66" (167.7)	1010	980	1012	1022	1049	1235	1254	1277	1298	1404	1512	1559	1594	1746	1904	1958	2232	2293	2355
72" (182.9)	1027	998	1027	1039	1065	1256	1282	1300	1325	1438	1546	1602	1635	1791	1928	2018	2302	2357	2427
78" (198.2)	1048	1019	1048	1060	1089	1290	1304	1329	1350	1453	1595	1648	1685	1849	2019	2092	2388	2457	2520
84" (213.4)	1054	1028	1055	1070	1105	1300	1329	1361	1384	1492	1619	1673	1716	1881	2061	2136	2429	2504	2574
90" (228.6)	1066	1039	1070	1090	1121	1329	1361	1385	1410	1522	1657	1716	1759	1923	2120	2189	2494	2572	2651
96" (243.9)	1079	1054	1089	1110	1137	1356	1384	1410	1438	1554	1697	1756	1801	1965	2170	2251			
102" (259.1)	1095	1067	1109	1130	1157	1382	1404	1438	1472	1586	1732	1793	1838	1970	2225	2310			
108" (274.4)	1109	1079	1117	1137	1174	1401	1428	1465	1499	1616	1769								
114" (289.6)	1128	1096	1135	1157	1196														
120" (304.8)	1135	1111	1146	1172	1216														
126" (320.1)	1149	1130	1161	1192	1235														
Add Surcharge to Blind Price																			
Premium Color*	10%																		

Octagons, Triangles, and Other Shapes: .008 Gauge 1" (2.6 cm) Slats

PRICE GROUP I: Arches

.006 Gauge 1" (2.6 cm) Slats

.008 Gauge 1" (2.6 cm) Slats

.008 Gauge 1" (2.6 cm) Slats

[illegible]

PRICE GROUP J:

Circles

.006 Gauge 1" (2.6 cm) Slats														
Width up to inches (cm) →														
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)
42 (106.7)	1066	1039	1130	1219	1315	1438	1562	1693	1824	1945	2107	2259	2414	2568
48 (122)	1069	1049	1135	1236	1329	1457	1580	1703	1841	1968	2139	2289	2443	2598
54 (137.2)	1080	1055	1153	1243	1334	1472	1595	1721	1861	1984	2162	2320	2471	2634
60 (152.4)	1102	1070	1165	1254	1361	1491	1611	1740	1877	2011	2183	2341	2497	2654
66 (167.7)	1106	1079	1172	1282	1375	1500	1632	1753	1901	2036	2205	2366	2520	2691
72 (182.9)	1113	1087	1187	1291	1384	1520	1644	1778	1926	2053	2232	2389	2553	2724
Add Surcharge to Blind Price														
Premium Color*	10%													
Template Service (net per order)	27													

.008 Gauge 1" (2.6 cm) Slats														
Width up to inches (cm) →														
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)
42 (106.7)	1079	1054	1137	1232	1333	1454	1580	1709	1847	1968	2136	2283	2443	2598
48 (122)	1082	1059	1147	1254	1344	1477	1604	1727	1864	1996	2166	2320	2475	2634
54 (137.2)	1095	1067	1172	1263	1350	1493	1619	1742	1885	2011	2191	2355	2508	2670
60 (152.4)	1116	1090	1181	1272	1382	1511	1634	1764	1902	2038	2216	2375	2537	2695
66 (167.7)	1120	1095	1191	1299	1395	1525	1657	1779	1928	2066	2245	2403	2559	2733
72 (182.9)	1131	1105	1207	1310	1402	1545	1669	1805	1957	2087	2271	2430	2596	2771
Add Surcharge to Blind Price														
Premium Color*	10%													
Template Service (net per order)	27													

NOTE: To price, use larger number for width.

PRICE GROUP K:

Side Cuts, Inverted Triangles, Angle Top and Angle Bottom

.006 Gauge 1" (2.6 cm) Slats																						
Width up to inches (cm) →																						
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	
42 (106.7)	632	607	609	623	635	706	720	740	752	823	850	863	885	972	1012	1049	1213	1242	1288	1482	1511	
48 (122)	635	609	623	636	649	724	740	756	770	845	875	891	912	999	1049	1089	1252	1288	1334	1534	1574	
54 (137.2)	645	623	636	649	657	740	756	770	789	859	897	922	939	1035	1075	1130	1291	1334	1384	1581	1632	
60 (152.4)	664	636	649	657	683	756	770	792	804	885	922	947	972	1059	1111	1153	1334	1384	1428	1635	1684	
66 (167.7)	669	642	657	683	696	770	792	804	827	911	947	972	989	1092	1142	1191	1378	1423	1480	1694	1744	
72 (182.9)	673	652	670	691	703	789	804	827	854	933	972	995	1022	1130	1175	1232	1415	1473	1535	1744	1797	
78 (198.2)	691	666	686	700	714	800	823	850	874	951	989	1022	1055	1147	1219	1269	1458	1513	1581	1797	1856	
84 (213.4)	712	683	696	714	731	822	843	870	889	974	1022	1054	1079	1175	1252	1303	1500	1565	1635	1848	1907	
90 (228.6)	717	691	708	724	745	837	868	884	912	989	1038	1069	1103	1216	1280	1347	1535	1608	1684	1904	1970	
96 (243.9)	724	700	714	733	752	854	878	906	933	1019	1065	1095	1137	1236	1306	1384	1581	1646	1733	1957	2020	
102 (259.1)	733	708	731	749	774	868	891	918	951	1036	1090	1121	1161	1269	1347	1416	1621	1697	1778	2011	2087	
108 (274.4)	745	718	740	762	786	878	912	938	972	1060	1111	1147	1194	1298	1384	1457	1668	1740	1825	2061	2143	
114 (289.6)	755	731	749	782	798	891	926	958	997	1079	1142	1176	1221	1329	1411	1493	1702	1780	1882	2139	2238	
120 (304.8)	756	733	762	792	814	912	938	978	1013	1103	1161	1197	1240	1361	1454	1531	1748	1836	1923	2165	2249	
126 (320.1)	771	745	782	807	826	926	966	998	1028	1117	1187	1229	1277	1388	1480	1565	1789	1881	1965	2207	2293	
Add Surcharge to Blind Price																						
Premium Color*	10%																					
Template Service (net per order)	27																					

.008 Gauge 1" (2.6 cm) Slats																								
Width up to inches (cm) →																								
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)			
42 (106.7)	642	620	624	633	655	720	740	762	776	845	874	889	912	999	1049	1081	1254	1295	1334	1539	1565			
48 (122)	649	624	633	657	666	745	762	782	794	871	903	922	947	1035	1081	1132	1298	1334	1389	1590	1635			
54 (137.2)	662	633	657	666	671	762	782	794	813	885	933	956	974	1069	1117	1172	1343	1389	1445	1646	1698			
60 (152.4)	679	657	666	671	700	782	794	814	828	912	956	978	1009	1096	1153	1207	1389	1445	1493	1703	1753			
66 (167.7)	687	662	671	700	717	794	814	828	857	946	978	1009	1031	1135	1192	1237	1438	1484	1554	1769	1824			
72 (182.9)	693	669	689	714	723	813	828	857	885	963	1009	1035	1065	1172	1227	1291	1478	1541	1614	1824	1882			
78 (198.2)	713	686	706	720	736	827	851	878	906	982	1031	1065	1103	1197	1274	1329	1531	1586	1664	1882	1945			
84 (213.4)	724	700	717	736	756	850	874	902	922	1013	1065	1096	1130	1227	1306	1370	1574	1644	1722	1942	2006			
90 (228.6)	738	714	731	751	774	868	897	916	952	1031	1081	1120	1147	1269	1342	1415	1614	1693	1772	2004	2077			
96 (243.9)	746	720	736	760	782	885	911	947	972	1060	1114	1143	1194	1296	1374	1454	1664	1736	1825	2060	2127			
102 (259.1)	755	731	756	776	798	897	931	957	989	1080	1141	1174	1219	1329	1415	1493	1707	1789	1877	2118	2204			
108 (274.4)	770	744	767	792	814	911	952	976	1013	1110	1161	1207	1253	1361	1454	1535	1757	1836	1929	2174	2265			
114 (289.6)	785	756	776	807	828	931	963	1002	1039	1130	1197	1236	1283	1393	1482	1577	1797	1882	1992	2259	2367			

PRICE GROUP L:

Octagons, Triangles

.006 Gauge 1" (2.6 cm) Slats																						
Width up to inches (cm) →																						
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	
42 (106.7)	789	762	767	777	794	890	906	926	938	1035	1060	1070	1096	1237	1282	1315	1539	1574	1614	1824	1849	
48 (122)	794	767	777	795	804	911	926	946	953	1059	1089	1109	1130	1272	1315	1359	1577	1614	1662	1875	1911	
54 (137.2)	800	777	795	804	811	926	946	953	973	1069	1114	1135	1148	1303	1347	1395	1617	1662	1707	1924	1970	
60 (152.4)	823	795	804	811	838	946	953	974	989	1096	1135	1157	1184	1329	1382	1424	1662	1707	1756	1977	2020	
66 (167.7)	826	798	811	838	853	953	974	989	1013	1128	1157	1184	1205	1364	1412	1457	1702	1748	1806	2033	2085	
72 (182.9)	831	806	826	850	859	973	989	1013	1038	1142	1184	1208	1235	1395	1447	1503	1742	1801	1862	2085	2139	
78 (198.2)	846	823	841	857	870	983	1007	1034	1059	1161	1205	1235	1269	1420	1491	1539	1785	1841	1910	2139	2195	
84 (213.4)	865	838	853	870	889	1002	1028	1054	1069	1191	1235	1264	1295	1447	1520	1575	1825	1897	1963	2189	2249	
90 (228.6)	874	850	865	884	902	1021	1053	1066	1096	1205	1253	1288	1313	1482	1546	1617	1862	1931	2007	2247	2312	
96 (243.9)	884	857	870	890	908	1038	1061	1090	1116	1229	1280	1306	1350	1507	1579	1650	1910	1972	2060	2301	2361	
102 (259.1)	890	865	889	903	931	1053	1075	1109	1134	1252	1303	1334	1375	1539	1617	1690	1951	2022	2103	2353	2429	
108 (274.4)	902	875	895	916	946	1061	1096	1121	1153	1274	1319	1364	1404	1565	1650	1727	1996	2066	2153	2402	2485	
114 (289.6)	913	889	903	936	956	1075	1111	1143	1181	1295	1357	1391	1432	1595	1684	1762	2032	2107	2207	2478	2578	
120 (304.8)	915	890	916	948	973	1096	1121	1165	1197	1313	1375	1411	1456	1632	1725	1799	2077	2165	2249	2504	2588	
126 (320.1)	928	902	936	966	980	1111	1147	1184	1213	1330	1396	1446	1491	1657	1749	1836	2118	2205	2293	2550	2634	
Add Surcharge to Blind Price																						
Premium Color*	10%																					
Template Service (net per order)	27																					

.008 Gauge 1" (2.6 cm) Slats																						
Width up to inches (cm) →																						
Height up to inches (cm) ↓	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	
42 (106.7)	798	776	782	792	807	906	926	948	957	1059	1087	1103	1130	1272	1315	1356	1580	1619	1662	1881	1907	
48 (122)	804	782	792	811	823	933	948	963	976	1081	1117	1135	1157	1303	1356	1401	1621	1662	1716	1931	1977	
54 (137.2)	816	792	811	823	827	948	963	976	998	1096	1142	1171	1191	1343	1388	1445	1668	1716	1769	1988	2039	
60 (152.4)	838	811	823	827	857	963	976	999	1014	1130	1171	1194	1221	1370	1424	1473	1716	1769	1820	2046	2093	
66 (167.7)	841	814	827	857	874	976	999	1014	1039	1153	1194	1221	1240	1404	1458	1511	1762	1816	1881	2107	2166	
72 (182.9)	850	824	845	870	882	998	1014	1039	1067	1175	1221	1243	1280	1445	1499	1560	1805	1868	1937	2166	2222	
78 (198.2)	868	841	863	878	891	1013	1035	1061	1090	1197	1240	1280	1313	1466	1541	1595	1858	1915	1990	2222	2288	
84 (213.4)	884	857	874	891	912	1034	1059	1087	1110	1226	1280	1310	1342	1499	1579	1639	1899	1970	2046	2279	2347	
90 (228.6)	893	870	889	906	931	1053	1081	1105	1135	1240	1298	1333	1364	1539	1611	1686	1937	2018	2096	2342	2414	
96 (243.9)	903	878	891	915	936	1067	1095	1131	1153	1274	1325	1359	1404	1564	1642	1725	1990	2061	2153	2401	2471	
102 (259.1)	913	889	912	933	956	1081	1114	1142	1174	1296	1356	1388	1430	1595	1686	1762	2036	2118	2204	2457	2548	
108 (274.4)	922	897	922	948	973	1095	1135	1161	1197	1318	1375	1416	1465	1632	1725	1805	2085	2165	2259	2517	2605	
114 (289.6)	938	912	933	966	983	1114	1146	1191	1226	1342	1411	1453	1497	1664	1753	1847	2123	2207	2320	2598	2709	
120 (304.8)	942	915	948	976	1007	1135	1161	1211	1242	1364	1430	1471	1520	1698	1801	1883	2171	2271	2361	2627	2720	
126 (320.1)	954	931	966	998	1019	1146	1194	1227	1260	1384	1457	1507	1559	1727	1833	1926	2216	2313	2409	2674	2765	
Add Surcharge to Blind Price																						
Premium Color*	10%																					
Template Service (net per order)	27																					

Options Pricing	
Bay and Corner Window	No charge
Hold Down Brackets	No charge
Inverted Slats	21
Multi-Colored Striped Blinds	27 Second color 11 All additional colors 11 Each additional blind of the same size and pattern on the same order
Multiple Blinds on One Headrail	See price charts
Premium Colors	10%
Projection Brackets: 1 3/4" (4.5 cm), 2 3/4" (7.0 cm), 4 3/4" (12.1 cm)	No charge
Ring Tilt	No charge
Shims: 3/16" (0.5 cm)	No charge
Sky Poles	49 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 74 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
Template Service	27 (net per order)
Wood Cornices and Wood Valances	See cornices and valances product information guide

PRICE GROUP A: 1/2" (1.3 cm) Supreme Micro Cordless

1/2" (1.3 cm) Supreme Micro Colors							
Aluminum	034	Cement	983	Deep Coal	006	Obsidian	233
Arctic White	205	Cheesecake	112	Glossy Alabaster	065	Perfect Greige	122
Blizzard	630	Coastal Fog	026	Glossy White	005	Premier White	042
Brushed Aluminum*	121	Coffee	062	Halo	544	Vanilla Silk	376
Caramel	011	Dark Chestnut	168	Lace	629	Winter White	386

*Premium color

Note: Price Group B was eliminated.

PRICE GROUP C: 1" (2.6 cm) Supreme Cordless

1" (2.6 cm) Supreme Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP D: 1" (2.6 cm) Classics Cordless

1" (2.6 cm) Classics Colors							
Adobe	751	Coffee	062	Merlot	653	Slate	095
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Snowflake	375
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Subtle Gray	963
Blizzard	630	Deep Blue	089	Oatmeal	541	Timeless Gray	405
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Tranquil Taupe	175
Buttercream	100	Distant Thunder	771	Oyster	724	Truffle	060
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Vanilla Silk	376
Caramel	011	Glossy White	005	Pine	154	Windswept Pewter*	756
Cement	983	Golden Taupe*	126	Porcelain Beige	670	Winter White	386
Charcoal	749	Graphite	680	Premier White	042		
Cheesecake	112	Halo	544	Shadow	648		
Clay	044	Jet Black	752	Shimmery Ivory*	326		
Coastal Fog	026	Lace	629	Shimmery Snow*	637		

*Premium color

Note: Price Group E was eliminated.

PRICE GROUP F: 2" (5.1 cm) Grandeur™ Cordless

2" (5.1 cm) Grandeur™ Colors							
Aluminum	034	Coastal Fog	026	Halo	544	Shimmery Snow*	637
Arctic White	205	Coffee	062	Lace	629	Snowflake	375
Blizzard	630	Dark Chestnut	168	Obsidian	233	Vanilla Silk	376
Brushed Aluminum*	121	Deep Coal	006	Perfect Greige	122	Winter White	386
Cement	983	Glossy Alabaster	065	Premier White	042		
Cheesecake	112	Glossy White	005	Shimmery Ivory*	326		

*Premium color

PRICE GROUP G: Skylights—Dual Headrail and Incline Wire

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP H: Skylights—Incline Wire Specialty Shapes

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP H: Skylights—Incline Wire Specialty Shapes (cont.)

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP I: Arches

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP J: Circles

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP K: Side Cuts, Inverted Triangles, Angle Top and Angle Bottom

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)

PRICE GROUP L: Octagons, Triangles

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perf. Brushed Alum.*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Ribbed color (only available in .008 gauge slat)