



GRABER® | DELIGHT IN
EVERY DETAIL

Graber Aluminum Blinds English/US Price Guide

ALUMINUM HORIZONTAL BLINDS

Product Information Guide

Features and Size Considerations

½" Supreme Micro, 1" Supreme Cordless, 1" Supreme, 1" Classics, 1" Insignia™, 2" Grandeur™	2
Privacy and Light Control	3
Cord Lift Blinds, Depth Requirements for Inside Mount	4
Cordless Lift Blinds, Depth Requirements for Inside Mount	5

Options

Summary	6
Tilt Controls	7
Cordless Lift	7
Motorized Tilt Control	8
Double Slat	8
Top-Lock Cordlock	8
Hidden Holes	9
Inverted Slats	9
Control Length Chart for Cords and Wands	9
Multiple Blinds on One Headrail	10
Limited Tilt	10
Multi-Colored Striped Blinds	11
Cloth Tapes	11
Cut-Out Blinds	12
Bay and Corner Windows	13
Specialty Shapes: Skylights Dual Headrail or Incline Wire Blinds	14-15
Specialty Shapes: Arches	16
Specialty Shapes: Circles	16
Specialty Shapes: Side Cut, Angle Top, Angle Bottom	17
Specialty Shapes: Octagons, Triangles, Other Shapes	18
Making a Template for Specialty Shape Windows	19
Using the Template Service	19

General Information

Valance Measuring Information	20
Valance Ordering Information	20
Stack Height Chart	21
Slat Count Chart	22
Slat Route and Ladder Count Charts, ½" Supreme Micro, ½" Supreme Micro with Side Mount Brackets, 1" Supreme Cordless, 1" Supreme, 1" Supreme with Side Mount Brackets, 1" Classics, 1" Insignia™, 2" Grandeur™	23-24
½" Supreme Micro and 1" Supreme Product Detail	25
1" Supreme Cordless Product Detail	26
1" Classics Product Detail	27
1" Insignia Product Detail	28
2" Grandeur Product Detail	29
Cleaning Instructions	29

GRABER®

FEBRUARY 2021

Features

½" Supreme Micro

- Great for French doors and small windows
- .006 gauge ½" aluminum slats
- Sleek lightblocking headrail requires no valance (1" x 1½" steel)
- Hidden headrail brackets reduce light gaps
- Precision-machined roller system makes it easier to raise blinds
- Crash-proof cordlock prevents sill damage
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look

1" Supreme Cordless

- Improved safety for children's rooms and play areas
- Cordless lift system allows blind to be raised and lowered easily
- Eliminates unsightly cords
- Cordless lift handle keeps the blind clean
- Gear-driven motor provides smooth, quiet operation
- Choose .006 or .008 gauge 1" aluminum slats
- Patented, sleek headrail design features a lightblocking lip and requires no valance (1½" x 2⅝" aluminum)
- Hidden headrail brackets reduce light gaps
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Hidden Holes option for additional light control and privacy

1" Supreme

- The ultimate in light control
- Choose .006 or .008 gauge 1" aluminum slats
- Sleek, lightblocking headrail requires no valance (1" x 1½" steel)
- Hidden headrail brackets reduce light gaps
- Precision-machined roller system makes it easier to raise blinds
- Crash-proof cordlock and bottomrail bumpers prevent sill damage
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Hidden Holes option for additional light control and privacy

1" Classics

- Available in skylights and other specialty shapes
- Choose .006 or .008 gauge 1" aluminum slats
- 1" x 1½" steel rectangular headrail
- Box brackets make it a snap to install
- Deluxe two-slat valance provides a more finished look
- Crash-proof cordlock and bottomrail bumpers prevent sill damage
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look

1" Insignia™

- The best value
- Fits in windows with narrow jams
- .006 gauge 1" aluminum slats
- 1" x 1" steel square headrail requires minimal depth for a flush mount
- Box brackets make it a snap to install
- Two-slat valance provides a more finished look
- Crash-proof cordlock prevents sill damage
- Clutch wand tilt releases to prevent damage
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look

2" Grandeur™

- Proportionate for large windows
- Maximizes view to outside when slats are open
- .008 gauge 2" aluminum slats
- Patented SureClose® headrail (1⅝" x 2¼" steel) with premium lightblocking features
- Box brackets make it a snap to install
- Deluxe channel panel valance provides a sleek finished look
- Crash-proof cordlock prevents sill damage
- Wand tilt standard, cord tilt optional
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Decorative cloth tapes available

Features


Privacy and Light Control

Use the chart below to select slat size, headrail, and slat gauge.

	Uses	Headrail	Brackets	Valance	.006 Gauge	.008 Gauge
½" Supreme Micro	- French doors - Small windows - Sidelights next to door	Sleek lightblocking 1" x 1½"	Hidden brackets	Sleek headrail requires no valance	•	
1" Supreme Cordless	- Great for children's rooms - More streamlined look without cords - Bedrooms where more light control is desired	Sleek lightblocking 1½" x 2⅜"	Hidden brackets	Sleek headrail requires no valance	•	•
1" Supreme	Bedrooms where more light control is desired	Sleek lightblocking 1" x 1½"	Hidden brackets	Sleek headrail requires no valance	•	•
1" Classics	- Skylights - Specialty shaped windows	Sturdy 1" x 1½"	Easy to install box brackets	Deluxe two-slat valance	•	•
1" Insignia™	Minimal depth in window casing for a flush mount	Compact 1" x 1"	Easy to install box brackets	Two-slat valance	•	
2" Grandeur™	- Cleaner look for larger windows - Maximizes view when slats are open	Lightblocking 1⅝" x 2¼"	Easy to install box brackets	Deluxe channel valance		•

Size Considerations

Cord Lift Blinds



									
	Cord Lift Blinds				Cord Lift Multiple Blinds on One Headrail				
	Width		Height		Width			Height	
Styles	Minimum* (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)	Minimum Panel* (inches)	Maximum Panel (inches)	Maximum Blind (inches)	Minimum Blind (inches)	Maximum Blind (inches)
½" Supreme Micro	5½ ^Δ	120	12	108	5½ ^Δ	120	192	12	108
1" Supreme	5½ ^Δ	142	12	126	5½ ^Δ	142	192	12	126
1" Classics	5½ ^Δ	142	12	126	5½ ^Δ	142	192	12	126
1" Insignia™	5½ ^Δ	120	12	126	5½ ^Δ	120	192	12	126
2" Grandeur™	9†	142	12	126	9†	142	142	12	126

*For all inside mount applications—½" deduction is taken by manufacturer on overall width; Supreme and Supreme Micro—¾".

^Δ5½ exact to 8½" center tilt only

†9" outside mount, 9½" inside mount (9" to 11½" center tilt only); 12" to 16" (standard or reversed standard controls); 16½" (same side controls)

Depth Requirements for Inside Mount

			Partially recessed headrail in window casing/ molding		Fully recessed headrail in window casing/ molding	
Blind Type	Headrail Dimensions (inches)	Minimum Depth Mount (inches)		Flush with Casing (inches)		Flush Mount with Valance (inches)
½" Supreme Micro	1 x 1½	¾		1¾		N/A
1" Supreme	1 x 1½	¾		1¾		N/A
1" Classics	1 x 1½	¾		1⅞		2½
1" Insignia	1 x 1	¾		1⅞		1¾
2" Grandeur	1½ x 2¼	¾		2⅞		3⅞

Size Considerations



Cordless Lift Blinds

Styles										
	Single Panel Cordless Lift Blinds					Multiple Blinds on One Headrail with Cordless Lift				
	Width		Height		Area	Width			Height	
	Min* (in.)	Max (in.)	Min (in.)	Max (in.)	Max (in. ²)	Min Panel* (in.)	Max Panel (in.)	Max Blind (in.)	Min Blind (in.)	Max Blind (in.)
1" Supreme Cordless with Standard Route Holes (.006 gauge slats)	18 exact	96	12	84	6,400	18	60	120 (2 on 1) 144 (3 on 1) ^Δ	12	84
1" Supreme Cordless with Hidden Holes (.006 gauge slats)	18 exact	96	12	72	5,900	18	60	120 (2 on 1) 144 (3 on 1) ^Δ	12	72
1" Supreme Cordless with Standard Route Holes (.008 gauge slats)	18 exact	96	12	84	4,835	18	60	120 (2 on 1) 144 (3 on 1) ^Δ	12	84
1" Supreme Cordless with Hidden Holes (.008 gauge slats)	18 exact	96	12	72	4,457	18	60	120 (2 on 1) 144 (3 on 1) ^Δ	12	72

*For all inside mount applications— $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

^ΔThe control for the center panel on a three-on-one cordless lift blind will always be on the left.

Depth Requirements for Inside Mount

Blind Type	Headrail Dimensions (inches)		Partially recessed headrail in window casing/molding Cord lift headrail shown		Fully recessed headrail in window casing/molding Cord lift headrail shown
		Minimum Depth Mount (inches)		Flush with Casing (inches)	
1" Supreme Cordless	1 x $2\frac{5}{16}$	$\frac{3}{4}$		$2\frac{1}{4}$	

Options

Summary

The following is a chart of options for ½", 1", and 2" aluminum blinds. Options that are available vary by blind type. See specific option for availability and detailed descriptions on the following pages.

Features	½" Supreme Micro	1" Supreme Cordless	1" Supreme	1" Classics	1" Insignia™	2" Grandeur™
Bay or Corner Window	•	•	•	•	•	•
Cloth Tapes						•
Control Location						
Standard (Tilt Left/Lift Right)	•	Tilt left	•	•	•	•
Reverse	•	Tilt right	•	•	•	•
Same Side	Over 11 ¹⁵ / ₁₆ "		Over 11 ¹⁵ / ₁₆ "	Over 13 ³ / ₄ "	Over 11 ¹⁵ / ₁₆ "	Over 16"
Cord Tilt						•
Cut-Outs	•		•	•	•	•
Double Slats			•	•		
Hidden Holes		•	•			
Inverted Slat		•	•	•	•	•
Limited Tilt	•		•	•		
Motorized Tilt						•
Multiple Blinds on One Headrail	•	•	•	•	•	•
Multi-Colored Striped Blinds	•	•	•	•		•
Projection Brackets—1¾", 2¾", 4¾" (outside mount only)	•	•	•	•	•	•
Ring Tilt and Ring Pull	•		•	•		•
Side Mount Brackets	•*	•*	•*	Standard	Standard	Standard
Sky Poles						
3 to 6½ feet	•	•	•	•		•
5 to 9½ feet	•	•	•	•		•
Top-Lock Cordlock	•		•	•		
Wand Tilt	Standard	Standard	Standard	Standard	Standard	Standard

*Available up to 60" wide.


Options

Tilt Controls



Wand Tilt

- No charge
- Standard



Cord Tilt

- No charge
- Optional on 2" aluminum only
- Blinds less than 37" in height will have a 12" cord tilt length standard

2" Grandeur™ Shown



Ring Tilt and Ring Pull

- No charge
- Optional
- Not available on 1" Supreme Cordless or 1" Insignia™
- Optional sky pole available—for surcharge, see price charts
 - Sky pole not available on 1" Insignia
- Ring pull standard length is 6" (not available from 6 $\frac{1}{16}$ " to 7 $\frac{15}{16}$ ")

Cordless Lift



- **For surcharge, see price charts**
- Great for kids' rooms—improved safety
- Choose .006 or .008 gauge 1" aluminum slats
- Cordless lift system allows blinds to be raised and lowered easily
- Cordless lift handle keeps the blind clean
- Eliminates unsightly cords
- Patented, sleek headrail design features a lightblocking lip, requires no valance (1 $\frac{1}{2}$ " x 2 $\frac{3}{16}$ " aluminum)
- Hidden headrail brackets reduce light gaps
- Gear-driven motor provides smooth, quiet operation
- Our painting process allows slats to resist dust, stains, scratches, mold, and mildew
- Color-coordinated components provide a finished look
- Choose the Hidden Holes option for more light control and privacy
- Available with side mount brackets on blinds up to 60" wide

Options

Motorized Tilt Control



- **For surcharges, additional options, sizing and accessories, see motorized blinds and shades product information guides**
- Available on 2" aluminum blinds
- Motorization will only tilt slats; raising or lowering the blind is manual with cord lift
- Blinds can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large blinds
- Efficiently manages energy (heat gain and loss)
- Tilt slats on groups of multiple blinds simultaneously or individually
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Multiple power source and controls available
- Motor located on the left side within the headrail; cord lift is on the right side
- Not available as multiple blinds on one headrail or with hold down brackets, cut-outs, or special shapes

Double Slat

- **For surcharge, see price charts**
- With the addition of second slat behind the main color, the double slat option offers a secondary color to the street-side of the blind
- Available with 1" Classics and 1" Supreme


NOTE: Blinds ordered with this option will be color-coordinated to the primary (top) slat color.

Top-Lock Cordlock


- Locks blind in fully raised position only
- Provides a uniform exterior appearance
- Ring pull with 4" controls and sky poles optional
- Available on ½" Supreme Micro, 1" Supreme, and 1" Classics

Options

Hidden Holes



Standard



Hidden Holes

- **For surcharge, see price charts**
- Provides a pristine, elegant look on 1" Supreme and 1" Supreme Cordless blinds
- Smaller route holes are placed further back on the blinds so they disappear when the blinds are closed, eliminating annoying light gaps
- Sleek, lightblocking headrail is standard and gives the ultimate privacy and light control

NOTE: This option may cause the bottom of the blind to touch the window when raised. Consider ordering projection brackets if this is a concern.

Inverted Slats



- **For surcharge, see price charts**
- Inverted slat option brings up to 38% more daylight into the room
- Reflective surface throws more natural light into the room
- Available on 1" and 2" styles; not available on ½" Supreme Micro

Control Length Chart for Cords and Wands

Finished Blind Height (inches)	Wand Length (inches)	Cord Length
Up to 36	12	Approximately ⅓ of the blind height
36⅞ to 60	20	
60⅞ to 70	30	
70⅞ to 80	40	
80⅞ to 90	50	
90⅞ to 100	60	
100⅞ to 120	72	
120⅞ to 126	96	

NOTE: The control lengths listed above may not fit your control needs based on window location or operator.
Special length cords or wands may be requested at time of ordering.

Options

Multiple Blinds on One Headrail



Gap 1/4"
(3/8" for cordless lift)

- **Surcharge: blinds to the left of the dashed line on the price charts**
- **No charge: blinds to the right of the dashed line on the price charts**
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

Options: Standard Controls

Multiple Blinds	Panel	Control Locations
Cord Lift		
Two-On-One Headrail	Left Right	Tilt/left – lift/left Tilt/right – lift right
Cordless Lift		
Two-On-One Headrail	Left Right	Tilt/left Tilt/right
Three-On-One Headrail	Left Center Right	Tilt/left Tilt/left Tilt/right

NOTE: For two-on-one headrail, no panel can have lift control located in the center of the blind. Non-standard control positions can be requested.

NOTE: The control for the center panel on a three-on-one cordless lift blind will always be on the left.

Measuring

1. Measure overall width of the area to be covered. If space permits, an overlap of 1 1/2" per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of 1/4" between blinds for operating clearance. **NOTE:** Cordless lift has minimum 3/8" gap.
3. Total width of all blinds, plus clearance(s), must equal overall width.
4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within 3/4" of floor, either from ceiling or a point at least 6 1/2" above the door frame. (Check slat count tables if blind is to completely clear the doorway.)

Ordering

1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions.
5. Add appropriate surcharge, if to the left of the dashed line on the price chart.

Limited Tilt

- Provides a uniform exterior appearance
- Reduces heat build-up in the window
- Settings are nominally 0°, 20°, 40°, 60°, and 80° (or any combination of these angles)
- Available on all 1/2" and 1" cord lift blinds, except 1" Insignia

Options

Multi-Colored Striped Blinds



Example of Repeat Pattern:

3 Slats—648 Shadow
 3 Slats—205 Arctic White
 3 Slats—771 Distant Thunder
 3 Slats—648 Shadow
 3 Slats—205 Arctic White
 1 Slat—771 Distant Thunder

- **For surcharge, see price charts**
- Multi-colored blinds are the combination of two or more colors on one blind
- Headrail, bottomrail, and installation brackets will match the color of the top slat
- Maximum of five colors can be used in a repeated or exact striped design
- Ladder supports and lifts will be color-coordinated to the headrail color
- Contact customer service to change color coordination
- Not available on 1" Insignia™

Specifying Colors

1. Make a diagram of the blind, showing height.
2. From the slat count table, determine the total number of slats.
3. Bottomrail will match the color of the last slat if color pattern consists of at least four color slats in each color group. Otherwise, it will be the color of the headrail.

Ordering

1. Please specify if an exact or repeat pattern.
 Repeat: color order repeats in a pattern
 Exact: color order is specifically defined; not in a repeated pattern
2. May specify headrail, bottomrail, ladder, and cord colors.


Example of Repeat Pattern:

Multi-color diagram (sample of 1" Supreme)

Height = 14"

Total slats = 16

Cloth Tapes



- **For surcharge, see price charts**
- Increase privacy and add a decorative touch with cloth tapes
- Only available on 2" aluminum blinds

Color	1" Cloth Tapes	1½" Cloth Tapes
Aztec Amber		2177
Beige		2011
Black	1033	2033
Chocolate		2353
Cocoa	1297	2297
Dark Grey		2857
Duck White	1136	2136
Golden Honey		2176
Light Grey		2861
Navy		2369
Shadow Grey		2178
Taupe		2659
Toffee	1296	2296
White		2005
White Smoke	1617	2617

Options

Cut-Out Blinds

- For surcharge, see price charts
- Used to work around any architectural detail
- Cut-outs are not available on cordless lift blinds

Bottom Corner and Side (Door Knob):

1" and ½" aluminum: maximum cut-out is blind width minus 10". A cut-out over 10" requires an intermediate rail.

2" aluminum: maximum cut-out is 1" before the route hole.

(A) minimum is 5".

Bottom Center:

(A) and (C) minimum is 5".

If (B) is greater than 10", there will be an intermediate rail.

Not available on 2" blinds.

Top Corner:

Maximum cut-out width is limited to ¼ of total blind width.

(A) minimum is 14".

(B) is limited to ¼ total blind width.

If (B) is greater than 8", there will be an intermediate rail.









Not available on 2" blinds.

Interior:

Both (A) and (C) minimum width is 5". Maximum width for (B) is blind width minus 20".

Not available on 2" blinds.


NOTE: Oversized cut-out could require an intermediate support rail. Slats will not lift below intermediate rail.



Options

Bay and Corner Windows

- Made as individual blinds to fit in bay or corner windows
- Each section will have its own control; we recommend opposite corners
- Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind




Measuring Information

Corner Window

Measure:

Width of each window from corner to the point you would like to cover.



Three-Sided Bay Window


Measure:

A and C: Width of side windows from the corners to the point you would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).



Four-Sided Bay Window

Measure:


A and D: Width of side windows from the corners to the point you would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).



Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you would like the blind to cover.

B, C, and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).


Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace angle onto paper, and fax to customer service.


Options

Specialty Shapes: Skylights Dual Headrail or Incline Wire Blinds



Incline Wire Features

- **For surcharge, see price charts**
- Degree from vertical cannot exceed 45 degrees
- Available in all specialty shapes except arches and circles
- Choose .006 or .008 gauge 1" aluminum slat
- 1" x 1½" steel headrail, box design
- Wand or ring tilt available left (standard) or right
- Cord lift right (standard) or left
- Color-coordinated components provide a finished look
- Sky poles for easy tilting available upon request
- Blinds inclined over 30 degrees from vertical will have marginal tilt operation
- Blinds inclined over 40 degrees from vertical will lower marginally



Dual Headrail Features

- **For surcharge, see price charts**
- For windows at more than a 45 degree angle
- Blinds are tilt only
- Choose .006 or .008 gauge 1" aluminum slat
- 1" x 1½" steel headrail, box design
- Wand or ring tilt available left (standard) or right
- Color-coordinated components provide a finished look
- Sky poles for easy tilting available upon request
- When hanging on flat ceiling surface, the tilt function is not fully functional



Sky Pole

	Incline Wire (inches)		Dual Headrail (inches)	
Minimum Width	12 exact		12 exact	
Maximum Width	122		142	
Minimum Height	12		12	
	Blind Width (inches)	Max Height (inches)	Blind Width (inches)	Max Height (inches)
Maximum Height	12 to 32	126	12 to 23	126
	32½ to 57	108	23½ to 32	102
	57½ to 92	102	32½ to 72	90
	92½ to 122	90	72½ to 142	80

Options



Specialty Shapes: Skylights Dual Headrail or Incline Wire Blinds

Measuring Information

Inside Mount

- A. Width**—Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
- B. Height**—Measure the exact height in three different places from the top edge of the opening to the top of the sill. Record the longest measurement.

Do not deduct for headrail clearance gaps. Manufacturer will make all allowances for both width and height. Headrail, tension rail, and slats will be manufactured $\frac{1}{2}$ " less than the dimension given as width. Proper deductions will be made for blind height.



Outside Mount

Measure width and height dimensions, and specify as "blind size, cut exact." The manufacturer will not make any allowances for width or height. Headrail, tension rail, and slats will equal dimensions given as width. Blind height will refer to the distance from the top of the upper bracket to the lower bracket of the installed blind and will equal dimension given as height. Do not deduct for headrail and tension rail clearance gaps.

Incline Wire Skylight

Ideal for skylights with less than a 45 degree angle.

NOTE: Blinds can lift and tilt.

- A. Width**—Measure the exact inside width of the window casing from one inside edge to the other in three different places. Record the narrowest measurement.
- B. Height**—Measure the exact height in three different places from the top edge of the opening to the top of the sill. Record the longest measurement.
- C. Rise**—The vertical measurement from the top of a window to the RUN to form a 90 degree angle.
- D. Run**—The horizontal measurement from the bottom of a window to the RISE to form a 90 degree angle.
- E. Angle**—The degree the window is slanted perpendicular (at a right angle) to the floor.
- F. Catenary**—The degree a blind may possibly bow. No measurement needed. "C" and "D" are used to calculate the angle (must be less than 45 degrees).


Dual Headrail Skylight

Ideal for skylights with more than a 45 degree angle.

NOTE: Blind is tilt only, no lift.

Options

Specialty Shapes: Arches



- **For surcharge, see price charts**
- Choose .006 or .008 gauge 1" aluminum slat
- Uses 1" x 1" steel headrail
- Valance not available
- Limitations may apply within each blind type; fax a drawing to customer service to determine availability
- May require up to four to six weeks lead time to manufacture
- A template is required for all arches except perfect arches

Size Considerations	Full Arch (inches)	Quarter Arch (inches)
Minimum Width	10	12 $\frac{3}{4}$
Maximum Width	Base 142	142
Minimum Height	5	6
Maximum Height	126	126


Controls

- Arches: tilt only left or right
- Quarter arch: low side
- Full tilt
- Cord tilt not available
- Controls: left or right
- No lift: perfect arch, non perfect arch, perfect 1/4 arch, extended perfect 1/4 arch, non perfect 1/4 arch, extended non perfect 1/4 arch

Ordering Information

- Full arch: choose specialty option A
- Quarter arch: choose specialty option F for left quarter arch and option G for right quarter arch

Specialty Shapes: Circles



- **For surcharge, see price charts**
- Choose .006 or .008 gauge 1" aluminum slat
- An illustration can be resized
- Uses 1" x 1" steel headrail
- Valance not available
- Limitations may apply within each blind type; fax a drawing to customer service to determine availability
- May require up to four to six weeks lead time to manufacture
- A template is required for all non perfect circles


Size Considerations	
Minimum Width	12" diameter
Maximum Width/Height	72"

Controls


- Wand or ring tilt available (left or right)
- Cord tilt not available
- Lift not available

Options


Specialty Shapes: Side Cut, Angle Top, Angle Bottom




Side Cut
Option V



Double Side Cut
Option V



Extended Side Cut
Option V



Extended Double Side Cut
Option V

- **For surcharge, see price charts**
- Choose .006 or .008 gauge 1" aluminum slat
- An illustration can be reversed or resized
- Uses 1" x 1½" steel headrail
- Valance not available
- Limitations may apply within each blind type; fax a drawing to customer service to determine availability
- May require up to four to six weeks lead time to manufacture
- To order, fax a signed drawing with all dimensions to customer service
- Available as incline wire for skylights

Size Considerations	Side Cuts (inches)	Angle Top and Bottom (inches)
Minimum Bottomrail	4½ exact	12 exact
Maximum Width	142	142
Minimum Height	6	12
Maximum Height	126	126
Minimum Headrail	7½	12


Controls

- Wand or ring tilt available
 - Side cuts: left, right, or same side (straight side only)
 - Angle top/angle bottom: left, right, or same side
- Lift availability depends on shape; contact customer service to determine availability
 - Lift control available low side only for angle top/angle bottom shapes


Ordering Information

Choose specialty option indicated below illustration.


- Order angle bottom for shapes with angles up to 60 degrees
- Order side cut for shapes with angles greater than 60 degrees (bottom point will have a light gap)




Angle Top
Option P



Extended Angle Top
Option P




Angle Bottom
Option B




Extended Angle Bottom
Option B

Options


Specialty Shapes: Octagons, Triangles, Other Shapes




Octagon
Option U




Extended Triangle
Option T




Triangle
Option I




Extended
Inverted Side Cut
Option I




Inverted Side Cut
Option I




Inverted Double Side Cut
Option I



Extended Inverted
Double Side Cut
Option I



Extended Offset Cut
Option I



Offset Cut
Option I

- **For surcharge, see price charts**
- Choose .006 or .008 gauge 1" aluminum slat
- An illustration can be inverted, reversed, or resized
- Uses 1" x 1½" steel headrail
- Headrail is split on many of these shapes
- Valance not available
- Limitations may apply within each blind type; fax a drawing to customer service to determine availability
- May require up to four to six weeks lead time to manufacture
- To order, fax a signed drawing with all dimensions to customer service
- Available as incline wire for skylights

Size Considerations	Octagon (inches)	Triangle (inches)	Other Shapes (inches)
Minimum Width	7½ exact headrail	12	7½ exact headrail
Maximum Width	142 or 192 maximum total combined headrail segments		
Minimum Height	18½	12	12
Maximum Height	126	126	126

Controls

- Wand or ring tilt available (left, right, or same side (straight side only))
- Lift availability depends on shape; contact customer service to determine availability

Ordering Information


Choose specialty option indicated below illustration.

Options

Making a Template for Specialty Shape Windows

1. Tape butcher paper, kraft, or construction paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the blind is an outside mount, add the desired amount of overlap to the window outline and draw a second outline around it to match the shape of the finished blind. **Be sure to erase the inside line.**
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.
NOTE: Make sure the template is of the window opening, not the glass only measurement.
5. **Cut the shape from the paper.**
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT COMPLETELY AROUND.**
7. Indicate on the template
 - “Room side” and “top” on the template
 - Purchase order number
 - Customer’s name
 - Your store name and account number
8. Roll up template and place in a mailing tube.
DO NOT FOLD TEMPLATE.

NOTE: Extended arches only need 6" below the spring line



NOTE: This is just a sample for illustration purposes only—other information may be needed for your order.

Mail to: Springs Window Fashions LLC
1500 Sycamore Rd – G5
Montoursville, PA 17754
ATTN: Specialty Dept.

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES:

Kraft paper
Butcher paper
Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS:

Newspaper	Plastic
Wax paper	Fabric
Tissue paper	Roofing paper
Existing arch blinds	Wrapping paper
Cardboard	Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, or will mark the fabric—IT WILL NOT BE USED.

Using the Template Service


To use the “template service”:

1. Select template service when entering your order online.
2. Use the template worksheet to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments. The comments have been preprogrammed to all of the measurements you need to enter for your special shape.

See note at bottom of price charts if template service fees apply.

General Information

Valance Measuring Information



Valances are supplied with your order in one of the following styles depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.

NOTE: Valances with returns are measured and cut from the **INSIDE** of the miter to ensure the most accurate fit when installed over the headrail or window frame.

Blinds ordered as an outside mount will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, wider returns will be sent automatically. Outside mount blinds are available without returns upon request. Blinds ordered as an inside mount are supplied without returns and look best when the blind and valance can be completely recessed because the ends of the valance are straight cut. Returns are available if requested at the time of order for inside mount blinds that are not completely recessed.

NOTE: Minimum return width is 1 3/4".

Additional ordering information:

- Please state at the time of order if the valance and return measurements are for the exact size required so that no additions or deductions are made.

Valance Ordering Information

Blind Type	Valance Style	Tilt Type	Return Width (inches)	Full Recess Depth (inches)
1" Classics	Deluxe two slat valance	All	2 1/16	2 1/2
1" Insignia™	Two slat valance	All	1 1/16	1 3/4
2" Grandeur™	Deluxe channel panel	All	3 5/8	3 5/8

Additional information: all measurements listed above are to the inside.

1. Full recess is from front of valance to wall.
2. Return width is from inside miter to wall.
3. Partial recess—subtract actual window recess from return width to arrive at exact return width.

General Information

Stack Height Chart

Finished Blind Height (inches)	½" Supreme Micro (inches)	1" Supreme Cordless (inches)	1" Supreme Cordless Hidden Holes (inches)	1" Supreme and 1" Classics (inches)	1" Supreme Hidden Holes (inches)	1" Insignia™ (inches)	2" Grandeur™ (inches)
10	2⅛			2	2	1⅜	3⅝
15	2¼	2⅜	2⅞	2⅛	2⅞	1⅞	3½
20	2⅞	2¼	2¼	2⅜	2¼	2	3⅝
25	2⅞	2⅞	2⅞	2¼	2⅞	2⅞	3⅞
30	2⅞	2⅞	2½	2⅞	2½	2⅞	3⅞
35	3⅞	2⅞	2⅞	2½	2⅞	2⅞	3⅞
40	3¼	2⅞	2⅞	2⅞	2⅞	2⅞	4⅞
45	3⅞	2¼	2¼	2¼	2⅞	2½	4⅞
50	3⅞	2⅞	2⅞	2⅞	3⅞	2⅞	4⅞
55	3⅞	3	3	3	3¼	2⅞	4⅞
60	4⅞	3⅞	3⅞	3⅞	3⅞	2⅞	4½
65	4⅞	3⅞	3⅞	3¼	3½	2⅞	4⅞
70	4½	3¼	3¼	3⅞	3⅞	3	4¾
75	4⅞	3⅞		3⅞	3⅞	3⅞	4⅞
80	4⅞	3½		3⅞	3⅞	3⅞	5
85	5⅞			3⅞	4⅞	3⅞	5⅞
90	5⅞			3⅞	4¼	3⅞	5¼
95	5½			3⅞	4⅞	3½	5⅞
100	5⅞			4⅞	4½	3⅞	5⅞
105	5⅞			4⅞	4⅞	3⅞	5⅞
110				4⅞	4⅞	3⅞	5⅞
115				4⅞	4⅞	3⅞	5⅞
120				4½	5⅞	4	5⅞
125				4⅞	5⅞	4⅞	6

NOTE: Estimated finished blind heights include headrail and bottomrail.

General Information

Slat Count Chart

Finished Blind Height (Inches)	1/2" Supreme Micro	1" Supreme Cordless	1" Supreme Cordless Hidden Holes	1" Supreme	1" Supreme Hidden Holes	1" Classics	1" Insignia™	2" Grandeur™
10	19			12	14	11	11	6
11	21			13	15	13	12	7
12	23	13	15	14	16	14	13	7
13	25	14	16	15	18	15	15	8
14	27	16	18	16	19	16	16	9
15	29	17	19	18	21	17	17	9
16	31	18	21	19	22	18	18	10
17	33	19	22	20	23	19	19	10
18	35	20	24	21	25	20	20	11
19	37	22	25	22	26	22	22	11
20	39	23	26	24	28	23	23	12
21	41	24	28	25	29	24	24	13
22	43	25	29	26	30	25	25	13
23	45	26	31	27	32	26	26	14
24	47	27	32	28	33	27	28	14
25	49	29	33	29	35	28	29	15
26	51	30	35	31	36	29	30	15
27	53	31	36	32	37	31	31	16
28	55	32	38	33	39	32	32	17
29	57	33	39	34	40	33	33	17
30	59	35	40	35	42	34	35	18
31	61	36	42	37	43	35	36	18
32	63	37	43	38	45	36	37	19
33	65	38	45	39	46	37	38	20
34	67	39	46	40	47	38	39	20
35	69	40	47	41	49	40	41	21
36	71	42	49	42	50	41	42	21
37	73	43	50	44	52	42	43	22
38	75	44	52	45	53	43	44	22
39	77	45	53	46	54	44	45	23
40	80	46	55	47	56	45	46	24
41	82	47	56	48	57	46	48	24
42	84	49	57	50	59	48	49	25
43	86	50	59	51	60	49	50	25
44	88	51	60	52	61	50	51	26
45	90	52	62	53	63	51	52	26
46	92	53	63	54	64	52	54	27
47	94	55	64	55	66	53	55	28
48	96	56	66	57	67	54	56	28
49	98	57	67	58	69	55	57	29
50	100	58	69	59	70	57	58	29
51	102	59	70	60	71	58	59	30
52	104	60	71	61	73	59	61	31
53	106	62	73	63	74	60	62	31
54	108	63	74	64	76	61	63	32
55	110	64	76	65	77	62	64	32
56	112	65	77	66	78	63	65	33
57	114	66	79	67	80	64	67	33
58	116	68	80	68	81	66	68	34
59	118	69	81	70	83	67	69	35
60	120	70	83	71	84	68	70	35
61	122	71	84	72	85	69	71	36
62	124	72	86	73	87	70	72	36
63	126	73	87	74	88	71	74	37
64	128	75	88	76	90	72	75	37
65	130	76	90	77	91	73	76	38
66	132	77	91	78	93	75	77	39
67	134	78	93	79	94	76	78	39
68	136	79	94	80	95	77	79	40

Finished Blind Height (Inches)	1/2" Supreme Micro	1" Supreme Cordless	1" Supreme Cordless Hidden Holes	1" Supreme	1" Supreme Hidden Holes	1" Classics	1" Insignia™	2" Grandeur™
69	138	81	95	81	97	78	81	40
70	140	82	97	83	98	79	82	41
71	143	83	98	84	100	80	83	41
72	145	84	100	85	101	81	84	42
73	147	85		86	102	83	85	43
74	149	86		87	104	84	87	43
75	151	88		89	105	85	88	44
76	153	89		90	107	86	89	44
77	155	90		91	108	87	90	45
78	157	91		92	109	88	91	46
79	159	92		93	111	89	92	46
80	161	94		94	112	90	94	47
81	163	95		96	114	92	95	47
82	165	96		97	115	93	96	48
83	167	97		98	116	94	97	48
84	169	98		99	118	95	98	49
85	171			100	119	96	100	50
86	173			102	121	97	101	50
87	175			103	122	98	102	51
88	177			104	124	99	103	51
89	179			105	125	101	104	52
90	181			106	126	102	105	52
91	183			107	128	103	107	53
92	185			109	129	104	108	54
93	187			110	131	105	109	54
94	189			111	132	106	110	55
95	191			112	133	107	111	55
96	193			113	135	108	113	56
97	195			114	136	110	114	56
98	197			116	138	111	115	57
99	199			117	139	112	116	58
100	201			118	140	113	117	58
101	203			119	142	114	118	59
102	206			120	143	115	120	59
103	208			122	145	116	121	60
104	210			123	146	117	122	61
105	212			124	148	119	123	61
106	214			125	149	120	124	62
107	216			126	150	121	126	62
108	218			127	152	122	127	63
109				129	153	123	128	63
110				130	155	124	129	64
111				131	156	125	130	65
112				132	157	127	131	65
113				133	159	128	133	66
114				135	160	129	134	66
115				136	162	130	135	67
116				137	163	131	136	67
117				138	164	132	137	68
118				139	166	133	139	69
119				140	167	134	140	69
120				142	169	136	141	70
121				143	170	137	142	70
122				144	171	138	143	71
123				145	173	139	144	71
124				146	174	140	146	72
125				148	176	141	147	73
126				149	177	142	148	73

General Information

Slat Route and Ladder Count Charts

Take any inside mount deduction before determining ladder quantity; No deduction taken on outside mount blinds.

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a joiner ball approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

½" Supreme Micro

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
5½ to 6½	1½	2	2	2
7 to 8½	2	2	2	2
9 to 11½	3	2	2	2
12 to 22	4	2	2	2
22½ to 36	4	3	2	2
36½ to 50	4	4	2	2
50½ to 64	4	5	4	3 over 60" FBW
64½ to 78	4	6	4	3
78½ to 92	4	7	4	4
92½ to 106	4	8	4	4
106½ to 120	4	9	4	

For Same Side Controls

12 to 120	4	As above	As above	As above
-----------	---	----------	----------	----------

NOTES:

1. Inside mount deduction: ¾".
2. Maximum spacing between ladders is 14".
3. Standard control positions: lift right/tilt left.

½" Supreme Micro with Side Mount Brackets

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts
7½ to 8½	2	2	2
9 to 11½	3	2	2
12 to 22	4	2	2
22½ to 36	4	3	2
36½ to 50	4	4	2
50½ to 60	4	5	4

For Same Side Controls

12 to 22	4	2	2
22½ to 36	4	3	2
36½ to 50	4	4	2
50½ to 60	4	5	4

NOTES:

1. Inside mount deduction: ¾".
2. Maximum spacing between ladders is 14".
3. Standard control positions: lift right/tilt left.

1" Supreme Cordless

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
18 to 20½	6	2	2	2
21 to 37	6½	2	2	2
37½ to 61	6½	3	2	2, 3 over 42" FBW
61½ to 85	6½	4	4	3, 4 over 72" FBW
85½ to 96	6½	5	4	4, 5 over 102" FBW

NOTES:

1. Inside mount deduction: ¾".
2. Maximum spacing between ladders is 24".
3. Standard control position: tilt left.

1" Supreme

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
5½ to 6½	1½	2	2	2
7 to 8½	2	2	2	2
9 to 11½	3	2	2	2
12 to 20½	4	2	2	2
21 to 37	6½	2	2	2
37½ to 61	6½	3	2	2, 3 over 60" FBW
61½ to 85	6½	4	4	3, 4 over 96" FBW
85½ to 109	6½	5	4	4
109½ to 133	6½	6	4	4
133½ to 142	6½	7	4	4

For Same Side Controls

12 to 20½	4	As above	As above	As above
21 to 142	6½	As above	As above	As above

NOTES:

1. Inside mount deduction: ¾".
2. Maximum spacing between ladders is 24".
3. Standard control positions: lift right/tilt left.

General Information

Slat Route and Ladder Count Charts

Take any inside mount deduction before determining ladder quantity; No deduction taken on outside mount blinds.

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a joiner ball or tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

1" Supreme with Side Mount Brackets

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts
7½ to 8½	2	2	2
9 to 11½	3	2	2
12 to 20½	4	2	2
21 to 37	6½	2	2
37½ to 60	6½	3	2

For Same Side Controls

12 to 20½	4	As above	As above
21 to 60	6½	As above	As above

NOTES:

1. Inside mount deduction: ¾".
2. Maximum spacing between ladders is 24".
3. Standard control positions: lift right/tilt left.

1" Classics

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
5½ to 6½	1½	2	2	0
7 to 8½	2	2	2	0
9 to 11½	3¼	2	2	0
12 to 20½	4	2	2	0
21 to 37	6½	2	2	0
37½ to 61	6½	3	2	1 over 60" FBW
61½ to 85	6½	4	4	1
85½ to 109	6½	5	4	2 over 96" FBW
109½ to 133	6½	6	4	2
133½ to 142	6½	7	4	2

For Same Side Controls

12 to 20½	4	As above	As above	As above
21 to 142	6½	As above	As above	As above

NOTES:

1. Inside mount deduction: ½".
2. Maximum spacing between ladders is 24".
3. Standard control positions: lift right/tilt left.

1" Insignia™

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
5½ to 8½	1½	2	2	0
9 to 11½	3	2	2	0
12 to 20½	4	2	2	0
21 to 37	6½	2	2	0
37½ to 61	6½	3	2	1 over 48" FBW
61½ to 85	6½	4	4	1
85½ to 109	6½	5	4	2 over 96" FBW
109½ to 120	6½	6	4	2

For Same Side Controls

11½ to 20½	4	As above	As above	As above
21 to 120	6½	As above	As above	As above

NOTES:

1. Inside mount deduction: ½".
2. Maximum spacing between ladders is 24".
3. Standard control positions: lift right/tilt left.

2" Grandeur™

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
9 to 10 on cord tilt only	2½	2	2	0
9 to 11½	2½	2	2	0
12 to 24	4	2	2	0
24½ to 36	6	2	2	0
36½ to 60	6	3	2	1 over 48" FBW
60½ to 84	6	4	4	2 over 72" FBW
84½ to 108	6	5	4	2
108½ to 132	6	6	4	3
132½ to 142	6	7	4	4

For Same Side Controls


16½ to 36	6	2	2	0
36½ to 60	6	3	2	1 over 48" FBW
60½ to 84	6	4	4	2 over 72" FBW
84½ to 108	6	5	4	2
108½ to 132	6	6	4	3
132½ to 142	6	7	4	4

NOTES:

1. Inside mount deduction: ½".
2. Maximum spacing between ladders is 24".
3. Standard control positions: lift right/tilt left.
4. Cloth tape ladder quantity is the same as number of ladders listed above.

General Information

½" Supreme Micro and 1" Supreme Product Detail



NOTE: A joiner ball is only used on blinds with three or more lift cords coming out of the cord lock.

General Information

1" Supreme Cordless Product Detail

Cordless lift blinds are the safest window blind alternative; ideal for homes with children and pets. Elimination of lift cords and cord loops provides a more attractive appearance.

Internal Cord Lift System

- Prevents cords from tangling or rolling on top of each other

Dust Cover

- Reduces build-up of dust and debris which would otherwise slow down internal workings

Clutch Wand Tilt

- Automatically releases to prevent damage when over rotated

Handle

- Keeps the blind clean
- A simple push or pull raises or lowers the blind

Projection Brackets

- Available in 2" or 3½" lengths
- Outside mount only
- Also used for side mount installation

Power Assembly

- Internal gear-driven motor for smooth, quiet operation and long-lasting life

Hidden Headrail Brackets

- Stable, easy to install
- Reduces light gap

Color-coordinated Headrail End Caps

- Provide a custom finished look

1½" x 2⅜" Aluminum Headrail


- Sleek, color-coordinated for a modern look
- No valance required

Hold Down Brackets

- (optional)
- Secure blind to wall, door, or window sill

General Information


1" Classics Product Detail



NOTE: A joiner ball is only used on blinds with three or more lift cords coming out of the cord lock.

General Information

1" Insignia™ Product Detail



NOTE: A joiner ball is only used on blinds with three or more lift cords coming out of the cord lock.


General Information

2" Grandeur™ Product Detail

1 5/8" x 2 1/4" Patented SureClose™

Steel Headrail

- Provides tightest closure for superior privacy and light control
- Lightblocking lip eliminates light gap between headrail and top slat
- Lower profile is less obtrusive




Box Brackets

- Make it a snap to install

Projection Brackets

- Available in medium 2 3/4" or long 4 3/4" lengths
- Outside mount only



Deluxe Channel Panel Valance

- Provides a sleek, finished appearance
- Standard valance return size is 3 1/8"


Wand Tilt

- Precision engineered for durability
- Cord tilt also available



Crash-Proof Cordlock

- Prevents sill damage



Standard Cord Cleats

- Keep cords taut and out of reach of children



Hold Down Brackets (optional)

- Secure blind to wall, door, or window sill



NOTE: A safety tassel is only used on blinds with three or more lift cords coming out of the cord lock.

Cleaning Instructions

Occasional light vacuuming with a brush attachment should keep blinds clean. More severe soiling can be removed by using a soft cloth and a mild detergent and water solution.



GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

10004-110 (corrected) (05/20)|S20-156153

GRABER.

Graber Horizontal Aluminum Blinds

Designer US Price List — Effective June 2023

Price Group A: 1/2" (1.3 cm) Supreme Micro

Height up to inches (cm) ↓	Width up to inches (cm) →																																	
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	120 (304.8)	130 (330.2)	140 (355.6)	150 (381.0)	160 (406.4)	170 (431.8)	180 (457.2)	192 (487.7)								
42 (106.7)	171	148	156	165	176	205	219	232	248	268	303	321	345	365	410	454	511	558	607	657	710	764	816	867	921	976								
48 (122)	177	156	165	181	197	222	235	254	272	289	327	350	381	401	454	500	566	609	669	726	784	843	904	961	1021	1082								
54 (137.2)	188	165	181	202	207	235	259	273	299	321	352	386	410	440	490	551	610	667	725	784	845	906	970	1029	1090	1150								
60 (152.4)	206	178	197	207	228	254	273	301	321	345	387	410	446	474	535	586	667	720	784	854	920	988	1055	1122	1189	1257								
66 (167.7)	219	195	207	228	245	273	301	321	345	367	415	445	478	509	572	634	714	774	842	915	981	1050	1119	1187	1257	1324								
72 (182.9)	229	205	226	245	260	294	321	345	367	394	445	478	509	551	610	677	764	834	905	981	1056	1132	1209	1283	1361	1434								
78 (198.2)	244	219	235	259	273	315	339	367	394	421	475	504	551	575	652	724	814	880	963	1043	1122	1203	1281	1361	1436	1518								
84 (213.4)	256	230	251	272	299	327	352	391	415	446	500	536	575	610	693	765	862	940	1026	1110	1201	1285	1374	1459	1548	1636								
90 (228.6)	270	245	268	288	313	345	386	406	445	473	530	568	609	651	733	809	918	994	1083	1170	1260	1348	1436	1527	1614	1703								
96 (243.9)	280	254	273	307	327	367	401	433	464	498	558	598	647	686	778	858	963	1043	1140	1232	1324	1420	1514	1605	1701	1795								
102 (259.1)	294	269	294	321	345	387	421	451	485	518	591	626	677	720	814	901	1010	1103	1203	1299	1398	1495	1596	1696	1794	1892								
108 (274.4)	305	279	307	330	361	405	445	478	514	551	610	661	711	757	858	946	1061	1158	1257	1363	1467	1568	1672	1774	1877	1983								

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge for blinds over 120" wide)	44	No Charge
Premium Color*	10%	

NOTE: Smallest width available 5 1/2" (14.0 cm) exact. Widths from 5 1/2" (14.0 cm) to 8 15/16" (22.8 cm) are center tilt only.

NOTE: 120" (304.8 cm) maximum single blind width (indicated by dashed line).

1/2" (1.3 cm) Supreme Micro Colors

Aluminum	034	Cement	983	Deep Coal	006	Obsidian	233
Arctic White	205	Cheesecake	112	Glossy Alabaster	065	Perfect Greige	122
Blizzard	630	Coastal Fog	026	Glossy White	005	Premier White	042
Brushed Aluminum*	121	Coffee	062	Halo	544	Vanilla Silk	376
Caramel	011	Dark Chestnut	168	Lace	629	Winter White	386

*Premium color

Price Group B: 1" (2.6 cm) Supreme Cordless

.006 Gauge Slat

		Width up to inches (cm) →																			
Height up to inches (cm) ↓		23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	144
		(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(365.8)
42 (106.7)		272	279	287	314	325	346	370	389	410	438	454	482	507	600	645	708	751	800	903	945
48 (122)		276	284	308	325	345	364	388	411	430	462	485	513	535	631	692	748	792	853	952	1007
54 (137.2)		281	307	321	332	361	382	404	428	445	491	516	537	572	669	729	788	844	900	1007	1063
60 (152.4)		302	317	326	355	373	395	423	445	469	514	537	572	595	700	759	836	890	947	1058	1115
66 (167.7)		308	325	349	370	388	416	438	467	501	534	563	590	628	733	791	877	930	997	1115	1178
72 (182.9)		317	339	362	378	410	430	458	495	516	560	590	622	664	767	838	913	978	1054	1165	1232
78 (198.2)		332	349	370	388	422	446	480	514	535	581	616	656	687	809						
84 (213.4)		346	364	382	410	439	467	503	526	560	615	646	681	713							

Add Surcharge to Blind Price

Hidden Holes	8	8	8	9	11	12	12	13	13	16	16	17	19	23	24	29	30	33	36	37
Multiple Blinds on One Headrail (no charge for blinds over 96" wide)	44															No Charge				
Premium Color*	10%																			

NOTE: The maximum single-blind size for cordless lift is 6,400 square inches (4.1m squared), indicated by the dashed lines.

The maximum single-blind size for cordless lift with Hidden Holes is 5,900 square inches (3.8m squared), indicated by the solid and/or dashed lines.

NOTE: Hidden holes only available in sizes above the heavy line

.008 Gauge Slat

		Width up to inches (cm) →																			
Height up to inches (cm) ↓		23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	144
		(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(365.8)
42 (106.7)		277	281	297	325	336	357	388	408	424	452	473	504	526	620	673	738	785	837	945	979
48 (122)		278	296	321	336	357	381	406	425	447	488	506	534	562	663	721	780	830	889	997	1049
54 (137.2)		291	319	333	341	375	398	417	444	461	509	537	564	597	696	763	828	882	944	1052	1114
60 (152.4)		316	332	337	368	391	410	441	461	493	536	564	597	620	732	794	872	933	996	1111	1167
66 (167.7)		321	336	364	387	408	433	453	490	518	562	592	616	662	767	832	922	976	1053	1170	1235
72 (182.9)		327	350	375	395	426	447	482	516	537	590	616	655	697	801	878	961	1033	1113	1225	1293
78 (198.2)		341	366	387	408	441	465	502	536	563	609	649	690	721	852						
84 (213.4)		360	378	401	426	458	493	525	552	591	644	681	714	753							

Add Surcharge to Blind Price

Hidden Holes	8	8	8	9	11	12	12	13	13	16	16	17	19	23	24	29	30	33	36	37
Multiple Blinds on One Headrail (no charge for blinds over 96" wide)	44															No Charge				
Premium Color*	10%																			

NOTE: The maximum single-blind size for cordless lift is 4,835 square inches (3.1m squared), indicated by the solid and/or dashed lines.

The maximum single-blind size for cordless lift with Hidden Holes is 4,457 square inches (2.9m squared), indicated by the solid line only.

NOTE: Hidden holes only available in sizes above the heavy line

1" (2.6 cm) Supreme Cordless Colors						
Adobe	751	Cheesecake	112	Merlot	653	Ribbed White*†
Aluminum	034	Coffee	062	Modest Gray	747	Shimmery Ivory*
Arctic White	205	Deep Blue	089	Oatmeal	541	Shimmery Snow*
Blizzard	630	Glossy Alabaster	065	Obsidian	233	Snowflake
Brushed Aluminum*	121	Glossy White	005	Pine	154	Vanilla Silk
Camel	625	Halo	544	Premier White	042	Winter White
Caramel	011	Jet Black	752	Ribbed Aluminum*†	761	
Charcoal	749	Lace	629	Ribbed Black*†	763	

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group C: 1" (2.6 cm) Supreme

.006 Gauge Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																											
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	152 (386.1)	162 (411.5)	172 (436.9)	182 (462.3)	192 (487.7)		
42 (106.7)	165	135	138	152	169	179	199	223	232	249	276	291	315	332	372	414	474	507	552	599	629	674	717	763	806	853		
48 (122)	169	138	152	171	179	201	223	238	255	274	306	322	347	366	414	462	510	552	605	653	694	748	800	855	907	965		
54 (137.2)	178	152	171	179	190	223	238	255	274	287	332	362	372	404	450	502	557	605	661	706	760	814	871	926	978	978		
60 (152.4)	199	171	179	190	220	238	255	276	291	315	362	379	411	428	485	535	605	661	712	764	814	877	938	997	1059	1120		
66 (167.7)	202	177	190	220	232	255	276	291	315	346	379	411	429	468	523	572	653	702	767	826	882	946	1009	1072	1135	1199		
72 (182.9)	212	186	201	228	244	274	291	315	346	366	411	435	468	502	557	620	694	760	826	882	943	1010	1079	1147	1217	1285		
78 (198.2)	229	199	223	238	255	287	307	339	366	387	429	468	502	533	603	661	744	801	878	943	1006	1074	1145	1216	1285	1357		
84 (213.4)	247	220	232	255	274	306	332	363	379	414	468	501	533	557	639	696	788	861	938	997	1063	1137	1216	1290	1365	1443		
90 (228.6)	256	228	249	266	287	322	362	372	411	429	485	523	552	599	669	744	826	905	982	1059	1133	1216	1297	1378	1458	1542		
96 (243.9)	263	238	255	276	294	346	369	404	428	462	510	547	595	623	702	781	878	949	1041	1119	1188	1272	1356	1436	1518	1604		
102 (259.1)	276	249	274	291	315	362	387	417	450	482	541	576	620	661	744	824	924	1006	1094	1173	1257	1347	1436	1524	1615	1703		
108 (274.4)	289	259	282	306	332	369	411	435	474	507	562	605	653	687	781	866	970	1051	1146	1232	1319	1413	1502	1595	1684	1775		
114 (289.6)	301	274	291	322	347	387	422	462	501	533	599	639	684	724	814	905	1013	1097	1207	1314	1425	1524	1623	1726	1825	1925		
120 (304.8)	304	276	306	339	366	411	435	482	516	552	620	661	706	760	861	945	1059	1156	1249	1341	1436	1539	1637	1737	1837	1937		
126 (320.1)	315	287	322	362	372	422	468	502	535	572	645	694	744	788	890	982	1104	1202	1297	1391	1483	1587	1687	1793	1898	2001		

Add Surcharge to Blind Price

Hidden Holes	8	8	8	8	9	11	12	12	13	13	16	16	17	19	23	24	29	30	33	36	37	40	43	46	49	52	
Multiple Blinds on One Headrail (no charge for blinds over 142" wide)	44																					No Charge					
Premium Color*	10%																										

NOTE: Smallest width available 5 1/2" (14.0 cm) exact. Widths from 5 1/2" (14.0 cm) to 8 15/16" (22.8 cm) are center tilt only.

NOTE: 142" (360.7 cm) maximum single blind width (indicated by dashed line).

.008 Gauge Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																											
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	152 (386.1)	162 (411.5)	172 (436.9)	182 (462.3)	192 (487.7)		
42 (106.7)	177	147	154	168	188	199	223	247	257	274	302	317	347	366	414	457	516	560	605	661	687	742	797	850	903	961		
48 (122)	179	154	168	190	199	227	247	260	279	301	339	362	379	404	457	507	563	605	668	717	764	824	882	943	999	1061		
54 (137.2)	194	168	190	199	204	247	260	279	301	315	366	395	414	444	492	552	615	668	724	778	837	897	961	1019	1079	1138		
60 (152.4)	220	190	199	204	238	260	279	302	317	347	395	418	452	474	535	591	668	724	780	844	892	962	1027	1094	1160	1224		
66 (167.7)	225	194	204	238	257	279	302	317	347	373	418	452	475	510	574	629	717	774	846	907	970	1039	1111	1178	1245	1314		
72 (182.9)	231	200	227	255	261	301	317	347	373	404	452	480	510	552	615	681	764	837	907	970	1035	1112	1188	1262	1338	1415		
78 (198.2)	249	223	247	260	279	315	341	369	404	426	475	510	552	580	667	724	820	882	967	1035	1104	1180	1257	1336	1415	1492		
84 (213.4)	263	238	257	279	301	339	366	396	418	457	510	548	580	615	702	767	866	946	1031	1101	1168	1250	1334	1419	1501	1585		
90 (228.6)	281	255	274	293	315	362	395	414	452	475	535	574	605	661	735	820	907	995	1082	1165	1245	1334	1423	1513	1601	1687		
96 (243.9)	291	260	279	302	322	373	407	444	474	507	563	600	653	686	774	861	967	1042	1146	1229	1308	1398	1487	1578	1669	1759		
102 (259.1)	301	274	301	317	347	395	426	458	492	534	597	631	681	724	820	905	1019	1104	1201	1290	1386	1483	1578	1676	1773	1866		
108 (274.4)	314	284	311	339	366	407	452	480	516	560	620	668	717	760	861	950	1070	1156	1257	1357	1453	1552	1654	1751	1853	1954		
114 (289.6)	326	301	317	362	379	426	467	507	548	580	661	702	752	794	892	995	1114	1207	1330	1446	1568	1679	1791	1904	2012	2120		
120 (304.8)	332	302	339	369	404	452	480	534	572	605	681	724	778	837	946	1036	1165	1273	1374	1478	1578	1687	1802	1913	2024	2137		
126 (320.1)	345	315	362	395	414	467	510	552	591	629	712	764	820	866	977	1082	1217	1319	1425	1533	1632	1744	1856	1970	2083	2196		

Add Surcharge to Blind Price

Hidden Holes	8	8	8	8	9	11	12	12	13	13	16	16	17	19	23	24	29	30	33	36	37	40	43	46	49	52
Multiple Blinds on One Headrail (no charge for blinds over 142" wide)	44																					No Charge				
Premium Color*	10%																									

NOTE: Smallest width available 5 1/2" (14.0 cm) exact. Widths from 5 1/2" (14.0 cm) to 8 15/16" (22.8 cm) are center tilt only.

NOTE: 142" (360.7 cm) maximum single blind width (indicated by dashed line).

1" (2.6 cm) Supreme Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

.006 Gauge Slats

Add Surcharge to Blind Price

NOTE: 142" (360.7 cm) maximum single blind width (indicated by dashed line).

Add Surcharge to Blind Price

NOTE: 142" (360.7 cm) maximum single blind width (indicated by dashed line).

[†]Textured color (only available in .008 gauge slat)

Price Group E: 1" (2.6 cm) Insignia™

.006 Gauge Slats

		Width up to inches (cm) →																											
Height up to inches (cm) ↓		12	23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	120	130	140	150	160	170	180	192		
		(30.5)	(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(304.8)	(330.2)	(355.6)	(381.0)	(406.4)	(431.8)	(457.2)	(487.7)		
42 (106.7)		131	104	110	123	132	149	157	163	174	190	216	228	249	256	288	318	364	393	428	465	498	538	571	608	645	679		
48 (122)		138	110	123	133	147	159	172	181	192	207	235	253	265	285	318	356	397	431	476	514	553	592	633	671	710	751		
54 (137.2)		150	123	133	147	152	172	181	201	214	227	254	271	288	312	347	387	434	472	511	556	605	648	696	740	785	831		
60 (152.4)		159	133	147	152	162	181	201	216	228	249	276	292	315	333	377	416	472	508	559	608	654	706	757	804	854	903		
66 (167.7)		163	141	152	162	174	201	216	228	252	262	296	316	337	362	405	447	502	546	596	648	701	755	805	860	908	963		
72 (182.9)		173	149	160	173	184	212	228	249	262	279	316	339	362	387	434	478	541	588	644	699	755	810	864	921	976	1032		
78 (198.2)		180	157	172	181	201	227	242	258	279	302	337	362	387	410	462	511	571	621	679	739	798	858	917	974	1034	1093		
84 (213.4)		188	163	176	192	214	235	254	279	296	316	362	386	410	434	490	541	608	664	725	785	850	908	973	1035	1096	1158		
90 (228.6)		197	173	190	207	225	252	271	292	315	336	377	405	431	462	522	569	645	701	766	829	895	962	1027	1093	1157	1220		
96 (243.9)		210	181	201	218	235	262	285	312	332	360	397	424	455	485	546	607	679	740	805	875	940	1007	1074	1139	1209	1274		
102 (259.1)		216	190	212	228	249	276	302	322	347	372	420	447	478	508	571	644	713	780	853	923	995	1067	1138	1211	1284	1354		
108 (274.4)		227	202	218	237	256	287	315	339	368	393	437	472	502	532	607	672	757	818	887	962	1035	1107	1182	1255	1328	1404		
114 (289.6)		232	207	231	253	270	308	332	362	387	416	455	490	528	554	631	700	781	855	928	1003	1079	1155	1230	1304	1378	1455		
120 (304.8)		240	216	238	262	285	316	340	377	400	434	477	514	549	578	653	727	814	889	967	1045	1129	1209	1287	1367	1449	1528		
126 (320.1)		251	225	254	276	302	333	362	393	418	450	495	538	569	600	679	757	841	928	1007	1093	1177	1260	1348	1431	1516	1599		

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge for blinds over 120" wide)	44	No Charge
Premium Color*	10%	

NOTE: Smallest width available 5 1/2" (14.0 cm) exact. Widths from 5 1/2" (14.0 cm) to 8 15/16" (22.8 cm) are center tilt only.

NOTE: 120" (304.8 cm) maximum single blind width (indicated by dashed line).

1" (2.6 cm) Insignia™ Colors							
Adobe	751	Clay	044	Jet Black	752	Shimmery Ivory*	326
Aluminum	034	Coastal Fog	026	Lace	629	Slate	095
Arctic White	205	Coffee	062	Merlot	653	Subtle Gray	963
Blizzard	630	Cool Chrome	737	Metallic Bronze*	758	Tranquil Taupe	175
Brushed Aluminum*	121	Dark Chestnut	168	Modest Gray	747	Truffle	060
Buttercream	100	Deep Blue	089	Oatmeal	541	Vanilla Silk	376
Camel	625	Deep Coal	006	Obsidian	233	Windswept Pewter*	756
Caramel	011	Glossy Alabaster	065	Perfect Greige	122	Winter White	386
Cement	983	Glossy White	005	Perforated Brushed Aluminum*	121P		
Charcoal	749	Golden Taupe*	126	Porcelain Beige	670		
Cheesecake	112	Halo	544	Premier White	042		

*Premium color

Price Group F: 2" (5.1 cm) Grandeur™

Height up to inches (cm) ↓	Width up to inches (cm) →																					
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	
42 (106.7)	194	167	174	189	202	232	250	270	281	308	343	364	397	416	465	522	585	632	686	742	786	
48 (122)	201	174	189	212	228	254	275	291	315	337	375	404	432	458	522	565	637	694	760	810	861	
54 (137.2)	218	189	212	228	245	275	291	317	341	361	409	443	465	496	560	618	697	760	825	886	948	
60 (152.4)	242	211	228	245	261	291	317	343	364	399	444	469	506	534	608	664	760	822	896	953	1022	
66 (167.7)	250	224	243	261	281	317	343	364	401	424	473	507	541	583	655	722	810	878	957	1029	1097	
72 (182.9)	261	235	256	278	297	338	363	399	424	450	507	550	583	618	697	771	863	948	1029	1102	1178	
78 (198.2)	275	250	275	291	317	361	391	418	450	482	541	583	618	660	746	822	922	1007	1096	1178	1253	
84 (213.4)	291	263	284	315	341	375	409	446	473	507	580	617	660	697	791	865	976	1064	1160	1249	1325	
90 (228.6)	308	278	308	334	357	401	443	468	506	536	608	655	694	738	839	922	1035	1130	1224	1317	1407	
96 (243.9)	319	291	317	350	375	424	458	496	531	575	637	684	731	779	882	970	1096	1193	1295	1385	1487	
102 (259.1)	338	310	338	363	399	444	482	523	560	599	674	723	771	822	924	1029	1143	1253	1367	1467	1561	
108 (274.4)	347	319	354	378	416	461	506	550	590	632	700	760	810	859	970	1082	1206	1309	1431	1540	1640	
114 (289.6)	364	338	364	401	432	488	531	580	617	660	738	791	852	897	1022	1130	1263	1376	1502	1612	1715	
120 (304.8)	375	350	378	417	450	506	550	594	640	684	771	825	886	945	1064	1184	1319	1438	1570	1682	1793	
126 (320.1)	387	361	401	439	468	531	580	620	670	722	804	859	922	977	1109	1224	1376	1493	1640	1749	1866	

Add Surcharge to Blind Price

Multiple Blinds on One Headrail	44
Premium Color*	10%

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: 142" (360.7 cm) maximum single blind width

With Cloth Tapes

Height up to inches (cm) ↓	Width up to inches (cm) →																					
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	
42 (106.7)	233	200	209	227	242	278	300	324	337	370	412	437	476	499	558	626	702	758	823	890	943	
48 (122)	241	209	227	254	274	305	330	349	378	404	450	485	518	550	626	678	764	833	912	972	1033	
54 (137.2)	262	227	254	274	294	330	349	380	409	433	491	532	558	595	672	742	836	912	990	1063	1138	
60 (152.4)	290	253	274	294	313	349	380	412	437	479	533	563	607	641	730	797	912	986	1075	1144	1226	
66 (167.7)	300	269	292	313	337	380	412	437	481	509	568	608	649	700	786	866	972	1054	1148	1235	1316	
72 (182.9)	313	282	307	334	356	406	436	479	509	540	608	660	700	742	836	925	1036	1138	1235	1322	1414	
78 (198.2)	330	300	330	349	380	433	469	502	540	578	649	700	742	792	895	986	1106	1208	1315	1414	1504	
84 (213.4)	349	316	341	378	409	450	491	535	568	608	696	740	792	836	949	1038	1171	1277	1392	1499	1590	
90 (228.6)	370	334	370	401	428	481	532	562	607	643	730	786	833	886	1007	1106	1242	1356	1469	1580	1688	
96 (243.9)	383	349	380	420	450	509	550	595	637	690	764	821	877	935	1058	1164	1315	1432	1554	1662	1784	
102 (259.1)	406	372	406	436	479	533	578	628	672	719	809	868	925	986	1109	1235	1372	1504	1640	1760	1873	
108 (274.4)	416	383	425	454	499	553	607	660	708	758	840	912	972	1031	1164	1298	1447	1571	1717	1848	1968	
114 (289.6)	437	406	437	481	518	586	637	696	740	792	886	949	1022	1076	1226	1356	1516	1651	1802	1934	2058	
120 (304.8)	450	420	454	500	540	607	660	713	768	821	925	990	1063	1134	1277	1421	1583	1726	1884	2018	2152	
126 (320.1)	464	433	481	527	562	637	696	744	804	866	965	1031	1106	1172	1331	1469	1651	1792	1968	2099	2239	

Add Surcharge to Blind Price

Multiple Blinds on One Headrail	44
Premium Color*	10%

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: 142" (360.7 cm) maximum single blind width

2" (5.1 cm) Grandeur™ Colors

Aluminum	034	Coastal Fog	026	Halo	544	Shimmery Snow*	637
Arctic White	205	Coffee	062	Lace	629	Snowflake	375
Blizzard	630	Dark Chestnut	168	Obsidian	233	Vanilla Silk	376
Brushed Aluminum*	121	Deep Coal	006	Perfect Greige	122	Winter White	386
Cement	983	Glossy Alabaster	065	Premier White	042		
Cheesecake	112	Glossy White	005	Shimmery Ivory*	326		

*Premium color

Price Group G: Skylights—Dual Headrail and Incline Wire

.006 Gauge 1" (2.6 cm) Slats

		Width up to inches (cm) →																				
Height up to inches (cm) ↓		12	23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	142
		(30.5)	(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(360.7)
42 (106.7)		318	287	309	319	334	416	430	443	461	472	554	589	620	633	740	786	857	897	948	1022	1096
48 (122)		334	309	324	334	349	438	458	471	488	504	589	630	655	676	798	850	918	974	1019	1103	1184
54 (137.2)		342	319	339	349	371	464	484	500	513	531	630	670	692	723	857	902	982	1038	1090	1181	1272
60 (152.4)		354	328	349	367	389	488	507	522	547	563	664	713	738	760	902	963	1055	1114	1168	1263	1361
66 (167.7)		369	342	371	385	407	510	528	551	576	596	703	749	786	807	969	1022	1128	1184	1242	1347	1451
72 (182.9)		387	360	386	404	427	531	555	579	602	629	738	792	826	854	992	1079	1194	1252	1317	1424	1533
78 (198.2)		406	380	406	423	448	563	582	605	629	641	789	841	874	912	1080	1153	1282	1348	1412	1526	1641
84 (213.4)		416	389	417	434	464	579	605	635	658	683	807	868	906	946	1128	1197	1318	1395	1466		
90 (228.6)		429	404	434	450	484	605	635	662	686	714	850	906	952	982	1181	1253	1389	1465	1545		
96 (243.9)		441	416	448	469	501	630	658	686	714	744	889	948	992	1028	1232	1315					
102 (259.1)		458	430	467	488	518	657	683	714	749	782	918	982	1031	1035	1290	1374					
108 (274.4)		467	440	477	501	535	675	706	740	776	804	957										
114 (289.6)		485	460	500	518	555																
120 (304.8)		500	471	507	531	577																
126 (320.1)		511	488	522	551	596																

Add Surcharge to Blind Price

Premium Color*	10%
----------------	-----

NOTE: Dual headrail only available in sizes above the heavy line.

NOTE: 122" (309.9cm) maximum blind width for Incline Wire (indicated by dashed line).

.008 Gauge 1" (2.6 cm) Slats

		Width up to inches (cm) →																				
Height up to inches (cm) ↓		12	23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	142
		(30.5)	(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(360.7)
42 (106.7)		342	319	339	347	367	458	472	488	507	520	608	649	676	699	813	865	946	989	1039	1128	1208
48 (122)		364	339	354	367	386	484	502	518	539	554	649	692	718	749	882	934	1013	1069	1120	1213	1300
54 (137.2)		377	347	371	386	409	510	528	548	566	587	692	736	762	797	946	992	1081	1142	1198	1299	1396
60 (152.4)		391	364	386	406	427	539	562	577	599	623	729	783	811	837	992	1060	1161	1223	1283	1389	1499
66 (167.7)		404	380	409	423	446	563	582	607	630	657	776	824	865	890	1065	1128	1236	1300	1371	1480	1590
72 (182.9)		423	398	425	443	469	587	612	633	662	691	811	870	908	939	1090	1191	1310	1375	1453	1565	1686
78 (198.2)		443	417	445	464	498	623	641	666	691	706	868	926	958	1007	1192	1272	1410	1482	1555	1684	1804
84 (213.4)		450	427	460	477	510	633	666	700	723	751	890	953	997	1036	1236	1317	1454	1535	1616		
90 (228.6)		470	443	477	500	528	666	700	724	752	784	934	997	1049	1081	1299	1378	1531	1614	1698		
96 (243.9)		483	458	498	513	549	692	723	752	784	814	976	1039	1090	1131	1357	1451					
102 (259.1)		500	472	511	539	567	720	751	784	824	857	1013	1081	1134	1137	1415	1511					
108 (274.4)		510	485	525	549	589	745	777	813	853	885	1055										
114 (289.6)		529	504	548	567	612																
120 (304.8)		547	518	562	587	631																
126 (320.1)		564	539	577	607	657																

Add Surcharge to Blind Price

Premium Color*	10%
----------------	-----

NOTE: Dual headrail only available in sizes above the heavy line.

NOTE: 122" (309.9cm) maximum blind width for Incline Wire (indicated by dashed line).

1" (2.6 cm) Specialty Shapes Colors

Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group H: Skylights—Incline Wire Specialty Shapes

Side Cuts, Inverted Triangles, Angle Tops and Bottoms

.006 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																			
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	
42 (106.7)	797	774	792	798	814	953	972	980	999	1067	1147	1187	1216	1300	1410	1454	1639	1684	1727	
48 (122)	816	792	806	814	831	976	997	1012	1028	1103	1187	1226	1252	1347	1466	1513	1701	1756	1799	
54 (137.2)	826	798	823	831	854	1002	1022	1036	1055	1131	1226	1264	1291	1391	1525	1568	1764	1820	1870	
60 (152.4)	841	813	831	851	871	1028	1050	1061	1081	1158	1258	1304	1334	1426	1568	1632	1836	1897	1950	
66 (167.7)	853	826	854	868	890	1053	1067	1090	1114	1194	1299	1344	1384	1477	1635	1693	1904	1965	2027	
72 (182.9)	870	843	870	885	908	1069	1095	1117	1141	1223	1334	1388	1423	1522	1660	1746	1972	2032	2099	
78 (198.2)	889	863	889	903	934	1105	1121	1142	1168	1236	1385	1438	1471	1580	1748	1821	2061	2127	2195	
84 (213.4)	895	871	897	916	948	1117	1142	1175	1197	1280	1404	1464	1503	1611	1791	1864	2101	2179	2249	
90 (228.6)	911	885	916	936	966	1142	1175	1198	1223	1306	1446	1503	1546	1650	1848	1919	2170	2247	2326	
96 (243.9)	922	895	934	952	980	1171	1197	1223	1253	1342	1482	1541	1586	1696	1901	1984				
102 (259.1)	939	912	951	972	999	1196	1221	1253	1290	1375	1519	1580	1626	1701	1956	2039				
108 (274.4)	951	922	958	980		1019	1218	1242	1282	1313	1401	1555								
114 (289.6)	970	946	978	999	1038															
120 (304.8)	978	953	992	1014	1059															
126 (320.1)	997	972	1007	1035	1079															

Add Surcharge to Blind Price

Premium Color*	10%
----------------	-----

Side Cuts, Inverted Triangles, Angle Tops and Bottoms

.008 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to to inches (cm) →																		
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)
42 (106.7)	826	798	823	828	851	997	1013	1028	1050	1117	1207	1242	1277	1369	1480	1533	1725	1772	1821
48 (122)	850	823	841	851	870	1022	1039	1059	1075	1147	1242	1291	1315	1415	1546	1608	1793	1856	1901
54 (137.2)	857	828	854	870	891	1053	1067	1087	1110	1184	1291	1333	1359	1465	1611	1660	1864	1924	1981
60 (152.4)	874	850	870	889	908	1075	1103	1116	1137	1218	1325	1378	1410	1503	1660	1727	1944	2006	2063
66 (167.7)	889	863	891	903	933	1105	1121	1143	1171	1253	1371	1420	1458	1559	1733	1791	2019	2083	2149
72 (182.9)	903	878	906	926	952	1130	1148	1174	1198	1290	1410	1465	1504	1608	1757	1858	2092	2157	2232
78 (198.2)	926	897	931	948	976	1158	1181	1207	1229	1300	1464	1522	1559	1672	1859	1937	2189	2265	2334
84 (213.4)	936	908	946	958	995	1174	1207	1237	1263	1347	1484	1553	1590	1702	1904	1985	2233	2315	2396
90 (228.6)	952	926	958	978	1013	1207	1237	1264	1295	1382	1531	1590	1642	1749	1966	2044	2310	2391	2479
96 (243.9)	966	939	976	998	1034	1232	1263	1295	1319	1412	1575	1639	1690	1797	2022	2118			
102 (259.1)	980	956	997	1021	1054	1260	1291	1319	1364	1454	1611	1684	1732	1805	2083	2179			
108 (274.4)	995	969	1009	1034	1069	1288	1315	1356	1391	1480	1650								
114 (289.6)	1013	983	1031	1054	1095														
120 (304.8)	1028	999	1048	1067	1116														
126 (320.1)	1049	1021	1059	1089	1137														

Add Surcharge to Blind Price

Premium Color*	10%
----------------	-----

1" (2.6 cm) Specialty Shapes Colors

Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group H: Skylights—Incline Wire Specialty Shapes (cont.)

.006 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																			
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	
42 (106.7)	954	931	948	956	973	1137	1153	1168	1187	1283	1364	1396	1426	1574	1676	1725	1965	2007	2053	
48 (122)	973	948	963	973	989	1161	1181	1196	1213	1313	1396	1441	1464	1617	1738	1784	2028	2083	2125	
54 (137.2)	980	956	976	989	1012	1191	1208	1221	1237	1343	1441	1478	1503	1662	1793	1838	2092	2145	2200	
60 (152.4)	997	972	989	1007	1028	1213	1232	1243	1269	1374	1472	1520	1546	1697	1838	1901	2165	2219	2274	
66 (167.7)	1010	980	1012	1022	1049	1235	1254	1277	1298	1404	1512	1559	1594	1746	1904	1958	2232	2293	2355	
72 (182.9)	1027	998	1027	1039	1065	1256	1282	1300	1325	1438	1546	1602	1635	1791	1928	2018	2302	2357	2427	
78 (198.2)	1048	1019	1048	1060	1089	1290	1304	1329	1350	1453	1595	1648	1685	1849	2019	2092	2388	2457	2520	
84 (213.4)	1054	1028	1055	1070	1105	1300	1329	1361	1384	1492	1619	1673	1716	1881	2061	2136	2429	2504	2574	
90 (228.6)	1066	1039	1070	1090	1121	1329	1361	1385	1410	1522	1657	1716	1759	1923	2120	2189	2494	2572	2651	
96 (243.9)	1079	1054	1089	1110	1137	1356	1384	1410	1438	1554	1697	1756	1801	1965	2170	2251				
102 (259.1)	1095	1067	1109	1130	1157	1382	1404	1438	1472	1586	1732	1793	1838	1970	2225	2310				
108 (274.4)	1109	1079	1117	1137	1174	1401	1428	1465	1499	1616	1769									
114 (289.6)	1128	1096	1135	1157	1196															
120 (304.8)	1135	1111	1146	1172	1216															
126 (320.1)	1149	1130	1161	1192	1235															

Add Surcharge to Blind Price

Premium Color*	10%
----------------	-----

Octagons, Triangles, and Other Shapes

.008 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																			
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	
42 (106.7)	980	956	976	983	1007	1181	1197	1213	1232	1330	1416	1457	1491	1635	1749	1801	2048	2096	2146	
48 (122)	1002	976	997	1007	1027	1208	1226	1240	1260	1364	1457	1503	1531	1686	1819	1868	2121	2181	2227	
54 (137.2)	1013	983	1012	1027	1050	1235	1254	1272	1295	1395	1503	1545	1574	1736	1881	1928	2191	2250	2308	
60 (152.4)	1033	1002	1027	1048	1065	1260	1288	1299	1319	1428	1539	1587	1620	1774	1928	1997	2271	2332	2389	
66 (167.7)	1048	1019	1050	1060	1087	1290	1304	1330	1356	1465	1581	1634	1672	1825	2004	2061	2347	2409	2476	
72 (182.9)	1060	1035	1061	1080	1110	1310	1338	1359	1385	1500	1620	1676	1721	1877	2028	2125	2417	2483	2558	
78 (198.2)	1080	1055	1081	1105	1134	1344	1369	1389	1415	1513	1673	1736	1772	1944	2126	2207	2517	2592	2659	
84 (213.4)	1091	1065	1096	1117	1147	1359	1389	1424	1451	1560	1698	1762	1805	1972	2174	2256	2559	2644	2722	
90 (228.6)	1110	1080	1117	1135	1171	1389	1424	1453	1477	1590	1742	1805	1858	2020	2235	2313	2639	2720	2808	
96 (243.9)	1121	1095	1134	1153	1191	1416	1451	1477	1507	1626	1785	1849	1901	2066	2294	2387				
102 (259.1)	1140	1114	1148	1175	1211	1447	1473	1507	1546	1666	1821	1897	1944	2077	2355	2447				
108 (274.4)	1147	1128	1165	1191	1227	1471	1500	1539	1577	1696	1864									
114 (289.6)	1171	1142	1187	1211	1253															
120 (304.8)	1184	1157	1198	1226	1272															
126 (320.1)	1205	1175	1216	1242	1296															

Add Surcharge to Blind Price

Premium Color*	10%
----------------	-----

1" (2.6 cm) Specialty Shapes Colors

Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group I: Arches

.006 Gauge 1" (2.6 cm) Slat

		Width up to inches (cm) →																					
Height up to inches (cm) ↓		12	23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	142	
		(30.5)	(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(360.7)	
42 (106.7)		1121	1096	1105	1114	1131	1141	1157	1175	1334	1347	1374	1388	1411	1424	1465	1500	1608	1641	1732	1774	1799	
48 (122)		1298	1274	1283	1300	1310	1333	1347	1364	1430	1453	1480	1499	1520	1587	1635	1676	1784	1820	1926	1968	2007	
54 (137.2)		1426	1401	1420	1428	1438	1465	1480	1493	1568	1581	1621	1646	1664	1742	1784	1835	1944	1988	2092	2139	2183	
60 (152.4)		1564	1539	1546	1555	1580	1602	1614	1634	1702	1727	1764	1785	1816	1883	1936	1981	2105	2153	2259	2308	2355	
66 (167.7)		1686	1660	1669	1697	1709	1727	1748	1762	1843	1868	1902	1928	1950	2036	2085	2127	2265	2310	2427	2479	2532	
72 (182.9)		1904	1881	1899	1919	1929	1958	1977	1998	2040	2061	2101	2125	2153	2187	2235	2294	2572	2634	2717	2765	2816	
78 (198.2)		2038	2012	2032	2046	2060	2092	2108	2139	2181	2200	2238	2273	2305	2327	2398	2447	2735	2792	2880	2937	2993	
84 (213.4)		2171	2145	2162	2179	2196	2227	2250	2276	2312	2342	2389	2422	2447	2472	2549	2599	2894	2962	3051	3105	3166	
90 (228.6)		2182	2157	2171	2191	2208	2246	2274	2293	2340	2357	2408	2441	2470	2512	2574	2644	2929	3001	3094	3163	3227	
96 (243.9)		2191	2166	2179	2200	2216	2262	2288	2313	2356	2387	2433	2466	2508	2534	2605	2678	2977	3040	3148	3216	3278	
102 (259.1)		2200	2171	2196	2213	2235	2274	2302	2327	2374	2403	2461	2489	2531	2565	2644	2717	3020	3091	3194	3270	3345	
108 (274.4)		2208	2183	2205	2227	2250	2288	2321	2347	2396	2429	2478	2519	2559	2595	2678	2754	3062	3133	3244	3318	3399	
114 (289.6)		2222	2196	2213	2246	2265	2302	2333	2367	2422	2447	2512	2549	2588	2626	2708	2792	3099	3177	3300	3395	3501	
120 (304.8)		2225	2200	2227	2256	2279	2321	2347	2388	2436	2470	2531	2565	2609	2655	2751	2827	3143	3227	3339	3424	3507	
126 (320.1)		2235	2208	2246	2274	2293	2333	2374	2408	2451	2485	2553	2598	2644	2684	2778	2863	3182	3274	3379	3467	3549	

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

.008 Gauge 1" (2.6 cm) Slat

		Width up to inches (cm) →																					
Height up to inches (cm) ↓		12	23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	142	
		(30.5)	(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(360.7)	
42 (106.7)		1135	1111	1116	1130	1143	1157	1175	1197	1357	1371	1396	1412	1441	1456	1500	1539	1648	1690	1779	1825	1858	
48 (122)		1310	1288	1298	1317	1329	1350	1370	1385	1456	1477	1511	1531	1553	1621	1672	1722	1833	1868	1981	2028	2074	
54 (137.2)		1445	1418	1438	1447	1454	1484	1503	1519	1594	1611	1653	1684	1698	1779	1824	1881	1996	2040	2149	2202	2251	
60 (152.4)		1580	1555	1564	1574	1602	1620	1635	1660	1732	1756	1799	1821	1849	1924	1981	2032	2162	2213	2321	2381	2427	
66 (167.7)		1701	1673	1690	1716	1733	1749	1776	1789	1870	1901	1937	1966	1988	2080	2134	2182	2324	2374	2494	2557	2613	
72 (182.9)		1923	1898	1916	1942	1953	1985	2004	2028	2075	2093	2141	2166	2196	2232	2289	2353	2639	2703	2792	2845	2903	
78 (198.2)		2059	2032	2051	2067	2083	2120	2141	2168	2213	2233	2277	2313	2353	2375	2451	2508	2807	2863	2962	3024	3085	
84 (213.4)		2191	2166	2182	2202	2222	2256	2279	2310	2348	2383	2433	2467	2493	2525	2605	2664	2965	3038	3136	3199	3265	
90 (228.6)		2204	2179	2196	2215	2235	2274	2308	2326	2375	2398	2451	2487	2519	2565	2639	2710	3003	3084	3184	3262	3334	
96 (243.9)		2214	2187	2202	2225	2246	2294	2320	2355	2396	2429	2479	2515	2559	2592	2670	2751	3057	3127	3244	3317	3387	
102 (259.1)		2222	2196	2222	2238	2265	2308	2334	2366	2412	2448	2511	2539	2587	2626	2710	2792	3101	3182	3288	3374	3461	
108 (274.4)		2234	2207	2232	2256	2279	2320	2360	2387	2436	2475	2531	2572	2619	2655	2751	2833	3153	3227	3345	3437	3526	
114 (289.6)		2248	2222	2238	2274	2296	2334	2373	2410	2467	2493	2565	2605	2649	2691	2780	2874	3191	3276	3409	3517	3625	
120 (304.8)		2249	2225	2256	2288	2313	2360	2387	2433	2485	2519	2587	2626	2673	2725	2828	2910	3240	3339	3448	3544	3637	
126 (320.1)		2261	2235	2274	2308	2326	2373	2414	2451	2497	2536	2613	2659	2710	2754	2861	2954	3284	3381	3501	3596	3683	

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

1" (2.6 cm) Specialty Shapes Colors							
Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group J: Circles

.006 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →															
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)		
42 (106.7)	1066	1039	1130	1219	1315	1438	1562	1693	1824	1945	2107	2259	2414	2568		
48 (122)	1069	1049	1135	1236	1329	1457	1580	1703	1841	1968	2139	2289	2443	2598		
54 (137.2)	1080	1055	1153	1243	1334	1472	1595	1721	1861	1984	2162	2320	2471	2634		
60 (152.4)	1102	1070	1165	1254	1361	1491	1611	1740	1877	2011	2183	2341	2497	2654		
66 (167.7)	1106	1079	1172	1282	1375	1500	1632	1753	1901	2036	2205	2366	2520	2691		
72 (182.9)	1113	1087	1187	1291	1384	1520	1644	1778	1926	2053	2232	2389	2553	2724		

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

.008 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →															
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)		
42 (106.7)	1079	1054	1137	1232	1333	1454	1580	1709	1847	1968	2136	2283	2443	2598		
48 (122)	1082	1059	1147	1254	1344	1477	1604	1727	1864	1996	2166	2320	2475	2634		
54 (137.2)	1095	1067	1172	1263	1350	1493	1619	1742	1885	2011	2191	2355	2508	2670		
60 (152.4)	1116	1090	1181	1272	1382	1511	1634	1764	1902	2038	2216	2375	2537	2695		
66 (167.7)	1120	1095	1191	1299	1395	1525	1657	1779	1928	2066	2245	2403	2559	2733		
72 (182.9)	1131	1105	1207	1310	1402	1545	1669	1805	1957	2087	2271	2430	2596	2771		

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

NOTE: To price, use larger number for width.

1" (2.6 cm) Specialty Shapes Colors

Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group K: Side Cuts, Inverted Triangles, Angle Top and Angle Bottom

.006 Gauge 1" (2.6 cm) Slat

Height up to inches (cm) ↓	Width up to inches (cm) →																					
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)	
42 (106.7)	632	607	609	623	635	706	720	740	752	823	850	863	885	972	1012	1049	1213	1242	1288	1482	1511	
48 (122)	635	609	623	636	649	724	740	756	770	845	875	891	912	999	1049	1089	1252	1288	1334	1534	1574	
54 (137.2)	645	623	636	649	657	740	756	770	789	859	897	922	939	1035	1075	1130	1291	1334	1384	1581	1632	
60 (152.4)	664	636	649	657	683	756	770	792	804	885	922	947	972	1059	1111	1153	1334	1384	1428	1635	1684	
66 (167.7)	669	642	657	683	696	770	792	804	827	911	947	972	989	1092	1142	1191	1378	1423	1480	1694	1744	
72 (182.9)	673	652	670	691	703	789	804	827	854	933	972	995	1022	1130	1175	1232	1415	1473	1535	1744	1797	
78 (198.2)	691	666	686	700	714	800	823	850	874	951	989	1022	1055	1147	1219	1269	1458	1513	1581	1797	1856	
84 (213.4)	712	683	696	714	731	822	843	870	889	974	1022	1054	1079	1175	1252	1303	1500	1565	1635	1848	1907	
90 (228.6)	717	691	708	724	745	837	868	884	912	989	1038	1069	1103	1216	1280	1347	1535	1608	1684	1904	1970	
96 (243.9)	724	700	714	733	752	854	878	906	933	1019	1065	1095	1137	1236	1306	1384	1581	1646	1733	1957	2020	
102 (259.1)	733	708	731	749	774	868	891	918	951	1036	1090	1121	1161	1269	1347	1416	1621	1697	1778	2011	2087	
108 (274.4)	745	718	740	762	786	878	912	938	972	1060	1111	1147	1194	1298	1384	1457	1668	1740	1825	2061	2143	
114 (289.6)	755	731	749	782	798	891	926	958	997	1079	1142	1176	1221	1329	1411	1493	1702	1780	1882	2139	2238	
120 (304.8)	756	733	762	792	814	912	938	978	1013	1103	1161	1197	1240	1361	1454	1531	1748	1836	1923	2165	2249	
126 (320.1)	771	745	782	807	826	926	966	998	1028	1117	1187	1229	1277	1388	1480	1565	1789	1881	1965	2207	2293	

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

.008 Gauge 1" (2.6 cm) Slat

		Width up to inches (cm) →																				
Height up to inches (cm) ↓		12	23	26	29	32	36	40	44	48	52	57	62	67	72	82	92	102	112	122	132	142
		(30.5)	(58.5)	(66.1)	(73.7)	(81.3)	(91.5)	(101.6)	(111.8)	(122)	(132.1)	(144.8)	(157.5)	(170.2)	(182.9)	(208.3)	(233.7)	(259.1)	(284.5)	(309.9)	(335.3)	(360.7)
42 (106.7)		642	620	624	633	655	720	740	762	776	845	874	889	912	999	1049	1081	1254	1295	1334	1539	1565
48 (122)		649	624	633	657	666	745	762	782	794	871	903	922	947	1035	1081	1132	1298	1334	1389	1590	1635
54 (137.2)		662	633	657	666	671	762	782	794	813	885	933	956	974	1069	1117	1172	1343	1389	1445	1646	1698
60 (152.4)		679	657	666	671	700	782	794	814	828	912	956	978	1009	1096	1153	1207	1389	1445	1493	1703	1753
66 (167.7)		687	662	671	700	717	794	814	828	857	946	978	1009	1031	1135	1192	1237	1438	1484	1554	1769	1824
72 (182.9)		693	669	689	714	723	813	828	857	885	963	1009	1035	1065	1172	1227	1291	1478	1541	1614	1824	1882
78 (198.2)		713	686	706	720	736	827	851	878	906	982	1031	1065	1103	1197	1274	1329	1531	1586	1664	1882	1945
84 (213.4)		724	700	717	736	756	850	874	902	922	1013	1065	1096	1130	1227	1306	1370	1574	1644	1722	1942	2006
90 (228.6)		738	714	731	751	774	868	897	916	952	1031	1081	1120	1147	1269	1342	1415	1614	1693	1772	2004	2077
96 (243.9)		746	720	736	760	782	885	911	947	972	1060	1114	1143	1194	1296	1374	1454	1664	1736	1825	2060	2127
102 (259.1)		755	731	756	776	798	897	931	957	989	1080	1141	1174	1219	1329	1415	1493	1707	1789	1877	2118	2204
108 (274.4)		770	744	767	792	814	911	952	976	1013	1110	1161	1207	1253	1361	1454	1535	1757	1836	1929	2174	2265
114 (289.6)		785	756	776	807	828	931	963	1002	1039	1130	1197	1236	1283	1393	1482	1577	1797	1882	1992	2259	2367
120 (304.8)		786	760	792	823	851	952	976	1027	1060	1147	1219	1256	1304	1428	1533	1616	1847	1944	2036	2288	2381
126 (320.1)		797	774	807	843	863	963	1009	1048	1075	1171	1242	1296	1344	1457	1562	1657	1891	1988	2083	2334	2427

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

1" (2.6 cm) Specialty Shapes Colors

Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Price Group L: Octagons, Triangles

.006 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																				
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)
42 (106.7)	789	762	767	777	794	890	906	926	938	1035	1060	1070	1096	1237	1282	1315	1539	1574	1614	1824	1849
48 (122)	794	767	777	795	804	911	926	946	953	1059	1089	1109	1130	1272	1315	1359	1577	1614	1662	1875	1911
54 (137.2)	800	777	795	804	811	926	946	953	973	1069	1114	1135	1148	1303	1347	1395	1617	1662	1707	1924	1970
60 (152.4)	823	795	804	811	838	946	953	974	989	1096	1135	1157	1184	1329	1382	1424	1662	1707	1756	1977	2020
66 (167.7)	826	798	811	838	853	953	974	989	1013	1128	1157	1184	1205	1364	1412	1457	1702	1748	1806	2033	2085
72 (182.9)	831	806	826	850	859	973	989	1013	1038	1142	1184	1208	1235	1395	1447	1503	1742	1801	1862	2085	2139
78 (198.2)	846	823	841	857	870	983	1007	1034	1059	1161	1205	1235	1269	1420	1491	1539	1785	1841	1910	2139	2195
84 (213.4)	865	838	853	870	889	1002	1028	1054	1069	1191	1235	1264	1295	1447	1520	1575	1825	1897	1963	2189	2249
90 (228.6)	874	850	865	884	902	1021	1053	1066	1096	1205	1253	1288	1313	1482	1546	1617	1862	1931	2007	2247	2312
96 (243.9)	884	857	870	890	908	1038	1061	1090	1116	1229	1280	1306	1350	1507	1579	1650	1910	1972	2060	2301	2361
102 (259.1)	890	865	889	903	931	1053	1075	1109	1134	1252	1303	1334	1375	1539	1617	1690	1951	2022	2103	2353	2429
108 (274.4)	902	875	895	916	946	1061	1096	1121	1153	1274	1319	1364	1404	1565	1650	1727	1996	2066	2153	2402	2485
114 (289.6)	913	889	903	936	956	1075	1111	1143	1181	1295	1357	1391	1432	1595	1684	1762	2032	2107	2207	2478	2578
120 (304.8)	915	890	916	948	973	1096	1121	1165	1197	1313	1375	1411	1456	1632	1725	1799	2077	2165	2249	2504	2588
126 (320.1)	928	902	936	966	980	1111	1147	1184	1213	1330	1396	1446	1491	1657	1749	1836	2118	2205	2293	2550	2634

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

.008 Gauge 1" (2.6 cm) Slats

Height up to inches (cm) ↓	Width up to inches (cm) →																				
	12 (30.5)	23 (58.5)	26 (66.1)	29 (73.7)	32 (81.3)	36 (91.5)	40 (101.6)	44 (111.8)	48 (122)	52 (132.1)	57 (144.8)	62 (157.5)	67 (170.2)	72 (182.9)	82 (208.3)	92 (233.7)	102 (259.1)	112 (284.5)	122 (309.9)	132 (335.3)	142 (360.7)
42 (106.7)	798	776	782	792	807	906	926	948	957	1059	1087	1103	1130	1272	1315	1356	1580	1619	1662	1881	1907
48 (122)	804	782	792	811	823	933	948	963	976	1081	1117	1135	1157	1303	1356	1401	1621	1662	1716	1931	1977
54 (137.2)	816	792	811	823	827	948	963	976	998	1096	1142	1171	1191	1343	1388	1445	1668	1716	1769	1988	2039
60 (152.4)	838	811	823	827	857	963	976	999	1014	1130	1171	1194	1221	1370	1424	1473	1716	1769	1820	2046	2093
66 (167.7)	841	814	827	857	874	976	999	1014	1039	1153	1194	1221	1240	1404	1458	1511	1762	1816	1881	2107	2166
72 (182.9)	850	824	845	870	882	998	1014	1039	1067	1175	1221	1243	1280	1445	1499	1560	1805	1868	1937	2166	2222
78 (198.2)	868	841	863	878	891	1013	1035	1061	1090	1197	1240	1280	1313	1466	1541	1595	1858	1915	1990	2222	2288
84 (213.4)	884	857	874	891	912	1034	1059	1087	1110	1226	1280	1310	1342	1499	1579	1639	1899	1970	2046	2279	2347
90 (228.6)	893	870	889	906	931	1053	1081	1105	1135	1240	1298	1333	1364	1539	1611	1686	1937	2018	2096	2342	2414
96 (243.9)	903	878	891	915	936	1067	1095	1131	1153	1274	1325	1359	1404	1564	1642	1725	1990	2061	2153	2401	2471
102 (259.1)	913	889	912	933	956	1081	1114	1142	1174	1296	1356	1388	1430	1595	1686	1762	2036	2118	2204	2457	2548
108 (274.4)	922	897	922	948	973	1095	1135	1161	1197	1318	1375	1416	1465	1632	1725	1805	2085	2165	2259	2517	2605
114 (289.6)	938	912	933	966	983	1114	1146	1191	1226	1342	1411	1453	1497	1664	1753	1847	2123	2207	2320	2598	2709
120 (304.8)	942	915	948	976	1007	1135	1161	1211	1242	1364	1430	1471	1520	1698	1801	1883	2171	2271	2361	2627	2720
126 (320.1)	954	931	966	998	1019	1146	1194	1227	1260	1384	1457	1507	1559	1727	1833	1926	2216	2313	2409	2674	2765

Add Surcharge to Blind Price

Premium Color*	10%
Template Service (net per order)	25

1" (2.6 cm) Specialty Shapes Colors

Adobe	751	Coffee	062	Merlot	653	Ribbed White*†	760
Aluminum	034	Cool Chrome	737	Metallic Bronze*	758	Shadow	648
Arctic White	205	Dark Chestnut	168	Modest Gray	747	Shimmery Ivory*	326
Blizzard	630	Deep Blue	089	Oatmeal	541	Shimmery Snow*	637
Brushed Aluminum*	121	Deep Coal	006	Obsidian	233	Slate	095
Buttercream	100	Distant Thunder	771	Oyster	724	Snowflake	375
Camel	625	Glossy Alabaster	065	Perfect Greige	122	Subtle Gray	963
Caramel	011	Glossy White	005	Perforated Brushed Aluminum*	121P	Timeless Gray	405
Cement	983	Golden Taupe*	126	Pine	154	Tranquil Taupe	175
Charcoal	749	Graphite	680	Porcelain Beige	670	Truffle	060
Cheesecake	112	Halo	544	Premier White	042	Vanilla Silk	376
Clay	044	Jet Black	752	Ribbed Aluminum*†	761	Windswept Pewter*	756
Coastal Fog	026	Lace	629	Ribbed Black*†	763	Winter White	386

*Premium color

†Textured color (only available in .008 gauge slat)

Options Pricing

Cloth Tapes	See price charts; 2" (5.1cm) Grandeur™ only
Bay and Corner Window	No charge
Cut-outs	67
Double Slat	Double blind price
Hidden Holes	See price charts
Hold Down Brackets	No charge
Inverted Slats	20
Limited Tilt	No charge
Motorized Lift	See motorization product information guide
Multi-Colored	25 Second color
Striped Blinds	10 All additional colors 10 Each additional blind of the same size and pattern on the same order
Multiple Blinds on One Headrail	See price charts
Premium Colors	10%
Projection Brackets: 1 3/4" (4.5 cm), 2 3/4" (7.0 cm), 4 3/4" (12.1 cm)	No charge
Ring Pull/Ring Tilt	No charge
Shims: 3/16" (0.5 cm)	No charge
Sky Poles	46 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 70 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
Template Service	25 (net per order)
Top Lock	No charge
Wood Cornices and Wood Valances	See cornices and valances product information guide