

GRABER® | DELIGHT IN
EVERY DETAIL



Graber Exterior Solar Shades English/US Price Guide

EXTERIOR SOLAR SHADES

Product Information Guide

Features

Summary	2
Fabric Styles and Information: Exterior Solar Shades	2-3
Light Gaps.	3
Fabric Recommendations	3
Fabric Disclaimers	3
Large Window Sizing	3
Light Control and Privacy	3
Fabric Certifications	3

Size Considerations

Continuous-Loop Lift and Motorized Lift: Maximum Shade Size	4
How to Determine Maximum Shade Size	5
Planning for Installation of Exterior Shades	5
Depth Requirements for Inside Mount	6
Guide Cables	6
Motor Power Cable.	6

Options

Summary.	7
Reverse Roll	7
Continuous-Loop Lift	7
Curved Cassette Valance	7
Motorized Lift	8

General Information

Exterior Continuous-Loop Lift Product Detail	9
Exterior Motorized Lift Shade Product Detail	10

GRABER®

MARCH 2023

(03/23) 23-430600

Features

Exterior Solar Shades Expand Your Outdoor Living Space

- Maintain an outdoor view
 - Filter and diffuse light while maintaining an outward view
 - The higher the openness factor and the darker the fabric, the clearer the view
- Manage glare
 - Minimize glare on televisions and home office computers
 - The darker the fabric color, the better the glare control and visibility
- Block damaging UV rays
 - The amount of UV ray blockage is the inverse of a fabric's openness factor (i.e., a fabric with 10% openness blocks 90% of UV rays)
 - Protect furniture, carpets, artwork, etc. from fading due to harmful UV rays

- Temperature control
 - Exterior shades reduce solar heat gain before it enters the house, reducing air conditioning costs
 - Solar fabrics reduce heat transmittance, keeping rooms cooler and increasing the comfort level in your home
 - The lighter the fabric color, the better the temperature control

IMPORTANT: Shades must be raised fully during inclement weather and windy conditions. Raise shade in winds exceeding a moderate breeze (13–18 mph: small tree branches move, dust is picked up from the ground surface)

Fabric Styles and Information: Exterior Solar Shades

Style Name	Openness	UV Blockage	Fabric Composition	Useable Fabric Width (inches)	GREENGUARD Certified	Anti-Microbial	FR Rated	Can be Railroaded Turned 90° (width for height)	Can be Seamed	Color Number
Broadcast	1%	99%	25% polyester/ 75% vinyl on polyester	116	•	•	•	•	•	All
Chronicles	4%	96%	15% polyester/ 85% vinyl on polyester	96	•	•	•		•	All
Exposition	8%	92%	26% Polyester/ 74% Vinyl on Polyester	96	•	•	•		•	All
Merit	4%	96%	15% polyester/ 85% vinyl on polyester	96	•	•	•		•	All
Monticello	7%	93%	23.8% polyester/ 76.2% vinyl on polyester	96	•	•	•	•		All
Pannier	10%	90%	85% PVC/15% Polyester	96	•	•	•			All
Plexus 1%	1%	99%	19% polyester/ 81% vinyl on polyester 25% Polyester/75% Vinyl on Polyester	116	•	•	•	•	•	47611, 47612 47610, 47604, 47606, 47613, 47609, 47608, 47603, 47602, 47605, 47607
Plexus 3%	3%	97%	19% polyester/ 81% vinyl on polyester 25% Polyester/75% Vinyl on Polyester	116	•	•	•	•	•	47711, 47712 47710, 47704, 47706, 47713, 47709, 47708, 47703, 47702, 47705, 47707
Plexus 5%	5%	95%	13% Polyester/87% Vinyl on Polyester 25% Polyester/75% Vinyl on Polyester	116	•	•	•	•	•	47812, 47811 47810, 47804, 47806, 47813, 47809, 47808, 47803, 47802, 47805, 47807
Standard Weave 1%	1%	99%	21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester 25% polyester/ 75% vinyl on polyester	124	•	•	•	•	•	47905, 47907, 47908 47901, 47906 47903, 47904
Standard Weave 3%	3%	97%	18% polyester/ 82% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48203, 48204 48205, 48207, 48208 48201
Standard Weave 5%	5%	95%	16% polyester/ 84% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48303, 48304 48305, 48307, 48308 48301

Features

Fabric Styles and Information: Exterior Solar Shades

Style Name	Openness	UV Blockage	Fabric Composition	Useable Fabric Width (inches)	GREENGUARD Certified	Anti-Microbial	FR Rated	Can be Railroaded Turned 90° (width for height)	Can be Seamed	Color Number
Standard Weave 10%	10%	90%	16% polyester/ 84% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	116	•	•	•	•	•	48403, 48404 48405, 48407, 48408 48401
Steel House	8%	92%	70% PVC/30% Polyester	96	•		•			All
Vanguard 1%	1%	99%	21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester 25% polyester/ 75% vinyl on polyester	124	•	•	•	•	•	47912, 47913, 47914, 47918, 47917 47909, 47911, 47915, 47916 47910
Vanguard 3%	3%	97%	18% polyester/ 82% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48210 48212, 48213, 48214, 48217, 48218 48209, 48211, 48215, 48216
Vanguard 5%	5%	95%	16% polyester/ 84% vinyl on polyester 21% polyester/ 79% vinyl on polyester 24% polyester/ 76% vinyl on polyester	124	•	•	•	•	•	48310 48312, 48313, 48314, 48317, 48318 48309, 48311, 48315, 48316

Light Gaps

A light gap will be present on inside mounted shades. An outside mount with overlap is recommended to eliminate light gap.

Control Type	Light Gap Per Side (inches)
Continuous-Loop Lift No Cassette	$\frac{1}{16}$ to $\frac{13}{16}$
Continuous-Loop Lift with Cassette	$\frac{1}{16}$ to 1
Motorized Lift with Cassette	1 to $1\frac{1}{16}$

Fabric Recommendations

Please order all shades at the same time to ensure color consistency and minimize dye lot variation.

Fabric Disclaimers

Due to the nature of the weaving process, some imperfection in the weave is normal.

Roll direction cannot be reversed after a shade is ordered.

Fabric appearance can vary based on changing lighting conditions.

Fabrics turned width for height (referred to as railroaded) may curl along the edge. With extremely wide or railroaded shades, a V shape may appear in the center of the panel. This occurs due to the weight of the fabric. This is not a defect in the product.

Fabric Certifications

GREENGUARD Indoor Air Quality Certified® Fabrics: Many Graber® fabrics have been certified by GREENGUARD Environmental Institute (GEI) to be low chemical and particle emitting fabrics, providing a healthier indoor air quality. The process used for certification complies with established indoor air quality standards and is performed by a third party lab. Please see graberblinds.com for more information.

[greenguard.org](https://www.greenguard.org)

GREENGUARD Indoor Air Quality Certified is a registered trademark of the GREENGUARD Environmental Institute.

March 2023

Large Window Sizing

Some fabrics can be turned 90° clockwise (width for height) to accommodate wider windows. In these cases some solar fabrics can be seamed for longer lengths. Fabrics turned width for height (referred to as railroaded) may curl along the edge. This is not a defect in the product.

Light Control and Privacy

Privacy: Solar shades do not offer nighttime privacy—lighted interiors allow inward visibility. If complete privacy is desired, consider adding an additional window treatment.



Size Considerations

Continuous-Loop Lift and Motorized Lift: Maximum Shade Size

Continuous-Loop Lift and Motorized Lift: Maximum Shade Size										
Valance Type	Normal Fabric Orientation				Fabric Turned Width for Height (Railroaded)					
	Continuous-Loop Lift Medium Cassette		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance		Continuous-Loop Lift Medium Cassette		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance at Max Length		Continuous-Loop Lift Large Cassette/ No Cassette/ No Valance at Max Width	
	Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
Broadcast	76	118	116	144	76	118	121	144	121	144
Chronicles	96	118	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Exposition	82	104	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Guildhall	96	102	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Merit	96	118	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Monticello	80	108	96	144	83	86	114	83	144	80
Pannier	81	104	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Plexus 1%	74	109	116	124	74	109	118	122	118	122
Plexus 3%	74	114	114	133	74	114	121	124	121	124
Plexus 5%	74	119	116	136	74	119	121	130	121	130
Standard Weave 1% (Calcite; Polished)	108	114	124	144	108	114	139	144	139	144
Standard Weave 1% (Veranda; Café Doppio; Chiseled)	106	121	124	144	106	121	136	144	136	144
Standard Weave 10% (Calcite; Polished)	110	134	116	144	110	134	144	144	144	144
Standard Weave 10% (Veranda; Café Doppio; Chiseled)	108	130	116	144	108	130	143	144	143	144
Standard Weave 3% (Calcite; Polished)	108	123	124	144	108	123	141	144	141	144
Standard Weave 3% (Veranda; Café Doppio; Chiseled)	107	122	124	144	107	122	139	144	139	144
Standard Weave 5% (Calcite; Polished)	110	123	124	144	110	123	142	144	142	144
Standard Weave 5% (Veranda; Café Doppio; Chiseled)	108	127	124	144	108	127	141	144	141	144
Steel House	82	121	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Vanguard 1% (Authentic; Gentle Beige; Chrome; Peloton)	108	114	124	144	108	114	139	144	139	144
Vanguard 1% (Elusive; Macedonia; Dew; Homage; Peloton)	106	121	124	144	106	121	136	144	136	144
Vanguard 3% (Authentic; Gentle Beige; Chrome; Peloton)	108	123	124	144	108	123	141	144	141	144
Vanguard 3% (Elusive; Macedonia; Dew; Homage; Peloton)	107	122	124	144	107	122	139	144	139	144
Vanguard 5% (Authentic; Gentle Beige; Chrome; Peloton)	110	123	124	144	110	123	142	144	142	144
Vanguard 5% (Elusive; Macedonia; Dew; Homage; Peloton)	108	127	124	144	108	127	141	144	141	144

"NO RR" signifies a fabric that cannot be rotated 90 degrees in order to add to the maximum width for a shade.

Due to continuous manufacturing improvements, minimums and maximums are subject to change. These tables provide approximate maximum size available by fabric and cassette. Seams may be added to fabrics to accommodate long shade requirements. For shades longer than material width, seams will be visible when the shade is fully extended.

Size Considerations

How to Determine Maximum Shade Size

Follow these easy steps to determine approximate maximum size and valance size from the maximum shade size tables.

1. Determine your fabric style, shade size, and cassette (or no cassette for continuous-loop lift) requirement.
2. Find the fabric in the first column.
3. Determine if your shade size is within the normal fabric orientation size range.
4. Identify the appropriate size cassette (or no cassette for continuous-loop lift) for your shade size.
5. If your shade size is larger than either the maximum width or height range, your fabric may be able to be turned width for height for larger shades. Use the fabric turned width for height (railroaded) table.

EXAMPLE: Determine approximate maximum size and cassette for normal orientation shades. The example continuous-loop lift shade is 110" x 120" Vanguard 5% with cassette.

1. Find Vanguard 5% in the first column.
2. Follow the Vanguard 5% fabric row to the width and height sizes.
3. The maximum width and maximum height in normal fabric orientation available for this configuration is 117" x 144".
NOTE: Both width and height must be less than the maximum width and height segment to fit the normal shade orientation.
4. Follow this segment to the top of the table. This segment is within the large cassette size indicating this shade's smallest segment cassette size available is a large size cassette.


Planning for Installation of Exterior Shades

Use the following planning guidelines for your exterior shade:

1. Determine the location of the shade.
2. Motorized lift shade: Determine the exterior power location. Measure the distance from the planned shade location to the electrical outlet or jbox to order the motor power cable lead length (10 feet).
3. Determine the side of the shade (left or right) the bead chain for continuous-loop lift or the motor power cable for motorized lift should exit.
4. For top mounts, large cassette installation: ½" spacing is required between the window and the back of the bracket.
5. For wall mounts, large cassette installation: ¾" clearance is required above bracket.
6. Use a stud finder to locate solid area to mount installation brackets.
7. Installation of motorized lift shades may require two people.
8. Never install exterior shades in windy conditions.
9. A licensed electrician is required for all electrical connections. All local and NEC codes must be followed.
10. The installation screws provided are for mounting on wood. For mounting on materials other than wood, please consult a qualified professional.

Size Considerations

Depth Requirements for Inside Mount



- The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements or deck/porch frames
- Motorized lift shades only available with large cassette
- Continuous-loop lift shades shown

Medium Cassette Valance

- 1 3/4" minimum inside mount (continuous-loop lift only)

Large Cassette Valance


- 1 3/4" minimum inside mount

No Valance*

- 3/4" minimum needed to attach bracket for an inside/side mount
- 4 1/8" minimum for an inside/top mount

*Largest possible measurement given. This will vary with fabric and window dimensions.

Guide Cables (motorized lift shades only)



Use the following to determine the guide cable length that will be provided with your shade:

1. Add 10" to the shade height.
2. The next longest cable length will be supplied.
 - Included in motorized lift pricing
 - Stainless steel guide cable
 - Four lengths available: 54", 80", 144", and 186"
 - Stainless steel cable locks included
 - Cables will be at least 10" longer than ordered height; longer cable can be cut to length needed

EXAMPLE: Shade height is 95". Add 10" = 105". Shade will come with a guide cable at 144" Cable can be cut to required length at time of installation.

Motor Power Cable

1. Estimate the number of feet from the cassette valance motor power cable exit to the electrical junction box or GFCI (ground fault circuit interrupter) outlet.
2. Select 10 feet.

Options

Summary

Control Type Options

- Continuous-loop lift
- Motorized lift with guide cables


Shade Options—No Charge

- Chain location
- Turning fabric width for height to accommodate wider windows
- Longer chain length
- Reverse roll
- Cable locks—motorized lift
- Guide cables—motorized lift
- Hold downs—continuous-loop lift

Shade Options—Surcharge

- Cassette valance
- Motorization accessories

Reverse Roll




• No charge

- Standard roll is where fabric rolls over the tube to the back
- Reverse roll is where the fabric rolls over the tube to the front
- Reverse roll not available with valances
- Roll direction cannot be changed after shade is manufactured

NOTE: For optimal privacy and light control, standard roll should be used.

Continuous-Loop Lift




• For pricing, see price charts

- Beaded chain and clutch system makes raising and lowering shade easy
- Two clutch sizes depending on shade size
- Stainless bead chain stays same length regardless of shade position
- Bead chain length is approximately $\frac{7}{8}$ length of shade; customer can request longer chain length at time of order
- Chain is kept at a constant length and held taut by a safety hold down device
- **NOTE:** Hold down device must be installed to operate the shade.
- Choose left or right chain location (right is standard)
- Optional powder-coated cassette valance comes in two sizes (medium or large) and four colors: Black 939, Brown 873, Vanilla 970, White 871
- Component and cassette valance color is selectable
- Hem bar hold downs attach the shade to the frame of the window or deck/patio
- Fabrics and components are specifically designed for outdoor use

NOTE: All exterior shades must be fully raised in wind and inclement weather. Raise shade in winds exceeding a moderate breeze (13–18 mph: small tree branches move, dust is picked up from the ground surface)

Curved Cassette Valance



• For surcharge, see price charts

- Curved, sleek, aluminum-extruded cassette valance
- Available in four colors: Black 939, Brown 873, Vanilla 970, White 871
- Powder-coated finish
- Rated for outdoor use
- Curved cassette valance must be ordered at the same time as the continuous-loop lift shade (**NOTE:** Automatically comes with motorized lift.)
- Sizes: medium $3\frac{5}{8}$ " high x $4\frac{1}{4}$ " deep (continuous-loop lift only); large $4\frac{5}{8}$ " high x $5\frac{1}{2}$ " deep

Options

Motorized Lift


- **For pricing, see price charts**
- Components are rated for exterior use
- Motorized lift shades come standard with a radio frequency AC motor providing convenient operation through wireless remote controllers and wall switches
- Powered using a 3-prong plug (residential outlet) (sold separately) or wired directly by an electrician
- Radio frequency operation allows shade operation from virtually anywhere without direct line of sight; no wiring is required between the motor and the controllers
- Upper and lower motor limits are pre-programmed for added convenience
- Large cassette valance is included in price, available in four colors: Black 939, Brown 873, Vanilla 970, White 871
- Universal cable locks are standard
- Guide cables are secured with unique, universal cable lock that can be mounted base/sill or back/wall
- Guide cables determined by shade height; 54", 80", 144", 186"

Motorized Lift Options


- Controllers and wall switches are wireless, providing installation and operation convenience
- 1- and 5-channel remote controllers operate individual or groups of shades
- Exterior rated remote controls are water resistant and shock proof
- Interior remote controllers and wireless wall switches can operate the same shades
- Interior wireless 1- and 5-channel wall switches provide convenient operation of individual or groups of shades from inside the home
- Wind sensor will automatically raise the shade in windy conditions, providing protection of your shades
- Choose left or right motor power cable location
- Power cable length available: 10 feet
- Exterior rated black plug available

General Information


Exterior Continuous-Loop Lift Product Detail



NOTE: The installation screws provided are for mounting on wood. For mounting on materials other than wood, please consult a qualified contractor.




Base/Sill Mount




Back/Wall Mount

General Information


Exterior Motorized Lift Shade Product Detail



NOTES: A licensed electrician is required for all electrical connections. All local and NEC codes must be followed. The installation screws provided are for mounting on wood. For mounting on materials other than wood, please consult a qualified contractor.



Base/Sill Mount



Back/Wall Mount

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

(03/23) 23-430600

GRABER.

Grabber Exterior Solar Shades Designer US Price List — Effective April 2023

Price Group CA: Continuous-Loop Lift: Broadcast, Chronicles, Exposition, Monticello, Pannier, Plexus 1%, Plexus 3%, Plexus 5%, Standard Weave 1%, 3%, 5% and 10%, Steel House Vanguard 1%, Vanguard 3%, Vanguard 5%

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	106 (269.3)	120 (304.8)	132 (335.3)	144 (365.8)
36 (96)	239	254	270	285	296	325	353	381	414	523	549	617	674	747	828	920
42 (106.7)	242	257	278	303	325	357	387	419	456	564	600	667	736	811	903	1003
48 (122)	249	261	289	322	350	387	424	460	494	609	646	716	785	882	975	1084
54 (137.2)	257	268	299	337	377	417	458	494	530	655	690	770	852	946	1050	1166
60 (152.4)	268	272	309	353	398	444	490	529	565	698	733	824	913	1013	1122	1248
66 (167.7)	272	277	328	380	426	489	526	565	608	745	775	863	975	1081	1198	1331
72 (182.9)	280	294	347	401	456	533	560	606	646	785	816	902	1037	1147	1273	1415
78 (198.2)	289	316	369	425	479	548	590	639	688	834	875	961	1096	1211	1345	1494
84 (213.4)	297	333	389	446	506	563	620	673	727	882	928	1018	1151	1273	1415	1569
96 (243.9)	306	360	425	490	555	622	689	748	805	984	1079	1193	1325	1472	1621	1770
108 (274.4)	331	406	477	549	623	698	771	839	903	1111	1176	1324	1609	1789	1968	2146
120 (304.8)	366	449	530	615	696	775	858	934	1004	1232	1378	1574	1744	1939	2134	2230
132 (335.3)	438	514	587	678	770	862	952	1033	1116	1370	1470	1731	1937	2153	2369	2475
144 (365.8)	452	553	655	753	856	956	1054	1147	1239	1517	1744	1923	2150	2389	2627	2746

Add Surcharge to Shade Price

Medium Cassette Valance	73	83	90	97	110	127	137	153	163	165	180	192	206	221	238	255
Large Cassette Valance	83	97	110	120	127	137	153	163	173	183	197	220	243	263	285	306

Broadcast

Alfresco	47504	Genuine	47513	Simplicity	47509
Cashmere	47503	Gourmet	47514	Sonnet	47502
Constellation	47501	Motif	47505	Taliesin	47506
Continental	47508	Serenade	47515		

Chronicles

Skyline	49202	Sumatra	49203	Tuxedo	49204
---------	-------	---------	-------	--------	-------

Exposition

Consummate	48501	Resonance	48504	Wishlist	48503
Genesis	48502				

Monticello

Burro	40442	Mist	40441	Tiki	40444
Dune	40443	Rust	40445		

Pannier

Black Dahlia	3680	Creamy Mocha	3681	Feather White	3682
Riverbed Brown	3683				

Plexus 1%

Black Granite	47610	Penumbra	47608	Sublime Gray	47612
Chalcedony	47604	Provisions	47603	Tranquility	47611
Landmark	47606	Renewal	47602	Travertine	47607
Nutley Pier	47609	Soapstone	47601		

Plexus 3%

Black Granite	47710	Penumbra	47708	Sublime Gray	47712
Chalcedony	47704	Provisions	47703	Tranquility	47711
Landmark	47706	Renewal	47702	Travertine	47707
Nutley Pier	47709	Soapstone	47701		

Plexus 5%

Black Granite	47810	Penumbra	47808	Sublime Gray	47812
Chalcedony	47804	Provisions	47803	Tranquility	47811
Landmark	47806	Renewal	47802	Travertine	47807
Nutley Pier	47809	Soapstone	47801		

Standard Weave 1%					
Café Doppio	47907	Infallible	47903	Veranda	47905
Calcite	47901	Once	47904		
Chiseled	47908	Polished	47906		

Standard Weave 3%					
Café Doppio	48207	Chiseled	48208	Once	48204
Calcite	48201	Infallible	48203	Veranda	48205

Standard Weave 5%					
Café Doppio	48307	Chiseled	48308	Once	48304
Calcite	48301	Infallible	48303	Veranda	48305

Standard Weave 10%					
Café Doppio	48407	Chiseled	48408	Once	48404
Calcite	48401	Infallible	48403	Veranda	48405

Steel House					
Buff	1652	Cavern Floor	1650	Chocolate Souffle	1653
Cloud	1651				

Vanguard 1%					
Authentic	47909	Dew	47914	Obsidian	47919
Chrome	47915	Elusive	47912	Peloton	47918
Cortina	47910	Homage	47917	Pendulum	47916

Vanguard 3%					
Authentic	48209	Dew	48214	Obsidian	48219
Chrome	48215	Elusive	48212	Peloton	48218
Cortina	48210	Homage	48217	Pendulum	48216

Vanguard 5%					
Authentic	48309	Dew	48314	Obsidian	48319
Chrome	48315	Elusive	48312	Peloton	48318
Cortina	48310	Homage	48317	Pendulum	48316

Price Group CB: Continuous-Loop Lift: Merit

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	108 (274.4)
36 (96)	261	277	294	311	325	355	387	417	453	572	602	674	739
42 (106.7)	265	280	306	332	355	393	425	458	499	620	655	730	808
48 (122)	273	288	317	351	383	425	463	504	541	667	707	783	863
54 (137.2)	280	291	328	369	413	456	501	541	581	717	754	843	931
60 (152.4)	291	299	339	387	434	488	535	580	621	764	803	903	999
66 (167.7)	299	305	360	415	468	533	575	621	666	814	850	946	1070
72 (182.9)	307	323	380	441	499	585	615	661	707	863	896	989	1135
78 (198.2)	317	346	404	465	526	601	646	699	752	913	957	1051	1201
84 (213.4)	326	366	426	490	555	618	676	736	795	966	1018	1113	1263
96 (243.9)	337	395	465	535	609	679	753	817	882	1079	1180	1306	1450
108 (274.4)	364	445	523	602	681	764	844	919	990	1217	1288	1449	1761
120 (304.8)	400	491	581	672	762	850	938	1022	1100	1351	1512	1723	1913
132 (335.3)	479	564	644	745	843	944	1044	1132	1222	1500	1611	1897	2122
144 (365.8)	494	606	717	826	937	1048	1156	1255	1356	1664	1913	2106	2355

Add Surcharge to Shade Price

Medium Cassette Valance	73	83	90	97	110	127	137	153	163	165	180	192	206
Large Cassette Valance	83	97	110	120	127	137	153	163	173	183	197	220	243

Merit					
Atmosphere	49504	Clarity	49501	Exquisite	49505
Cavalier	49506	Emulation	49503	Panoramic	49502

**Price Group MA: Motorized Lift: Broadcast, Chronicles, Monticello, Pannier,
Plexus 1%, Plexus 3%, Plexus 5%, Standard Weave 1%, Standard Weave 3%,
Standard Weave 1%, 3%, 5%, 10%, Steel House, Vanguard 1%,
Vanguard 3%, Vanguard 5%**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	106 (269.3)	120 (304.8)	132 (335.3)	144 (365.8)
36 (96)	1918	1968	2026	2080	2109	2192	2221	2291	2331	2385	2460	2613	2769	2952	3185	3512
42 (106.7)	1940	2001	2054	2108	2138	2223	2255	2334	2405	2448	2517	2675	2832	3025	3245	3574
48 (122)	1965	2035	2086	2140	2164	2251	2292	2377	2465	2517	2565	2738	2892	3104	3306	3635
54 (137.2)	1989	2072	2118	2167	2196	2282	2327	2417	2496	2581	2619	2801	2957	3176	3370	3697
60 (152.4)	2011	2087	2140	2198	2221	2310	2361	2459	2542	2622	2664	2865	3028	3205	3445	3758
66 (167.7)	2037	2104	2166	2228	2251	2347	2396	2499	2593	2680	2718	2927	3105	3278	3495	3821
72 (182.9)	2056	2122	2188	2251	2313	2378	2431	2544	2642	2739	2780	2992	3165	3345	3579	3901
78 (198.2)	2078	2147	2217	2285	2345	2408	2464	2585	2691	2794	2844	3057	3225	3416	3642	3981
84 (213.4)	2095	2163	2240	2318	2382	2445	2500	2624	2740	2846	2903	3123	3283	3459	3708	4068
96 (243.9)	2136	2221	2288	2357	2423	2490	2544	2675	2796	2910	2987	3215	3428	3604	3853	4219
108 (274.4)	2179	2258	2322	2389	2460	2531	2608	2736	2880	3014	3087	3299	3597	3776	4033	4411
120 (304.8)	2226	2330	2384	2441	2517	2587	2683	2820	2967	3106	3215	3395	3726	3909	4169	4529
132 (335.3)	2281	2372	2410	2496	2588	2684	2749	2909	3057	3211	3315	3470	3874	4056	4322	4687
144 (365.8)	2325	2425	2468	2561	2658	2751	2820	3028	3135	3316	3463	3591	4028	4210	4479	4856

Pricing includes radio frequency motor, power cord, guide cable, cable locks, and large cassette.

Motorization Controls

Radio Frequency Remote Controls	
Situo 1 Single Channel Remote: White	119
Situo 1 Single Channel Remote: Silver	194
	147
Telis 1 Single-Channel Exterior RF Remote: White/Blue	160
Situo 5 Five Channel Remote: White	218
Situo 5 Five Channel Remote: Silver	161
Telis 4 Five-Channel Exterior RF Remote: White/Blue	649
Telis 16-Channel Remote: White	
Radio Frequency Wall Switches	
DecoFlex Single-Channel Wall Switch: White	308
DecoFlex Five-Channel Wall Switch: White	339
120 Volt Exterior Power	
120 Volt Exterior Electrical 3-Prong Plug: 15 Amp	58
Additional Radio Frequency Controls	
RF Wind Sensor (includes exterior power cord with 3-prong plug)	578

Broadcast					
Alfresco	47504	Genuine	47513	Simplicity	47509
Cashmere	47503	Gourmet	47514	Sonnet	47502
Constellation	47501	Motif	47505	Taliesin	47506
Continental	47508	Serenade	47515		

Chronicles					
Skyline	49202	Sumatra	49203	Tuxedo	49204

Monticello					
Rust	40445				

Pannier					
Black Dahlia	3680	Creamy Mocha	3681	Feather White	3682
Riverbed Brown	3683				

Plexus 1%					
Soapstone	47601	Sublime Gray	47612	Tranquility	47611

Plexus 3%					
Soapstone	47701	Sublime Gray	47712	Tranquility	47711

Plexus 5%					
Soapstone	47801	Sublime Gray	47812	Tranquility	47811

Standard Weave 1%					
Café Doppio	47907	Infallible	47903	Veranda	47905
Calcite	47901	Once	47904		
Chiseled	47908	Polished	47906		

Standard Weave 3%					
Café Doppio	48207	Chiseled	48208	Once	48204
Calcite	48201	Infallible	48203	Veranda	48205

Standard Weave 5%					
Café Doppio	48307	Chiseled	48308	Once	48304
Calcite	48301	Infallible	48303	Veranda	48305

Standard Weave 10%					
Café Doppio	48407	Chiseled	48408	Once	48404
Calcite	48401	Infallible	48403	Veranda	48405

Steel House					
Buff	1652	Cavern Floor	1650	Chocolate Souffle	1653
Cloud	1651				

Vanguard 1%					
Authentic	47909	Dew	47914	Obsidian	47919
Chrome	47915	Elusive	47912	Peloton	47918
Cortina	47910	Homage	47917	Pendulum	47916

Vanguard 3%					
Authentic	48209	Dew	48214	Obsidian	48219
Chrome	48215	Elusive	48212	Peloton	48218
Cortina	48210	Homage	48217	Pendulum	48216

Vanguard 5%					
Authentic	48309	Dew	48314	Obsidian	48319
Chrome	48315	Elusive	48312	Peloton	48318
Cortina	48310	Homage	48317	Pendulum	48316

Price Group MB: Motorized Lift: Merit

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	108 (274.4)
36 (96)	1940	1991	2050	2106	2138	2222	2255	2327	2370	2434	2513	2670	2834
42 (106.7)	1963	2024	2082	2137	2168	2259	2293	2373	2448	2504	2572	2738	2904
48 (122)	1989	2062	2114	2169	2197	2289	2331	2421	2512	2575	2626	2805	2970
54 (137.2)	2012	2095	2147	2199	2232	2321	2370	2464	2547	2643	2683	2874	3036
60 (152.4)	2034	2114	2170	2232	2257	2354	2406	2510	2598	2688	2734	2944	3114
66 (167.7)	2064	2132	2198	2263	2293	2391	2445	2555	2651	2749	2793	3010	3200
72 (182.9)	2083	2151	2221	2291	2356	2430	2486	2599	2703	2817	2860	3079	3263
78 (198.2)	2106	2177	2252	2325	2392	2461	2520	2645	2755	2873	2926	3147	3330
84 (213.4)	2124	2196	2277	2362	2431	2500	2556	2687	2808	2930	2993	3218	3395
96 (243.9)	2167	2256	2328	2402	2477	2547	2608	2744	2873	3005	3088	3328	3553
108 (274.4)	2212	2297	2368	2442	2518	2597	2681	2816	2967	3120	3199	3424	3749
120 (304.8)	2260	2372	2435	2498	2583	2662	2763	2908	3063	3225	3349	3544	3895
132 (335.3)	2322	2422	2467	2563	2661	2766	2841	3008	3163	3341	3456	3636	4059
144 (365.8)	2367	2478	2530	2634	2739	2843	2922	3136	3252	3463	3632	3774	4233

Pricing includes radio frequency motor, power cord, guide cable, cable locks, and large cassette.

Motorization Controls

Radio Frequency Remote Controls	
Situo 1 Single Channel Remote: White	119
Situo 1 Single Channel Remote: Silver	194
Telis 1 Single-Channel Exterior RF Remote: White/Blue	147
Situo 5 Five Channel Remote: White	160
Situo 5 Five Channel Remote: Silver	218
Telis 4 Five-Channel Exterior RF Remote: White/Blue	161
Telis 16-Channel Remote: White	649
Radio Frequency Wall Switches	
DecoFlex Single-Channel Wall Switch: White	308
DecoFlex Five-Channel Wall Switch: White	339
120 Volt Exterior Power	
120 Volt Exterior Electrical 3-Prong Plug: 15 Amp	58
Additional Radio Frequency Controls	
RF Wind Sensor (includes exterior power cord with 3-prong plug)	578

Merit				
Atmosphere	49504	Clarity	49501	Exquisite 49505
Cavalier	49506	Emulation	49503	Panoramic 49502

Options Pricing

Cable Locks (motorized lift)	No charge
Cassette Valance	Continuous-loop lift: see price chart surcharges Motorized lift: included in price
Component Colors	No charge
Continuous-Loop Lift	Standard: see continuous-loop lift price chart
Fabric Turned 90° Width for Height (railroaded)	No charge
Guide Cables (motorized lift)	No charge
Hold Down Brackets (continuous-loop lift)	No charge
Motorized Lift	See motorization product information guide
Motorized Lift Accessories	See motorization product information guide
Reverse Roll	No charge
Seaming	No charge
Specific Channel Assignment (motorized lift)	No charge
Stainless Steel Chain	No charge

This Page Intentionally Left Blank

This Page Intentionally Left Blank