


# GRABER®



Graber Fresco® Roman Fabric Shades  
English US Price Guide

# FRESCO® ROMAN SHADES

## Product Information Guide

### Features

Summary . . . . .	2
Features and Benefits . . . . .	2
Oeko-Tex® Standard 100 Certified Fabrics . . . . .	2
Fabric Styles and Information . . . . .	3
Light Control and Privacy . . . . .	3
Fabric Disclaimers . . . . .	3

### Size Considerations

Cord Lift, Depth Requirements for Inside Mount . . . . .	4
Cordless Lift, Depth Requirements for Inside Mount . . . . .	5
Continuous-Loop Lift, Depth Requirements for Inside Mount . . . . .	6

### Options

Shade Options . . . . .	7
Cord Lift . . . . .	8
Cordless Lift . . . . .	8
Continuous-Loop Lift . . . . .	9
Motorized Lift . . . . .	10
Bottom Up/Top Down: Cord Lift . . . . .	11
Fabric Valance Only . . . . .	11
Multiple Shades on One Headrail . . . . .	12
Bead Trim . . . . .	13
Gimp Trim . . . . .	13
Corner Windows . . . . .	14
Bay Windows . . . . .	15

### General Information

Shade Stack Height Chart . . . . .	16
Bottom Panel Heights . . . . .	16
Panel Count Chart: Cord Lift . . . . .	17
Panel Count Chart: Cordless Lift, Continuous-Loop Lift, and Motorized Lift . . . . .	18
Panel Count Chart: Bottom Up/Top Down Cord Lift . . . . .	19
Flat Style Product Detail . . . . .	20
Looped Style Product Detail . . . . .	21
Cordless Lift Product Detail . . . . .	22
Continuous-Loop Lift Product Detail . . . . .	23
Bottom Up/Top Down Cord Lift Product Detail . . . . .	24

# GRABER®

NOVEMBER 2019

10007-110 (11/19)|S19-20101

## Features

### Summary

Graber® Fresco® Roman Shades offer the softness of drapery with the practicality of a shade, featuring a variety of fabric styles, colors, textures, and light control options. Select either the classic flat or the looped style—whichever shade best suits your decorating style.

- Finished edges guarantee fabric will not fray
- Fabric valance, **free of charge** at the time of order, creates a finished look
- Clear sill rail protects the bottom of the shade from dirt and wear
- Oeko-Tex® certified fabrics
- Components are color coordinated to fabric

Features	Benefits
Looped Style with Soft Folds of Fabric	• Provides a dimensional look with an emphasis on elegance
Flat Style with Fabric Panels	• Provides classic styling; perfect for any decorating style
Neutral Street Side Appearance	• Windows have consistent look from the street
Finished Edges	• Prevents edges from fraying
All Panels Always Full Size; Bottom Panel Adjusted According to Height of Shade	• Gives improved appearance when multiple shades are used in the same room
All Shade Components are Color Coordinated	• Color coordination with front fabric for a clean, neat look
Fabric Valance or Cornice	• Provides a finished look to the top of the shade • <b>NOTE:</b> Valance free of charge at the time of order
Shade is One Continuous Piece of Fabric	• Provides a unified, finished appearance
Continuous-Loop Lift	• Helps lift large, heavier shades
Bottom Up/Top Down Cord Lift	• Perfect for screening out unwanted views or maintaining privacy while enjoying natural sunlight • Great for bedrooms and bathrooms
Cordless Lift	• Provides safety with no external cords on front side • Clean aesthetics • Perfect for homes with children and pets
Motorized Lift	• Allows easy operation of hard-to-reach or large shades • Provides safety; no external cords on front side
Multiple Shades on One Headrail	• Provides a fabric solution for wider windows
Limited Lifetime Warranty	• Provides assurance for years of trouble-free operation
Mylar Tubes Inserted Between the Roman Panels Prior to Shipping	• Reduces wrinkling during shipping

### Oeko-Tex® Standard 100 Certified Fabrics

**Oeko-Tex Standard 100** certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits. Certified fabrics are Cristale, Crossweave, Desert, Grasses, Royale, and Versailles.

[www.oeko-tex.com](http://www.oeko-tex.com)





## Features

### Fabric Styles and Information

Fabric Styles	Fabric Width (inches)	Light Control	Privacy	Color to Street Side	Fabric Content
Cristale	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Crossweave	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Desert	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Grasses	72	Light filtering	Moderate	Neutral	88% polyester/7% cotton/5% flax
Madrid	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Regal	72	Light filtering/room darkening	Moderate/ complete	Neutral	100% polyester with polyester backing
Royale	72	Light filtering	Moderate	Neutral	100% polyester with polyester backing
Suburban	72	Blackout	Complete	Neutral	100% polyester with polyester backing
Versailles	72	Light filtering/room darkening	Moderate/ complete	Neutral	100% polyester with polyester backing

### Light Control and Privacy

**Light Filtering:** Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric color provides moderate light control; light fabric color provides lower light control.

**Room Darkening:** Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric color darkens a room; light fabric color filters and diffuses bright sunlight.

### Fabric Disclaimers




To ensure color consistency and avoid dye lot variation, please order all shades for the same room at the same time.

Fabrics cannot be seamed or overlapped.

Colors may appear to vary depending on the time of day and lighting type as well as when the shade is partially or fully lowered.

## Size Considerations

### Cord Lift



Fabric Styles	Maximum Fabric Width (inches)													
		Cord Lift				Cord Lift Multiple Shades on One Headrail**				Cord Lift Bottom Up/Top Down***				
		Width		Height		Width		Height		Width		Height		
		Min* (inches)	Max	Min (inches)	Max (inches)	Min* Panel (inches)	Max Panel	Max Shade (inches)	Min Shade (inches)	Max Shade (inches)	Min* (inches)	Max (inches)	Min (inches)	Max (inches)
Cristale	72	16	See fabric width	18	96	16	See fabric width	192	18	96	16	72 or fabric width	18	72
Crossweave	72													
Desert	72													
Grasses	72													
Madrid	72													
Regal	72													
Royale	72													
Suburban	72													
Versailles	72													

\*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

\*\* Multiple shades on one headrail with cord lift control available as two on one only.



\*\*\* Bottom up/top down not available as multiple shades on one headrail.

### Depth Requirements for Inside Mount

	Cord Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Headrail Depth Mount (inches)	 Fully recessed headrail in window casing/molding Headrail Flush with Casing (inches)
Flat	1 1/16 x 1 1/16	3/4	1 1/8
Looped	1 1/16 x 1 1/16	3/4 (fabric loops will overhang approximately 3" into room)	1 1/8 (fabric loops will overhang approximately 3" into room)



## Size Considerations

### Cordless Lift

<b>Fabric Styles</b>	<b>Maximum Fabric Width (inches)</b>									
		<b>Cordless Lift</b>				<b>Cordless Lift Multiple Shades on One Headrail</b>				
		<b>Width</b>		<b>Height</b>		<b>Width</b>			<b>Height</b>	
		<b>Min* (inches)</b>	<b>Max</b>	<b>Min (inches)</b>	<b>Max (inches)</b>	<b>Min Panel* (inches)</b>	<b>Max Panel</b>	<b>Max Shade (inches)</b>	<b>Min Shade (inches)</b>	<b>Max Shade (inches)</b>
Cristale	72	18	See fabric width	18	86	18	See fabric width	144	18	86
Crossweave	72									
Desert	72									
Grasses	72									
Madrid	72									
Regal	72									
Royale	72									
Suburban	72									
Versailles	72									



\*For all inside mount applications, 1/8" deduction is taken by manufacturer on overall width.

### Depth Requirements for Inside Mount

	<b>Cordless Lift Headrail Dimensions (inches)</b>	 <b>Partially recessed headrail in window casing/molding</b>	 <b>Fully recessed headrail in window casing/molding</b>
		<b>Minimum Depth Mount (inches)</b>	<b>Flush with Casing (inches)</b>
Flat	1½ x 2	½	2½
Looped	1½ x 2	½ (fabric loops will overhang approximately 3" into room)	2½ (fabric loops will overhang approximately 3" into room)



## Size Considerations

### Continuous-Loop Lift

Fabric Styles	Maximum Fabric Width (inches)										
		Continuous-Loop Lift				Continuous-Loop Lift Multiple Shades on One Headrail					
		Width		Height		Width				Height	
		Min* (inches)	Max	Min (inches)	Max (inches)	Min Panel* (inches)	Max Panel	Max Shade One Control (inches)	Max Shade Two Control (inches)	Min Shade (inches)	Max Shade (inches)
Cristale	72	18	See fabric width	18	96	18	See fabric width	120	144	18	96
Crossweave	72										
Desert	72										
Grasses	72										
Madrid	72										
Regal	72										
Royale	72										
Suburban	72										
Versailles	72										

\*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

### Depth Requirements for Inside Mount

	Continuous-Loop Lift Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding Minimum Headrail Depth Mount (inches)	 Fully recessed headrail in window casing/ molding Headrail Flush with Casing (inches)
Flat	1½ x 2	½	2½
Looped	1½ x 2	½ (fabric loops will overhang approximately 3" into room)	2½ (fabric loops will overhang approximately 3" into room)

## Options

### Shade Options (for surcharges and pricing refer to price charts)

The following is a list of options for Fresco® Roman shades. All options are available in all styles and colors. Limitations will be based on fabric width. See detailed descriptions on the following pages.

**Control Type Options:** see price charts for applicable cost and/or surcharges

- Cord lift
- Continuous-loop lift
- Cordless lift
- Motorized lift: see motorization product information guide

**Shade Options—No Charge**

- Bay and corner window shades
- Clear cord cleats (standard)
- Fabric valance (at time of order)
- Hold down brackets
- Projection brackets:
  - Long (adds up to 2½" extension from wall)
  - Medium (adds up to 1⅝" extension from wall)
  - Short (adds up to 1" extension from wall)
- Shims: ⅜"
- Side-mount brackets (inside mount only)

**Shade Style Choices:** see price charts for applicable cost

- 6" flat style shade
- 4⅝" looped pleat style shade

**Shade Options—Surcharge**

- Bottom up/top down cord lift
- Cord winder
- Decorative cord cleats
- Multiple shades on one headrail
- Valance gimp, fringe, bead trim
- Wood cornices: see wood cornice and valance product information guide




## Options

### Cord Lift



- **No charge**
- Cord control can be on the left- or right-hand side
- Cord length is approximately one third of the shade length; customer can request specific length at time of order
- Cord is color coordinated to shade fabric
- Available on both flat and looped styles

### Cordless Lift



Horizontal Wand




Vertical Wand

- **For surcharges, see price charts**
- Provides safety with no external cords on front of shade
- Ideal for homes with children or pets
- Provides clean aesthetics
- Available on both flat and looped styles
- Vertical wand is used with bottom panels greater than 2 $\frac{3}{4}$ "
- Horizontal wand is used with bottom panels less than 2 $\frac{3}{4}$ "
- Shades wider than 48" have two wands for shade operation

**NOTE:** All cordless lift shades need to be used on windows where consumers can comfortably raise and lower them.

## Options

### Continuous-Loop Lift




- **For surcharge, see price charts**
- A single, white continuous-loop lift cord raises and lowers the shade; the cord is always the same length
- The clutch mechanism in the color coordinated aluminum headrail assists in raising and lowering the shade; it stops the shade at any point and holds the bottomrail level
- Continuous-loop lift stacks the fully raised shade more compactly than a standard cord and holds it more securely
- Continuous-loop lift comes with a locking cord loop guide; for shade operation, this tensioner must be installed
- Available on both flat and looped styles
- Not available on bottom up/top down
- Control length for continuous-loop lift shades varies based on the finished shade height (see below); optional cord loop length (sizes listed in chart) available upon request

Finished Shade Height (inches)	Cord Loop Length (inches)
12 to 26	18
26 $\frac{1}{8}$ to 38	24
38 $\frac{1}{8}$ to 50	36
50 $\frac{1}{8}$ to 62	48
62 $\frac{1}{8}$ to 74	60
74 $\frac{1}{8}$ to 96	72

Optional cord lengths: 84", 96", 108", 144", and 180".


## Options

### Motorized Lift



- **Refer to motorization product information guide for additional options, sizing, and pricing**
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operates multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Multiple control and power options available

**NOTE:** Motorization components and accessories have a five-year limited warranty, excluding batteries.



## Options

### Bottom Up/Top Down: Cord Lift



- **For surcharge, see price charts**
- Cord lift with cordlocks
- Allows shade to be raised from the bottom up like a conventional shade or from the top down
- Perfect for screening out unwanted views or maintaining privacy while enjoying natural sunlight
- Popular specialty application used in bedrooms and bathrooms
- Available in both flat and looped styles
- **Not available with multiple shades on one headrail**
- **Not available with continuous-loop lift, cordless lift, or motorized lift**

### Fabric Valance Only




- **For surcharge, see price charts**
- Coordinating fabric valance creates an uninterrupted look and conceals the headrail
- Edges are finished and attached to the headrail with hook and loop tape
- Available on both flat and looped styles
- Fabric valances are free of charge at the time of order; replacement valances available
- Fabric valance returns are not available
- Continuous valance is only available up to fabric width
- Bead trims available; see bead trim page in shade options

**NOTE:** If used on multiple shades on one headrail, or the valance is greater than the fabric width, the valance will have the same breaks as the panels.

## Options

### Multiple Shades on One Headrail



1/4" Spacing

- **For surcharge, see price charts**
- Available as two-on-one headrail with cord lift, continuous-loop lift and cordless lift controls
- Available as three-on-one headrail with cordless lift or continuous-loop lift controls
- Available in flat and looped styles
- Standard valances on multiple shades will have the same breaks as the panels
- Continuous valance covering multiple shades is not available


	Maximum Overall Size for Multiple Shades* (inches)	Maximum Width with Side Mount (inches)	Control Locations	Gap (inches)
Cord Lift	192 x 96	60	Two on one: left shade, left control; right shade, right control	1/4
Continuous-Loop Lift—Single Control	120 x 96	60	Two on one: common lift cord can be on right or left to operate both shades at the same time Three on one: common lift cord can be on right or left to operate all shades at the same time	1/4
Continuous-Loop Lift—Multi Control	144 x 96	60	Two on one: left shade, left control; right shade, right control Three on one: left shade, left control; right shade, right control; middle shade, common right or left; <b>continuous-loop lift cannot be used in the middle of the headrail on multiple shades</b>	1/4
Cordless Lift	144 x 86	60	Not applicable	1/4
Motorized Lift	Refer to motorization product information guide			

\*See size considerations or individual descriptions in the options section for maximum panels widths and heights.

## Options

### Bead Trim

1" Teardrop Crystal Bead Trim



½" Round Crystal Bead Trim



- **For surcharge, see price charts**
- Optional trims are attached to the bottom edge of the valances only

#### 1" Teardrop Crystal Bead Trim

Bronze . . . . .	201	Sand . . . . .	204
Light Gold . . . . .	202	White . . . . .	205

#### ½" Round Crystal Bead Trim

Black . . . . .	10156	Morning Blue . . . . .	10014
Clover . . . . .	10049	Toffee . . . . .	10296
Light Green . . . . .	10008		

### Gimp Trim

⅞" Gimp Trim




#### ⅞" Gimp Trim

Angel Fire . . . . .	972	Maroon . . . . .	360
Bayberry . . . . .	965	Morning Glory . . . . .	639
Black . . . . .	156	Night Shadow . . . . .	826
Clover . . . . .	049	Rock Gray . . . . .	399
Cream . . . . .	715	Stucco . . . . .	963
Dark Beige . . . . .	350	Tender Taupe . . . . .	103
Light Green . . . . .	08	Toffee . . . . .	296
Maize . . . . .	02	White . . . . .	417




## Options

### Corner Windows



Shades on Corner Windows


- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate left or right for each shade
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a corner shade if you do not want manufacturer to take deductions
- **Cornices or decorative wood valances are not available on corner windows**
- For bottom up/top down cord lift, the corner controls will be hard to reach
- Flat style is recommended for corner windows
- Looped style will have light gaps due to fabric loops



#### Measuring Information

##### Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



##### Mounting Above the Molding:


Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

**NOTE:** The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


# Options

## Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices or decorative wood valances are not available on corner windows**
- For bottom up/top down cord lift, depending on the angle, controls may be hard to reach
- Flat style is recommended for bay windows
- Looped style will have light gaps due to fabric loops

### Measuring Information: Three-Sided Bay Window




#### Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-R:** Angle between the (C1) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

### Measuring Information: Four-Sided Bay Window



#### Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-C2:** Angle between the (C1) and (C2) windows.
- Angle C2-R:** Angle between the (C2) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

**NOTE:** The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated.

For additional windows on bays with up to five sides, continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (angle C1-C2, angle C2-C3, ...), as needed.

Measure each bay angle using a protractor or angle finder, or use two business cards in each bay corner as illustrated above and fax to customer service 1-800-552-4559.

**The angle to use between adjacent center bay windows along a straight section of wall is 180 degrees.**

## General Information

### Shade Stack Height Chart

#### Looped

Finish Shade Height (inches)	Stack Height (inches)
Up to 29	9
29 to 41	10
41 to 58	11
58 to 75	12
75 to 96	13

#### Flat

Finish Shade Height (inches)	Stack Height (inches)
Up to 32	10
32 to 56	11
56 to 80	12
80 to 96	13

**NOTE:** Stack height includes headrail and sill rail.

This chart is an approximation of the largest stack possible for all control types at each height range.

### Bottom Panel Heights

The standard panel height is 6" for flat and 4<sup>5</sup>/<sub>16</sub>" for looped style. Bottom panel is used as the adjustment panel to get to finished shade height. The bottom panel height varies depending on shade height. A small change in finished shade height can create significantly different looks.

**For Example:**


Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
60	9	5 <sup>5</sup> / <sub>16</sub>	13	3 <sup>5</sup> / <sub>16</sub>
61	10	3 <sup>5</sup> / <sub>16</sub>	14	0
61	10	3 <sup>5</sup> / <sub>16</sub>	14	0
62	10	1 <sup>5</sup> / <sub>16</sub>	14	1

\*Approximate.

#### IMPORTANT ORDERING NOTE:

For shades hanging in the same room at the same height or for groups of shades, please add the words "hanging side-by-side" to the order comments. This is important for the manufacturing process and for panel adjustments.

It is very important to consider this possible variation when ordering more than one shade for a room. For approximate panel counts, see the following pages.



## General Information

### Panel Count Chart: Cord Lift

The purpose of this information is to help the consumer visualize what their shade will look like by approximating the number of full panels and the bottom panel length. Full panel lengths are 6" for flat and 4 $\frac{5}{16}$ " for looped; however, the bottom panel is used as the adjustment panel to get to finished shade height. **Therefore, the bottom panel length varies depending on shade height.** A small change in finished shade height can create significantly different looks.

**This chart should be used to compare the effect of various lengths. The information can vary depending on the pleat length tolerance.**

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
18	2	5 $\frac{3}{8}$	4	1 $\frac{1}{8}$
19	3	$\frac{3}{4}$	4	1 $\frac{1}{8}$
20	3	1 $\frac{1}{8}$	4	2 $\frac{1}{8}$
21	3	2 $\frac{3}{8}$	4	3 $\frac{1}{8}$
22	3	3 $\frac{3}{8}$	4	4 $\frac{1}{8}$
23	3	4 $\frac{3}{8}$	5	$\frac{7}{8}$
24	3	5 $\frac{3}{8}$	5	1 $\frac{1}{8}$
25	4	$\frac{3}{4}$	5	2 $\frac{1}{8}$
26	4	1 $\frac{1}{8}$	5	3 $\frac{1}{8}$
27	4	2 $\frac{3}{8}$	6	$\frac{1}{2}$
28	4	3 $\frac{3}{8}$	6	1 $\frac{1}{2}$
29	4	4 $\frac{3}{8}$	6	2 $\frac{1}{2}$
30	4	5 $\frac{3}{8}$	6	3 $\frac{1}{2}$
31	5	$\frac{3}{4}$	7	$\frac{1}{4}$
32	5	1 $\frac{1}{8}$	7	1 $\frac{1}{4}$
33	5	2 $\frac{3}{8}$	7	2 $\frac{1}{4}$
34	5	3 $\frac{3}{8}$	7	3 $\frac{1}{4}$
35	5	4 $\frac{3}{8}$	7	4 $\frac{1}{4}$
36	5	5 $\frac{3}{8}$	8	$\frac{7}{8}$ (2.3)
37	6	$\frac{3}{4}$	8	1 $\frac{1}{8}$
38	6	1 $\frac{1}{8}$	8	2 $\frac{1}{8}$
39	6	2 $\frac{3}{8}$	8	3 $\frac{1}{8}$
40	6	3 $\frac{3}{8}$	9	$\frac{5}{8}$
41	6	4 $\frac{3}{8}$	9	1 $\frac{1}{8}$
42	6	5 $\frac{3}{8}$	9	2 $\frac{1}{8}$
43	7	$\frac{3}{4}$	9	3 $\frac{3}{8}$
44	7	1 $\frac{1}{8}$	10	$\frac{1}{4}$
45	7	2 $\frac{3}{8}$	10	1 $\frac{1}{4}$
46	7	3 $\frac{3}{8}$	10	2 $\frac{1}{4}$
47	7	4 $\frac{3}{8}$	10	3 $\frac{1}{4}$
48	7	5 $\frac{3}{8}$	10	4 $\frac{1}{4}$
49	8	$\frac{3}{4}$	11	1
50	8	1 $\frac{1}{8}$	11	2
51	8	2 $\frac{3}{8}$	11	3
52	8	3 $\frac{3}{8}$	11	4
53	8	4 $\frac{3}{8}$	12	$\frac{5}{8}$
54	8	5 $\frac{3}{8}$	12	1 $\frac{1}{8}$
55	9	$\frac{3}{4}$	12	2 $\frac{1}{8}$
56	9	1 $\frac{1}{8}$	12	3 $\frac{1}{8}$
57	9	2 $\frac{3}{8}$	13	$\frac{3}{8}$

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
58	9	3 $\frac{3}{8}$	13	1 $\frac{1}{8}$
59	9	4 $\frac{3}{8}$	13	2 $\frac{3}{8}$
60	9	5 $\frac{3}{8}$	13	3 $\frac{3}{8}$
61	10	$\frac{3}{4}$	14	0
62	10	1 $\frac{1}{8}$	14	1
63	10	2 $\frac{3}{8}$	14	2
64	10	3 $\frac{3}{8}$	14	3
65	10	4 $\frac{3}{8}$	14	4
66	10	5 $\frac{3}{8}$	15	$\frac{3}{4}$
67	11	$\frac{3}{4}$	15	1 $\frac{3}{4}$
68	11	1 $\frac{1}{8}$	15	2 $\frac{3}{4}$
69	11	2 $\frac{3}{8}$	15	3 $\frac{3}{4}$
70	11	3 $\frac{3}{8}$	16	$\frac{3}{4}$
71	11	4 $\frac{3}{8}$	16	1 $\frac{1}{8}$
72	11	5 $\frac{3}{8}$	16	2 $\frac{1}{8}$
73	12	$\frac{3}{4}$	16	3 $\frac{3}{8}$
74	12	1 $\frac{1}{8}$	17	$\frac{1}{8}$
75	12	2 $\frac{3}{8}$	17	1 $\frac{1}{8}$
76	12	3 $\frac{3}{8}$	17	2 $\frac{1}{8}$
77	12	4 $\frac{3}{8}$	17	3 $\frac{1}{8}$
78	12	5 $\frac{3}{8}$	17	4 $\frac{1}{8}$
79	13	$\frac{3}{4}$	18	$\frac{3}{4}$
80	13	1 $\frac{1}{8}$	18	1 $\frac{1}{4}$
81	13	2 $\frac{3}{8}$	18	2 $\frac{1}{4}$
82	13	3 $\frac{3}{8}$	18	3 $\frac{1}{4}$
83	13	4 $\frac{3}{8}$	19	$\frac{1}{2}$
84	13	5 $\frac{3}{8}$	19	1 $\frac{1}{2}$
85	14	$\frac{3}{4}$	19	2 $\frac{1}{2}$
86	14	1 $\frac{1}{8}$	19	3 $\frac{1}{2}$
87	14	2 $\frac{3}{8}$	20	$\frac{1}{8}$
88	14	3 $\frac{3}{8}$	20	1 $\frac{1}{8}$
89	14	4 $\frac{3}{8}$	20	2 $\frac{1}{8}$
90	14	5 $\frac{3}{8}$	20	3 $\frac{1}{8}$
91	15	$\frac{3}{4}$	20	4 $\frac{1}{8}$
92	15	1 $\frac{1}{8}$	21	$\frac{7}{8}$
93	15	2 $\frac{3}{8}$	21	1 $\frac{1}{8}$
94	15	3 $\frac{3}{8}$	21	2 $\frac{1}{8}$
95	15	4 $\frac{3}{8}$	21	3 $\frac{1}{8}$
96	15	5 $\frac{3}{8}$	22	$\frac{1}{2}$

\*Finished shade height equals ordered height; there are no factory deductions for height.

**EXAMPLE:** A flat shade with a 48" finished shade height will have seven full panels and the eighth panel will be approximately 5 $\frac{3}{8}$ " long.

## General Information

### Panel Count Chart: Cordless Lift, Continuous-Loop Lift, and Motorized Lift

The purpose of this information is to help the consumer visualize what their shade will look like by approximating the number of full panels and the bottom panel length. Full panel lengths are 6" for flat and 4 $\frac{5}{16}$ " for looped; however, the bottom panel is used as the adjustment panel to get to finished shade height. **Therefore, the bottom panel length varies depending on shade height.** A small change in finished shade height can create significantly different looks.

**This chart should be used to compare the effect of various lengths. The information can vary depending on the pleat length tolerance.**

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
18	2	4 $\frac{1}{2}$	3	3 $\frac{3}{8}$
19	2	5 $\frac{1}{2}$	4	$\frac{1}{4}$
20	3	$\frac{1}{2}$	4	1 $\frac{1}{4}$
21	3	1 $\frac{1}{2}$	4	2 $\frac{1}{4}$
22	3	2 $\frac{1}{2}$	4	3 $\frac{1}{4}$
23	3	3 $\frac{1}{2}$	4	4 $\frac{1}{4}$
24	3	4 $\frac{1}{2}$	5	1
25	3	5 $\frac{1}{2}$	5	2
26	4	$\frac{1}{2}$	5	3
27	4	1 $\frac{1}{2}$	5	4
28	4	2 $\frac{1}{2}$	6	$\frac{5}{8}$
29	4	3 $\frac{1}{2}$	6	1 $\frac{5}{8}$
30	4	4 $\frac{1}{2}$	6	2 $\frac{5}{8}$
31	4	5 $\frac{1}{2}$	6	3 $\frac{5}{8}$
32	5	$\frac{1}{2}$	7	$\frac{3}{8}$
33	5	1 $\frac{1}{2}$	7	1 $\frac{3}{8}$
34	5	2 $\frac{1}{2}$	7	2 $\frac{3}{8}$
35	5	3 $\frac{1}{2}$	7	3 $\frac{3}{8}$
36	5	4 $\frac{1}{2}$	8	0
37	5	5 $\frac{1}{2}$	8	1
38	6	$\frac{1}{2}$	8	2
39	6	1 $\frac{1}{2}$	8	3
40	6	2 $\frac{1}{2}$	8	4
41	6	3 $\frac{1}{2}$	9	$\frac{3}{4}$
42	6	4 $\frac{1}{2}$	9	1 $\frac{1}{4}$
43	6	5 $\frac{1}{2}$	9	2 $\frac{1}{4}$
44	7	$\frac{1}{2}$	9	3 $\frac{1}{4}$
45	7	1 $\frac{1}{2}$	10	$\frac{3}{8}$
46	7	2 $\frac{1}{2}$	10	1 $\frac{3}{8}$
47	7	3 $\frac{1}{2}$	10	2 $\frac{3}{8}$
48	7	4 $\frac{1}{2}$	10	3 $\frac{3}{8}$
49	7	5 $\frac{1}{2}$	11	$\frac{1}{8}$
50	8	$\frac{1}{2}$	11	1 $\frac{1}{8}$
51	8	1 $\frac{1}{2}$	11	2 $\frac{1}{8}$
52	8	2 $\frac{1}{2}$	11	3 $\frac{1}{8}$
53	8	3 $\frac{1}{2}$	11	4 $\frac{1}{8}$
54	8	4 $\frac{1}{2}$	12	$\frac{3}{4}$
55	8	5 $\frac{1}{2}$	12	1 $\frac{3}{4}$
56	9	$\frac{1}{2}$	12	2 $\frac{3}{4}$
57	9	1 $\frac{1}{2}$	12	3 $\frac{3}{4}$

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
58	9	2 $\frac{1}{2}$	13	$\frac{1}{2}$
59	9	3 $\frac{1}{2}$	13	1 $\frac{1}{2}$
60	9	4 $\frac{1}{2}$	13	2 $\frac{1}{2}$
61	9	5 $\frac{1}{2}$	13	3 $\frac{1}{2}$
62	10	$\frac{1}{2}$	14	$\frac{1}{8}$
63	10	1 $\frac{1}{2}$	14	1 $\frac{1}{8}$
64	10	2 $\frac{1}{2}$	14	2 $\frac{1}{8}$
65	10	3 $\frac{1}{2}$	14	3 $\frac{1}{8}$
66	10	4 $\frac{1}{2}$	14	4 $\frac{1}{8}$
67	10	5 $\frac{1}{2}$	15	$\frac{7}{8}$
68	11	$\frac{1}{2}$	15	1 $\frac{1}{8}$
69	11	1 $\frac{1}{2}$	15	2 $\frac{1}{8}$
70	11	2 $\frac{1}{2}$	15	3 $\frac{1}{8}$
71	11	3 $\frac{1}{2}$	16	$\frac{1}{2}$
72	11	4 $\frac{1}{2}$	16	1 $\frac{1}{2}$
73	11	5 $\frac{1}{2}$	16	2 $\frac{1}{2}$
74	12	$\frac{1}{2}$	16	3 $\frac{1}{2}$
75	12	1 $\frac{1}{2}$	17	$\frac{1}{4}$
76	12	2 $\frac{1}{2}$	17	1 $\frac{1}{4}$
77	12	3 $\frac{1}{2}$	17	2 $\frac{1}{4}$
78	12	4 $\frac{1}{2}$	17	3 $\frac{1}{4}$
79	12	5 $\frac{1}{2}$	17	4 $\frac{1}{4}$
80	13	$\frac{1}{2}$	18	$\frac{7}{8}$
81	13	1 $\frac{1}{2}$	18	1 $\frac{7}{8}$
82	13	2 $\frac{1}{2}$	18	2 $\frac{7}{8}$
83	13	3 $\frac{1}{2}$	18	3 $\frac{7}{8}$
84	13	4 $\frac{1}{2}$	19	$\frac{5}{8}$
85	13	5 $\frac{1}{2}$	19	1 $\frac{5}{8}$
86	14	$\frac{1}{2}$	19	2 $\frac{5}{8}$
87	14	1 $\frac{1}{2}$	19	3 $\frac{5}{8}$
88	14	2 $\frac{1}{2}$	20	$\frac{1}{4}$
89	14	3 $\frac{1}{2}$	20	1 $\frac{1}{4}$
90	14	4 $\frac{1}{2}$	20	2 $\frac{1}{4}$
91	14	5 $\frac{1}{2}$	20	3 $\frac{1}{4}$
92	15	$\frac{1}{2}$	20	4 $\frac{1}{4}$
93	15	1 $\frac{1}{2}$	21	1
94	15	2 $\frac{1}{2}$	21	2
95	15	3 $\frac{1}{2}$	21	3
96	15	4 $\frac{1}{2}$	21	4

\*Finished shade height equals ordered height; there are no factory deductions for height.

**EXAMPLE:** A flat shade with a 48" finished shade height will have seven full panels and the eighth panel will be approximately 5 $\frac{3}{8}$ " long.

## General Information

### Panel Count Chart: Bottom Up/Top Down Cord Lift

The purpose of this information is to help the consumer visualize what their shade will look like by approximating the number of full panels and the bottom panel length. Full panel lengths are 6" for flat and 4 $\frac{5}{16}$ " for looped; however, the bottom panel is used as the adjustment panel to get to finished shade height. **Therefore, the bottom panel length varies depending on shade height.** A small change in finished shade height can create significantly different looks.

**This chart should be used to compare the effect of various lengths. The information can vary depending on the pleat length tolerance.**

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
18	2	5	3	3 $\frac{3}{8}$
19	2	6	4	$\frac{1}{2}$
20	3	1	4	1 $\frac{1}{2}$
21	3	2	4	2 $\frac{1}{2}$
22	3	3	4	3 $\frac{1}{2}$
23	3	4	5	$\frac{1}{4}$
24	3	5	5	1 $\frac{1}{4}$
25	3	6	5	2 $\frac{1}{4}$
26	4	1	5	3 $\frac{1}{4}$
27	4	2	5	4 $\frac{1}{4}$
28	4	3	6	$\frac{7}{8}$
29	4	4	6	1 $\frac{7}{8}$
30	4	5	6	2 $\frac{7}{8}$
31	4	6	6	3 $\frac{7}{8}$
32	5	1	7	$\frac{5}{8}$
33	5	2	7	1 $\frac{5}{8}$
34	5	3	7	2 $\frac{5}{8}$
35	5	4	7	3 $\frac{5}{8}$
36	5	5	8	$\frac{1}{4}$
37	5	6	8	1 $\frac{1}{4}$
38	6	1	8	2 $\frac{1}{4}$
39	6	2	8	3 $\frac{1}{4}$
40	6	3	8	4 $\frac{1}{4}$
41	6	4	9	1
42	6	5	9	2
43	6	6	9	3
44	7	1	9	4
45	7	2	10	$\frac{5}{8}$
46	7	3	10	1 $\frac{5}{8}$
47	7	4	10	2 $\frac{5}{8}$
48	7	5	10	3 $\frac{5}{8}$
49	7	6	11	$\frac{3}{8}$
50	8	1	11	1 $\frac{3}{8}$
51	8	2	11	2 $\frac{3}{8}$
52	8	3	11	3 $\frac{3}{8}$
53	8	4	12	0
54	8	5	12	1
55	8	6	12	2
56	9	1	12	3
57	9	2	12	4

Finished Shade Height* (inches)	Flat		Looped	
	Number of Full Panels	Approximate Bottom Panel Height (inches)	Number of Full Panels	Approximate Bottom Panel Height (inches)
58	9	3	13	$\frac{3}{4}$
59	9	4	13	1 $\frac{3}{4}$
60	9	5	13	2 $\frac{3}{4}$
61	9	6	13	3 $\frac{3}{4}$
62	10	1	14	$\frac{3}{8}$
63	10	2	14	1 $\frac{3}{8}$
64	10	3	14	2 $\frac{3}{8}$
65	10	4	14	3 $\frac{3}{8}$
66	10	5	15	$\frac{1}{8}$
67	10	6	15	1 $\frac{1}{8}$
68	11	1	15	2 $\frac{1}{8}$
69	11	2	15	3 $\frac{1}{8}$
70	11	3	15	4 $\frac{1}{8}$
71	11	4	16	$\frac{3}{4}$
72	11	5	16	1 $\frac{3}{4}$
73	11	6	16	2 $\frac{3}{4}$
74	12	1	16	3 $\frac{3}{4}$
75	12	2	17	$\frac{1}{2}$
76	12	3	17	1 $\frac{1}{2}$
77	12	4	17	2 $\frac{1}{2}$
78	12	5	17	3 $\frac{1}{2}$
79	12	6	18	$\frac{1}{8}$
80	13	1	18	1 $\frac{1}{8}$
81	13	2	18	2 $\frac{1}{8}$
82	13	3	18	3 $\frac{1}{8}$
83	13	4	18	4 $\frac{1}{8}$
84	13	5	19	$\frac{7}{8}$
85	13	6	19	1 $\frac{7}{8}$
86	14	1	19	2 $\frac{7}{8}$
87	14	2	19	3 $\frac{7}{8}$
88	14	3	20	$\frac{1}{2}$
89	14	4	20	1 $\frac{1}{2}$
90	14	5	20	2 $\frac{1}{2}$
91	14	6	20	3 $\frac{1}{2}$
92	15	1	21	$\frac{1}{4}$
93	15	2	21	1 $\frac{1}{4}$
94	15	3	21	2 $\frac{1}{4}$
95	15	4	21	3 $\frac{1}{4}$
96	15	5	21	4 $\frac{1}{4}$

\*Finished shade height equals ordered height; there are no factory deductions for height.

**EXAMPLE:** A flat shade with a 48" finished shade height will have seven full panels and the eighth panel will be approximately 5" long.



# General Information

## Flat Style Product Detail

### Installation Brackets

- Zinc-plated spring steel for easy installation
- Hidden snap-in design
- Facilitate easy installation and removal of shade

### Aluminum Headrail

- Color coordinated to shade fabric
- 1 $\frac{1}{16}$ " profile, 1 $\frac{1}{16}$ " depth
- Extremely durable and rustproof

### Fabric Valance (shown in illustration)

- Free of charge; must be requested at time of order
- Matches shade fabric for uninterrupted look
- Attaches to the headrail with hook and loop fastener
- Valance height is 5 $\frac{1}{4}$ "
- Valance returns not available

### Flat 6" Tabbed Fabric

- Pleats provide an elegant look
- Variety of patterns and color choices
- Finished edges guaranteed not to fray

### Projection Brackets

- Long (adds 2 $\frac{1}{2}$ " extension from wall)
- Medium (adds 1 $\frac{1}{2}$ " extension from wall)
- Short (adds 1" extension from wall)

### Side Mount Brackets (optional)

- Maximum width 60"

### Flush Mount End Caps

- Color coordinated to shade fabric
- Sleek look, tighter fit

### Cordlock (not visible)

- Sleek, streamlined design
- Color coordinated to shade fabric
- Free-floating serrated cord-locking roller for dependable operation

### Lift Cord

- Color coordinated to shade fabric
- 1.2 mm braided polyester with a core for durability

### Joiner Ball and End Ball

- Color coordinated to shade fabric

### Sill Rail


- Wrapped in fabric and covered by clear channel for tailored look and maximum durability

### Hold Down Brackets (optional)

- Secure shade to door, wall, or window sill

This panel will vary in height depending on shade height.


### Cord Management Options



### Back View with Safety Loop Cord

### Safety Loop Cord

- Prevents cord from being easily pulled away from the shade and forming a loop



NOTE: Shown with standard cord.

# General Information

## Looped Style Product Detail

### Installation Brackets

- Zinc-plated spring steel for easy installation
- Hidden snap-in design
- Facilitate easy installation and removal of shade

### Aluminum Headrail

- Color coordinated to shade fabric
- $\frac{1}{16}$ " profile,  $\frac{1}{16}$ " depth
- Extremely durable and rustproof

### Fabric Valance (shown in illustration)

- Free of charge; must be requested at time of order
- Matches shade fabric for uninterrupted look
- Attaches to the headrail with hook and loop fastener
- Valance height is  $5\frac{1}{4}$ "
- Valance returns not available

### Looped $4\frac{5}{16}$ " Fabric Panels

- Looped fabric adds a touch of elegance and a dimensional look to the shade
- Variety of patterns and color choices
- Loops are created by the cord loops on rear of shade
- Finished edges are guaranteed not to fray

### Hold Down Brackets (optional)

- Secure shade to door, wall, or window sill

### Sill Rail

- Wrapped in fabric and covered by clear channel for tailored look and maximum durability

### Projection Brackets

- Long (adds  $2\frac{1}{2}$ " extension from wall)
- Medium (adds  $1\frac{1}{2}$ " extension from wall)
- Short (adds 1" extension from wall)

### Side Mount Brackets (optional)

- Maximum width 60"

### Flush Mount End Caps

- Color coordinated to shade fabric
- Sleek look, tighter fit

### Cordlock (not visible)

- Sleek, streamlined design
- Color coordinated to shade fabric
- Free-floating serrated cord-locking roller for dependable operation

### Lift Cord


- Color coordinated to shade fabric
- 1.2 mm braided polyester with a core for durability

### Joiner Ball and End Ball

- Color coordinated to shade fabric

This panel will vary in height depending on shade height.


### Cord Management Options



### Back View with Safety Loop Cord

#### Safety Loop Cord


- Prevents cord from being easily pulled away from the shade and forming a loop




NOTE: Shown with standard cord.

# General Information

## Cordless Lift Product Detail




Back View with Vertical and Horizontal Wands



### Hidden Wand

- For ease of opening and closing shade without touching fabric
- Vertical wand is used with bottom panels greater than 2¾" in height
- Horizontal wand is used with bottom panels less than 2¾" in height
- Shades wider than 48" will have two wands for shade operation

Back View with Safety Loop Cord




### Safety Loop Cord

- Prevents cord from being easily pulled away from the shade and forming a loop


**NOTE:** All cordless lift shades need to be used on windows where consumers can comfortably raise and lower them.

# General Information

## Continuous-Loop Lift Product Detail



### Back View with Safety Loop Cord




### Safety Loop Cord


- Prevents cord from being easily pulled away from the shade and forming a loop

# General Information

## Bottom Up/Top Down Cord Lift Product Detail




### Cord Management Options



### Back View with Safety Loop Cord

#### Safety Loop Cord

- Prevents cord from being easily pulled away from the shade and forming a loop



**NOTE:** Shown with standard cord.

# GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

10007-110 (11/19)|S19-20101

# GRABER.

## Graber Fresco® Roman Shades Designer US Price List — Effective August 2021

### Price Group A: Grasses, Regal

#### Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	277	292	328	364	406	423	474	540	563	605	643	807	889	1150	1223	1293	1564	1731
42 (106.7)	297	313	340	382	423	465	513	561	599	627	671	898	964	1202	1285	1370	1658	1828
48 (122)	319	336	375	414	459	504	553	595	620	660	706	953	1060	1335	1432	1531	1857	2051
54 (137.2)	336	355	400	443	492	544	579	618	661	699	733	1035	1142	1394	1480	1570	1901	2098
60 (152.4)	368	384	443	465	542	563	605	656	698	730	763	1199	1300	1523	1634	1739	2105	2316
66 (167.7)	384	406	459	513	558	595	627	693	726	759	818	1241	1372	1587	1701	1817	2194	2419
72 (182.9)	393	412	496	544	589	624	660	720	755	811	869	1320	1460	1707	1834	1964	2373	2616
78 (198.2)	423	445	517	582	620	658	698	752	803	847	898	1370	1531	1795	1929	2064	2495	2753
84 (213.4)	451	474	553	605	656	693	733	790	842	883	925	1453	1645	1905	2058	2208	2671	2945
90 (228.6)	467	492	567	643	683	726	766	832	887	898	945	1508	1699	1977	2125	2279	2754	3039
96 (243.9)	492	517	615	671	716	759	803	874	909	934	967	1559	1751	2121	2287	2442	2957	3265

#### Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

#### Looped Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	319	336	372	421	466	494	544	576	643	676	708	917	991	1271	1351	1436	1739	1922
42 (106.7)	342	359	374	438	489	522	571	604	671	708	750	985	1074	1335	1416	1515	1832	2025
48 (122)	357	375	434	465	520	548	597	641	706	749	788	1063	1175	1484	1590	1694	2054	2269
54 (137.2)	394	412	453	485	544	584	632	671	746	788	830	1166	1268	1545	1643	1737	2100	2317
60 (152.4)	423	445	483	516	576	612	661	704	786	828	874	1333	1446	1685	1806	1932	2335	2570
66 (167.7)	450	471	503	569	599	654	698	746	795	869	919	1414	1515	1763	1889	2020	2438	2687
72 (182.9)	465	489	532	589	647	685	733	784	865	917	967	1506	1618	1893	2031	2173	2627	2894
78 (198.2)	492	518	555	626	683	722	769	821	914	965	1018	1563	1692	1984	2139	2292	2774	3059
84 (213.4)	524	553	589	656	720	759	805	860	961	1016	1074	1665	1826	2113	2282	2449	2959	3267
90 (228.6)	544	571	620	693	759	803	844	953	1011	1067	1125	1728	1886	2188	2362	2526	3053	3373
96 (243.9)	574	604	683	720	801	839	883	1006	1063	1102	1127	1791	1944	2356	2530	2709	3279	3621

#### Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Grasses*					
Chestnut	0123	Coast	0125	Maple	0120

Regal					
Black	3216	Jute	3217	Snow White	3210
Brick	3233	Midnight	3232	Silver	3236
Chocolate	3235	Platinum	3237	Vanilla	3211

\*Confidence in Textiles Oeko-Tex® Standard 100 Certified.



## Price Group B: Cristale

### Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	358	375	426	469	512	548	615	683	728	780	820	1037	1139	1468	1565	1655	2005	2219
42 (106.7)	381	401	437	491	548	600	661	722	764	806	866	1153	1239	1542	1645	1743	2114	2333
48 (122)	411	433	480	541	591	646	706	757	800	851	909	1220	1357	1716	1842	1959	2377	2627
54 (137.2)	430	452	511	562	631	693	743	790	846	896	935	1322	1463	1788	1901	2011	2437	2686
60 (152.4)	469	494	562	597	691	728	783	833	892	935	979	1537	1667	1951	2100	2233	2701	2970
66 (167.7)	487	512	591	661	720	757	806	881	930	973	1047	1593	1754	2037	2182	2331	2815	3102
72 (182.9)	511	540	633	693	750	800	851	920	971	1040	1111	1687	1867	2189	2346	2512	3036	3348
78 (198.2)	541	568	675	746	800	846	892	967	1034	1089	1153	1743	1957	2297	2470	2649	3203	3535
84 (213.4)	584	615	706	780	833	881	935	1016	1080	1129	1186	1861	2109	2442	2637	2830	3423	3775
90 (228.6)	592	624	735	827	874	930	985	1066	1135	1153	1216	1928	2176	2530	2728	2920	3527	3893
96 (243.9)	642	675	787	866	917	973	1034	1119	1167	1190	1241	1995	2248	2723	2928	3137	3798	4196

### Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

### Looped Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	406	426	461	524	583	627	692	722	809	847	901	1156	1252	1605	1700	1806	2190	2422
42 (106.7)	426	448	475	550	626	657	719	765	842	901	945	1245	1353	1684	1791	1905	2309	2548
48 (122)	445	469	546	584	655	699	758	800	893	943	991	1330	1481	1866	2000	2133	2588	2858
54 (137.2)	494	520	578	615	692	728	792	842	938	991	1042	1476	1596	1941	2064	2189	2649	2923
60 (152.4)	542	569	600	647	722	773	831	893	986	1042	1098	1675	1814	2124	2278	2432	2939	3236
66 (167.7)	557	589	636	708	760	822	878	936	1006	1097	1158	1789	1908	2218	2373	2546	3075	3388
72 (182.9)	590	620	665	746	816	862	924	982	1090	1156	1219	1888	2038	2380	2558	2733	3305	3643
78 (198.2)	617	648	705	781	860	907	968	1032	1154	1217	1288	1972	2131	2499	2699	2886	3487	3848
84 (213.4)	666	700	743	828	904	956	1013	1082	1213	1277	1353	2102	2304	2662	2875	3086	3734	4116
90 (228.6)	682	719	779	869	956	1009	1064	1198	1275	1345	1415	2175	2374	2760	2974	3188	3850	4248
96 (243.9)	729	765	851	904	1006	1061	1118	1270	1329	1354	1415	2247	2452	2962	3191	3410	4127	4557

### Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Cristale*					
Angora	3271	Parchment	3272	Pristine	3273
Antique White	3274				

\*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

## Price Group C: Crossweave, Desert, Madrid, Royale, Versailles

### Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (41)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	421	443	503	553	605	648	723	807	863	917	967	1224	1349	1738	1851	1957	2371	2621
42 (106.7)	450	471	513	582	648	712	781	853	903	953	1022	1364	1460	1819	1944	2058	2495	2754
48 (122)	486	512	569	639	698	763	836	894	945	1005	1073	1444	1606	2030	2176	2319	2813	3105
54 (137.2)	511	537	599	666	746	816	874	938	1002	1055	1107	1566	1728	2114	2243	2374	2871	3168
60 (152.4)	560	588	666	702	811	863	921	982	1051	1101	1159	1820	1971	2302	2478	2638	3191	3512
66 (167.7)	576	605	698	781	847	894	953	1042	1093	1153	1241	1878	2074	2409	2578	2753	3325	3662
72 (182.9)	602	633	749	816	887	945	1005	1088	1147	1232	1315	1999	2205	2584	2775	2967	3589	3957
78 (198.2)	634	669	794	880	945	996	1051	1142	1219	1285	1364	2062	2314	2716	2920	3129	3785	4174
84 (213.4)	687	723	836	917	982	1042	1107	1197	1277	1333	1401	2198	2492	2885	3117	3342	4041	4456
90 (228.6)	704	740	870	976	1035	1093	1164	1259	1342	1364	1433	2279	2571	2987	3221	3446	4164	4596
96 (243.9)	756	794	932	1022	1085	1153	1219	1322	1378	1408	1467	2359	2657	3219	3462	3710	4491	4959

### Add Surcharge to Shade Price

<b>Cordless Lift</b>	119
----------------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

### Looped Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	466	492	538	609	681	730	803	839	939	983	1048	1344	1454	1964	2079	2206	2672	2954
42 (106.7)	496	522	551	643	729	765	838	894	981	1048	1101	1450	1574	2061	2194	2334	2823	3117
48 (122)	517	546	630	682	763	812	882	934	1037	1094	1154	1552	1725	2284	2449	2606	3162	3492
54 (137.2)	579	610	669	714	803	847	925	981	1093	1154	1214	1714	1861	2376	2526	2678	3243	3579
60 (152.4)	628	661	699	753	839	894	969	1037	1150	1210	1276	1950	2110	2598	2787	2976	3598	3964
66 (167.7)	649	683	743	828	890	958	1016	1088	1166	1275	1349	2085	2221	2712	2904	3115	3764	4149
72 (182.9)	684	721	777	867	954	1005	1073	1146	1270	1344	1416	2198	2374	2912	3129	3340	4037	4452
78 (198.2)	720	757	818	909	1002	1056	1126	1199	1342	1415	1500	2295	2476	3054	3298	3528	4264	4705
84 (213.4)	778	816	865	957	1051	1114	1184	1265	1408	1484	1574	2443	2681	3256	3515	3774	4564	5035
90 (228.6)	795	838	905	1016	1114	1178	1241	1399	1482	1566	1645	2533	2760	3377	3633	3898	4709	5196
96 (243.9)	851	894	993	1051	1172	1232	1300	1477	1551	1581	1649	2614	2856	3625	3904	4174	5052	5579

### Add Surcharge to Shade Price

<b>Cordless Lift</b>	119
----------------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Crossweave*					
Beechwood	3410	Elm	3411	Slate	3416
Diamond	3418	Nutbrown	3412	Spruce	3415

\*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Desert*					
Haze	3452	Natural	3434	Shell	3431
Mesa	3435	Sandstone	3432	Snow	3450

\*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Madrid					
Azure	3515	Granate	3517	Teal	3516
Chocolate	3519	Sand	3512	White	3510
Glow	3511	Sienna	3518		

Royale*					
Granite	3426	Rapture	3425	Storm	3424
Ivory	3420	Saddle	3423		

\*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

Versailles*					
Chocolate	3261	Toast	3260	White	3265
French Beige	3264				

\*Confidence in Textiles Oeko-Tex® Standard 100 Certified.

## Price Group D: Suburban

### Flat Style

Height up to inches (cm) ↓	Width up to inches (cm) →																	
	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	475	499	571	628	685	735	817	916	978	1039	1094	1384	1526	1968	2095	2215	2683	2965
42 (106.7)	510	534	580	660	735	808	886	967	1023	1080	1161	1544	1658	2064	2206	2337	2831	3122
48 (122)	550	579	643	722	791	864	947	1013	1071	1135	1215	1638	1820	2299	2462	2629	3189	3522
54 (137.2)	572	603	678	755	843	926	991	1061	1132	1198	1253	1776	1958	2396	2545	2689	3255	3594
60 (152.4)	632	667	755	800	918	978	1044	1116	1194	1248	1309	2062	2233	2612	2812	2993	3618	3981
66 (167.7)	653	685	791	886	959	1013	1080	1178	1241	1305	1408	2132	2347	2730	2922	3124	3774	4161
72 (182.9)	681	719	846	926	1004	1071	1135	1233	1300	1396	1489	2265	2498	2929	3144	3359	4061	4480
78 (198.2)	720	757	901	996	1071	1129	1194	1295	1382	1456	1544	2337	2625	3076	3310	3547	4291	4732
84 (213.4)	778	817	947	1039	1116	1178	1253	1357	1448	1511	1587	2494	2822	3266	3531	3786	4577	5049
90 (228.6)	801	841	986	1103	1170	1241	1321	1425	1522	1544	1624	2585	2914	3385	3648	3903	4716	5204
96 (243.9)	858	901	1059	1161	1226	1305	1382	1494	1563	1593	1662	2672	3010	3646	3920	4202	5087	5618

### Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

### Looped Style

	Width up to inches (cm) →																	
Height up to inches (cm) ↓	18 (45)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)	174 (442)	192 (487.7)
36 (91.5)	525	555	602	685	769	820	902	945	1056	1107	1177	1511	1633	2208	2335	2482	3005	3321
42 (106.7)	563	591	619	722	817	859	940	1004	1101	1177	1237	1631	1770	2316	2463	2619	3168	3498
48 (122)	583	615	708	770	857	917	991	1050	1167	1232	1297	1743	1941	2570	2751	2931	3552	3922
54 (137.2)	649	683	753	803	902	954	1039	1101	1233	1297	1363	1927	2091	2670	2839	3011	3644	4021
60 (152.4)	710	747	785	846	945	1006	1090	1167	1292	1358	1435	2195	2372	2921	3132	3345	4044	4454
66 (167.7)	732	772	838	927	998	1075	1145	1226	1310	1433	1517	2344	2496	3047	3265	3501	4233	4668
72 (182.9)	765	808	870	974	1071	1129	1204	1288	1427	1511	1596	2470	2671	3276	3516	3758	4542	5007
78 (198.2)	809	850	920	1023	1126	1188	1269	1350	1508	1593	1684	2581	2781	3434	3703	3967	4794	5290
84 (213.4)	872	918	971	1077	1184	1250	1328	1419	1583	1670	1770	2747	3013	3656	3948	4239	5127	5654
90 (228.6)	894	940	1018	1142	1250	1323	1395	1569	1670	1762	1849	2850	3104	3793	4083	4379	5293	5840
96 (243.9)	955	1004	1116	1184	1316	1383	1460	1661	1742	1774	1854	2938	3209	4076	4386	4690	5678	6270

### Add Surcharge to Shade Price

Cordless Lift	119
---------------	-----

NOTE: Continuous fabric width up to 72" (182.9 cm)

Suburban					
Clay	3473	Stone	3471	White	3470
Sand	3472				

## Options Pricing

<b>Bottom Up/Top Down Cord Lift</b>	99
<b>Continuous-Loop Lift</b>	99
<b>Cordless Lift</b>	See price charts for surcharge
<b>Cord Cleats</b>	Clear: No charge 10 Solid brass 5 Antique brass
<b>Cord Winder</b>	8
<b>Motorized Lift</b>	See motorization product information guide
<b>Fabric Valance Trim</b>	33
<b>Multiple Shades on One Headrail</b>	No charge: Shades exceeding fabric width 99 If shade width less than or equal to fabric width
<b>Wood Cornices and Valances</b>	See cornices and valances product information guide

## Fabric Valance-Only Pricing

Width up to inches (cm) →		18	24	31	36	42	48	54	60	66	72	84	96	108	120	132	144	174	192
		(45)	(61)	(78.8)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.4)	(304.8)	(335.3)	(365.8)	(442)	(487.7)
<b>Valance Only</b>		84	89	93	98	105	107	110	114	123	128	140	149	158	165	179	189	268	294

**NOTE:** Continuous valance is only available up to fabric width. If used on multiple shade on one headrail, or the valance is greater than the fabric width, the valance will have the same breaks as the panels.