

GRABER® | DELIGHT IN
EVERY DETAIL



Grabber Pleated Shades English/US Price Guide

PLEATED SHADES

Product Information Guide

Features

Fabric Styles and Information	4
Light Control and Privacy Levels	4
Oeko-Tex® Standard 100 Certified Fabrics	4
Summary	5

Control Type and Size Considerations

Cord Lift	6-7
Bottom Up/Top Down Cord Lift	8
Sun Up/Sun Down Cord Lift	8
Cordless Lift	9-10
Bottom Up/Top Down Cordless Lift	10
Sun Up/Sun Down Cordless Lift	11
Continuous-Loop Lift	12-13
Perfect-View® Cord Lift	14-15
Perfect-View Cordless Lift	16-17

Options

Shade Liner	18
Motorized Lift	18
Multiple Shades on One Headrail	19
Corner Windows	20
Bay Windows	21
Specialty Shapes: Arch Shades	22
Specialty Shapes: Angle Top	23
SkyTrack™ Skylight	23
Enhanced Light Control Features	24
Making a Template for Specialty Windows	25
Using a Template Service	25

GRABER®

MAY 2023

(05/23) 23-445751

General Information

Stack Height Chart Cord Lift	26
Stack Height Chart: Perfect-Vue®	27
Pleated Shade Color Coordination Chart.	28
Cord Control Product Detail	29
Cordless Lift Product Detail	30
Continuous-Loop Lift Product Detail	31
Bottom Up/Top Down: Cord Lift Product Detail.	32
Bottom Up/Top Down: Cordless Lift Product Detail	33
Perfect-Vue Cord Lift Product Detail	34
Perfect-Vue Cordless Lift Product Detail	35

Features

Graber® Pleated Shades include a variety of prints and elegant weaves in fashionable colors. The unique design of the back ladder support of EvenPleat® ensures that pleats will not sag or flatten. These classic shades are an elegant addition to any window and match easily with other window treatments.

- EvenPleat back ladder support gives pleats an even, dimensional appearance
- Many fashion-inspired patterns, colors, and textures enhance any room
- Color coordinated rails and components
- Offer numerous light control and privacy levels
- Two liners offered for light control: Light Filtering and Room Darkening
- Two pleat sizes offered: 1" and 2" pleat (select styles)

Features	Benefits
EvenPleat® Shades	
EvenPleat Loop Tape	• Ensures consistent pleat spacing from top to bottom for a perfect, tailored look; pleats won't sag • Patterns remain uniform throughout the shade • No need to periodically raise the shade
Many Fabric Styles	• Great design flexibility • Something to suit everyone's taste and budget • Fresh color offerings in tune with today's decor trends • 2" pleat is an ideal solution for larger windows
Limited Lifetime Warranty	• Guarantees years of trouble-free shade operation
FashionPleat® Shades	
Many Fabric Styles	• Great design flexibility • Something to suit everyone's taste and budget
Three-Year Warranty	• Guarantees trouble-free shade operation • Product is warranted against original defects in materials or workmanship
Pleated Shades	
Aluminum Headrail System	• Strong, yet lightweight • Color coordinated to fabric • Extremely durable • Rail color coordination can be specified at the time of purchase
Two Different Fabric Liners Available	• Changes privacy level of any fabric to either Light Filtering or Blackout • Provides neutral exterior appearance regardless of interior color • Available with select 1" or 2" fabrics
Cordless Lift	• Eliminate external lift cords and cord loops • Available on select fabrics
Continuous-Loop Lift	• Continuous-loop remains at constant length • Eliminates cords gathering on floor • Helps lift large, heavy shades • Sleek, low profile; color coordinated headrail is sturdy aluminum
Variety of Specialty Shades Available	• Coordinated hard-to-cover specialty windows for total room decor • Provides light control
Motorized Lift	• Provides easy operation of hard to reach or large windows • Eliminates external lift cords and cord loops • Available with all fabrics

Features

Fabric Styles and Information

Fabric Styles	1" FashionPleat®	1" EvenPleat®	2" EvenPleat	Fabric Content	Fabric Width (inches)	Privacy Rating	Liner Available	Overlap*	Cordless Lift Available	Oeko-Tex® Certified
Aberdeen		•	•	100% polyester	92	Light Filtering	•	•	•	•
Allure	•	•		100% polyester	72	Light Filtering	•	•	•	
Canyon Ridge			•	100% polyester	92	Light Filtering	•	•	•	•
Cloud Metal			•	100% polyester	94	Light Filtering	•	•	•	•
Debonair		•	•	92.6% polyester, 4.3% cotton strap, 3.1% flax	94	Light Filtering	•		•	•
Desert	•	•	•	100% polyester	94	Light Filtering	•	•	•	•
Grasscloth			•	100% polyester	72	Light Filtering	•		•	•
Inkblot		•		100% polyester	92	Light Filtering	•		•	•
Marina			•	100% polyester	94	Light Filtering	•		•	•
Prescott			•	100% polyester	94	Light Filtering	•		•	•
Sahara Ridge		•	•	95.8% polyester 2.5% cotton strap 1.7% flax	94	Light Filtering	•		•	•
Serendipity		•	•	100% polyester	92	Sheer		•	•	
Sheer Linen	•	•	•	100% polyester	72	Sheer		•	•	
Spring Bloom		•		100% polyester	92	Light Filtering	•		•	•
Terrain		•	•	100% polyester	94	Light Filtering	•		•	•
Blackout Liner		•	•	100% polyester	72	Room Darkening		•		
Privacy Liner		•	•	100% polyester	72	Light Filtering		•	•	

*Overlaps are not available with bottom up/top down, sun up/sun down, Perfect-Vue®, and multiple shades on one headrail.

Light Control and Privacy Levels

Sheer: Allows the most sunlight and least privacy

Light Filtering: Blocks some sunlight and offers some privacy

Privacy Liner: Offers increased light control and privacy. At night, objects in your home will appear as silhouettes from the outside.

Blackout Liner: Blocks light and offers complete privacy. At night, objects in your home will not be seen from the outside.

Oeko-Tex® Standard 100 Certified Fabrics

Fabric styles Aberdeen, Canyon Ridge, Cloud Metal, Debonair, Desert, Grasscloth, Inkblot, Marina, Prescott, Sahara Ridge, Spring Bloom, and Terrain are Oeko-Tex Standard 100 Certified and are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

Oeko-Tex is a registered trademark of the Oeko-Tex Association.



Features

Summary (for surcharges and pricing refer to price charts)

The following is a list of options for pleated shades. Most options are available in all styles and colors. Limitations will be based on fabric width and fabric type. See detailed descriptions on the following pages.

Control Type Options (see price charts for pricing and/or surcharges)

- Cord lift
- Continuous-loop lift
- Cordless lift
- Motorized lift (see motorization product information guide)

Shade Options—No Charge

- Cord placement on right or left
- Custom cord length is available upon request at time of order
- Corner or bay window
- Hold down brackets
- Projection brackets
 - With 1" cord lift, 1", 2" cordless lift, continuous-loop lift, and motorized lift pleated shades
 - Long (adds up to 2½" extension from wall)
 - Medium (adds up to 1⅝" extension from wall)
 - Short (adds up to 1" extension from wall)
 - With 2" EvenPleat®
 - Long (adds up to 2¼" extension from wall)
 - Medium (adds up to 1⅜" extension from wall)
 - Short (adds up to ¾" extension from wall)
- Rail color can be specified at the time of order
- Shims
- Side-mount brackets: inside mount only
- Standard cord cleats: clear
- Lightblocking strip available with cordless lift, continuous-loop lift, and motorized lift controls

Specialty Shape Shade Options (see price charts for pricing and/or surcharges)

- Angled Top
- Arches




Shade Options—Surcharge (see price charts for pricing and/or surcharges)

- Room-darkening side channels: 2" pleated; cord, motorized, and cordless lift
- Bottom up/top down cord lift
- Bottom up/top down cordless lift
- Cord winder
- Decorative cord cleats
- Liners
- Multiple shades on one headrail
- Perfect-Vue® shade: cord lift
- Perfect-Vue shade: cordless lift
- Sky pole
- Skylight shades
- Sun up/sun down cord lift
- Sun up/sun down cordless lift

Pleat Size	Cord Lift	Cordless Lift	Continuous-Loop Lift	Motorized Lift	Bottom Up/Top Down	Sun Up/Sun Down	Perfect-Vue	Side Channels	Skylights	Arches	Angle Top
1"	•	•	•	•	•	•	•			•	•
2"	•	•	•	•	•	•	•	•	•	•	

Control Type and Size Considerations

Cord Lift

Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available													
				Cord Lift (inches)				Cord Lift Two-On-One Headrail (inches)					Cord Lift Bottom Up/Top Down (inches)			
				Width		Height		Width			Height		Width		Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel‡	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max
1" FashionPleat®																
Allure	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Desert	94	●	●	9	144	12	96	9	94	144	12	96	12	72	12	96
Sheer Linen	72	●		9	144	12	96	9	72	144	12	96	12	72	12	96
1" EvenPleat®																
Aberdeen	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96
Allure	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Blackout Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Debonair	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
Desert	94	●	●	12	120	12	96	12	94	120	12	96	12	78	12	96
Inkblot	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96
Privacy Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Sahara Ridge	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
Serendipity	92	●		12	120	12	96	12	92	120	12	96	12	78	12	96
Sheer Linen	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Spring Bloom	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96
Terrain	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
2" EvenPleat																
Aberdeen	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120
Blackout Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Canyon Ridge	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120
Cloud Metal	94	●	●	18	144	12	144*	18	94	144	12	120	18	78	12	120
Debonair	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120
Desert	94	●	●	18	144	12	144*	18	94	144	12	120	18	78	12	120
Grasscloth	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120
Marina	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120
Prescott	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120
Privacy Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Sahara Ridge	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120
Serendipity	92	●		18	144	12	144*	18	92	144	12	120	18	78	12	120
Sheer Linen	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Terrain	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120



*Height limited to 96" with overlap.

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Please refer to area limit chart for size restrictions by fabric name. Maximum width and height for shades with side channels is 120".


‡Two-on-one headrail not available with overlap.

Depth Requirements for Inside Mount Cord Lift

Shade Type	Headrail Dimensions (inches)				
		Minimum Depth Mount (inches)		Flush with Casing (inches)	
1" Pleat	7/8 x 1 1/4	1 1/16		1 13/16	
2" Pleat	7/8 x 2 1/16	1 1/16		2 1/4	

Control Type and Size Considerations

Cord Lift



- **No charge**
- Controls can be placed on the right (standard) or left side; side mounts available up to 60" wide by 96" high
- Room-darkening side channels are available
 - Surcharge (see price charts)
 - 2" pleated only
 - Available in cord lift and cordless lift
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	9	144	12	96
1" EvenPleat®	12	120	12	96
2" EvenPleat	18	144	12	144 **

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.


†Based on fabric width with overlap.

Maximum width and height for shades with side channels is 120".

Cord Lift Area Limit Chart (if less than control type maximum)			No Overlap		With Overlap	
Pleat Size	Fabric Style	Fabric Width (inches)	Area Limit (square inches)	With Liner (square inches)	Area Limit (square inches)	With Liners (square inches)
1"	Aberdeen	92		8,000	9,000	6,000
	Allure	72				10,000
	Debonair	94		8,000		
	Desert	94		8,000	9,000	6,000
	Inkblot	92				
	Sahara Ridge	94		8,000		
	Serendipity	92				7,000
	Sheer Linen	72				8,000
	Spring Bloom	92		8,000		
	Terrain	94		8,000		
2"	Aberdeen	92	10,000	7,000	8,000	5,000
	Canyon Ridge	92	10,000	7,000	8,000	5,000
	Cloud Metal	94	10,000	7,000	8,000	5,000
	Debonair	94	10,000	7,000		
	Desert	94	10,000	7,000	8,000	5,000
	Grasscloth	72	9,000	6,000		
	Marina	94	10,000	7,000		
	Prescott	94	9,000	6,000		
	Sahara Ridge	94	10,000	7,000		
	Serendipity	92	11,000	8,000	9,000	6,000
	Sheer Linen	72				8,000
	Terrain	94	10,000	7,000		

Control Type and Size Considerations

Bottom Up/Top Down Cord Lift



- **For surcharges** (see price charts)
- Option allows for privacy; lets in natural light
- Standard control is right control that operates bottomrail; left cord operates midrail (can be reversed)
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	12	72	12	96
1" EvenPleat	12	78	12	96
2" EvenPleat	18	78	12	120


*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 120".

NOTE: See corded area limit chart for fabric-specific limitations.

Sun Up/Sun Down Cord Lift



- **Price as two separate standard shades from price charts and combine the prices for total cost**
- Perfect for combining light controls of sheer or Light Filtering and Room Darkening
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Standard control is right control that operates bottomrail, left cord operates midrail (can be reversed)
- Headrail coordinates with top fabric
- Bottomrail coordinates with bottom fabric
- Midrail will match headrail as a default, however, can specify to match bottomrail at time of order
- Overlap not available
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	72	12	96
2" EvenPleat	18	72	12	96



*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 120".

Control Type and Size Considerations

Cordless Lift



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available															
				Cordless Lift (inches)				Cordless Lift Multiple Shades on One Headrail (inches)				Cordless Lift Bottom Up/Top Down (inches)						
				Width		Height		Width		Height		Width		Height				
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max		
1" FashionPleat®																		
Allure	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86		
Desert	94	●	●	12	96	9	86	12	94	144	9	86	15	84	9	86		
Sheer Linen	72	●		12	96	9	86	12	72	144	9	86	15	72	9	86		
1" EvenPleat®																		
Aberdeen	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86		
Allure	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86		
Debonair	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86		
Desert	94	●	●	12	96	6	86	12	94	120	6	86	15	84	9	86		
Inkblot	92		●	12	92	6	86	12	92	120	6	86	15	84	9	86		
Privacy Liner	72	●		12	96	6	86	12	72	120	6	86	15	72	9	86		
Sahara Ridge	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86		
Serendipity	92	●		12	96	6	86	12	92	120	6	86	15	84	9	86		
Sheer Linen	72	●		12	96	6	86	12	72	120	6	86	15	72	9	86		
Spring Bloom	92		●	12	92	6	86	12	92	120	6	86	15	84	9	86		
Terrain	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86		
2" EvenPleat																		
Aberdeen	92	●	●	12	92	12	86	12	92	144	12	86	15	84	12	86		
Canyon Ridge	92	●	●	12	92	12	86	12	92	144	12	86	15	84	12	86		
Cloud Metal	94	●	●	12	94	12	86	12	94	144	12	86	15	84	12	86		
Debonair	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86		
Desert	94	●	●	12	96	12	86	12	94	144	12	86	15	84	12	86		
Grasscloth	72		●	12	72	12	86	12	72	144	12	86	15	72	12	86		
Marina	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86		
Prescott	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86		
Privacy Liner	72	●		12	96	12	86	12	72	144	12	86	15	72	12	86		
Sahara Ridge	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86		
Serendipity	92	●		12	96	12	86	12	92	144	12	86	15	84	12	86		
Sheer Linen	72	●		12	96	12	86	12	72	144	12	86	15	72	12	86		
Terrain	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86		

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

NOTE: Cordless lift maximum overall area for 1" Debonair is 5400 square inches, 1" Aberdeen, Sahara Ridge, Terrain, and Desert is 6400 square inches, 1" Serendipity is 7000 square inches; 2" Prescott is 4000 square inches, 2" Aberdeen, Cloud Metal, Debonair, Marina, Sahara Ridge, and Terrain is 4800 square inches, 2" Canyon Ridge, Desert and Serendipity is 6000 square inches, 2" Sheer Linen is 7400 square inches.


Maximum width and height for shades with side channels is 120".

Depth Requirements for Inside Mount Cordless Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	3/8	2 3/8
2" Pleat	1 1/16 x 2 1/8	3/8	2 3/8

Control Type and Size Considerations

Cordless Lift



- **For surcharge, see price charts**
- Available with the privacy liner option on single panels of fabric (no overlap)
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available with Debonair, Grasscloth, Inkblot, Marina, Prescott, Sahara Ridge, Spring Bloom, or Terrain
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down cord lift shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation
- Room-darkening side channels are available:
 - Surcharge (see price charts)
 - 2" pleated only
 - Available in cord lift and cordless lift
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205


Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	96	9	86
1" EvenPleat®	12	96	6	86
2" EvenPleat	12	96	12	86

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

†Based on fabric width with overlap.

NOTE: Cordless lift maximum overall area for 1" Debonair is 5400 square inches, 1" Aberdeen, Sahara Ridge, Terrain, and Desert is 6400 square inches, 1" Serendipity is 7000 square inches; 2" Prescott is 4000 square inches, 2" Aberdeen, Cloud Metal, Debonair, Marina, Sahara Ridge, and Terrain is 4800 square inches, 2" Canyon Ridge, Desert and Serendipity is 6000 square inches, 2" Sheer Linen is 7400 square inches.

Bottom Up/Top Down Cordless Lift



- **For surcharge, see price charts**
- Option allows for privacy; lets in natural light
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	15	84	9	86
1" EvenPleat	15	84	9	86
2" EvenPleat	15	84	12	86

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


†Not available with overlap.

Maximum width and height for shades with side channels is 120".

NOTE: See cordless size considerations chart for fabric specific limitations.

Control Type and Size Considerations

Sun Up/Sun Down Cordless Lift



- **Price as two separate cord lift shades from price charts and add one cordless lift surcharge for total cost**
- Perfect for combining light controls of sheer or light-filtering and room-darkening fabrics
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Headrail coordinates with top fabric, bottomrail coordinates with bottom fabric, and midrail will match headrail as a default
- Overlap not available
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleated	15	84	12	86
2" Pleated	15	84	12	86

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.



†Based on fabric width; narrowest of the two fabrics is the maximum width.

Maximum width and height for shades with side channels is 120".

NOTE: See cordless size considerations chart for fabric specific limitations.

Control Type and Size Considerations

Continuous-Loop Lift Shades



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available										
				Continuous-Loop Lift (inches)				Continuous-Loop Lift Multiple Shades on One Headrail (inches)					
				Width		Height		Width				Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade Single Control	Max Shade Multiple Controls	Min Shade	Max Shade
1" FashionPleat®													
Allure	72	•	•	18½	120	9	96	18½	72	120	144	9	96
Desert	94	•	•	18½	120	9	96	18½	94	120	144	9	96
Sheer Linen	72	•		18½	120	9	96	18½	72	120	144	9	96
1" EvenPleat®													
Aberdeen	92	•	•	18½	120	6	96	18½	92	120	120	6	96
Allure	72	•	•	18½	120	6	96	18½	72	120	120	6	96
Blackout Liner	72	•		18½	120	6	96	18½	72	120	120	6	96
Debonair	94		•	18½	94	6	96	18½	94	120	120	6	96
Desert	94	•	•	18½	120	6	96	18½	94	120	120	6	96
Inkblot	92		•	18½	92	6	96	18½	92	120	120	6	96
Privacy Liner	72	•		18½	120	6	96	18½	72	120	120	6	96
Sahara Ridge	94		•	18½	94	6	96	18½	94	120	120	6	96
Serendipity	92	•		18½	120	6	96	18½	92	120	120	6	96
Sheer Linen	72	•		18½	120	6	96	18½	72	120	120	6	96
Spring Bloom	92		•	18½	92	6	96	18½	92	120	120	6	96
Terrain	94		•	18½	94	6	96	18½	94	120	120	6	96
2" EvenPleat													
Aberdeen	92	•	•	18½	144	12	120*	18½	92	144	144	12	120
Blackout Liner	72	•		18½	144	12	120*	18½	72	144	144	12	120
Canyon Ridge	92	•	•	18½	144	12	120*	18½	92	144	144	12	120
Cloud Metal	94	•	•	18½	144	12	120*	18½	94	144	144	12	120
Debonair	94		•	18½	94	12	120*	18½	94	144	144	12	120
Desert	94	•	•	18½	144	12	120*	18½	94	144	144	12	120
Grasscloth	72		•	18½	72	12	120*	18½	72	144	144	12	120
Marina	94		•	18½	94	12	120*	18½	94	144	144	12	120
Prescott	94		•	18½	94	12	120*	18½	94	144	144	12	120
Privacy Liner	72	•		18½	144	12	120*	18½	72	144	144	12	120
Sahara Ridge	94		•	18½	94	12	120*	18½	94	144	144	12	120
Serendipity	92	•		18½	144	12	120*	18½	92	144	144	12	120
Sheer Linen	72	•		18½	144	12	120*	18½	72	144	144	12	120
Terrain	94		•	18½	94	12	120*	18½	94	144	144	12	120

†For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.


NOTE: Please refer to continuous-loop lift area limit chart for size restrictions by fabric.

Depth Requirements for Inside Mount Continuous-Loop Lift

Shade Type	Headrail Dimensions (inches)	 Minimum Depth Mount (inches)	 Flush with Casing (inches)
1" Pleat	1⅞ x 2⅞	⅝	2⅞
2" Pleat	1⅞ x 2⅞	⅝	2⅞

Control Type and Size Considerations

Continuous-Loop Lift



- For surcharges, see price charts
- Recommended for larger, heavier shades
- Larger shades use a geared clutch for easier lifting, but additional pulls are required to lift the shade
- A single continuous-loop cord raises and lowers the shade and keeps the cord the same length
- Safety locking cord guide included; cord guide must be installed for shade operation

NOTE: When ordered as multiple shades on one headrail, there can be either one or two controls. A single control on the left or right can be used on shades up to 120" wide to operate all panels. With two controls, the left control operates the left panel and the right control operates the right panel. For three panel shades, specify middle panel as control right or control left. Continuous-loop controls cannot be located in the middle of a headrail.

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	18½	120	9	96
1" EvenPleat®	18½	120	6	96
2" EvenPleat	18½	144	12	120**

*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.

†Based on fabric width with overlap.

Loop Cord and Tensioner Device Colors	
Smokey Gray	026
Tender Taupe	103
Vanilla	100
White	00

Continuous-Loop Lift Area Limit Chart	
Fabric Style	Maximum Shade Size (square inches)
2" Aberdeen, Canyon Ridge, Cloud Metal, Debonair, Desert, Grasscloth, Marina, Prescott, Sahara Ridge, Serendipity, Terrain	9,000
1" Aberdeen, Debonair, Desert, Sahara Ridge, Serendipity, Spring Bloom, Terrain	11,000
1" Allure, Inkblot, Sheer Linen; 2" Sheer Linen	13,000
Liner only shades	17,000

Control length for continuous-loop lift shades varies based on the finished shade height. Optional cord loop lengths are available and must be specified at the time of the order. The chart below lists the standard cord length.

Finished Shade Height	1" Pleated Continuous-Loop Cord Length (inches)	2" Pleated Continuous-Loop Cord Length (inches)
12 to 26	18	18
26⅞ to 38	24	24
38⅞ to 50	36	36
50⅞ to 62	48	48
62⅞ to 74	60	60
74⅞ to 96	72	72
96⅞ to 120	N/A	84

Optional cord lengths: 84", 96", and 108".



Control Type and Size Considerations

Perfect-Vue® Cord Lift

					
		Cord Lift All Cellular Fabric Styles (inches)			
		Width		Height	
Fabric Styles	Fabric Width (inches)	Min†	Max	Min	Max
1" FashionPleat®					
Allure	72	12	72	12	96
Desert	94	12	72	12	96
Sheer Linen	72	12	72	12	96
1" EvenPleat®					
Aberdeen	92	12	78	12	96
Allure	72	12	72	12	96
Debonair	94	12	78	12	96
Desert	94	12	78	12	96
Inkblot	92	12	78	12	96
Sahara Ridge	94	12	78	12	96
Serendipity	92	12	78	12	96
Sheer Linen	72	12	72	12	96
Spring Bloom	92	12	78	12	96
Terrain	94	12	78	12	96
Serendipity	92	12	78	12	96
Sheer Linen	72	12	72	12	96
2" EvenPleat					
Aberdeen	92	18‡	78	12	96
Canyon Ridge	92	18‡	78	12	96
Cloud Metal	94	18‡	78	12	96
Debonair	94	18‡	78	12	96
Desert	94	18‡	78	12	96
Grasscloth	72	18‡	72	12	96
Marina	94	18‡	78	12	96
Prescott	94	18‡	78	12	96
Sahara Ridge	94	18‡	78	12	96
Serendipity	92	18‡	78	12	96
Sheer Linen	72	18‡	72	12	96
Terrain	94	18‡	78	12	96

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Depth Requirements for Inside Mount for Perfect-Vue®

Shade Type	Cord Lift Shades Headrail Dimensions (inches)		
		Partially recessed headrail in window casing/ molding Minimum Depth Mount (inches)	Fully recessed headrail in window casing/ molding Flush with Casing (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 5/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

Control Type and Size Considerations

Perfect-Vue® Cord Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Standard control is right control—operates bottomrail, while left control operates intermediate rail (can be reversed)
- 1" pleated can be combined with $\frac{1}{16}$ " single cell cellular fabrics only
- 2" pleated can be combined with $\frac{1}{2}$ " double cell or $\frac{3}{4}$ " single cell cellular fabrics only
- Headrail coordinates with top fabric and bottomrail coordinates with bottom cellular fabric
- Midrail will match headrail as default, however, can specify to match bottomrail at time of order
- Product will have one or more cord release devices in compliance with ANSI/WCMA safety standards
- Midrail cord includes a cord release device


Size Considerations	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	78**	12	96
2" EvenPleat	18	78**	12	96

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

**Maximum single shade width is 78" or maximum fabric width, whichever is smaller.

Control Type and Size Considerations



Perfect-Vue® Cordless Lift

Fabric Styles (inches)	Fabric Width (inches)				
		Cordless Lift All Cellular Fabric Styles (inches)			
		Width		Height	
		Minimum†	Maximum	Minimum	Maximum
1" FashionPleat®					
Allure	72	15	72	12	86
Desert	94	15	94	12	86
Sheer Linen	72	15	72	12	86
1" EvenPleat®					
Aberdeen	92	15	92	12	86
Allure	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Inkblot	92	15	92	12	86
Sahara Ridge	94	15	94	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86
Spring Bloom	92	15	92	12	86
Terrain	94	15	94	12	86
Sheer Linen	72	15	72	12	86
2" EvenPleat					
Aberdeen	92	15	92	12	86
Canyon Ridge	92	15	92	12	86
Cloud Metal	94	15	94	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Grasscloth	72	15	72	12	86
Marina	94	15	94	12	86
Prescott	94	15	94	12	86
Sahara Ridge	94	15	94	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86
Terrain	94	15	94	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


NOTE: Maximum area for 1" Aberdeen, Debonair, Sahara Ridge and Terrain is 6400 square inches; 2" Debonair and Prescott is 5800 square inches; 2" Marina and Sahara Ridge is 7000 square inches, 2" Aberdeen, Cloud Metal and Terrain is 7600 square inches.

Depth Requirements for Inside Mount

Shade Type	Cordless Lift Shades Headrail Dimensions (inches)		
		Partially recessed headrail in window casing/ molding Minimum Depth Mount (inches)	Fully recessed headrail in window casing/ molding Flush with Casing (inches)
1" Pleat	1 1/8 x 2 1/8	3/8	2 3/8
2" Pleat	1 1/8 x 2 3/8	3/8	2 3/8

Control Type and Size Considerations

Perfect-Vue® Cordless Lift



- **For pricing, see price charts**
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Cordless lift shades are a safer alternative to shades with accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- 1" pleated can be combined with single cell cellular fabrics only
- 2" pleated can be combined with ½" double cell or ¾" single cell cellular fabrics only
- Headrail coordinates with pleated top fabric; bottomrail coordinates with bottom cellular fabric; midrail will match headrail as default; not available with multiple shades on one headrail
- All Perfect-Vue cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access; very high windows should use the cord lift option, rather than cordless lift; operation of shade requires both sets of handles be used to properly raise and lower rails
- Sky poles not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations		Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleat	All fabric styles	15	94**	12	86
2" Pleat	All fabric styles	15	94**	12	86


*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Maximum single shade width is 94" or maximum fabric width, whichever is smaller.

NOTE: Maximum area for 1" Aberdeen, Debonair, Sahara Ridge and Terrain is 6400 square inches; 2" Debonair and Prescott is 5800 square inches; 2" Marina and Sahara Ridge is 7000 square inches, 2" Aberdeen, Cloud Metal and Terrain is 7600 square inches.

Options

Shade Liner



Liner on
backside
of shade

- **For surcharge, see price charts**
- Available on select styles with standard cord control, continuous-loop, and motorized lift systems
- Privacy liner is available with cordless lift as a single panel only (no overlap)
- Creates neutral to the street side appearance
- Create room-darkening effects by adding a blackout liner
- FashionPleat® privacy and blackout liner are not available as a shade alone
- Due to construction of shade, light will filter through the route holes even with a blackout liner


Optional liners increase privacy and light control.

Privacy: Allows a small amount of light to enter the room for a greater sense of privacy. Inside objects appear as shadows.

Blackout Liner: Prevents light from entering for a high level of light control with maximum privacy, preventing even silhouettes from showing through. Due to construction of the shade, light will filter through the route holes even with blackout liner.

NOTE: For shade widths greater than fabric width and heights up to 60", the liners will overlap at the same location as the fabric overlap. For shade widths greater than fabric width and heights over 60", the liners will overlap in the center of the shade. Maximum finished shade width limited to 142" for 1" fabrics and 140" for 2" fabrics.

Motorized Lift




- **Refer to motorization product information guide for additional options, sizing, and pricing**
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Multiple control and power options available, see motorization product information guide for options
- Boost room-darkening performance by reducing light leakage between the window and headrail by adding a lightblocking strip at no additional surcharge

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

Options

Multiple Shades on One Headrail




- Surcharge for two or three shades on one headrail less than or equal to fabric width (see price charts)
- Shade widths exceeding fabric width made as two or three shades on one headrail—no charge
- Side mounts available
 - Single shade width: 60"
 - Multiple shades on one headrail: 42"

Size Considerations		Maximum Overall Size for Multiple Shades* (inches)	Maximum Size with Side Mount (inches)	Control Locations	Gap (inches)
Cord Lift	FashionPleat®	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control	½
	EvenPleat®	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Single Control	FashionPleat	120 x 96	60 x 96	Two-on-one: Common lift cord can be on right or left to operate both shades at the same time Three-on-one: Common lift cord can be on right or left to operate all shades at the same time	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Multi Control	FashionPleat	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control Three-on-one: Left shade, left control Right shade, right control Middle shade, common lift cord to right or left shade. Continuous-loop lift system cannot be used in the middle of the headrail on multiple shades	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Cordless Lift	FashionPleat	144 x 86	60 x 96	Not applicable	¾
	EvenPleat	120 x 86			
	2" EvenPleat	144 x 86			


*See size considerations section for the minimum and maximum panel widths.

Options

Corner Windows




- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether left or right and butt or bypass
- Bypass shade is mounted into the corner; butt shade is abutted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices are not available on corner windows**
- For bottom up/top down and sun up/sun down cord lift shades, the corner controls will be hard to reach



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.




Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.
Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


Options

Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as bay window shade if you do not want manufacturing to take deductions
- For bottom up/top down and sun up/sun down with cord lift the corner controls will be hard to reach
- **Cornices are not available on bay windows**

Measuring Information: Three-Sided Bay Window




Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-R:** Angle between the (C1) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window




- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-C2:** Angle between the (C1) and (C2) windows.
- Angle C2-R:** Angle between the (C2) and (R) windows.
- Projection (P):** If needed: The depth of the trim or molding the shade will be mounted above.


NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (Angle C1-C2, Angle C2-C3, ...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, **trace on paper**, and fax to customer service. The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

Options


Specialty Shapes: Arch Shades




Perfect Arch: Half Circle




Palladian
(template required)
Illustration not to scale




Eyebrow Arch
(template required)



Elongated Arch
(arch with straight sides)
(template required)



Triangle
(template required)



Quarter Circle
(template not required
if perfect quarter)

Perfect Arches (template not required)

- **For surcharges, see price charts**
- Perfect arches are those where the radius of the circle is constant at all points; height is exactly half the width
- Perfect quarter circle is where height and width are equal
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- Include width and height measurements on all orders
- Side mount available up to 60" wide exact
- Liner available if fabric allows

Non-Perfect Arches (require a template)

- **For surcharges, see price charts**
- Non-perfect arches are those where the radius of the circle is NOT constant at all points; height is not exactly half the width
- Include width and height measurements on all orders
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- See template instructions
- Side mount available up to 60" wide exact
- Liner available if fabric allows

NOTE: Arches can be made in EvenPleat® fabrics, however they will not have the back loop tape.


Size Considerations				
Specialty	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Perfect Arch, Half Circle	9	96	4½	48
Palladian, Elongated, Eyebrow and Triangle	9	96	20% of width; minimum 4½	60% of width; max of 57.5
Quarter Circle	9	43	9	1.5 times width; max of 64.5

*For all inside mount applications, ⅜" deduction is taken on overall width.

Recess Depth and Flush Mount	Minimum Recess Depth (inches)	Maximum Flush Mount (inches)
1" Pleated	1⅞	1⅞
2" Pleated	1⅞	2¼

Options

Specialty Shapes: Angle Top




NOTE: Angle will not have loop tape.

- Price as a cord lift shade using angled width and longest side measurement; then add surcharge for total cost of shade (see price charts)
- Shade only lifts to intermediate rail, will not raise to complete angle
- Short side of angle height of 12" or less will be stationary
- As the low side measurement approaches 0", a light gap will exist to allow for the rails and fabrics to fit
- Lift cord is on low side of angle
- Not available with privacy or blackout liner only shades
- Only available with cord lift and 1" pleated fabric
- Side mount not available

Minimum Angled Width	12"
Maximum Angled Width	82"*
Minimum Short Side Height	0"
Minimum Long Side Height	12"
Maximum Long Side Height	96"
Maximum Angled Top Degree	60° (degrees)

*Maximum angled width determined by fabric width minus 2".

SkyTrack™ Skylight



Sky Pole

Sizes available:

3 to 6½ foot and 5 to 9½ foot

- **For surcharge, see price charts**
- Price as cord lift shade and add surcharge
- Widths over 24¾" will have a center cord visible when the shade is open
- Includes color coordinated aluminum side channels; colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, White Satin 205
- Operates with handle on center rail
- Brackets will be visible on an outside mount
- Skylight poles are telescoping and available upon request
- Side mounts not available
- Not available with continuous-loop lift, cordless lift, or motorized lift
- Skylights only available in 2" EvenPleat® fabrics


Size Considerations	Minimum Recess (inches)	Flush Mount (inches)
Mounting Depth	1⅞"	2½"

Size Considerations	Minimum Width (inches)	Maximum Width* (inches)	Minimum Height (inches)	Maximum Height* (inches)
All Fabric Styles	12¾"	61"	12"	61"

*For a width of 30¾" or less, maximum shade height is 96".

Options

Enhanced Light Control Features



Lightblocking Strip

- Boost room-darkening performance by reducing light leakage between the window and headrail
- Ideal option for bedrooms, nurseries, and those who prefer blackout light control
- Available for pleated shades with cordless lift, continuous-loop lift, and motorized lift controls

Room-Darkening Side Channels

- **For surcharge, see price charts**
- Side channels boost room-darkening performance by reducing light leakage at sides of shades between the fabric and window frame
- Sill channel boosts room-darkening performance by reducing light leakage between the bottomrail and window frame
- Aluminum side channels come with a black PVC insert to absorb light and reflect it back outside for enhanced light blocking
- Maximizes privacy
- Ideal option for bedrooms, nurseries, and those who prefer enhanced light control
- Available for 2" pleated shade with motorized lift, cord lift or cordless lift
- Room-darkening side channel colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, White Satin 205
- Maximum width and height is 120" x 120"


Options

Making a Template for Specialty Windows

1. Tape butcher paper or heavy brown wrapping paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the shade is an outside mount, add the desired amount of overlap to the window outline. Draw a second outline around it to match the shape of the finished shade. **Be sure to erase the inside line.**
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

NOTE: Make sure the template is of the window opening, not the measurement of the glass only.

5. Cut the shape from the paper.
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT.**
7. **Indicate on the template:**
 - “Room side” and “top”
 - Purchase order number
 - Customer’s name
 - Your store name and account number
8. Attach a copy of your purchase order to the template.
9. Roll up template and place in a mailing tube.
DO NOT FOLD TEMPLATE.



Mail to: SPRINGS WINDOW FASHIONS, LLC
1500 Sycamore Road—G5
Montoursville, PA 17754
ATTN: SPECIALTY DEPT

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES

Kraft paper
Butcher paper
Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS

Newspaper	Plastic
Wax paper	Fabric
Tissue paper	Roofing paper
Existing arch shades	Wrapping paper
Cardboard	Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, or will mark the fabric, IT WILL NOT BE USED.

Using a Template Service

For surcharge, see price charts

To use the template service, simply:

1. Select template service when entering your order online.
2. Use the template worksheet to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments. The comments have been pre-programmed to all of the measurements you need to enter for your special shape.

For additional information, contact customer service.

General Information

Stack Height Chart Cord Lift

Height of Shade (inches)	1" Blackout Liner 1" Privacy Liner (inches)	1" Pleated Allure, Inkblot, Serendipity (inches)	1" Pleated Aberdeen, Cloud Metal, Desert, Sheer Linen, Spring Bloom (inches)	1" Pleated Debonair, Sahara Ridge, Terrain (inches)	2" Blackout Liner 2" Privacy Liner (inches)	2" Pleated Aberdeen, Canyon Ridge, Desert, Serendipity, Sheer Linen (inches)	2" Pleated Cloud Metal, Debonair, Marina, Prescott, Sahara Ridge, Terrain (inches)	2" Pleated Grasscloth (inches)
18	1½	1⅝	1¾	2⅞	1⅝	1⅝	1⅝	2
30	1⅝	1⅞	2	2⅞	1½	1¾	2⅞	2⅞
42	1⅝	2	2⅞	3⅞	1½	2	2⅞	2¾
54	1¾	2¼	2⅞	3⅞	1⅝	2⅞	2⅞	3⅞
66	1⅞	2½	2⅞	4⅞	1⅝	2¼	2⅞	3⅞
78	1⅞	2⅞	3⅞	4⅞	1¾	2⅞	3¼	3¾
90	2	2⅞	3½	5	1¾	2⅞	3½	4⅞
96	2	3	3⅞	5¼	1¾	2⅞	3⅞	4⅞
108					1⅞	2⅞	3⅞	4¾
120					1⅞	3	4⅞	5
132					1⅞	3⅞	4⅞	5⅞
144					2	3¼	4¾	5¾

1" and 2" Pleated

All stack calculations are with standard controls. For cordless, continuous-loop, and motorized lift controls, add ¾".

For bottom up/top down with standard controls, add ¼"; with cordless lift controls add 1½".

For sun up/sun down with standard controls, add the two fabric stacks together and subtract ⅞" for the total stack height.

For sun up/sun down with cordless lift controls, add the two fabric stacks together.

NOTE: Stack height includes headrail and bottomrail. The stack measurements above are approximate. All stack heights as shown are without overlap, for overlap add an additional 60% to the given height for total stack height.

General Information

Stack Height Chart: Perfect-Vue®

All Pleated Fabrics Plus Cellular Fabrics Below				
Height of Shade (inches)	1 1/4" Single Cell Sanctuary, Valletta BO 3/4" Single Cell Sanctuary, Scroll FR, Simply Sheer (inches)"	1 1/4" Single Cell Splendor, Valletta LF 3/4" Single Cell Enchantment LF, Enchantment BO, Endeavor, Infuse BO, Kinsley BO, Montage LF, Montage BO, Prestige BO, Valletta BO 9/16" Single Cell Endeavor (inches)	1 1/4" Single Cell Champagne Toast 1/2" Double Cell Splendor 3/4" Single Cell Champagne Toast, Couture LF, Couture BO, Discovery, Infuse LF, Kinsley LF, Prestige LF, Splendor, Valletta LF 9/16" Single Cell Discovery (inches)"	1/2" Double Cell Sanctuary (inches)
18	1 3/4	1 7/8	2	2 1/8
30	1 7/8	2 1/8	2 3/8	2 1/2
42	2 1/8	2 3/8	2 3/4	3
54	2 3/8	2 3/4	3 1/8	3 3/8
66	2 5/8	3	3 1/2	3 7/8
78	2 3/4	3 3/8	3 3/4	4 1/4
90	3	3 5/8	4 1/8	4 3/4
96	3 1/8	3 3/4	4 3/8	4 7/8
108	3 1/4	4	4 3/4	5 3/8
120	3 1/2	4 3/8	5 1/8	5 3/4
132	3 3/4	4 5/8	5 3/8	6 1/4
144	4	4 7/8	5 3/4	6 5/8

NOTE: Sizes are approximate.

All stack calculations are with cord lift controls; for cordless lift controls add 7/8".

Stack height includes all rails and both pleated and cellular fabrics together, but is based on the cellular fabric chosen.

Thickest pleated fabric was used for calculation.

General Information

Pleated Shade Color Coordination Chart

NOTE: Default color coordination is noted below. If desired, color coordination can be specified at the time of order.

Base Color	Default Rail Color	Rail Color Number
Aberdeen		
Dulcent Graphite	Online	187
Effervescence	Cream	715
Ingenue Pearl	White Satin	205
Pristine	White Satin	205
Allure		
Bone	Cream	715
Savvy Gray	Online	187
Shimmery Tan	Revere Pewter	190
Silver Lining	White Satin	205
White	White Satin	205
Canyon Ridge		
Arborio Rice	Cream	715
Bona Fide Taupe	Twine	439
Evening Storm	Online	187
Fading Nimbus	White Satin	205
Shadow Mist	Smokey Gray	026
Cloud Metal		
Candied Pecan	Watermelon Punch	196
Milky Way	White Satin	205
Pale Sage	Acacia Haze	182
Rosy Gray	Smokey Gray	026
Sediment	Revere Pewter	190
Shadowed	Cream	715
Debonair		
Charcoal Realm	Arctic Seal	183
Haberdasher Gray	Canyon Gray	053
Natural White	Cream	715
Unexpected Taupe	Quietude	188
Desert		
Abalone	Online	187
Chelsea	White Satin	205
Crystal	White Satin	205
Natural	Twine	439
Strata	Canyon Gray	053
Grasscloth		
Boardwalk	Camel	086
Crystal	White Satin	205
Fence Post	Iron Gate	185
Natural	Vanilla	100
Saddle	Sable	565
Safari	Sable	565

Base Color	Default Rail Color	Rail Color Number
Inkblot		
Coastal Gray	Online	187
Crystal	White Satin	205
Haven	Revere Pewter	190
Navy Mosaic	Navy	369
Marina		
Birchbark	Cream	715
Crystal	White Satin	205
Penguin	White Satin	205
Slate Rain	Online	187
Vault	Canyon Gray	053
Prescott		
Cocoa Nib	Revere Pewter	190
Gray Frost	Revere Pewter	190
Pale Rhino	White Satin	205
Sculpted Stone	Smokey Gray	026
Sahara Ridge		
Alabaster	White Satin	205
Birch Grove	Cream	715
Vapor	Cream	715
Serendipity		
Clouded Ash	Black Satin	233
Heavenly	White Satin	205
Muted Tan	Creamy Pearl	356
Sheer Linen		
Abstract Gray	Revere Pewter	190
Alabaster	Cream	715
Surreal Stone	Canyon Gray	053
White	White Satin	205
Spring Bloom		
Botanical Garden	White Satin	205
Cherry Blossom	White Satin	205
Cultivated Kalamata	White Satin	205
Sun-Kissed Olive	White Satin	205
Terrain		
Gray Frost	White Satin	205
Pale Adobe	Revere Pewter	190
Pale Rhino	Canyon Gray	053

General Information

Cord Control Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Aluminum Headrail

- Color coordinated to fabric
- Extremely durable

Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

Aluminum Bottomrail

- Color coordinated to fabric

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to ¾" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated spring steel
- Durable brackets designed for easy installation

Cord Lock

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Cord Release Device/ Joiner Ball and Tassel

- Color coordinated to fabric

Braided Polyester Pull Cord

- Color coordinated to fabric
- Single strand for safety

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



Cord Winder


Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Cordless Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

Aluminum Headrail

- Color coordinated to fabric

Internal Cord Lift System

- Prevents cords from tangling or rolling on top of each other
- Gear-driven for a smooth, operation and long-lasting life

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

Dust Cover

- Reduces build-up of dust and debris

Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

Aluminum Bottomrail


- Color coordinated to fabric

Handle(s)

- A simple push or pull raises or lowers the shade evenly

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



EvenPleat® Loop Tape (rear view of shade)



- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

NOTE: Not available with Blackout liner

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access. Suggest adding a sky pole for hard-to-reach applications, up to 24" wide. Sky poles are not recommended over 24"; however, if required, two sky poles should be ordered to ensure even operation. See options for details.

General Information

Continuous-Loop Lift Product Detail



- EvenPleat® Loop Tape** (rear view of shade)
- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
 - Color coordinated to the back of the fabric
 - Optional upgrade for 1" pleated
 - Comes standard on 2" pleated

General Information

Bottom Up/Top Down: Cord Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Aluminum Headrail

- Color coordinated to fabric
- Headrail and intermediate rail nest to prevent light gaps

Aluminum Intermediate Rail and Bottomrail

- Color coordinated to fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2 1/4" extension from wall)
- Medium (adds up to 1 5/8" extension from wall)
- Short (adds up to 3/4" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable and designed for easy installation

Cord Locks

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Pull Cord

- Allows for conventional shade operation

Cord Release Device/Joiner Ball and Tassle

- Color coordinated to fabric

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



Cord Winder


Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats




EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Bottom Up/Top Down: Cordless Lift Product Detail



NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

General Information

Perfect-Vue® Cord Lift Product Detail

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Cord Release Device

- Color coordinated to cord
- Cords coordinate with pleated fabric

Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to 1" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available

Flush Mount End Caps

- Color coordinated to rails
- Sleeker look and tighter fit

Cord Locks

- Sleek, streamlined design
- Color coordinated to headrail
- Free-floating serrated cord locking roller for dependable operation
- Standard control is right control—operates bottomrail, while left control operates intermediate rail


Cord Release Device/Joiner Ball and Tassel

- Color coordinated to cord
- Cords coordinate with pleated fabric


Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



View From Back of Shade



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Perfect-Vue® Cordless Lift Product Detail

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Internal Cord Lift System

- Prevents cords from tangling or twisting
- Gear drive for a smooth operation and long lasting life
- Cords coordinate to pleated fabric

Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Handles

- A simple push or pull raises or lowers the shade evenly

Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to 1" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available (optional)

Dust Cover


- Reduces build-up of dust and debris

End Caps

- Flush mount for a trim, smooth fit
- Color coordinated to rails

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



View From Back of Shade

EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

(05/23) 23-445751

GRABER.

Grabber Pleated Shades

Designer US Price List — Effective May 2023

Price Group A: 1" (2.6 cm) FashionPleat®: Allure, Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	175	198	221	258	270	296	319	342	365	407	537	589	639	686	726
42 (106.7)	192	213	241	268	297	322	347	374	397	446	589	639	689	742	796
48 (122)	205	233	263	282	315	346	378	400	426	482	632	695	756	805	853
54 (137.2)	213	241	271	302	332	365	396	428	458	519	663	725	795	854	916
60 (152.4)	220	261	297	324	368	396	426	456	489	561	735	797	852	917	983
66 (167.7)	235	270	311	345	385	420	454	491	529	594	773	839	904	983	1061
72 (182.9)	241	279	324	359	405	445	480	520	561	628	804	883	955	1036	1115
78 (198.2)	258	299	345	379	418	460	504	546	589	673	839	923	1003	1093	1179
84 (213.4)	266	311	356	397	443	486	534	579	623	708	883	979	1067	1158	1247
90 (228.6)	271	319	368	416	454	504	550	596	643	734	909	1003	1104	1197	1292
96 (243.9)	277	332	379	431	466	520	572	620	666	759	938	1039	1136	1234	1333

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Maximum fabric continuous width is 72" (182.9 cm). Cordless lift is not available with a blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Allure					
Bone	2002	Shimmery Tan	2408	White	2001
Savvy Gray	2409	Silver Lining	2007		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sheer Linen					
Abstract Gray	3109	Surreal Stone	3110	White	3101
Alabaster	3102				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group B: 1" (2.6 cm) FashionPleat®: Desert

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
	(61)	(76.2)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.4)	(304.8)	(335.3)	(365.8)
36 (91.5)	192	217	250	276	298	324	353	379	400	450	589	650	705	753	800
42 (106.7)	210	233	263	297	324	352	380	409	438	486	650	705	757	815	876
48 (122)	219	256	294	314	346	382	417	445	470	529	695	761	834	887	939
54 (137.2)	233	263	299	331	365	399	437	471	505	569	725	798	872	941	1008
60 (152.4)	249	279	324	358	407	437	466	503	537	616	813	879	932	1007	1077
66 (167.7)	260	298	344	375	426	461	500	538	579	657	846	921	994	1078	1161
72 (182.9)	263	310	358	396	443	484	528	572	616	691	887	968	1054	1142	1230
78 (198.2)	277	327	375	417	458	506	551	604	650	737	921	1011	1105	1201	1297
84 (213.4)	295	344	392	438	482	534	584	633	681	777	968	1073	1173	1271	1367
90 (228.6)	299	353	402	454	501	556	609	658	712	809	996	1105	1207	1313	1418
96 (243.9)	307	365	418	471	518	572	627	680	732	837	1030	1142	1251	1360	1465

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Desert is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Desert					
Abalone	1430	Crystal	1428	Strata	1442
Chelsea	1433	Natural	1441		

Price Group C: 1" (2.6 cm) EvenPleat®: Allure, Liner Only Shades (blackout and privacy liner), Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	212	241	268	303	324	351	380	410	436	488	646	702	768
42 (106.7)	230	256	284	322	354	382	412	446	477	531	702	768	826
48 (122)	243	277	316	339	377	414	454	481	508	578	751	829	902
54 (137.2)	256	284	324	359	397	436	474	510	548	618	793	865	945
60 (152.4)	268	311	354	386	444	474	507	547	586	666	883	949	1016
66 (167.7)	279	324	372	411	460	501	539	586	630	715	926	1000	1080
72 (182.9)	284	334	386	430	482	527	572	618	666	749	960	1053	1142
78 (198.2)	306	356	411	455	502	551	599	652	702	800	1000	1103	1202
84 (213.4)	317	372	423	477	527	584	636	692	744	845	1053	1163	1274
90 (228.6)	328	380	443	494	542	604	660	718	770	879	1083	1202	1317
96 (243.9)	333	397	455	512	558	619	681	741	797	909	1120	1240	1363

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width is 72" (182.9 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Allure					
Bone	2002	Shimmery Tan	2408	White	2001
Savvy Gray	2409	Silver Lining	2007		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Liner only Shades		
Blackout	8001	Privacy 8000

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sheer Linen					
Abstract Gray	3109	Surreal Stone	3110	White	3101
Alabaster	3102				

Price Group D: 1" (2.6 cm) EvenPleat®: Desert, Serendipity

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24	30	36	42	48	54	60	66	72	84	96	108	120
	(61)	(76.2)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.4)	(304.8)
36 (91.5)	220	252	287	319	342	375	402	434	464	513	686	748	811
42 (106.7)	243	268	302	341	377	407	438	472	504	561	748	811	872
48 (122)	259	294	336	358	398	439	481	511	539	608	801	877	958
54 (137.2)	268	302	342	382	418	464	504	544	585	655	836	918	1002
60 (152.4)	285	329	377	412	468	505	539	581	620	703	936	1005	1076
66 (167.7)	297	342	393	437	489	530	572	619	666	754	979	1064	1149
72 (182.9)	302	355	412	457	510	559	606	657	703	796	1020	1114	1212
78 (198.2)	323	378	437	482	530	586	639	693	749	852	1064	1170	1276
84 (213.4)	338	393	449	504	559	617	678	732	789	893	1113	1231	1347
90 (228.6)	345	402	467	525	573	636	697	756	816	930	1151	1276	1398
96 (243.9)	353	418	482	544	594	659	724	783	843	964	1190	1311	1442

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Serendipity is 92" (233.7 cm) and Desert is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Desert				
Abalone	1430	Crystal	1428	Strata
Chelsea	1433	Natural	1441	1442

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Serendipity				
Clouded Ash	5709	Heavenly	5700	Muted Tan
				5705

Price Group E: 1" (2.6 cm) EvenPleat®: Debonair, Sahara Ridge, Terrain

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	232	267	302	336	358	393	423	454	485	539	719	785	853
42 (106.7)	256	279	317	357	394	426	458	496	529	588	785	853	917
48 (122)	271	307	352	378	419	460	505	537	567	638	839	921	1006
54 (137.2)	279	317	358	400	439	485	529	572	614	689	879	963	1054
60 (152.4)	300	345	394	434	490	530	567	610	651	740	984	1056	1131
66 (167.7)	311	358	413	457	512	558	600	650	699	793	1027	1115	1206
72 (182.9)	317	374	434	481	536	586	636	690	740	834	1070	1171	1273
78 (198.2)	339	396	457	506	558	615	673	727	786	892	1115	1228	1339
84 (213.4)	354	413	472	529	586	648	713	769	830	939	1170	1293	1416
90 (228.6)	361	423	489	551	602	666	732	796	858	979	1207	1339	1467
96 (243.9)	371	439	506	572	623	692	759	825	886	1011	1249	1375	1515

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Debonair.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Debonair					
Charcoal Realm	3124	Natural White	3122	Unexpected Taupe	3121
Haberdasher Gray	3120				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sahara Ridge					
Alabaster	0140	Birch Grove	0142	Vapor	0141

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Terrain					
Gray Frost	0170	Pale Adobe	0172	Pale Rhino	0171

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group F: 1" (2.6 cm) EvenPleat®: Aberdeen, Inkblot, Spring Bloom

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24	30	36	42	48	54	60	66	72	84	96	108	120
	(61)	(76.2)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.4)	(304.8)
36 (91.5)	298	342	386	430	460	505	542	582	622	691	919	1004	1091
42 (106.7)	325	360	407	457	506	547	588	635	677	752	1004	1091	1172
48 (122)	347	394	450	482	536	589	648	688	725	815	1075	1178	1289
54 (137.2)	360	407	460	516	562	622	677	731	786	881	1124	1234	1350
60 (152.4)	385	442	506	554	626	680	725	781	836	946	1259	1352	1447
66 (167.7)	398	460	529	587	658	714	768	834	898	1013	1313	1429	1546
72 (182.9)	407	479	554	617	686	750	812	882	946	1069	1370	1499	1628
78 (198.2)	433	509	587	650	714	787	859	934	1007	1144	1429	1571	1714
84 (213.4)	454	529	604	677	750	832	908	984	1063	1204	1498	1656	1813
90 (228.6)	462	542	625	706	769	853	938	1016	1099	1252	1547	1714	1877
96 (243.9)	475	562	650	731	800	884	973	1056	1134	1296	1598	1764	1939

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Inkblot and Spring Bloom.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Aberdeen					
Dulcet Graphite	0353	Ingenue Pearl	0350	Pristine	0352
Effervescence	0351				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Inkblot					
Coastal Gray	1171	Haven	1173	Navy Moasic	1172
Crystal	1170				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Spring Bloom					
Botanical Garden	0685	Cultivated Kalamata	0680	Sun-Kissed Olive	0681
Cherry Blossom	0684				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group G: 2" (5.1 cm) EvenPleat®: Cloud Metal, Debonair, Desert, Grasscloth Marina, Prescott, Sahara Ridge, Terrain

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	299	345	383	427	465	505	546	585	622	856	921	1003	1244	1381	1519
42 (106.7)	327	357	410	464	505	547	588	630	676	919	1012	1096	1354	1524	1661
48 (122)	346	393	452	486	535	589	643	688	729	981	1074	1179	1455	1669	1804
54 (137.2)	357	410	466	509	563	618	675	727	779	1022	1123	1235	1564	1812	1948
60 (152.4)	381	438	505	559	697	748	799	845	904	1109	1397	1499	1814	1955	2093
66 (167.7)	405	465	529	583	725	780	834	902	968	1168	1453	1560	1934	2098	2235
72 (182.9)	410	484	559	614	744	810	874	946	1015	1225	1485	1617	2030	2244	2379
78 (198.2)	431	505	583	644	783	858	932	1006	1078	1293	1575	1720	2154	2387	2525
84 (213.4)	455	529	609	676	811	891	972	1049	1124	1354	1624	1786	2252	2530	2667
90 (228.6)	470	546	625	709	836	920	1002	1082	1163	1411	1671	1836	2329	2675	2810
96 (243.9)	505	588	676	755	866	953	1034	1114	1195	1515	1735	1900	2393	2816	2954
108 (274.4)	540	630	723	803	893	982	1066	1147	1229	1616	1798	1964	2454	2960	3098
120 (304.8)	579	675	769	848	925	1010	1096	1181	1260	1721	1863	2029	2518	3104	3241
132 (335.3)	616	716	818	893	954	1041	1126	1214	1294	1826	1927				
144 (365.8)	652	757	866	942	982	1071	1160	1247	1327	1928	1993				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Grasscloth is 72" (182.9 cm), and for Cloud Metal, Debonair, Desert, Marina, Prescott, Sahara Ridge and Terrain is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with 2" (5.1 cm) blackout liner only shades.

Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Debonair and Grasscloth.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Cloud Metal					
Candied Pecan	1675	Pale Sage	1673	Sediment	1674
Milky Way	1670	Rosy Gray	1672	Shadowed	1671

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Debonair					
Charcoal Realm	3224	Natural White	3222	Unexpected Taupe	3221
Haberdasher Gray	3220				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Desert					
Abalone	1542	Crystal	1540	Strata	1536
Chelsea	1543	Natural	1534		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Grasscloth					
Boardwalk	2301	Fence Post	2304	Saddle	2302
Crystal	2358	Natural	2300	Safari	2350

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Marina					
Birchbark	1731	Penguin	1732	Vault	1734
Crystal	1730	Slate Rain	1735		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Prescott					
Cocoa Nib	1754	Pale Rhino	1751	Sculpted Stone	1755
Gray Frost	1750				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sahara Ridge					
Alabaster	1040	Birch Grove	1042	Vapor	1041

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Terrain					
Gray Frost	1070	Pale Adobe	1072	Pale Rhino	1071

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group H: 2" (5.1 cm) EvenPleat®: Canyon Ridge, Liner Only Shades (blackout and privacy liner), Serendipity, Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	341	393	437	488	529	574	621	665	709	973	1051	1142	1416	1559	1704
42 (106.7)	370	408	468	528	574	622	671	719	769	1046	1155	1248	1542	1696	1851
48 (122)	394	448	513	556	610	673	732	781	832	1114	1224	1342	1659	1825	1993
54 (137.2)	408	468	530	583	641	703	767	828	888	1164	1282	1411	1782	1962	2140
60 (152.4)	435	500	574	636	797	852	907	964	1032	1263	1590	1707	2064	2274	2481
66 (167.7)	460	529	602	663	827	889	952	1028	1104	1331	1656	1777	2204	2425	2645
72 (182.9)	468	553	636	698	848	923	996	1077	1157	1397	1692	1843	2309	2544	2776
78 (198.2)	491	574	663	733	891	976	1063	1146	1227	1474	1793	1960	2453	2700	2944
84 (213.4)	519	602	693	769	926	1016	1107	1196	1283	1542	1850	2033	2565	2818	3074
90 (228.6)	533	621	716	808	954	1048	1141	1232	1327	1607	1903	2090	2652	2918	3182
96 (243.9)	574	671	769	861	988	1083	1176	1271	1363	1723	1976	2165	2724	2996	3268
108 (274.4)	621	719	821	914	1021	1120	1216	1308	1401	1843	2048	2240	2796	3082	3362
120 (304.8)	665	769	873	967	1055	1155	1256	1346	1439	1966	2124	2318	2872	3160	3449
132 (335.3)	709	816	929	1021	1088	1193	1290	1382	1478	2090	2216				
144 (365.8)	755	866	983	1071	1122	1225	1331	1422	1514	2213	2305				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Liner Only Shades and Sheer Linen is 72" (182.9 cm), and for Canyon Ridge and Serendipity is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with 2" (5.1 cm) blackout liner only shades.

Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Canyon Ridge					
Arborio Rice	1084	Evening Storm	1082	Shadow Mist	1081
Bona Fide Taupe	1083	Fading Nimbus	1080		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Liner only Shades			
Blackout	8004	Privacy	8005

Serendipity					
Clouded Ash	5809	Heavenly	5800	Muted Tan	5805

Sheer Linen					
Abstract Gray	2809	Surreal Stone	2810	White	2801
Alabaster	2802				

Price Group I: 2" (5.1 cm) EvenPleat®: Aberdeen

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24	30	36	42	48	54	60	66	72	84	96	108	120	132	144
	(61)	(76.2)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)	(274.4)	(304.8)	(335.3)	(365.8)
36 (91.5)	375	435	481	537	582	630	683	734	779	1070	1155	1256	1557	1716	1874
42 (106.7)	407	448	515	581	630	686	738	791	847	1151	1271	1373	1694	1868	2038
48 (122)	436	492	567	611	670	739	805	860	915	1228	1344	1476	1824	2006	2193
54 (137.2)	448	515	583	640	705	774	843	911	978	1280	1409	1551	1957	2162	2353
60 (152.4)	479	547	630	697	875	935	998	1060	1135	1392	1751	1878	2270	2501	2729
66 (167.7)	506	582	661	732	910	979	1047	1133	1213	1462	1822	1954	2426	2668	2910
72 (182.9)	515	607	697	769	933	1016	1097	1185	1272	1537	1861	2028	2542	2800	3054
78 (198.2)	540	630	732	806	981	1074	1168	1262	1349	1624	1972	2158	2699	2970	3237
84 (213.4)	571	661	763	847	1019	1118	1219	1315	1410	1694	2036	2236	2823	3100	3381
90 (228.6)	585	683	785	889	1049	1152	1255	1357	1459	1767	2092	2298	2918	3211	3500
96 (243.9)	630	738	847	946	1088	1191	1295	1398	1498	1896	2173	2379	2996	3297	3596
108 (274.4)	683	791	902	1005	1122	1232	1338	1438	1541	2028	2252	2463	3078	3388	3697
120 (304.8)	734	847	961	1064	1159	1271	1381	1484	1582	2165	2336	2549	3158	3477	3794
132 (335.3)	779	898	1022	1122	1197	1311	1420	1520	1627	2298	2437				
144 (365.8)	831	953	1079	1179	1235	1345	1462	1564	1664	2435	2537				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Aberdeen					
Dulcet Graphite	3353	Ingenue Pearl	3350	Pristine	3352
Effervescence	3351				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Options Pricing

Options

Bottom Up/Top Down—Cord Lift	99
Bottom Up/Top Down—Cordless Lift	99 add to price of a cordless lift shade
Continuous-Loop Lift (recommended for large, heavy shades)	99
Cord Cleats	10 Solid brass 5 Antique brass
Cord Winder	8
Cordless Lift	119
Multiple Shades on One Headrail	If less than or equal to fabric width, surcharge applies: 99 Two-on-one headrail 99 Three-on-one headrail
Perfect-Vue® Shade—Cord Lift	See price charts
Perfect-Vue Shade—Cordless Lift	See price charts and add one cordless lift surcharge
Room Darkening Side Channels	Price side channels and sill channels separately and combine Side Channel: 32 per foot (Comes in a set of 2. Order to finished shade height.) Sill Channel: 15 per foot (Order to finished shade width)
Sky Pole	46 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 70 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
SkyTrack Skylight Sun Up/Sun Down—Cord Lift	138
Sun Up/Sun Down—Cordless Lift	Price as two separate cord lift shades and combine both prices for total shade cost
Sun Up/Sun Down—Cordless Lift	Price as two separate cord lift shades and add one cordless lift surcharge
Template Service	25 net
Wood Cornices and Valances	See wood cornices and valances product information guide

Specialty Shapes

Angled Top	208
Non-perfect Arches	See price charts
Perfect Arches	See price charts

Perfect Arches

	Width up to inches (cm) →								
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
Charts A and C	187	206	236	264	300	382	476	525	597
Charts B and D	205	232	259	294	332	425	530	581	665
Chart E	216	243	271	307	347	447	557	610	698
Chart F	275	306	348	392	445	571	707	781	888
Chart G	240	268	300	338	382	491	612	673	769
Chart H	301	332	379	424	483	619	764	845	962
Chart I	331	365	417	466	532	683	840	931	1059

Non-Perfect Arches

	Width up to inches (cm) →								
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
Charts A and C	241	270	305	342	386	501	619	679	778
Charts B and D	268	300	337	379	431	554	687	758	862
Chart E	280	314	353	397	453	582	721	797	906
Chart F	358	401	451	508	580	740	923	1016	1157
Chart G	310	345	390	437	499	641	793	876	995
Chart H	386	431	490	550	624	802	997	1098	1254
Chart I	425	475	539	604	689	883	1097	1209	1377

Perfect-Vue® Shade Pricing

How to Order and Price Perfect-Vue Shades

1. Select the corresponding price group for the top of the shade (pleated fabric).
2. Select the corresponding price group for the bottom of the shade (cellular fabric).
3. Find your width and height.
4. Add together cost of the top and bottom shades for the total cost of standard cord lift Perfect-Vue shade.

		Width up to inches (cm) →												
Fabric Type	Price Group	Height up to in. (cm) ↓	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	
Pleated	A	36 (91.5)	175	198	221	258	270	296	319	342	365	407	537	
	B		192	217	250	276	298	324	353	379	400	450	589	
	C		212	241	268	303	324	351	380	410	436	488	646	
	D		220	252	287	319	342	375	402	434	464	513	686	
	E		232	267	302	336	358	393	423	454	485	539	719	
	F		298	342	386	430	460	505	542	582	622	691	919	
	G		299	345	383	427	465	505	546	585	622	856	921	
	H		341	393	437	488	529	574	621	665	709	973	1051	
	I		375	435	481	537	582	630	683	734	779	1070	1155	
Cellular	A		194	210	242	268	303	326	350	380	405	469	528	
	B		206	229	257	288	320	344	376	403	431	494	559	
	C		255	285	326	365	403	433	469	508	544	619	699	
	D		280	314	355	397	440	476	517	557	596	678	769	
	E		288	318	363	408	450	484	525	567	609	691	782	
	F		332	373	422	471	521	566	610	660	708	803	1039	
	G		348	391	442	496	546	594	640	694	745	847	1091	
	H		405	456	515	579	633	691	747	807	865	983	1270	
	I		508	570	646	724	793	866	934	1010	1083	1230	1590	
Pleated	A	42 (106.7)	192	213	241	268	297	322	347	374	397	446	589	
	B		210	233	263	297	324	352	380	409	438	486	650	
	C		230	256	284	322	354	382	412	446	477	531	702	
	D		243	268	302	341	377	407	438	472	504	561	748	
	E		256	279	317	357	394	426	458	496	529	588	785	
	F		325	360	407	457	506	547	588	635	677	752	1004	
	G		327	357	410	464	505	547	588	630	676	919	1012	
	H		370	408	468	528	574	622	671	719	769	1046	1155	
	I		407	448	515	581	630	686	738	791	847	1151	1271	
Cellular	A		206	229	257	288	320	344	376	403	431	494	559	
	B		218	245	282	311	344	380	410	446	480	543	602	
	C		276	310	353	393	433	476	521	555	601	685	757	
	D		302	338	390	434	476	523	573	615	659	751	826	
	E		307	345	391	442	484	530	580	620	671	768	842	
	F		358	397	458	513	566	618	671	726	780	888	1130	
	G		375	417	483	538	594	648	703	762	816	933	1186	
	H		438	488	557	625	691	754	819	889	955	1088	1380	
	I		549	611	699	783	866	946	1027	1111	1196	1361	1726	
Pleated	A	48 (122)	642	715	818	916	1013	1107	1202	1300	1399	1592	2019	
	B		205	233	263	282	315	346	378	400	426	482	632	
	C		219	256	294	314	346	382	417	445	470	529	695	
	D		243	277	316	339	377	414	454	481	508	578	751	
	E		259	294	336	358	398	439	481	511	539	608	801	
	F		271	307	352	378	419	460	505	537	567	638	839	
	G		347	394	450	482	536	589	648	688	725	815	1075	
	H		346	393	452	486	535	589	643	688	729	981	1074	
	I		394	448	513	556	610	673	732	781	832	1114	1224	
Cellular	A		436	492	567	611	670	739	805	860	915	1228	1344	
	B		219	248	287	321	350	392	422	459	493	563	634	
	C		234	262	301	340	376	410	447	483	523	597	675	
	D		288	333	376	425	469	521	559	608	654	752	852	
	E		320	366	417	465	517	571	619	673	719	822	932	
	F		335	372	421	473	525	580	623	679	731	838	951	
	G		378	430	490	553	610	671	728	796	853	973	1220	
	H		397	454	516	581	640	703	766	834	893	1021	1281	
	I		462	525	598	676	747	819	891	971	1039	1189	1489	
Pleated	A	36 (91.5)	580	657	751	846	934	1027	1115	1214	1300	1489	1864	
	B		679	769	879	990	1093	1202	1305	1420	1521	1742	2181	
	C													
	D													
	E													
	F													
	G													
	H													
	I													
Cellular	A													
	B													
	C													
	D													
	E													
	F													
	G													
	H													
	I													

Pleated	A	54 (137.2)	213	241	271	302	332	365	396	428	458	519	663
	B		233	263	299	331	365	399	437	471	505	569	725
	C		256	284	324	359	397	436	474	510	548	618	793
	D		268	302	342	382	418	464	504	544	585	655	836
	E		279	317	358	400	439	485	529	572	614	689	879
	F		360	407	460	516	562	622	677	731	786	881	1124
	G		357	410	466	509	563	618	675	727	779	1022	1123
	H		408	468	530	583	641	703	767	828	888	1164	1282
	I		448	515	583	640	705	774	843	911	978	1280	1409
	A		235	262	306	342	380	421	457	497	532	609	693
	B		246	283	323	362	403	446	482	525	564	646	735
	C		311	355	407	458	508	555	607	661	707	814	923
	D		338	392	445	502	557	615	667	730	775	894	1016
Cellular	E		346	396	454	509	567	620	677	738	788	908	1032
	F		405	462	527	592	660	722	791	859	922	1054	1318
	G		424	485	554	622	694	760	832	900	967	1108	1386
	H		496	562	643	726	807	880	964	1048	1128	1291	1610
	I		620	703	806	908	1010	1105	1209	1312	1413	1612	2016
	J		725	823	943	1062	1182	1293	1415	1535	1653	1886	2359
Pleated	A	60 (152.4)	220	261	297	324	368	396	426	456	489	561	735
	B		249	279	324	358	407	437	466	503	537	616	813
	C		268	311	354	386	444	474	507	547	586	666	883
	D		285	329	377	412	468	505	539	581	620	703	936
	E		300	345	394	434	490	530	567	610	651	740	984
	F		385	442	506	554	626	680	725	781	836	946	1259
	G		381	438	505	559	697	748	799	845	904	1109	1397
	H		435	500	574	636	797	852	907	964	1032	1263	1590
	I		479	547	630	697	875	935	998	1060	1135	1392	1751
	A		245	287	326	366	405	450	493	532	573	663	748
	B		260	301	344	389	431	474	523	564	607	699	794
	C		329	375	433	489	544	601	654	707	767	880	1001
	D		357	413	476	537	596	658	719	775	841	967	1102
	E		368	419	484	550	609	671	731	788	858	984	1117
Cellular	F		425	488	562	633	705	776	853	922	996	1141	1410
	G		445	514	592	663	738	814	893	967	1045	1198	1483
	H		517	595	687	773	861	950	1039	1128	1214	1394	1723
	I		649	746	862	967	1078	1187	1300	1413	1521	1745	2158
	J		759	873	1009	1131	1261	1389	1521	1653	1780	2042	2525
Pleated	A	66 (167.7)	235	270	311	345	385	420	454	491	529	594	773
	B		260	298	344	375	426	461	500	538	579	657	846
	C		279	324	372	411	460	501	539	586	630	715	926
	D		297	342	393	437	489	530	572	619	666	754	979
	E		311	358	413	457	512	558	600	650	699	793	1027
	F		398	460	529	587	658	714	768	834	898	1013	1313
	G		405	465	529	583	725	780	834	902	968	1168	1453
	H		460	529	602	663	827	889	952	1028	1104	1331	1656
	I		506	582	661	732	910	979	1047	1133	1213	1462	1822
	A		260	303	345	392	439	479	528	572	622	711	809
	B		279	320	366	410	460	507	559	605	652	748	854
	C		341	403	461	521	583	641	700	759	821	943	1075
	D		378	440	504	573	640	705	771	838	906	1039	1178
	E		383	450	513	580	651	718	783	847	919	1050	1200
Cellular	F		453	521	599	671	757	834	914	985	1069	1225	1507
	G		472	546	626	703	792	873	957	1035	1120	1283	1582
	H		552	633	730	819	921	1016	1115	1205	1302	1493	1841
	I		690	793	915	1027	1153	1272	1395	1509	1631	1871	2305
	J		807	928	1071	1202	1349	1488	1632	1766	1908	2189	2697

Pleated	A	72 (182.9)	241	279	324	359	405	445	480	520	561	628	804
	B		263	310	358	396	443	484	528	572	616	691	887
	C		284	334	386	430	482	527	572	618	666	749	960
	D		302	355	412	457	510	559	606	657	703	796	1020
	E		317	374	434	481	536	586	636	690	740	834	1070
	F		407	479	554	617	686	750	812	882	946	1069	1370
	G		410	484	559	614	744	810	874	946	1015	1225	1485
	H		468	553	636	698	848	923	996	1077	1157	1397	1692
	I		515	607	697	769	933	1016	1097	1185	1272	1537	1861
	A		268	319	366	413	469	510	562	609	660	761	866
	B		288	338	389	442	494	543	594	641	694	802	914
	C		365	424	489	550	619	684	744	813	879	1010	1150
	D		397	464	537	612	678	751	819	890	961	1108	1266
Cellular	E		408	472	550	618	691	765	834	906	983	1128	1283
	F		471	547	633	717	803	888	972	1052	1138	1308	1606
	G		496	573	663	753	847	933	1020	1107	1197	1372	1686
	H		579	671	773	875	983	1088	1188	1288	1393	1596	1960
	I		724	839	967	1095	1230	1361	1487	1611	1743	1999	2454
	J		847	982	1131	1281	1439	1592	1740	1885	2039	2339	2871
Pleated	A	78 (198.2)	258	299	345	379	418	460	504	546	589	673	839
	B		277	327	375	417	458	506	551	604	650	737	921
	C		306	356	411	455	502	551	599	652	702	800	1000
	D		323	378	437	482	530	586	639	693	749	852	1064
	E		339	396	457	506	558	615	673	727	786	892	1115
	F		433	509	587	650	714	787	859	934	1007	1144	1429
	G		431	505	583	644	783	858	932	1006	1078	1293	1575
	H		491	574	663	733	891	976	1063	1146	1227	1474	1793
	I		540	630	732	806	981	1074	1168	1262	1349	1624	1972
	A		287	334	387	440	493	548	601	651	700	806	923
	B		301	350	407	461	523	579	630	688	743	853	976
	C		378	445	513	585	659	727	794	864	933	1075	1228
	D		420	488	566	640	729	799	869	950	1026	1178	1346
	E		422	497	570	652	733	811	888	966	1042	1200	1372
Cellular	F		491	574	665	757	854	944	1030	1120	1213	1393	1702
	G		517	605	698	792	894	991	1083	1178	1274	1463	1790
	H		599	703	809	921	1040	1151	1257	1371	1483	1705	2079
	I		753	879	1013	1153	1301	1443	1574	1715	1854	2134	2602
	J		881	1028	1185	1349	1522	1688	1842	2007	2169	2497	3044
Pleated	A	84 (213.4)	266	311	356	397	443	486	534	579	623	708	883
	B		295	344	392	438	482	534	584	633	681	777	968
	C		317	372	423	477	527	584	636	692	744	845	1053
	D		338	393	449	504	559	617	678	732	789	893	1113
	E		354	413	472	529	586	648	713	769	830	939	1170
	F		454	529	604	677	750	832	908	984	1063	1204	1498
	G		455	529	609	676	811	891	972	1049	1124	1354	1624
	H		519	602	693	769	926	1016	1107	1196	1283	1542	1850
	I		571	661	763	847	1019	1118	1219	1315	1410	1694	2036
	A		298	345	404	459	525	576	630	690	744	853	976
	B		311	366	428	483	553	612	670	730	789	904	1034
	C		393	464	539	608	693	770	846	916	985	1132	1299
	D		434	510	590	673	760	846	926	1008	1086	1246	1427
	E		442	518	600	679	774	862	940	1023	1103	1265	1449
Cellular	F		513	606	700	796	897	999	1097	1189	1283	1471	1800
	G		538	634	733	834	942	1048	1151	1247	1346	1545	1890
	H		625	737	855	971	1095	1218	1337	1452	1568	1800	2200
	I		783	923	1071	1214	1373	1526	1674	1818	1962	2254	2755
	J		916	1080	1253	1420	1606	1785	1959	2127	2296	2637	3223

Pleated	A	90 (228.6)	271	319	368	416	454	504	550	596	643	734	909
	B		299	353	402	454	501	556	609	658	712	809	996
	C		328	380	443	494	542	604	660	718	770	879	1083
	D		345	402	467	525	573	636	697	756	816	930	1151
	E		361	423	489	551	602	666	732	796	858	979	1207
	F		462	542	625	706	769	853	938	1016	1099	1252	1547
	G		470	546	625	709	836	920	1002	1082	1163	1411	1671
	H		533	621	716	808	954	1048	1141	1232	1327	1607	1903
	I		585	683	785	889	1049	1152	1255	1357	1459	1767	2092
	A		308	366	424	479	552	609	669	726	785	900	1034
	B		326	389	449	507	581	641	707	767	828	950	1093
	C		413	489	561	642	735	813	887	966	1044	1197	1377
	D		451	537	620	706	806	890	981	1059	1151	1318	1512
	E		460	550	626	719	816	906	991	1079	1170	1340	1539
	F		535	633	732	836	951	1052	1153	1255	1356	1554	1900
	G		562	663	769	876	998	1107	1211	1318	1425	1633	1996
	H		654	773	895	1020	1163	1288	1406	1535	1658	1900	2323
	I		819	967	1122	1277	1455	1611	1761	1920	2073	2379	2910
	J		958	1131	1313	1494	1702	1885	2060	2246	2425	2783	3405
Pleated	A	96 (243.9)	277	332	379	431	466	520	572	620	666	759	938
	B		307	365	418	471	518	572	627	680	732	837	1030
	C		333	397	455	512	558	619	681	741	797	909	1120
	D		353	418	482	544	594	659	724	783	843	964	1190
	E		371	439	506	572	623	692	759	825	886	1011	1249
	F		475	562	650	731	800	884	973	1056	1134	1296	1598
	G		505	588	676	755	866	953	1034	1114	1195	1515	1735
	H		574	671	769	861	988	1083	1176	1271	1363	1723	1976
	I		630	738	847	946	1088	1191	1295	1398	1498	1896	2173
	A		323	387	446	505	576	638	703	766	829	952	1090
	B		343	407	470	538	612	677	745	810	877	1007	1154
	C		430	511	591	677	768	854	935	1016	1101	1263	1455
	D		471	566	649	747	842	936	1029	1115	1207	1392	1602
	E		482	569	659	757	859	954	1044	1135	1230	1410	1622
	F		560	661	769	878	997	1111	1213	1318	1429	1641	1994
	G		589	696	807	921	1047	1167	1274	1386	1499	1723	2091
	H		683	808	937	1071	1215	1360	1483	1610	1745	2003	2436
	I		858	1011	1175	1342	1522	1703	1854	2016	2186	2508	3051
	J		1004	1183	1375	1570	1781	1993	2169	2359	2558	2934	3570
Cordless Control			No Charge										
Cord Cleat: Antique Brass			5										
Cord Cleat: Solid Brass			10										