

GRABER®



Graber Pleated Shades
English US Price Guide

PLEATED SHADES

Product Information Guide

Features

Fabric Styles and Information	4
Light Control and Privacy Levels	4
Oeko-Tex® Standard 100 Certified Fabrics	4
Summary	5

Control Type and Size Considerations

Cord Lift	6
Depth Requirements for Inside Mount Cord Lift	6
Cord Lift	7
Bottom Up/Top Down Cord Lift	8
Sun Up/Sun Down Cord Lift	8
Cordless Lift	9
Depth Requirements for Inside Mount Cordless Lift	9
Cordless Lift	10
Bottom Up/Top Down Cordless Lift	10
Sun Up/Sun Down Cordless Lift	11
Continuous-Loop Lift Shades	12
Depth Requirements for Inside Mount Continuous-Loop Lift	12
Continuous-Loop Lift	13
Perfect-View® Cord Lift	14
Depth Requirements for Inside Mount for Perfect-View	14
Perfect-View Cord Lift	15
Perfect-View Cordless Lift	16
Depth Requirements for Inside Mount	16
Perfect-View Cordless Lift	17

Options

Shade Liner	18
Motorized Lift	18
Multiple Shades on One Headrail	19
Corner Windows	20
Bay Windows	21
Specialty Shapes: Arch Shades	22
Specialty Shapes: Angle Top	23
SkyTrack™ Skylight	23
Enhanced Light Control Features	24
Making a Template for Specialty Windows	25
Using a Template Service	25

GRABER®

NOVEMBER 2019

10005-110 (11/19)|S19-20115

General Information

Stack Height Chart Cord Lift	26
Stack Height Chart: Perfect-View®.	27
Pleated Shade Color Coordination Chart.	28
Cord Control Product Detail	29
Cordless Lift Product Detail	30
Continuous-Loop Lift Product Detail	31
Bottom Up/Top Down: Cord Lift Product Detail.	32
Bottom Up/Top Down: Cordless Lift Product Detail	33
Perfect-View Cord Lift Product Detail	34
Perfect-View Cordless Lift Product Detail	35

Features

Graber® Pleated Shades include a variety of prints and elegant weaves in fashionable colors. The unique design of the back ladder support of EvenPleat® ensures that pleats will not sag or flatten. These classic shades are an elegant addition to any window and match easily with other window treatments.

- EvenPleat back ladder support gives pleats an even, dimensional appearance
- Many fashion-inspired patterns, colors, and textures enhance any room
- Color coordinated rails and components
- Offer numerous light control and privacy levels
- Two liners offered for light control: light filtering and room darkening
- Two pleat sizes offered: 1" and 2" pleat (select styles)

Features	Benefits
EvenPleat® Shades	
EvenPleat Loop Tape	• Ensures consistent pleat spacing from top to bottom for a perfect, tailored look; pleats won't sag • Patterns remain uniform throughout the shade • No need to periodically raise the shade
Many Fabric Styles	• Great design flexibility • Something to suit everyone's taste and budget • Fresh color offerings in tune with today's decor trends • 2" pleat is an ideal solution for larger windows
Limited Lifetime Warranty	• Guarantees years of trouble-free shade operation
FashionPleat® Shades	
Many Fabric Styles	• Great design flexibility • Something to suit everyone's taste and budget
Three-Year Warranty	• Guarantees trouble-free shade operation • Product is warranted against original defects in materials or workmanship
Pleated Shades	
Aluminum Headrail System	• Strong, yet lightweight • Color coordinated to fabric • Extremely durable • Rail color coordination can be specified at the time of purchase
Two Different Fabric Liners Available	• Changes privacy level of any fabric to either light filtering or room darkening • Provides neutral exterior appearance regardless of interior color • Available with select 1" or 2" fabrics
Cordless Lift	• Eliminate external lift cords and cord loops • Available on select fabrics
Continuous-Loop Lift	• Continuous-loop remains at constant length • Eliminates cords gathering on floor • Helps lift large, heavy shades • Sleek, low profile; color coordinated headrail is sturdy aluminum
Variety of Specialty Shades Available	• Coordinated hard-to-cover specialty windows for total room decor • Provides light control
Motorized Lift	• Provides easy operation of hard to reach or large windows • Eliminates external lift cords and cord loops • Available with all fabrics

Features

Fabric Styles and Information

Fabric Styles	1" FashionPleat®	1" EvenPleat®	2" EvenPleat	Fabric Content	Fabric Width (inches)	Privacy Rating	Liner Available	Overlap*	Cordless Lift Available
Allure	•	•		100% polyester	72	Light filtering	•	•	•
Crossweave			•	100% polyester	72	Light filtering	•		•
Debonair		•	•	92.6% polyester 4.3% cotton strap 3.1% flax	94	Light filtering	•		•
Desert	•	•	•	100% polyester	94	Light filtering	•	•	•
Eloquence	•	•		100% polyester	94	Light filtering	•		•
Geneva	•	•	•	100% polyester	72	Light filtering	•	•	
Grasscloth		•	•	100% polyester	72	Light filtering	•		•
Imperial		•		100% polyester	92	Light filtering	•		•
Marquis		•	•	100% polyester	76	Light filtering	•		•
Muse		•		100% polyester	92	Light filtering	•		•
Prism		•	•	100% polyester	92	Light filtering	•	•	•
Serendipity		•	•	100% polyester	92	Sheer	•	•	•
Sheer Linen	•	•	•	100% polyester	72	Sheer	•	•	•
Tuvalu	•	•		100% polyester	72	Light filtering	•	•	•
Blackout Liner		•	•	100% polyester	72	Room darkening		•	
Privacy Liner		•	•	100% polyester	72	Light filtering		•	•

*Overlaps are not available with bottom up/top down, sun up/sun down, Perfect-Vue®, and multiple shades on one headrail.

Light Control and Privacy Levels

Sheer: Allows the most sunlight and least privacy

Light Filtering: Blocks some sunlight and offers some privacy

Privacy Liner: Offers increased light control and privacy. At night, objects in your home will appear as silhouettes from the outside.

Blackout Liner: Blocks light and offers complete privacy. At night, objects in your home will not be seen from the outside.

Oeko-Tex® Standard 100 Certified Fabrics

Fabric styles Debonair, Desert, Eloquence, Grasscloth, Imperial, Marquis, Muse, Prism, Tuvalu, and Crossweave are Oeko-Tex Standard 100 Certified and are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

Oeko-Tex is a registered trademark of the Oeko-Tex Association.



Features

Summary (for surcharges and pricing refer to price charts)

The following is a list of options for pleated shades. Most options are available in all styles and colors. Limitations will be based on fabric width and fabric type. See detailed descriptions on the following pages.

Control Type Options (see price charts for pricing and/or surcharges)

- Cord lift
- Continuous-loop lift
- Cordless lift
- Motorized lift (see motorization product information guide)

Shade Options—No Charge

- Cord placement on right or left
- Custom cord length is available upon request at time of order
- Corner or bay window
- Hold down brackets
- Projection brackets
 - With 1" cord lift, 1", 2" cordless lift, continuous-loop lift, and motorized lift pleated shades
 - Long (adds up to 2½" extension from wall)
 - Medium (adds up to 1⅝" extension from wall)
 - Short (adds up to 1" extension from wall)
 - With 2" EvenPleat®
 - Long (adds up to 2¼" extension from wall)
 - Medium (adds up to 1⅜" extension from wall)
 - Short (adds up to ¾" extension from wall)
- Rail color can be specified at the time of order
- Shims
- Side-mount brackets: inside mount only
- Standard cord cleats: clear
- Lightblocking strip available with cordless lift, continuous-loop lift, and motorized lift controls

Specialty Shape Shade Options (see price charts for pricing and/or surcharges)

- Angled Top
- Arches


Shade Options—Surcharge (see price charts for pricing and/or surcharges)

- Room-darkening side channels: 2" pleated; cord and cordless lift
- Bottom up/top down cord lift
- Bottom up/top down cordless lift
- Cord winder
- Decorative cord cleats
- Liners
- Multiple shades on one headrail
- Perfect-Vue® shade: cord lift
- Perfect-Vue shade: cordless lift
- Sky pole
- Skylight shades
- Sun up/sun down cord lift
- Sun up/sun down cordless lift

Pleat Size	Cord Lift	Cordless Lift	Continuous-Loop Lift	Motorized Lift	Bottom Up/Top Down	Sun Up/Sun Down	Perfect-Vue	Side Channels	Skylights	Arches	Angle Top
1"	•	•	•	•	•	•	•			•	•
2"	•	•	•	•	•	•	•	•	•	•	

Control Type and Size Considerations

Cord Lift

Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available													
				Cord Lift (inches)				Cord Lift Two-On-One Headrail (inches)					Cord Lift Bottom Up/Top Down (inches)			
				Width		Height		Width			Height		Width		Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel‡	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max
1" FashionPleat®																
Allure	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Desert	94	●	●	9	144	12	96	9	94	144	12	96	12	72	12	96
Eloquence	94		●	9	94	12	96	9	94	144	12	96	12	72	12	96
Geneva	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Sheer Linen	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
Tuvalu	72	●	●	9	144	12	96	9	72	144	12	96	12	72	12	96
1" EvenPleat®																
Allure	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Blackout Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Debonair	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
Desert	94	●	●	12	120	12	96	12	94	120	12	96	12	78	12	96
Eloquence	94		●	12	94	12	96	12	94	120	12	96	12	78	12	96
Geneva	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Grasscloth	72		●	12	72	12	96	12	72	120	12	96	12	72	12	96
Imperial	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96
Marquis	76		●	12	76	12	96	12	76	120	12	96	12	76	12	96
Muse	92		●	12	92	12	96	12	92	120	12	96	12	78	12	96
Prism	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96
Privacy Liner	72	●		12	120	12	96	12	72	120	12	96	12	72	12	96
Serendipity	92	●	●	12	120	12	96	12	92	120	12	96	12	78	12	96
Sheer Linen	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
Tuvalu	72	●	●	12	120	12	96	12	72	120	12	96	12	72	12	96
2" EvenPleat																
Blackout Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Crossweave	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120
Debonair	94		●	18	94	12	144*	18	94	144	12	120	18	78	12	120
Desert	94	●	●	18	144	12	144*	18	94	144	12	120	18	78	12	120
Geneva	72	●	●	18	144	12	144*	18	72	144	12	120	18	72	12	120
Grasscloth	72		●	18	72	12	144*	18	72	144	12	120	18	72	12	120
Marquis	76		●	18	76	12	144*	18	76	144	12	120	18	76	12	120
Prism	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120
Privacy Liner	72	●		18	144	12	144*	18	72	144	12	120	18	72	12	120
Serendipity	92	●	●	18	144	12	144*	18	92	144	12	120	18	78	12	120
Sheer Linen	72	●	●	18	144	12	144*	18	72	144	12	120	18	72	12	120



*Height limited to 96" with overlap.

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Please refer to area limit chart for size restrictions by fabric name. Maximum width and height for shades with side channels is 96".


‡Two-on-one headrail not available with overlap.

Depth Requirements for Inside Mount Cord Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 13/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

Control Type and Size Considerations

Cord Lift



- **No charge**
- Controls can be placed on the right (standard) or left side; side mounts available up to 60" wide by 96" high
- Room-darkening side channels are available
 - Surcharge (see price charts)
 - 2" pleated only
 - Available in cord lift and cordless lift
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	9	144	12	96
1" EvenPleat®	12	120	12	96
2" EvenPleat	18	144	12	144 **

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.


†Based on fabric width with overlap.

Maximum width and height for shades with side channels is 96".

Cord Lift Area Limit Chart			No Overlap		With Overlap	
Pleat Size	Fabric Style	Fabric Width (inches)	Area Limit (square inches)	With Liner (square inches)	Area Limit (square inches)	With Liners (square inches)
1"	Allure	72				10,000
	Debonair	94		8,000		
	Desert	94		8,000	9,000	6,000
	Geneva	72				8,000
	Prism	92				8,000
	Serendipity	92				7,000
	Sheer Linen	72				8,000
	Tuvalu	72			11,000	8,000
2"	Crossweave	72		8,000		
	Debonair	94	10,000	7,000		
	Desert	94	10,000	7,000	8,000	5,000
	Geneva	72			10,000	7,000
	Grasscloth	72	9,000	6,000		
	Prism	92				7,000
	Serendipity	92	11,000	8,000	9,000	6,000
	Sheer Linen	72				8,000

Control Type and Size Considerations

Bottom Up/Top Down Cord Lift



- **For surcharges** (see price charts)
- Option allows for privacy; lets in natural light
- Standard control is right control that operates bottomrail; left cord operates midrail (can be reversed)
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	12	72	12	96
1" EvenPleat	12	78	12	96
2" EvenPleat	18	78	12	120


*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 96".

NOTE: See corded area limit chart for fabric-specific limitations.

Sun Up/Sun Down Cord Lift



- **Price as two separate standard shades from price charts and combine the prices for total cost**
- Perfect for combining light controls of sheer or light filtering and room darkening
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Standard control is right control that operates bottomrail, left cord operates midrail (can be reversed)
- Headrail coordinates with top fabric
- Bottomrail coordinates with bottom fabric
- Midrail will match headrail as a default, however, can specify to match bottomrail at time of order
- Overlap not available
- Cord management safety options keep the cord out of reach of children and pets to eliminate dangling cord hazards
- Cord length is approximately $\frac{1}{3}$ of the shade height
- Product will have one or more cord release devices based on compliance with ANSI/WCMA safety standards

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	72	12	96
2" EvenPleat	18	72	12	96




*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

†Not available with overlap.

Maximum width and height for shades with side channels is 96".

Control Type and Size Considerations

Cordless Lift



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available													
				Cordless Lift (inches)				Cordless Lift Multiple Shades on One Headrail (inches)				Cordless Lift Bottom Up/Top Down (inches)				
				Width		Height		Width		Height		Width		Height		
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade	Min Shade	Max Shade	Min†	Max	Min	Max
1" FashionPleat®																
Allure	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
Desert	94	●	●	12	96	9	86	12	94	144	9	86	15	84	9	86
Eloquence	94		●	12	94	9	86	12	94	144	9	86	15	84	9	86
Sheer Linen	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
Tuvalu	72	●	●	12	96	9	86	12	72	144	9	86	15	72	9	86
1" EvenPleat®																
Allure	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Debonair	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86
Desert	94	●	●	12	96	6	86	12	94	120	6	86	15	84	9	86
Eloquence	94		●	12	94	6	86	12	94	120	6	86	15	84	9	86
Grasscloth	72		●	12	72	6	86	12	72	120	6	86	15	72	9	86
Imperial	92		●	12	92	6	86	12	92	120	6	86	15	84	9	86
Marquis	76	●	●	12	76	6	86	12	76 (193.1)	120	6	86	15	76	9	86
Muse	92		●	12	92	6	86	12	92	120	6	86	15	84	9	86
Prism	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86
Privacy Liner	72	●		12	96	6	86	12	72	120	6	86	15	72	9	86
Serendipity	92	●	●	12	96	6	86	12	92	120	6	86	15	84	9	86
Sheer Linen	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
Tuvalu	72	●	●	12	96	6	86	12	72	120	6	86	15	72	9	86
2" EvenPleat																
Crossweave	72		●	12	72	12	86	12	72	144	12	86	15	72	12	86
Debonair	94		●	12	94	12	86	12	94	144	12	86	15	84	12	86
Desert	94	●	●	12	96	12	86	12	94	144	12	86	15	84	12	86
Grasscloth	72	●	●	12	72	12	86	12	72	144	12	86	15	72	12	86
Marquis	76		●	12	76	12	86	12	76	144	12	86	15	76	12	86
Prism	92	●	●	12	96	12	86	12	92	144	12	86	15	84	12	86
Privacy Liner	72	●		12	96	12	86	12	72	144	12	86	15	72	12	86
Serendipity	92	●	●	12	96	12	86	12	92	144	12	86	15	84	12	86
Sheer Linen	72	●	●	12	96	12	86	12	72	144	12	86	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

NOTE: Cordless lift maximum overall area for 2" Debonair is 4,800 square inches, 1" Debonair is 5,400 square inches, 2" Desert and Serendipity is 6,000 square inches, 1" Desert and Tuvalu is 6,400 square inches, 1" Serendipity is 7,000 square inches, 2" Prism and Sheer Linen is 7,400 square inches, and 1" Eloquence is 7,600 square inches.


Maximum width and height for shades with side channels is 96".

Depth Requirements for Inside Mount Cordless Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	5/8	2 3/8
2" Pleat	1 1/16 x 2 3/8	5/8	2 3/8

Control Type and Size Considerations

Cordless Lift



- **For surcharge, see price charts**
- Available with the privacy liner option on single panels of fabric (no overlap)
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available with Debonair, Eloquence, Grasscloth, Imperial, Marquis, Muse, or Crossweave
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down cord lift shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation
- Room-darkening side channels are available:
 - Surcharge (see price charts)
 - 2" pleated only
 - Available in cord lift and cordless lift
 - Side channels are Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, or White Satin 205


Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	96	9	86
1" EvenPleat®	12	96	6	86
2" EvenPleat	12	96	12	86

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

†Based on fabric width with overlap.

NOTE: Cordless lift maximum overall area for 2" Debonair is 4,800 square inches, 1" Debonair is 5,400 square inches, 2" Desert and Serendipity is 6,000 square inches, 1" Desert and Tuvalu is 6,400 square inches, 1" Serendipity is 7,000 square inches, 2" Prism and Sheer Linen is 7,400 square inches, and 1" Eloquence is 7,600 square inches.

Bottom Up/Top Down Cordless Lift



- **For surcharge, see price charts**
- Option allows for privacy; lets in natural light
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Overlap not available
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat	15	84	9	86
1" EvenPleat	15	84	9	86
2" EvenPleat	15	84	12	86

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


†Not available with overlap.

Maximum width and height for shades with side channels is 96".

NOTE: See cordless size considerations chart for fabric specific limitations.

Control Type and Size Considerations

Sun Up/Sun Down Cordless Lift



- **Price as two separate cord lift shades from price charts and add one cordless lift surcharge for total cost**
- Perfect for combining light controls of sheer or light-filtering and room-darkening fabrics
- Available with 1" or 2" pleated fabrics
- Cannot combine 1" and 2" pleat sizes
- Headrail coordinates with top fabric, bottomrail coordinates with bottom fabric, and midrail will match headrail as a default
- Overlap not available
- Cordless lift shades are the safest window shade alternative; ideal for homes with children and pets
- Suggested use on windows where consumers can comfortably raise and lower the shade with their hand (bottom up/top down standard cord control shade is recommended for hard-to-reach windows)
- Sky poles are not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleated	15	84	12	86
2" Pleated	15	84	12	86

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.



†Based on fabric width; narrowest of the two fabrics is the maximum width.

Maximum width and height for shades with side channels is 96".

NOTE: See cordless size considerations chart for fabric specific limitations.

Control Type and Size Considerations

Continuous-Loop Lift Shades



Fabric Styles	Fabric Width (inches)	Overlap Available	Liner Available										
				Continuous-Loop Lift (inches)				Continuous-Loop Lift Multiple Shades on One Headrail (inches)					
				Width		Height		Width				Height	
				Min†	Max	Min	Max	Min Panel†	Max Panel	Max Shade Single Control	Max Shade Multiple Controls	Min Shade	Max Shade
1" FashionPleat®													
Allure	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Desert	94	●	●	18½	120	9	96	18½	94	120	144	9	96
Eloquence	94	●	●	18½	94	9	96	18½	94	120	144	9	96
Geneva	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Sheer Linen	72	●	●	18½	120	9	96	18½	72	120	144	9	96
Tuvalu	72	●	●	18½	120	9	96	18½	72	120	144	9	96
1" EvenPleat®													
Allure	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Blackout Liner	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Debonair	94	●	●	18½	94	6	96	18½	94	120	120	6	96
Desert	94	●	●	18½	120	6	96	18½	94	120	120	6	96
Eloquence	94	●	●	18½	94	6	96	18½	94	120	120	6	96
Geneva	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Grasscloth	72	●	●	18½	72	6	96	18½	72	120	120	6	96
Imperial	92	●	●	18½	92	6	96	18½	92	120	120	6	96
Marquis	76	●	●	18½	76	6	96	18½	76	120	120	6	96
Muse	92	●	●	18½	92	6	96	18½	92	120	120	6	96
Prism	92	●	●	18½	120	6	96	18½	92	120	120	6	96
Privacy Liner	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Serendipity	92	●	●	18½	120	6	96	18½	92	120	120	6	96
Sheer Linen	72	●	●	18½	120	6	96	18½	72	120	120	6	96
Tuvalu	72	●	●	18½	120	6	96	18½	72	120	120	6	96
2" EvenPleat													
Blackout Liner	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Crossweave	72	●	●	18½	72	12	120*	18½	72	144	144	12	120
Debonair	94	●	●	18½	94	12	120*	18½	94	144	144	12	120
Desert	94	●	●	18½	144	12	120*	18½	94	144	144	12	120
Geneva	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Grasscloth	72	●	●	18½	72	12	120*	18½	72	144	144	12	120
Marquis	76	●	●	18½	76	12	120*	18½	76	144	144	12	120
Prism	92	●	●	18½	144	12	120*	18½	92	144	144	12	120
Privacy Liner	72	●	●	18½	144	12	120*	18½	72	144	144	12	120
Serendipity	92	●	●	18½	144	12	120*	18½	92	144	144	12	120
Sheer Linen	72	●	●	18½	144	12	120*	18½	72	144	144	12	120

†For all inside mount applications, ½" deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.


NOTE: Please refer to continuous-loop lift area limit chart for size restrictions by fabric.

Depth Requirements for Inside Mount Continuous-Loop Lift

Shade Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1" Pleat	1⅞ x 2⅞	⅝	2⅞
2" Pleat	1⅞ x 2⅞	⅝	2⅞

Control Type and Size Considerations

Continuous-Loop Lift



- For surcharges, see price charts
- Recommended for larger, heavier shades
- Larger shades use a geared clutch for easier lifting, but additional pulls are required to lift the shade
- A single continuous-loop cord raises and lowers the shade and keeps the cord the same length
- Safety locking cord guide included; cord guide must be installed for shade operation

NOTE: When ordered as multiple shades on one headrail, there can be either one or two controls. A single control on the left or right can be used on shades up to 120" wide to operate all panels. With two controls, the left control operates the left panel and the right control operates the right panel. For three panel shades, specify middle panel as control right or control left. Continuous-loop controls cannot be located in the middle of a headrail.

Size Considerations	Minimum Width* (inches)	Maximum Width† (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	18½	120	9	96
1" EvenPleat®	18½	120	6	96
2" EvenPleat	18½	144	12	120**

*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Height limited to 96" with overlap.

†Based on fabric width with overlap.

Loop Cord and Tensioner Device Colors	
Bamboo	601
Smokey Gray	026
Tender Taupe	103
Tuscany	578
White	00

Continuous-Loop Lift Area Limit Chart	
Fabric Style	Maximum Shade Size (square inches)
2" Debonair, Desert, Grasscloth, and Serendipity	9,000
1" Debonair; 2" Crossweave, Geneva and Prism	11,000
1" Desert, Eloquence, Grasscloth, Imperial, Muse, Prism, Serendipity, and Tuvulu; 2" Marquis and Sheer Linen	13,000
1" Allure, Geneva, Marquis, and Sheer Linen; Liner only shades	17,000


Control length for continuous-loop lift shades varies based on the finished shade height. Optional cord loop lengths are available and must be specified at the time of the order. The chart below lists the standard cord length.

Finished Shade Height	1" Pleated Continuous-Loop Cord Length (inches)	2" Pleated Continuous-Loop Cord Length (inches)
12 to 26	18	18
26⅞ to 38	24	24
38⅞ to 50	36	36
50⅞ to 62	48	48
62⅞ to 74	60	60
74⅞ to 96	72	72
96⅞ to 120	N/A	84

Optional cord lengths: 84", 96", and 108".

Control Type and Size Considerations

Perfect-Vue® Cord Lift





Cord Lift
All Cellular Fabric Styles
(inches)

Fabric Styles	Fabric Width (inches)	Width		Height	
		Min†	Max	Min	Max
1" FashionPleat®					
Allure	72	12	72	12	96
Desert	94	12	72	12	96
Eloquence	94	12	72	12	96
Geneva	72	12	72	12	96
Sheer Linen	72	12	72	12	96
Tuvalu	72	12	72	12	96
1" EvenPleat®					
Allure	72	12	72	12	96
Debonair	94	12	78	12	96
Desert	94	12	78	12	96
Eloquence	94	12	78	12	96
Geneva	72	12	72	12	96
Grasscloth	72	12	72	12	96
Imperial	92	12	78	12	96
Marquis	76	12	76	12	96
Muse	92	12	78	12	96
Prism	92	12	78	12	96
Serendipity	92	12	78	12	96
Sheer Linen	72	12	72	12	96
Tuvalu	72	12	72	12	96
2" EvenPleat					
Crossweave	72	18‡	72	12	96
Debonair	94	18‡	78	12	96
Desert	94	18‡	78	12	96
Geneva	72	18‡	72	12	96
Grasscloth	72	18‡	72	12	96
Marquis	76	18‡	76	12	96
Prism	92	18‡	78	12	96
Serendipity	92	18‡	78	12	96
Sheer Linen	72	18‡	72	12	96

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

Depth Requirements for Inside Mount for Perfect-Vue®

Shade Type	Cord Lift Shades Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/ molding Flush with Casing (inches)
1" Pleat	7/8 x 1 1/4	1 1/16	1 15/16
2" Pleat	7/8 x 2 1/16	1 1/16	2 1/4

Control Type and Size Considerations

Perfect-Vue® Cord Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Standard control is right control—operates bottomrail, while left control operates intermediate rail (can be reversed)
- 1" pleated can be combined with $\frac{3}{8}$ " single cell cellular fabrics only
- 2" pleated can be combined with $\frac{1}{2}$ " double cell or $\frac{3}{4}$ " single cell cellular fabrics only
- Headrail coordinates with top fabric and bottomrail coordinates with bottom cellular fabric
- Midrail will match headrail as default, however, can specify to match bottomrail at time of order
- Product will have one or more cord release devices in compliance with ANSI/WCMA safety standards
- Midrail cord includes a cord release device


Size Considerations	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" FashionPleat®	12	72	12	96
1" EvenPleat®	12	78**	12	96
2" EvenPleat	18	78**	12	96

*For all inside mount applications, $\frac{3}{8}$ " deduction is taken by manufacturer on overall width.

**Maximum single shade width is 78" or maximum fabric width, whichever is smaller.

Control Type and Size Considerations

Perfect-Vue® Cordless Lift



Cordless Lift
All Cellular Fabric Styles
(inches)

Fabric Styles (inches)	Fabric Width (inches)	Width		Height	
		Minimum†	Maximum	Minimum	Maximum
1" FashionPleat®					
Allure	72	15	72	12	86
Desert	94	15	94	12	86
Eloquence	94	15	94	12	86
Sheer Linen	72	15	72	12	86
Tuvalu	72	15	72	12	86
1" EvenPleat®					
Allure	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Eloquence	94	15	94	12	86
Grasscloth	72	15	72	12	86
Imperial	92	15	92	12	86
Marquis	76	15	76	12	86
Muse	92	15	92	12	86
Prism	92	15	92	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86
Tuvalu	72	15	72	12	86
2" EvenPleat					
Crossweave	72	15	72	12	86
Debonair	94	15	94	12	86
Desert	94	15	94	12	86
Grasscloth	72	15	72	12	86
Marquis	76	15	76	12	86
Prism	92	15	92	12	86
Serendipity	92	15	92	12	86
Sheer Linen	72	15	72	12	86

†For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.


NOTE: Maximum area for 1" Debonair is 6,400 square inches and 2" Debonair is 5,800 square inches.

Depth Requirements for Inside Mount

Shade Type	Cordless Lift Shades Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)		 Fully recessed headrail in window casing/molding Flush with Casing (inches)	
1" Pleat	1 1/16 x 2 1/8	3/8		2 3/8	
2" Pleat	1 1/16 x 2 3/8	3/8		2 3/8	

Control Type and Size Considerations

Perfect-View® Cordless Lift



- For pricing, see price charts
- Perfect for combining light controls of sheer or light-filtering pleated fabric with blackout cellular fabrics
- Cordless lift shades are a safer alternative to shades with accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- 1" pleated can be combined with single cell cellular fabrics only
- 2" pleated can be combined with ½" double cell or ¾" single cell cellular fabrics only
- Headrail coordinates with pleated top fabric; bottomrail coordinates with bottom cellular fabric; midrail will match headrail as default; not available with multiple shades on one headrail
- All Perfect-View cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access; very high windows should use the cord lift option, rather than cordless lift; operation of shade requires both sets of handles be used to properly raise and lower rails
- Sky poles not recommended; however, if required, two sky poles should be ordered to ensure even operation

Size Considerations		Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
1" Pleat	All fabric styles	15	94**	12	86
2" Pleat	All fabric styles	15	94**	12	86


*For all inside mount applications, ⅜" deduction is taken by manufacturer on overall width.

**Maximum single shade width is 94" or maximum fabric width, whichever is smaller.

NOTE: Maximum area for 1" Debonair is 6,400 square inches and 2" Debonair is 5,800 square inches.

Options

Shade Liner



Liner on
backside
of shade

- **For surcharge, see price charts**
- Available on select styles with standard cord control, continuous-loop, and motorized lift systems
- Privacy liner is available with cordless lift as a single panel only (no overlap)
- Creates neutral to the street side appearance
- Create room-darkening effects by adding a blackout liner
- FashionPleat® privacy and blackout liner are not available as a shade alone
- Due to construction of shade, light will filter through the route holes even with a blackout liner


Optional liners increase privacy and light control.

Privacy: Allows a small amount of light to enter the room for a greater sense of privacy. Inside objects appear as shadows.

Blackout Liner: Prevents light from entering for a high level of light control with maximum privacy, preventing even silhouettes from showing through. Due to construction of the shade, light will filter through the route holes even with blackout liner.


NOTE: For shade widths greater than fabric width and heights up to 60", the liners will overlap at the same location as the fabric overlap. For shade widths greater than fabric width and heights over 60", the liners will overlap in the center of the shade. Maximum finished shade width limited to 142" for 1" fabrics and 140" for 2" fabrics.

Motorized Lift




- Refer to motorization product information guide for additional options, sizing, and pricing
- Window treatments can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Not available with room darkening channels
- Available with lightblocking strip
- Multiple control and power options available; see motorization product information guide for options

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.



Options

Multiple Shades on One Headrail




- Surcharge for two or three shades on one headrail less than or equal to fabric width (see price charts)
- Shade widths exceeding fabric width made as two or three shades on one headrail—no charge
- Side mounts available
 - Single shade width: 60"
 - Multiple shades on one headrail: 42"

Size Considerations		Maximum Overall Size for Multiple Shades* (inches)	Maximum Size with Side Mount (inches)	Control Locations	Gap (inches)
Cord Lift	FashionPleat®	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control	½
	EvenPleat®	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Single Control	FashionPleat	120 x 96	60 x 96	Two-on-one: Common lift cord can be on right or left to operate both shades at the same time Three-on-one: Common lift cord can be on right or left to operate all shades at the same time	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Continuous-Loop Lift Multi Control	FashionPleat	144 x 96	60 x 96	Two-on-one: Left shade, left control Right shade, right control Three-on-one: Left shade, left control Right shade, right control Middle shade, common lift cord to right or left shade. Continuous-loop lift system cannot be used in the middle of the headrail on multiple shades	½
	EvenPleat	120 x 96			
	2" EvenPleat	144 x 120			
Cordless Lift	FashionPleat	144 x 86	60 x 96	Not applicable	¾
	EvenPleat	120 x 86			
	2" EvenPleat	144 x 86			

*See size considerations section for the minimum and maximum panel widths.


Options

Corner Windows



- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether left or right and butt or bypass
- Bypass shade is mounted into the corner; butt shade is abutted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions
- **Cornices are not available on corner windows**
- For bottom up/top down and sun up/sun down cord lift shades, the corner controls will be hard to reach


Top View



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.




Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.
Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.


Options

Bay Windows



- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as bay window shade if you do not want manufacturing to take deductions
- For bottom up/top down and sun up/sun down with cord lift the corner controls will be hard to reach
- **Cornices are not available on bay windows**

Measuring Information: Three-Sided Bay Window



Measure:


- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

Angle L-C1: Angle between the (L) and (C1) windows.

Angle C1-R: Angle between the (C1) and (R) windows.

Projection: If needed: The depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window



- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

Angle L-C1: Angle between the (L) and (C1) windows.

Angle C1-C2: Angle between the (C1) and (C2) windows.


Angle C2-R: Angle between the (C2) and (R) windows.

Projection (P): If needed: The depth of the trim or molding the shade will be mounted above.


NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (Angle C1-C2, Angle C2-C3, ...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, **trace on paper**, and fax to customer service. The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

Options


Specialty Shapes: Arch Shades




Perfect Arch: Half Circle




Palladian
(template required)
Illustration not to scale




Eyebrow Arch
(template required)



Elongated Arch
(arch with straight sides)
(template required)



Triangle
(template required)



Quarter Circle
(template not required
if perfect quarter)

Perfect Arches (template not required)

- **For surcharges, see price charts**
- Perfect arches are those where the radius of the circle is constant at all points; height is exactly half the width
- Perfect quarter circle is where height and width are equal
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- Include width and height measurements on all orders
- Side mount available up to 60" wide exact
- Liner available if fabric allows

Non-Perfect Arches (require a template)

- **For surcharges, see price charts**
- Non-perfect arches are those where the radius of the circle is NOT constant at all points; height is not exactly half the width
- Include width and height measurements on all orders
- For inside mount, measure inside of window frame; for outside mount, add the desired amount of overlap to your measurements
- See template instructions
- Side mount available up to 60" wide exact
- Liner available if fabric allows

NOTE: Arches can be made in EvenPleat® fabrics, however they will not have the back loop tape.


Size Considerations				
Specialty	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Perfect Arch, Half Circle	9	96	4½	48
Palladian, Elongated, Eyebrow and Triangle	9	96	20% of width; minimum 4½	60% of width; max of 57.5
Quarter Circle	9	43	9	1.5 times width; max of 64.5

*For all inside mount applications, ⅜" deduction is taken on overall width.

Recess Depth and Flush Mount	Minimum Recess Depth (inches)	Maximum Flush Mount (inches)
1" Pleated	1⅞	1⅞
2" Pleated	1⅞	2¼

Options

Specialty Shapes: Angle Top




NOTE: Angle will not have loop tape.

- Price as a cord lift shade using angled width and longest side measurement; then add surcharge for total cost of shade (see price charts)
- Shade only lifts to intermediate rail, will not raise to complete angle
- Short side of angle height of 12" or less will be stationary
- As the low side measurement approaches 0", a light gap will exist to allow for the rails and fabrics to fit
- Lift cord is on low side of angle
- Not available with privacy or blackout liner only shades
- Only available with cord lift and 1" pleated fabric
- Side mount not available

Minimum Angled Width	12"
Maximum Angled Width	82"*
Minimum Short Side Height	0"
Minimum Long Side Height	12"
Maximum Long Side Height	96"
Maximum Angled Top Degree	60° (degrees)

*Maximum angled width determined by fabric width minus 2".

SkyTrack™ Skylight



Sky Pole

Sizes available:
3 to 6½ foot and 5 to 9½ foot

- **For surcharge, see price charts**
- Price as cord lift shade and add surcharge
- Widths over 24¾" will have a center cord visible when the shade is open
- Includes color coordinated aluminum side channels; colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, Smokey Gray 026, White Satin 205
- Operates with handle on center rail
- Brackets will be visible on an outside mount
- Skylight poles are telescoping and available upon request
- Side mounts not available
- Not available with continuous-loop lift, cordless lift, or motorized lift
- Skylights only available in 2" EvenPleat® fabrics


Size Considerations	Minimum Recess (inches)	Flush Mount (inches)
Mounting Depth	1½"	2½"

Size Considerations	Minimum Width (inches)	Maximum Width* (inches)	Minimum Height (inches)	Maximum Height* (inches)
All Fabric Styles	12¾"	61"	12"	61"

*For a width of 30¾" or less, maximum shade height is 96".

Options

Enhanced Light Control Features



Lightblocking Strip

- Boost room-darkening performance by reducing light leakage between the window and headrail
- Ideal option for bedrooms, nurseries, and those who prefer blackout light control
- Available for pleated shades with cordless lift, continuous-loop lift, and motorized lift controls

Room-Darkening Side Channels

- **For surcharge, see price charts**
- Boost room-darkening performance by reducing light leakage at sides of shades between the fabric and window frame
- Maximizes privacy
- Ideal option for bedrooms, nurseries, and those who prefer enhanced light control
- Available for 2" pleated shades, with cord lift and cordless lift
- Room-darkening side channel colors available: Canyon Gray 053, Cream 715, Creamy Pearl 356, Revere Pewter 190, Sable 565, White Satin 205
- Maximum width and height is 96" x 96"


Options

Making a Template for Specialty Windows

1. Tape butcher paper or heavy brown wrapping paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the shade is an outside mount, add the desired amount of overlap to the window outline. Draw a second outline around it to match the shape of the finished shade. **Be sure to erase the inside line.**
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

NOTE: Make sure the template is of the window opening, not the measurement of the glass only.

5. Cut the shape from the paper.
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT.**
7. **Indicate on the template:**
 - “Room side” and “top”
 - Purchase order number
 - Customer’s name
 - Your store name and account number
8. Attach a copy of your purchase order to the template.
9. Roll up template and place in a mailing tube.
DO NOT FOLD TEMPLATE.



Mail to: SPRINGS WINDOW FASHIONS, LLC
1500 Sycamore Road—G5
Montoursville, PA 17754
ATTN: SPECIALTY DEPT

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES

Kraft paper
Butcher paper
Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS

Newspaper	Plastic
Wax paper	Fabric
Tissue paper	Roofing paper
Existing arch shades	Wrapping paper
Cardboard	Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, or will mark the fabric, IT WILL NOT BE USED.

Using a Template Service

For surcharge, see price charts

To use the template service, simply:

1. Select template service when entering your order online.
2. Use the template worksheet to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments. The comments have been pre-programmed to all of the measurements you need to enter for your special shape.

For additional information, contact customer service.

General Information

Stack Height Chart Cord Lift

Height of Shade (inches)	1" Blackout Liner 1" Privacy Liner (inches)	1" Pleated Allure, Imperial, Marquis, Muse, Prism, Serendipity (inches)	1" Pleated Desert, Eloquence, Geneva, Sheer Linen, Tuvalu (inches)	1" Pleated Debonair, Grasscloth (inches)	2" Blackout Liner 2" Privacy Liner (inches)	2" Pleated Desert, Geneva, Marquis, Prism, Serendipity, Sheer Linen (inches)	2" Pleated Crossweave, Debonair (inches)	2" Pleated Grasscloth (inches)
18	1½	1⅝	1¾	2⅝	1⅝	1⅝	1⅝	2
30	1⅝	1⅝	2	2⅝	1½	1¾	2⅝	2⅝
42	1⅝	2	2⅝	3⅝	1½	2	2⅝	2¾
54	1¾	2¼	2⅝	3⅝	1⅝	2⅝	2⅝	3⅝
66	1⅝	2½	2⅝	4⅝	1⅝	2¼	2⅝	3⅝
78	1⅝	2⅝	3⅝	4⅝	1¾	2⅝	3¼	3¾
90	2	2⅝	3½	5	1¾	2⅝	3½	4⅝
96	2	3	3⅝	5¼	1¾	2⅝	3⅝	4⅝
108					1⅝	2⅝	3⅝	4¾
120					1⅝	3	4⅝	5
132					1⅝	3⅝	4⅝	5⅝
144					2	3¾	4¾	5¾

1" and 2" Pleated

All stack calculations are with standard controls. For cordless, continuous-loop, and motorized lift controls, add ¾".

For bottom up/top down with standard controls, add ¼"; with cordless lift controls add 1½".

For sun up/sun down with standard controls, add the two fabric stacks together and subtract ⅞" for the total stack height.

For sun up/sun down with cordless lift controls, add the two fabric stacks together.

NOTE: Stack height includes headrail and bottomrail. The stack measurements above are approximate. All stack heights as shown are without overlap, for overlap add an additional 60% to the given height for total stack height.

General Information

Stack Height Chart: Perfect-Vue®

All Pleated Fabrics Plus Cellular Fabrics Below				
Height of Shade (inches)	1¼" Single Cell Sanctuary, Valletta ¾" Single Cell Sanctuary, Scroll FR, Simply Sheer (inches)	1¼" Single Cell Splendor ¾" Single Cell Enchantment, Endeavor, Montage, Valletta ¾" Single Cell Endeavor (inches)	¾" Single Cell Couture, Discovery, Fanfare, Splendor, Valletta ½" Double Cell Splendor ¾" Single Cell Discovery (inches)	½" Double Cell Sanctuary (inches)
18	1¼	1⅞	2	2⅞
30	1⅞	2⅞	2⅞	2½
42	2⅞	2⅞	2¾	3
54	2⅞	2¾	3⅞	3⅞
66	2⅞	3	3½	3⅞
78	2¾	3⅞	3¾	4¼
90	3	3⅞	4⅞	4¾
96	3⅞	3¾	4⅞	4⅞
108	3¼	4	4¾	5⅞
120	3½	4⅞	5⅞	5¾
132	3¾	4⅞	5⅞	6¼
144	4	4⅞	5¾	6⅞

NOTE: Sizes are approximate.

All stack calculations are with cord lift controls; for cordless lift controls add ⅞".

Stack height includes all rails and both pleated and cellular fabrics together, but is based on the cellular fabric chosen.

Thickest pleated fabric was used for calculation.

General Information

Pleated Shade Color Coordination Chart

NOTE: Default color coordination is noted below. If desired, color coordination can be specified at the time of order.

Base Color	Default Rail Color	Rail Color Number
Allure		
Bone	Cream	715
Savvy Gray	Online	187
Shimmery Tan	Revere Pewter	190
Silver Lining	White Satin	205
White	White Satin	205
Crossweave		
Barley	Beige	011
Brick	Sable	565
Burnished Gold	Creamy Pearl	356
Natural	Quietude	188
Tahiti	Quietude	188
White Delight	White Satin	205
Debonair		
Haberdasher Gray	Canyon Gray	053
Natural White	White Satin	205
Unexpected Taupe	Quietude	188
Desert		
Clamshell	Online	187
Lunar Light	Creamy Pearl	356
Natural	Beige	011
Shell	Cream	715
Strata	Canyon Gray	053
Sugarcane	White Satin	205
Eloquence		
Delicate White	White Satin	205
Elegant Taupe	Canyon Gray	053
Ethereal White	Cream	715
Nuanced Gray	White Satin	205
Geneva		
Blue Calm	Navy	369
Frost White	White Satin	205
Gray Glow	Online	187
Mottled Sycamore	Sable	565
Pearl Stone	Cream	715
Grasscloth		
Boardwalk	Beige	011
Fence Post	Canyon Gray	053
Natural	Lamplight	904
Saddle	Sable	565
Safari	Sable	565
Winter Day	Creamy Pearl	356

Base Color	Default Rail Color	Rail Color Number
Imperial		
Modern Sphere	White Satin	205
Tropical White	White Satin	205
White Impact	White Satin	205
Marquis		
Gilded Age	White Satin	205
Victorian Age	Arctic Seal	183
White Mystic	White Satin	205
Muse		
Coastal Gray	Online	187
Etched Taupe	Canyon Gray	053
Haven	Revere Pewter	190
Navy Mosaic	Navy	369
Prism		
Liquid Bronze	Quietude	188
Radiant Moon	Creamy Pearl	356
Sequin	White Satin	205
Tinsel	Online	187
Serendipity		
Bold Roast	Sable	565
Greige Fusion	Revere Pewter	190
Heavenly	White Satin	205
Muted Tan	Creamy Pearl	356
Stone Mountain	Canyon Gray	053
Sheer Linen		
Abstract Gray	Revere Pewter	190
Alabaster	Cream	715
Chocolate Dream	Sable	565
Surreal Stone	Canyon Gray	053
White	White Satin	205
Tuvalu		
Tenuous Sand	Revere Pewter	190
White Dew	Cream	715
Wisteria White	White Satin	205

General Information

Cord Control Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Aluminum Headrail

- Color coordinated to fabric
- Extremely durable

Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

Aluminum Bottomrail

- Color coordinated to fabric

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to ¾" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated spring steel
- Durable brackets designed for easy installation

Cord Lock

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Cord Release Device/ Joiner Ball and Tassel

- Color coordinated to fabric

Braided Polyester Pull Cord

- Color coordinated to fabric
- Single strand for safety

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



Cord Winder


Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Cordless Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

Aluminum Headrail

- Color coordinated to fabric

Internal Cord Lift System

- Prevents cords from tangling or rolling on top of each other
- Gear-driven for a smooth, operation and long-lasting life

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

Dust Cover

- Reduces build-up of dust and debris

Flush Mount End Caps

- Color coordinated to fabric
- Sleek look and tighter fit

Aluminum Bottomrail


- Color coordinated to fabric

Handle(s)

- A simple push or pull raises or lowers the shade evenly

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

NOTE: Not available with the following fabrics: Brighton, Brighton FR, Geneva, and Blackout liner.

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access. Suggest adding a sky pole for hard-to-reach applications, up to 24" wide. Sky poles are not recommended over 24"; however, if required, two sky poles should be ordered to ensure even operation. See options for details.

General Information

Continuous-Loop Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Projection Brackets (optional)

- Long (adds up to 2¼" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to ¾" extension from wall)

Aluminum Headrail

- Color coordinated to shade fabric
- Extremely durable

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Continuous-Loop Lift Cord with Tension Device


- Length stays consistent regardless of shade height

Aluminum Bottomrail

- Color coordinated to fabric

Safety Cord Loop Tensioner

- Must be mounted for safety and shade operation



EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Bottom Up/Top Down: Cord Lift Product Detail

Side Mount Brackets (optional)

- Maximum width 60"

Aluminum Headrail

- Color coordinated to fabric
- Headrail and intermediate rail nest to prevent light gaps

Aluminum Intermediate Rail and Bottomrail

- Color coordinated to fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2 1/4" extension from wall)
- Medium (adds up to 1 5/8" extension from wall)
- Short (adds up to 3/4" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable and designed for easy installation

Cord Locks

- Sleek, streamlined design
- Color coordinated to fabric
- Free-floating serrated cord locking roller for dependable operation

Pull Cord

- Allows for conventional shade operation

Cord Release Device/Joiner Ball and Tassle

- Color coordinated to fabric

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



Cord Winder


Decorative Cord Cleats




Solid Brass



Antique Brass



Standard Clear Cord Cleats




EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Bottom Up/Top Down: Cordless Lift Product Detail



NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

General Information

Perfect-Vue® Cord Lift Product Detail

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Cord Release Device

- Color coordinated to cord
- Cords coordinate with pleated fabric

Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1½" extension from wall)
- Short (adds up to 1" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available

Flush Mount End Caps

- Color coordinated to rails
- Sleeker look and tighter fit

Cord Locks

- Sleek, streamlined design
- Color coordinated to headrail
- Free-floating serrated cord locking roller for dependable operation
- Standard control is right control—operates bottomrail, while left control operates intermediate rail


Cord Release Device/Joiner Ball and Tassel

- Color coordinated to cord
- Cords coordinate with pleated fabric

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills

Cord Management Options



View From Back of Shade

EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

General Information

Perfect-Vue® Cordless Lift Product Detail

Aluminum Headrail

- Headrail coordinates with pleated fabric
- Extremely durable

Internal Cord Lift System

- Prevents cords from tangling or twisting
- Gear drive for a smooth operation and long lasting life
- Cords coordinate to pleated fabric

Fabric Styles

- Soft to the touch
- All cellular fabrics provide superior energy efficiency and light control, especially with our unique double cell design
- Pleated fabric offers the ultimate in style, privacy, and light control options

Intermediate Rail and Bottomrail

- Intermediate rail coordinates with pleated fabric
- Bottomrail coordinates with cellular fabric
- Extremely durable

Handles

- A simple push or pull raises or lowers the shade evenly

Projection Brackets (optional)

- Long (adds up to 2½" extension from wall)
- Medium (adds up to 1⅝" extension from wall)
- Short (adds up to 1" extension from wall)

Hidden Snap-In Brackets

- Zinc-plated steel
- Durable brackets designed for easy installation
- Projection brackets also available (optional)

Dust Cover


- Reduces build-up of dust and debris

End Caps

- Flush mount for a trim, smooth fit
- Color coordinated to rails

Hold Down Brackets (optional)

- Secures shade to doors, walls, and window sills



View From Back of Shade

EvenPleat® Loop Tape (rear view of shade)

- Ensures uniform pleat spacing from the top of the shade to the bottom, guaranteed for life
- Color coordinated to the back of the fabric
- Optional upgrade for 1" pleated
- Comes standard on 2" pleated

NOTE: All cordless lift shades need to be used on windows where consumers can comfortably raise and lower the shade with their hands and have easy access.

GRABER.

Grabber Pleated Shades

Designer US Price List — Effective August 2021

Price Group A: 1" (2.6 cm) FashionPleat®: Allure, Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	157	178	199	231	242	265	287	307	327	365	482	529	573	615	652
42 (106.7)	172	191	216	240	266	289	312	336	356	400	529	573	618	665	714
48 (122)	184	209	236	253	283	311	339	359	383	433	567	624	679	723	765
54 (137.2)	191	216	243	271	298	327	355	385	412	466	595	651	713	766	822
60 (152.4)	198	234	266	291	330	355	383	410	439	504	661	715	764	823	882
66 (167.7)	211	242	279	310	346	377	408	441	475	534	693	754	812	882	952
72 (182.9)	216	251	291	323	363	399	431	467	504	564	722	792	857	930	1001
78 (198.2)	231	268	310	340	375	413	452	490	529	604	754	829	901	981	1059
84 (213.4)	238	279	320	356	397	437	479	519	560	636	792	878	958	1039	1119
90 (228.6)	243	287	330	373	408	452	493	536	577	660	816	901	991	1074	1160
96 (243.9)	249	298	340	387	418	467	513	557	598	682	842	933	1020	1108	1196

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Maximum fabric continuous width is 72" (182.9 cm). Cordless lift is not available with a blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Allure					
Bone	2002	Shimmery Tan	2408	White	2001
Savvy Gray	2409	Silver Lining	2007		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sheer Linen					
Abstract Gray	3109	Chocolate Dream	3111	White	3101
Alabaster	3102	Surreal Stone	3110		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group B: 1" (2.6 cm) FashionPleat®: Desert, Geneva

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	172	195	225	248	267	291	317	340	359	404	529	584	633	676	718
42 (106.7)	188	209	236	266	291	316	341	367	393	437	584	633	680	732	786
48 (122)	197	230	263	282	311	343	374	399	421	475	624	684	749	796	843
54 (137.2)	209	236	268	297	327	358	392	422	453	511	651	716	783	845	905
60 (152.4)	224	251	291	322	365	392	418	451	482	553	730	788	837	904	967
66 (167.7)	233	267	309	337	383	414	448	483	519	589	759	827	892	968	1042
72 (182.9)	236	278	322	355	397	435	474	513	553	620	796	869	946	1025	1104
78 (198.2)	249	293	337	374	412	454	494	541	584	662	827	908	992	1078	1164
84 (213.4)	264	309	352	393	433	479	524	568	612	697	869	963	1053	1141	1227
90 (228.6)	268	317	361	408	449	499	546	590	638	726	894	992	1084	1179	1273
96 (243.9)	276	327	375	422	465	513	563	611	658	752	925	1025	1123	1220	1314

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Geneva is 72" (182.9 cm) and for Desert is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with Geneva or blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Desert					
Clamshell	1443	Natural	1441	Strata	1442
Lunar Light	1439	Shell	1440	Sugarcane	1444

Geneva					
Blue Calm	5316	Gray Glow	5315	Pearl Stone	5314
Frost White	5301	Mottled Sycamore	5302		

Price Group C: 1" (2.6 cm) FashionPleat®: Eloquence, Tuvalu

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	190	214	247	274	295	320	348	373	397	444	582	643	696	745	788
42 (106.7)	207	230	260	294	320	347	375	404	432	480	643	696	749	805	865
48 (122)	216	251	289	310	342	377	412	438	462	523	687	752	824	877	928
54 (137.2)	230	260	296	325	358	396	431	464	500	561	717	786	861	929	996
60 (152.4)	246	277	320	354	402	431	459	497	531	609	803	867	921	995	1064
66 (167.7)	256	295	340	370	421	455	492	533	571	649	835	908	983	1066	1146
72 (182.9)	260	306	354	392	436	478	521	563	609	681	877	957	1040	1128	1214
78 (198.2)	275	321	370	412	453	501	544	595	643	728	908	999	1092	1187	1281
84 (213.4)	290	340	389	432	476	527	575	625	673	768	957	1060	1158	1255	1348
90 (228.6)	296	348	398	449	494	547	602	650	700	798	985	1092	1193	1297	1400
96 (243.9)	304	358	413	464	512	563	620	671	724	828	1016	1128	1235	1341	1446

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Tuvalu is 72" (182.9 cm) and for Eloquence is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Eloquence					
Delicate White	2763	Ethereal White	2762	Nuanced Gray	2761
Elegant Taupe	2760				

Tuvalu					
Tenuous Sand	1155	White Dew	1154	Wisteria White	1153

Price Group D: 1" (2.6 cm) EvenPleat®: Allure, Liner Only Shades (blackout and privacy liner), Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	190	216	240	272	291	315	341	368	391	438	580	631	689
42 (106.7)	206	230	255	289	318	343	370	400	428	477	631	689	741
48 (122)	218	249	284	304	338	372	408	432	456	518	674	744	810
54 (137.2)	230	255	291	323	356	391	425	458	492	555	712	777	848
60 (152.4)	240	279	318	347	398	425	455	491	526	598	792	852	912
66 (167.7)	251	291	334	369	413	449	484	526	565	641	831	898	970
72 (182.9)	255	300	347	386	433	473	513	555	598	672	862	945	1025
78 (198.2)	275	320	369	409	450	494	538	586	631	718	898	990	1079
84 (213.4)	285	334	380	428	473	524	570	621	667	758	945	1044	1143
90 (228.6)	294	341	397	444	487	541	592	644	691	788	972	1079	1183
96 (243.9)	299	356	409	460	501	556	612	664	715	816	1005	1113	1223

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width is 72" (182.9 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Allure					
Bone	2002	Shimmery Tan	2408	White	2001
Savvy Gray	2409	Silver Lining	2007		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Liner only Shades			
Blackout	8001	Privacy	8000

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Sheer Linen				
Abstract Gray	3109	Chocolate Dream	3111	White
Alabaster	3102	Surreal Stone	3110	3101

Price Group E: 1" (2.6 cm) EvenPleat®: Desert, Eloquence, Geneva, Grasscloth, Serendipity

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	198	227	258	287	307	337	361	389	416	461	615	671	728
42 (106.7)	218	240	271	306	338	365	393	423	452	504	671	728	783
48 (122)	232	263	301	322	357	394	432	459	484	545	719	787	860
54 (137.2)	240	271	307	343	375	416	452	488	525	588	751	824	900
60 (152.4)	256	295	338	370	420	453	484	521	557	632	840	902	966
66 (167.7)	266	307	353	392	439	476	513	556	598	677	878	955	1032
72 (182.9)	271	319	370	411	458	502	543	589	632	714	915	1000	1088
78 (198.2)	290	339	392	433	476	526	573	622	672	764	955	1050	1145
84 (213.4)	303	353	403	452	502	554	609	658	709	802	999	1105	1210
90 (228.6)	310	361	419	471	514	570	626	679	733	835	1033	1145	1255
96 (243.9)	317	375	433	488	534	591	650	703	757	865	1068	1177	1294

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Geneva and Grasscloth is 72" (182.9 cm), Serendipity is 92" (233.7 cm), Desert and Eloquence is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with Geneva or blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Desert					
Clamshell	1443	Natural	1441	Strata	1442
Lunar Light	1439	Shell	1440	Sugarcane	1444

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Eloquence					
Delicate White	2763	Ethereal White	2762	Nuanced Gray	2761
Elegant Taupe	2760				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Geneva					
Blue Calm	5316	Gray Glow	5315	Pearl Stone	5314
Frost White	5301	Mottled Sycamore	5302		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Grasscloth					
Boardwalk	0501	Natural	0500	Safari	0550
Fence Post	0504	Saddle	0502	Winter Day	0503

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Serendipity					
Bold Roast	5708	Heavenly	5700	Stone Mountain	5707
Greige Fusion	5706	Muted Tan	5705		

Price Group F: 1" (2.6 cm) EvenPleat®: Debonair, Marquis, Prism, Tuvalu

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	208	239	271	301	322	353	380	408	436	484	645	705	765
42 (106.7)	230	251	285	321	354	383	412	445	475	528	705	765	823
48 (122)	243	276	316	339	376	413	453	482	509	572	754	827	903
54 (137.2)	251	285	322	359	394	436	475	513	551	618	788	864	946
60 (152.4)	269	310	354	389	440	476	509	547	585	663	883	948	1015
66 (167.7)	279	322	371	411	460	501	539	584	628	712	922	1001	1083
72 (182.9)	285	336	389	432	481	526	570	619	663	749	961	1051	1142
78 (198.2)	304	355	411	454	501	552	604	653	706	801	1001	1102	1202
84 (213.4)	318	371	423	475	526	582	639	690	745	843	1050	1161	1271
90 (228.6)	324	380	439	494	540	598	658	714	770	878	1084	1202	1316
96 (243.9)	333	394	454	513	560	621	682	740	795	908	1121	1235	1360

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Tuvalu is 72" (182.9 cm), Marquis is 76" (193.1 cm), Prism 92" (233.7 cm), and Debonair 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Debonair and Marquis.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

NOTE: Maximum finished shade width with 1" (2.6 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 142" (360.7 cm).

Debonair					
Haberdasher Gray	3120	Natural White	3122	Unexpected Taupe	3121

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Marquis					
Gilded Age	0654	Victorian Age	0655	White Mystic	0653

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Prism					
Liquid Bronze	2251	Sequin	2250	Tinsel	2252
Radiant Mood	2253				

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Tuvalu					
Tenuous Sand	1155	White Dew	1154	Wisteria White	1153

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group G: 1" (2.6 cm) EvenPleat®: Imperial, Muse

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)
36 (91.5)	229	263	298	331	354	389	418	448	479	533	709	774	840
42 (106.7)	251	277	313	352	390	421	453	489	521	580	774	840	903
48 (122)	267	303	347	372	413	454	499	530	559	628	829	908	993
54 (137.2)	277	313	354	397	433	479	521	563	606	679	866	950	1040
60 (152.4)	297	340	390	427	483	524	559	602	644	729	970	1042	1115
66 (167.7)	307	354	408	452	507	550	591	642	691	781	1012	1101	1190
72 (182.9)	313	369	427	475	529	578	626	680	729	824	1056	1155	1255
78 (198.2)	334	392	452	501	550	607	662	719	776	881	1101	1211	1320
84 (213.4)	349	408	465	521	578	640	700	758	819	927	1154	1276	1397
90 (228.6)	356	418	482	543	592	658	723	783	847	964	1191	1320	1446
96 (243.9)	366	433	501	563	616	682	750	813	874	998	1232	1359	1494

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171

NOTE: Maximum fabric continuous width for Imperial and Muse is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 2" (5.1 cm).

Imperial				
Modern Sphere	4162	Tropical White	4163	White Impact
				4164

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Muse				
Coastal Gray	4132	Haven	4133	Navy Mosaic
Etched Taupe	4131			4130

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group H: 2" (5.1 cm) EvenPleat®: Crossweave, Debonair, Desert, Grasscloth

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	268	310	344	384	417	453	490	525	559	768	827	901	1117	1239	1363
42 (106.7)	293	321	368	416	453	491	528	565	607	825	909	984	1215	1368	1491
48 (122)	311	353	406	437	480	529	577	617	655	880	964	1059	1307	1498	1619
54 (137.2)	321	368	418	457	506	555	606	653	699	917	1008	1109	1404	1626	1748
60 (152.4)	342	393	453	502	626	671	717	758	812	996	1254	1345	1628	1755	1879
66 (167.7)	363	417	475	523	651	700	749	810	869	1048	1305	1401	1737	1884	2007
72 (182.9)	368	435	502	551	667	727	785	849	911	1099	1334	1452	1822	2014	2136
78 (198.2)	387	453	523	578	703	770	837	903	968	1161	1413	1544	1934	2142	2266
84 (213.4)	409	475	546	607	728	800	873	941	1009	1215	1458	1603	2021	2271	2393
90 (228.6)	421	490	562	637	751	826	900	971	1044	1266	1500	1648	2090	2401	2522
96 (243.9)	453	528	607	678	778	855	928	1000	1072	1360	1557	1706	2148	2528	2652
108 (274.4)	485	565	649	721	802	881	957	1030	1103	1451	1614	1763	2203	2657	2781
120 (304.8)	519	606	690	761	830	907	984	1061	1131	1545	1672	1821	2261	2787	2910
132 (335.3)	553	642	734	802	856	935	1011	1090	1162	1639	1730				
144 (365.8)	586	680	778	846	881	962	1041	1119	1190	1731	1789				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Crossweave and Grasscloth is 72" (182.9 cm), and for Debonair and Desert is 94" (238.8 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with 2" (5.1 cm) blackout liner only shades.

Overlaps are not available for cordless shades with privacy liners. Overlaps are not available with Debonair, Crossweave, and Grasscloth.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Crossweave

Barley	3003	Burnished Gold	3008	Tahiti	3009
Brick	3002	Natural	3000	White Delight	3001

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Debonair

Haberdasher Gray	3220	Natural White	3222	Unexpected Taupe	3221
------------------	------	---------------	------	------------------	------

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Desert

Clamshell	1538	Natural	1534	Strata	1536
Lunar Light	1539	Shell	1531	Sugarcane	1537

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Grasscloth

Boardwalk	2301	Natural	2300	Safari	2350
Fence Post	2304	Saddle	2302	Winter Day	2303

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Price Group I: 2" (5.1 cm) EvenPleat®: Geneva, Liner Only Shades (blackout and privacy liner), Serendipity, Sheer Linen

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	306	353	392	438	475	515	558	597	637	874	943	1025	1271	1400	1529
42 (106.7)	332	366	420	474	515	559	602	645	690	939	1037	1120	1384	1523	1662
48 (122)	354	402	461	499	547	604	658	701	747	1000	1098	1205	1489	1638	1789
54 (137.2)	366	420	476	523	575	632	688	743	797	1045	1151	1266	1599	1762	1921
60 (152.4)	390	448	515	570	715	764	814	865	926	1134	1428	1532	1853	2041	2227
66 (167.7)	413	475	540	595	742	798	854	923	991	1194	1487	1595	1979	2176	2374
72 (182.9)	420	496	570	627	761	829	894	967	1038	1254	1519	1654	2073	2284	2491
78 (198.2)	441	515	595	659	800	877	954	1029	1101	1323	1610	1760	2202	2423	2642
84 (213.4)	466	540	622	690	831	912	994	1073	1152	1384	1661	1825	2302	2530	2759
90 (228.6)	478	558	642	725	856	940	1024	1106	1190	1442	1709	1876	2381	2619	2856
96 (243.9)	515	602	690	773	887	972	1056	1141	1223	1547	1773	1943	2445	2689	2934
108 (274.4)	558	645	737	820	916	1005	1092	1174	1258	1654	1838	2011	2511	2766	3017
120 (304.8)	597	690	784	868	947	1037	1127	1209	1291	1765	1907	2080	2578	2837	3096
132 (335.3)	637	733	834	916	976	1070	1158	1240	1327	1876	1988				
144 (365.8)	678	778	882	962	1007	1099	1194	1277	1359	1987	2069				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Geneva, Sheer Linen, privacy, and blackout liners is 72" (182.9 cm) and for Serendipity is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner or Geneva. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Geneva					
Blue Calm	5016	Gray Glow	5015	Pearl Stone	5014
Frost White	5001	Mottled Sycamore	5002		

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Liner only Shades			
Blackout	8004	Privacy	8005

Serendipity				
Bold Roast	5808	Heavenly	5800	Stone Mountain
Greige Fusion	5806	Muted Tan	5805	5807

Sheer Linen				
Abstract Gray	2809	Chocolate Dream	2811	White
Alabaster	2802	Surreal Stone	2810	2801

Price Group J: 2" (5.1 cm) EvenPleat®: Marquis, Prism

Height up to inches (cm) ↓	Width up to inches (cm) →														
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)	120 (304.8)	132 (335.3)	144 (365.8)
36 (91.5)	315	365	404	451	489	530	574	616	655	900	971	1056	1309	1442	1575
42 (106.7)	342	376	433	488	530	577	620	664	712	967	1068	1154	1424	1570	1713
48 (122)	366	413	476	513	563	621	677	723	769	1032	1130	1240	1533	1687	1843
54 (137.2)	376	433	490	538	592	651	709	765	822	1076	1185	1304	1645	1816	1978
60 (152.4)	402	460	530	587	735	786	838	891	954	1169	1472	1578	1909	2103	2294
66 (167.7)	425	489	556	614	764	823	880	952	1020	1229	1531	1642	2038	2242	2445
72 (182.9)	433	511	587	646	784	854	922	996	1069	1291	1564	1705	2137	2353	2566
78 (198.2)	454	530	614	678	825	902	982	1061	1134	1364	1658	1814	2269	2496	2721
84 (213.4)	480	556	641	712	856	939	1024	1105	1186	1424	1712	1880	2372	2606	2842
90 (228.6)	492	574	661	747	882	968	1055	1141	1226	1485	1759	1932	2453	2699	2942
96 (243.9)	530	620	712	795	914	1001	1088	1175	1260	1594	1826	2000	2518	2771	3022
108 (274.4)	574	664	758	845	943	1036	1124	1209	1295	1705	1892	2070	2587	2848	3108
120 (304.8)	616	712	808	894	974	1068	1161	1247	1330	1819	1963	2142	2655	2922	3188
132 (335.3)	655	755	859	943	1006	1102	1193	1278	1367	1932	2048				
144 (365.8)	698	801	907	991	1038	1131	1229	1314	1399	2047	2132				

Liner Surcharge: Add to Shade Price

Privacy Liner	30	32	38	42	47	50	55	67	78	85	95	101	109	126	142
Blackout Liner	45	50	58	67	72	79	85	93	100	133	141	157	171	177	182

NOTE: Maximum fabric continuous width for Geneva, Sheer Linen, privacy, and blackout liners is 72" (182.9 cm) and for Serendipity is 92" (233.7 cm).

NOTE: Cordless lift maximum height is 86" (218.5 cm). Cordless lift single panel shades are available in the outlined area above.

EXCEPTIONS: Please review area limits by control type for any fabric restrictions. Cordless lift is not available with blackout liner or Geneva. Overlaps are not available for cordless shades with privacy liners.

NOTE: Shade widths exceeding fabric width made with overlap(s). Overlap allows the shade to appear as one panel of fabric and is made with three fabric panels overlapping 4" (10.2 cm).

NOTE: Maximum finished shade width with 2" (5.1 cm) liner overlap and finished shade height greater than 60" (152.4 cm) is 140" (355.6 cm).

Marquis				
Gilded Age	4550	Victorian Age	4552	White Mystic
				4551

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Prism				
Liquid Bronze	4651	Sequin	4650	Tinsel
Radiant Mood	4653			4652

NOTE: Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Options Pricing

Options

Bottom Up/Top Down—Cord Lift	99
Bottom Up/Top Down—Cordless Lift	99 add to price of a cordless lift shade
Continuous-Loop Lift (recommended for large, heavy shades)	99
Cord Cleats	10 Solid brass 5 Antique brass
Cord Winder	8
Cordless Lift	119
Multiple Shades on One Headrail	If less than or equal to fabric width, surcharge applies: 99 Two-on-one headrail 99 Three-on-one headrail
Perfect-View® Shade—Cord Lift	See price charts
Perfect-View Shade—Cordless Lift	See price charts and add one cordless lift surcharge
Room Darkening Side Channels	108
Sky Pole	46 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 70 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
SkyTrack Skylight	138
Sun Up/Sun Down—Cord Lift	Price as two separate cord lift shades and combine both prices for total shade cost
Sun Up/Sun Down—Cordless Lift	Price as two separate cord lift shades and add one cordless lift surcharge
Template Service	25 net
Wood Cornices and Valances	See wood cornices and valances product information guide

Specialty Shapes

Angled Top	208
Non-perfect Arches	See price charts
Perfect Arches	See price charts

Perfect Arches

Width up to inches (cm) →									
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
Charts A and D	168	185	212	237	269	343	427	471	537
Charts B and E	184	208	232	263	298	382	476	521	597
Charts C and F	194	218	243	276	312	401	500	547	627
Chart G	212	236	268	302	343	440	544	602	685
Chart H	215	240	269	303	343	441	549	604	690
Chart I	270	298	340	381	434	556	686	758	863
Chart J	278	307	350	392	447	574	707	782	890

Non-Perfect Arches

Width up to inches (cm) →									
	24 (61)	30 (76.2)	36 (91.5)	42 (106.7)	48 (122)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
Charts A and D	216	242	274	307	347	449	556	610	698
Charts B and E	240	269	302	340	387	497	616	681	774
Charts C and F	252	282	317	356	407	522	647	715	813
Chart G	276	309	348	391	446	570	711	783	891
Chart H	278	310	350	392	447	575	712	786	893
Chart I	347	387	440	493	561	720	895	986	1125
Chart J	357	399	453	508	579	742	922	1016	1158

Perfect-Vue® Shade Pricing

How to Order and Price Perfect-Vue Shades

1. Select the corresponding price group for the top of the shade (pleated fabric).
2. Select the corresponding price group for the bottom of the shade (cellular fabric).
3. Find your width and height.
4. Add together cost of the top and bottom shades for the total cost of standard cord lift Perfect-Vue shade.

NOTE: See options pricing for cordless lift and multiple shades on one headrail (available as standard cord lift only) surcharges

		Width up to inches (cm) →											
Fabric Type	Price Group	Height up to in. (cm) ↓	24	30	36	42	48	54	60	66	72	84	96
			(61)	(76.2)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(213.4)	(243.9)
Pleated	A	36 (91.5)	157	178	199	231	242	265	287	307	327		
	B		172	195	225	248	267	291	317	340	359	404	529
	C		190	214	247	274	295	320	348	373	397	444	582
	D		190	216	240	272	291	315	341	368	391		
	E		198	227	258	287	307	337	361	389	416	461	615
	F		208	239	271	301	322	353	380	408	436	484	645
	G		229	263	298	331	354	389	418	448	479	533	709
	H		268	310	344	384	417	453	490	525	559	768	827
	I		306	353	392	438	475	515	558	597	637	874	943
	J		315	365	404	451	489	530	574	616	655	900	971
Cellular	A		159	174	200	222	249	269	289	313	334	387	436
	B		170	189	212	238	264	284	310	332	356	408	460
	C		217	243	277	311	342	369	399	433	463	527	595
	D		235	264	298	334	369	400	435	468	501	570	646
	E		242	267	305	342	378	407	441	476	511	580	657
	F		283	318	359	401	443	482	520	562	603	684	885
	G		292	328	371	416	459	499	538	583	625	711	916
	H		341	383	433	486	531	580	627	677	726	825	1067
	I		426	479	542	608	666	727	785	848	909	1033	1335
Pleated	A	42 (106.7)	172	191	216	240	266	289	312	336	356		
	B		188	209	236	266	291	316	341	367	393	437	584
	C		207	230	260	294	320	347	375	404	432	480	643
	D		206	230	255	289	318	343	370	400	428		
	E		218	240	271	306	338	365	393	423	452	504	671
	F		230	251	285	321	354	383	412	445	475	528	705
	G		251	277	313	352	390	421	453	489	521	580	774
	H		293	321	368	416	453	491	528	565	607	825	909
	I		332	366	420	474	515	559	602	645	690	939	1037
	J		342	376	433	488	530	577	620	664	712	967	1068
Cellular	A		168	193	215	246	269	292	323	347	373	421	467
	B		179	202	232	257	284	313	339	367	395	448	496
	C		235	264	300	335	369	406	443	473	511	583	645
	D		254	284	327	365	400	439	482	516	554	630	694
	E		258	290	328	371	407	445	487	521	563	645	708
	F		305	339	390	437	482	526	572	619	664	757	962
	G		315	350	406	452	499	544	591	641	686	784	996
	H		368	410	468	525	580	633	688	746	802	913	1159
	I		460	513	587	658	727	794	862	933	1004	1143	1450
Pleated	A	48 (122)	184	209	236	253	283	311	339	359	383		
	B		197	230	263	282	311	343	374	399	421	475	624
	C		216	251	289	310	342	377	412	438	462	523	687
	D		218	249	284	304	338	372	408	432	456		
	E		232	263	301	322	357	394	432	459	484	545	719
	F		243	276	316	339	376	413	453	482	509	572	754
	G		267	303	347	372	413	454	499	530	559	628	829
	H		311	353	406	437	480	529	577	617	655	880	964
	I		354	402	461	499	547	604	658	701	747	1000	1098
	J		366	413	476	513	563	621	677	723	769	1032	1130
Cellular	A		180	204	237	265	289	323	348	378	407	464	523
	B		193	216	248	280	310	339	368	398	431	492	557
	C		245	284	320	362	399	443	476	518	557	641	725
	D		269	308	350	391	435	480	520	565	604	691	783
	E		281	312	354	397	441	487	524	571	614	704	799
	F		322	366	417	471	520	572	621	677	726	829	1040
	G		334	381	434	488	538	591	643	700	750	858	1075
	H		389	441	503	568	627	688	748	815	873	999	1251
	I		487	552	630	710	785	862	936	1020	1092	1251	1566

Pleated	A	54 (137.2)	191	216	243	271	298	327	355	385	412	
	B		209	236	268	297	327	358	392	422	453	511 651
	C		230	260	296	325	358	396	431	464	500	561 717
	D		230	255	291	323	356	391	425	458	492	
	E		240	271	307	343	375	416	452	488	525	588 751
	F		251	285	322	359	394	436	475	513	551	618 788
	G		277	313	354	397	433	479	521	563	606	679 866
	H		321	368	418	457	506	555	606	653	699	917 1008
	I		366	420	476	523	575	632	688	743	797	1045 1151
	J		376	433	490	538	592	651	709	765	822	1076 1185
Cellular	A	60 (152.4)	194	216	252	282	313	347	376	410	439	503 572
	B		203	233	267	298	332	367	397	433	465	532 606
	C		265	302	346	390	433	473	517	563	602	693 787
	D		284	329	374	422	468	516	560	613	651	751 854
	E		291	333	381	427	476	521	569	620	662	763 867
	F		344	393	449	505	562	615	674	732	786	898 1123
	G		357	408	465	523	583	639	698	756	812	931 1164
	H		416	472	540	609	677	740	810	880	947	1084 1353
	I		521	591	676	763	848	928	1015	1102	1187	1355 1693
	J											
Pleated	A	60 (152.4)	198	234	266	291	330	355	383	410	439	
	B		224	251	291	322	365	392	418	451	482	553 730
	C		246	277	320	354	402	431	459	497	531	609 803
	D		240	279	318	347	398	425	455	491	526	
	E		256	295	338	370	420	453	484	521	557	632 840
	F		269	310	354	389	440	476	509	547	585	663 883
	G		297	340	390	427	483	524	559	602	644	729 970
	H		342	393	453	502	626	671	717	758	812	996 1254
	I		390	448	515	570	715	764	814	865	926	1134 1428
	J		402	460	530	587	735	786	838	891	954	1169 1472
Cellular	A	66 (167.7)	202	237	269	302	334	371	407	439	473	547 617
	B		214	248	284	321	356	391	431	465	501	576 655
	C		280	319	369	416	463	511	557	602	653	749 853
	D		300	346	400	451	501	553	604	651	707	812 925
	E		309	352	407	461	511	563	614	662	720	826 938
	F		362	415	479	539	601	661	726	786	848	972 1201
	G		374	432	497	557	620	684	750	812	878	1006 1245
	H		435	500	577	649	723	798	873	947	1020	1171 1447
	I		545	626	724	812	906	997	1092	1187	1277	1466 1812
	J											
Pleated	A	66 (167.7)	211	242	279	310	346	377	408	441	475	
	B		233	267	309	337	383	414	448	483	519	589 759
	C		256	295	340	370	421	455	492	533	571	649 835
	D		251	291	334	369	413	449	484	526	565	
	E		266	307	353	392	439	476	513	556	598	677 878
	F		279	322	371	411	460	501	539	584	628	712 922
	G		307	354	408	452	507	550	591	642	691	781 1012
	H		363	417	475	523	651	700	749	810	869	1048 1305
	I		413	475	540	595	742	798	854	923	991	1194 1487
	J		425	489	556	614	764	823	880	952	1020	1229 1531
Cellular	A	66 (167.7)	214	249	285	323	362	394	436	472	512	586 667
	B		230	264	302	339	379	418	460	499	538	617 704
	C		291	342	392	443	496	546	596	647	699	803 915
	D		318	369	424	482	538	592	648	704	761	873 990
	E		322	378	431	487	547	603	658	711	772	882 1008
	F		386	443	509	572	645	710	778	839	910	1043 1284
	G		396	459	526	591	665	733	804	869	941	1077 1329
	H		463	531	613	688	774	854	936	1012	1094	1254 1546
	I		579	666	768	862	969	1069	1172	1267	1370	1571 1936
	J											

Pleated	A	72 (182.9)	216	251	291	323	363	399	431	467	504	
	B		236	278	322	355	397	435	474	513	553	620 796
	C		260	306	354	392	436	478	521	563	609	681 877
	D		255	300	347	386	433	473	513	555	598	
	E		271	319	370	411	458	502	543	589	632	714 915
	F		285	336	389	432	481	526	570	619	663	749 961
	G		313	369	427	475	529	578	626	680	729	824 1056
	H		368	435	502	551	667	727	785	849	911	1099 1334
	I		420	496	570	627	761	829	894	967	1038	1254 1519
	J		433	511	587	646	784	854	922	996	1069	1291 1564
Cellular	A	78 (198.2)	222	263	302	341	387	421	463	503	544	627 714
	B		238	278	321	365	408	448	490	529	573	661 754
	C		311	361	416	468	527	582	634	692	748	860 979
	D		334	390	451	514	570	630	688	747	808	931 1063
	E		342	396	461	519	580	642	700	761	825	947 1077
	F		401	466	539	610	684	757	828	896	970	1114 1368
	G		416	482	557	632	711	784	857	930	1005	1152 1416
	H		486	563	649	735	825	913	998	1082	1170	1341 1646
	I		608	705	812	920	1033	1143	1249	1354	1464	1679 2061
	J											
Pleated	A	84 (213.4)	238	279	320	356	397	437	479	519	560	
	B		264	309	352	393	433	479	524	568	612	697 869
	C		290	340	389	432	476	527	575	625	673	768 957
	D		285	334	380	428	473	524	570	621	667	
	E		303	353	403	452	502	554	609	658	709	802 999
	F		318	371	423	475	526	582	639	690	745	843 1050
	G		349	408	465	521	578	640	700	758	819	927 1154
	H		409	475	546	607	728	800	873	941	1009	1215 1458
	I		466	540	622	690	831	912	994	1073	1152	1384 1661
	J		480	556	641	712	856	939	1024	1105	1186	1424 1712
Cellular	A	84 (213.4)	246	285	333	378	433	475	520	569	613	703 805
	B		257	302	353	398	457	505	553	602	650	745 853
	C		335	395	459	518	591	656	720	780	839	964 1107
	D		365	428	495	565	639	710	777	846	912	1047 1198
	E		371	436	505	571	650	724	790	859	926	1062 1217
	F		437	516	596	677	764	851	934	1012	1093	1253 1533
	G		452	532	616	700	791	880	967	1048	1130	1298 1588
	H		525	619	719	815	920	1024	1123	1219	1317	1512 1848
	I		658	775	900	1020	1153	1282	1406	1526	1648	1893 2314
	J											

Pleated	A	90 (228.6)	243	287	330	373	408	452	493	536	577	
	B		268	317	361	408	449	499	546	590	638	726 894
	C		296	348	398	449	494	547	602	650	700	798 985
	D		294	341	397	444	487	541	592	644	691	
	E		310	361	419	471	514	570	626	679	733	835 1033
	F		324	380	439	494	540	598	658	714	770	878 1084
	G		356	418	482	543	592	658	723	783	847	964 1191
	H		421	490	562	637	751	826	900	971	1044	1266 1500
	I		478	558	642	725	856	940	1024	1106	1190	1442 1709
	J		492	574	661	747	882	968	1055	1141	1226	1485 1759
Cellular	A		254	302	349	394	456	503	552	599	648	742 853
	B		269	321	370	418	479	529	583	632	683	784 902
	C		352	416	478	547	625	692	756	823	889	1020 1173
	D		379	451	521	593	676	747	824	890	967	1107 1270
	E		387	461	526	604	686	761	833	907	982	1125 1292
	F		456	539	624	712	810	896	982	1069	1155	1324 1618
	G		472	557	646	736	838	930	1017	1107	1196	1372 1676
	H		550	649	752	857	977	1082	1181	1289	1392	1595 1951
	I		688	812	942	1073	1222	1354	1479	1613	1741	1998 2443
Pleated	A	96 (243.9)	249	298	340	387	418	467	513	557	598	
	B		276	327	375	422	465	513	563	611	658	752 925
	C		304	358	413	464	512	563	620	671	724	828 1016
	D		299	356	409	460	501	556	612	664	715	
	E		317	375	433	488	534	591	650	703	757	865 1068
	F		333	394	454	513	560	621	682	740	795	908 1121
	G		366	433	501	563	616	682	750	813	874	998 1232
	H		453	528	607	678	778	855	928	1000	1072	1360 1557
	I		515	602	690	773	887	972	1056	1141	1223	1547 1773
	J		530	620	712	795	914	1001	1088	1175	1260	1594 1826
Cellular	A		267	319	367	416	475	526	579	631	684	785 899
	B		283	336	388	443	505	558	614	668	723	830 952
	C		366	436	504	577	654	727	796	865	938	1075 1239
	D		395	475	545	627	708	787	864	936	1014	1169 1345
	E		405	478	554	636	721	801	877	954	1033	1185 1362
	F		477	563	655	747	849	946	1033	1123	1217	1398 1698
	G		494	584	677	774	879	980	1071	1164	1259	1447 1757
	H		574	678	788	900	1021	1142	1245	1353	1466	1683 2046
	I		720	849	987	1127	1278	1430	1558	1693	1836	2107 2562
Cordless Control			No Charge									
Cord Cleat: Antique Brass			5									
Cord Cleat: Solid Brass			10									