

GRABER® | DELIGHT IN
EVERY DETAIL



Graber RTS Motorization English/US Price Guide

MOTORIZED BLINDS AND SHADES FEATURING RADIO TECHNOLOGY SOMFY (RTS) TECHNOLOGY

Product Information Guide

Features and Size Considerations

Motorized Blinds and Shades	2
Radio Frequency.	2
Channel and Control Assignments.	2
Standard Motors.	2
CrystalPleat® Cellular Shades Motorized Lift	3
Pleated Shades Motorized Lift	4
Fresco® Roman Shades Motorized Lift	5
Horizontal Blinds Motorized Tilt	6
Tradewinds® Natural Shades Motorized Lift.	7
Artisan Roman Shades Motorized Lift	8
Mezzanine Layered Shades Motorized Lift	9
Overture Sheer Shades Motorized Lift	10
Lightweaves® Roller and Solar Shades Motorized Lift.	11
Motorized Lift: Mounting Depth Illustrations	12
Roller and Solar Shades: 12-Volt Non-rechargeable Motor Maximum Shade Size	13–20
Roller and Solar Shades: 12-Volt Rechargeable Motor Maximum Shade Size.	21–28
Roller and Solar Shades: 24-Volt Motor Maximum Shade Size	29–36
Roller and Solar Shades: 120-Volt Motor Maximum Shade Size	37–42
Roller and Solar Shades: Dual Shades Maximum Shade Size	43–49
Exterior Solar Shades Motorized Lift, Maximum Shade Size	50–51

Options

Guide Cables	52
Low Voltage 12-Volt Power Components	53
Low Voltage 12-Volt Power Considerations.	54
Power Considerations for Rechargeable Motor.	55
120-Volt Power Considerations	56
Radio Frequency Controls (RTS range 65 feet)	57
Specialty Radio Frequency Controls	58
Integration Devices	59
Exterior Solar Shade Motorization Controls.	60
Standard 4-Wire Motor 120-Volt Controls	61

GRABER®

MAY 2023

(5/23) 23-406956

Features and Size Considerations

Motorized Blinds and Shades

Refer to individual base product information guide for specific option and size information for the product being ordered.

RTS Motorization: this category has been offered by Graber® for quite some time and has been a workhorse family of motors for cellular, pleated, solar, roller, natural, Fresco® Roman, Artisan Roman, sheer, layered shades, and our tilt products.

Radio Frequency (RF)

Motorized Graber blinds and shades feature Somfy radio frequency motors and accessories. All Somfy radio frequency motors utilize Somfy's proprietary protocol Radio Technology Somfy® (RTS). Motorized blinds and shades feature the following:

- Window treatments can be operated from virtually anywhere in the home up to 65 feet
- Provides easy operation of hard-to-reach or large windows
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- A safer alternative to corded lift options; ideal for homes with children and pets
- Easily integrated with home automation systems
- Not available with hold down brackets or specialty window treatments

Control and Power Options

- Multiple control and power options available; see options section for availability

Channel and Control Assignments for RTS Motors

Channel and control assignments are available when you purchase motorized window coverings. Specifying channels simplifies your install process by pre-programming each shade to the appropriate channel and control for your order.

- Each individual window covering can be assigned to a single channel, enabling unique control; multiple window coverings can also be assigned to an individual channel, enabling group control
 - Channel assignment is recommended on all radio frequency (RF) controls within the same product type
 - Custom programming available on handheld remotes, and wall switches only

Standard Motors (4-wire)

- Available with solar and roller products only
- Standard motors are hard-wired both to power (line voltage) and controls
- 120-volt motors allow operation of large shades (see motorization size charts)
- Hard-wired controls provide the most reliable control of shades
- Control options include
 - Wall switches for convenient, reliable control or dry contact outputs provided by certain home automation packages
 - Group controllers to operate multiple shades with a single switch

Features and Size Considerations

CrystalPleat® Cellular Shades Motorized Lift

Order Entry: 12V RTS CL32 Motor (Somfy RTS)

Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.



Features

- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on right side within the headrail
- Multiple shades on one headrail available; each panel will have a motor and power source
- Not available with bottom up/top down, sun up/sun down, top down only, SkyTrack™, combination shade, or specialty shapes
- Not available with cut outs, room darkening side channels, hold down or side mount brackets.
- Available as corner and bay window applications
- Available with Wood Cornice and Valance
- Available with reversible fabric at time of order
- Available with lightblocking strip
- Rail colors can be specified at time of order
- Available with fabric wrapped rail

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

Size Considerations

Motor Type	Minimum Width (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Somfy RTS (CL32)	20	144*	9	144*

*This is the shade size maximum limit for this motor type, shades size limit may be smaller based on specific fabric type.

For all inside mount applications, $\frac{3}{8}$ " deduction is taken by the manufacturer on overall width.

Cell Size	Collection Name	Maximum Shade Size (square inches)
$\frac{1}{2}$ " Double Cell	Sanctuary	7,500
$\frac{1}{2}$ " Double Cell	Splendor	11,500
$\frac{3}{4}$ " Single Cell	Champagne Toast, Couture LF and BO, Enchantment BO, Infuse BO, Kinsley LF and BO, Montage BO, Prestige BO, Sanctuary, Scroll FR, Valletta BO,	9,000
$\frac{3}{4}$ " Single Cell	Infuse LF, Valletta LF	11,500
$\frac{3}{4}$ " Single Cell	Enchantment LF, Montage LF, Prestige LF, Discovery BO, Endeavor LF, Simply sheer, Splendor LF	13,000
$\frac{9}{16}$ " Single Cell	Discovery BO	9,000
$\frac{9}{16}$ " Single Cell	Endeavor LF	13,000
1 $\frac{1}{4}$ " Single Cell	Splendor LF	11,500
1 $\frac{1}{4}$ " Single Cell	Champagne Toast, Sanctuary BO, Valletta LF and BO	9,000

See page 45 for Power Consideration size information.

Depth Requirements for Inside Mount

Cell Size	Headrail Dimensions (inches)	Minimum Depth Mount (inches)	Flush with Casing (inches)
$\frac{3}{4}$ " single cell $\frac{1}{2}$ " double cell	$1\frac{1}{16} \times 2\frac{3}{8}$	$\frac{5}{8}$	$2\frac{5}{8}$
$\frac{9}{16}$ " single cell	$1\frac{1}{16} \times 2\frac{1}{8}$	$\frac{5}{8}$	$2\frac{3}{8}$
1 $\frac{1}{4}$ " single cell	$1\frac{3}{8} \times 3\frac{3}{16}$	1"	$3\frac{3}{8}$

Features and Size Considerations

Pleated Shades Motorized Lift

Order Entry: 12V RTS CL32 Motor (Somfy RTS)



Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on right side within the headrail
- Multiple shades on one headrail available; each panel will have a motor and power source
- Available for standard bottom up shades; not available with specialty shapes
- Not available with hold down or side mount brackets
- Available as corner and bay window applications
- Available with Wood Cornice and Valance
- Available with Privacy and Blackout liner
- Available with lightblocking strip
- Rail colors can be specified at time of order

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

Size Considerations

Motor Type	Shade Type	Minimum Width (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Somfy RTS (CL32)	1" FashionPleat	20	144	9	96
	1" EvenPleat	20	120	6	96
	2" EvenPleat	20	144*	12	120

*This is the shade size maximum limit for this motor type, shades size limit may be smaller based on specific fabric type.

For all inside mount applications, 1/8" deduction is taken by the manufacturer on overall width.

Pleat Size	Collection Name	Maximum Shade Size (square inches)
1" Pleated	Aberdeen, Canyon Ridge, Cloud Metal, Debonair, Desert, Grasscloth, Marina, Prescott, Sahara Ridge, Serendipity, Spring Bloom, Terrain	9,000
1" Pleated	Allure, Inkblot, Sheer Linen	11,500
1" Pleated	Blackout and Privacy Liner Only	13,000
2" Pleated	Aberdeen, Cloud Metal, Debonair, Desert, Sahara Ridge, Serendipity, Spring Bloom, Terrain	7,500
2" Pleated	Sheer Linen	11,500
2" Pleated	Blackout and Privacy Liner Only	13,000

See page 45 for Power Consideration size information.


Depth Requirements for Inside Mount: Motorized Lift

Shade Type	Headrail Dimensions (inches)	Partially recessed headrail in window casing/ molding Minimum Depth Mount (inches)	Fully recessed headrail in window casing/ molding Flush with Casing (inches)
1" Pleat	1 1/16 x 2 1/8	5/8	2 3/8
2" Pleat	1 1/16 x 2 3/8	5/8	2 3/8

Features and Size Considerations

Fresco® Roman Shades Motorized Lift

Order Entry: 12V RTS CL32 Motor



Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on right side within the headrail
- Multiple shades on one headrail available; each panel will have a motor and power source
- Not available with bottom up/top down
- Not available with hold down or side mount brackets
- Available as corner and bay window applications
- Available with Wood Cornice and Valance
- Available with Flat and Looped styles
- Available with fabric valance and fabric valance trims

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

Roman Size Considerations	Minimum Width* (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)
Roman Shades: Classic Flat or Looped	20	76†	18	96

*For all inside mount applications, 3/8" deduction is taken by manufacturer on overall width.

†Based on fabric width.

See page 45 for Power Consideration size information.

Depth Requirements for Inside Mount

Lift Option and Shade Style	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
Motorized Lift: Flat	1 1/16 x 2 1/8	5/8	2 1/2
Motorized Lift: Looped	1 1/16 x 2 1/8	1/2 (fabric loops will overhang approximately 3" into the room)	2 1/2 (fabric loops will overhang approximately 3" into the room)

Features and Size Considerations

Horizontal Blinds Motorized Tilt

Order Entry: Ring Lift with Motorized Tilt



Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Available with: 2" Traditions® Wood Blinds
 2⅜" Traditions Wood Blinds
 2" Elite Wood Blinds
 2⅜" Elite Wood Blinds
 2" Traditions Composite Blinds
 2½" Traditions Composite Blinds
 2" Vinyl Blinds
 2" Grandeur™ Aluminum Blinds

Features

- Motorization will only tilt slats; raising or lowering the blind is manual with cord lift
- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on the left side within the headrail; cord lift is on the right side
- Not available with specialty shapes, hold down brackets, or multiple blinds on one headrail

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

See page 45 for Power Consideration size information.

Size Considerations	Minimum Width (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)	Maximum Size (square inches)
Wood/Composite Blinds	19	96	10	120	2" and 2⅜": 7,200 2½": 6,480
2" Vinyl	19	84	9⅝	108	7,200
2" Aluminum	19	84	9⅝	126	7,200

EXAMPLE: 96" wide x 96" high = 9,216 square inches (over maximum size)
 18" wide x 62" high = 1,116 square inches (under minimum width)
 67" wide x 84" high = 5,628 square inches (size is within acceptable range)

Depth Requirements for Inside Mount: Aluminum

Headrail Dimensions (inches)	Minimum Depth Mount (inches)	Flush with Casing (inches)	Flush Mount with Valance (inches)
1⅝ x 2¼	¾	2⅜	3⅝


Depth Requirements for Inside Mount: Vinyl

Headrail Dimensions (inches)	Minimum Depth Mount (inches)	Flush with Casing (inches)
1⅝ x 2¼	¾	Without valance: 2⅜ With standard valance: 3⅝ With double valance: 4

Features and Size Considerations

Tradewinds® Natural Shades Motorized Lift

Order Entry: 12V RTS R28 Motor or 24v RTS SON30 Motor



Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Available on standard Roman or old style Roman
- Available with deco-trim hems and accent gimp
- Available with privacy and room-darkening liners
- Available with 9" standard valance, 9" premier valance, or 9" deco-trim valance
- Available with fabric edge banding and liners
- Motor mounted to the underside of hardwood headrail on right side
- Not available with looped Roman, bottom up/top down, angle top, or hold down brackets
- Available with bottom corner and bottom center cut-outs

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

See page 45 for Power Consideration size information.

Motorization Options	Yes	No
Standard Roman	•	
Old Style Roman	•	
Looped Roman		•
Multiple Shades on One Headrail	•	

Style	12-Volt Minimum Width (inches)	Maximum Size 12-Volt		24-Volt Minimum Width (inches)	Maximum Size 24-Volt	
		Shade (square inches)	With Liner (square inches)		Shade (square inches)	With Liner (square inches)
Inan, Lipo, Moniz, Revelry, Serenity, Toushan II	20	2,755	2,333	24	3,821	3,235
Brooklyn, Denver, Reminisce, Stateside	20	4,493	3,466	24	6,240	4,800
Bellamy, Seasons	20	5,194	3,878	24	7,219	5,376
Boardwalk, Merino, Sarto	20	6,058	4,330	24	8,410	6,010
Bayport, Beachfront, Hadley, Kelton, Oxford, Paralian, Verity, Wild Haven	20	6,854	4,723	24	9,513	6,547
Berwick, Cameron, Cherish, Interlude, Olympia, Rowen, Purcell, Saterra, Selene, Tatum, Terrestrial, Ventura, Zishan	20	9,149	5,712	24	11,520	7,920

Depth Requirements for Inside Mount

Headrail Dimensions (inches)	Minimum Depth Mount (inches)	Flush with Casing (inches)
$\frac{5}{8} \times 2\frac{1}{4}$	$\frac{3}{4}$	Standard valance $3\frac{3}{16}$

Features and Size Considerations

Artisan Roman Shades Motorized Lift

Order Entry: 12V RTS R28 Motor or 24v RTS SON30 Motor



Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Low voltage motorization requires no costly electrical hard-wiring
- Fabric wrapped headrail for a beautifully finished look; returns are standard on outside mount
- Available as pleated styles: Looped, Classic Flat; Seamless or Relaxed
- Available with liner styles: Standard, water repellent, thermal, flannel-back
- Available finishing options: Inset banding, edge banding, decorative tape
- Motor mounted to the underside of hardwood headrail on left or right side; standard on right
- Not available with balloon pleat, blackout liner, or multiple shades on one headrail

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

See page 45 for Power Consideration size information.

Size Considerations

Width		Height		
Minimum (inches)	Maximum (inches)	Minimum (inches)	Classic, Seamless, and Relaxed Shades Maximum (inches)	Looped Shades Maximum (inches)
24	96	18	120	103


Motorized Maximum Shade Area

Fabric Name	12-Volt Motorized Lift		24-Volt Motorized Lift	
	Standard (square inches)	Dimout (square inches)	Standard (square inches)	Dimout (square inches)
Candor, Cloud Metal, Enchanting, Liana, Meredith, Piazza, Stanton	5,612	4,958	9,120	8,860
Absolute, Alea, Arcadia, Artesso, Aspirational, Beach Chalet, Bianca, Bisque, Bloomscape, Brandywine, Brooke, Callahan, Countryside, Diversions, Esperance, Gratitude, Grayson, Harmonious, Heilene, Hypnotic, Iconic, Kazlo, Manning, Newleaf, Pageantry, Palatial, Rainfall, Raleigh, Sea Paisley, Seafront, Spargel, Undertones, Valor, Whimsical	4,758	4,338	8,100	8,000
Affinity, Ainslie, Avid, Bountiful, Burnham, Casita, Chalkdust, Conceptual, Confidence, Downpour, Dreamscape, Florabar, Focus, Frond Mist, Gjusta, Hama, Ibiza, Imagination, Kelsey, Kings Garden, Kingsbury, Maisonette, Meadowlark, Mikado, Mysterious, Mystical, Painterly, Pastoral, Posy, Primavera, Reflection, Refuge, Richland, Rutherford, Sustained, Symbiotic, Textile, Tyrell, Uplifting, Venetian, Wonder, Woodblock	3,894	3,812	7,450	7,300
Assurance, Athens, Birch, Bursche, Carver, Checkerloom, Circumference, Cloverleaf, Cooperative, EarthWise, EnviroLiving, Environment, Garden, Meditations, Monorail, Skipping Rocks, Soliloquy, Steward, Thistlerock, Wexler	3,318	3,230	6,700	6,610

If fabric not listed, it is not available with the motorized lift option.

NOTE: Area is ordered width x ordered height in square inches

Depth Requirements for Inside Mount

Headrail Dimensions (inches)	Minimum Depth Mount (inches)	Flush with Casing (inches)
	 Partially recessed headrail in window casing/molding	 Fully recessed headrail in window casing/molding
2 1/4 D x 5/8 L	3/4	2 1/8

Features and Size Considerations

Mezzanine Layered Shades Motorized Lift

Order Entry: 12V RTS R28 Motor



Refer to individual product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on right or left side; standard on the right
- Static guard is necessary during dry conditions to prevent static build up.
- Available as corner and bay window applications
- Not available with Wood Cornice and Valance
- Fabric-wrapped cassette comes standard and creates a cohesive appearance in the window
- Not available with hold down brackets
- Down = down closed (shade lowered; stripes closed)
- My/Stop = down open (shade lowered; stripes open)

Control and Power Options


- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

See page 45 for Power Consideration size information.

Light Gap			
Motor End		Idle End	
Inside Mount (inches)	Outside Mount (inches)	Inside Mount (inches)	Outside Mount (inches)
1 ¹ / ₁₆	1	3 ³ / ₄	1 ¹ / ₁₆

The fabric width is narrower than the finished shade width of the tube and its components. See chart above for light gap.



Minimum Mounting Depth	1 ³ / ₈ "
Minimum Mounting Depth, Flush Mount	3 ⁵ / ₈ "

Size Considerations		
Style Name	Maximum Width* (inches)	Maximum Height* (inches)
Atlantic Waves	100	75
Bernina	96	110
Coastal Collection	98	75
Coastal Ridge	98	60
Cordillera	85	75
Cottonwood	101	100
Crestones	97	84
Culebra	95	110
Glorieta	98	110
Glorieta Sheen	98	110
Heathered	95	77
Herard	97	77
Linen Dream	95	72
Oceanfront	99	60
Palmetto	97	100
Papyrus	98	60
Refreshed	93	84
Riptide	100	110
Seascape	98	77
Seaside Resort	99	110
Spascape	100	77
Vanoise	91	95

Minimum width: motorized lift 16".

Minimum height: 12"

*If the height is shorter than the maximum, a slightly larger width may be available to order. Maximum width is 102".

Features and Size Considerations

Overture Sheer Shades Motorized Lift

Order Entry: 12V RTS R28 Motor



Refer to individual base product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on right or left side; standard on the right
- Fabric-wrapped cassette comes standard and creates a cohesive appearance in the window
- Available as corner and bay window applications
- Not available with Wood Cornice and Valance
- Not available with hold down brackets
- Down = down open (shade lowered; vanes open)
- My/Stop = down closed (shade lowered; vanes closed)

Control and Power Options


- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

See page 45 for Power Consideration size information.

Light Gap			
Motor End		Idle End	
Inside Mount (inches)	Outside Mount (inches)	Inside Mount (inches)	Outside Mount (inches)
1	1 ⁵ / ₁₆	1 ¹ / ₁₆	5 ¹ / ₈

The fabric width is narrower than the finished shade width of the tube and its components. See chart above for light gap.



Minimum Mounting Depth	1 ³ / ₈ "
Minimum Mounting Depth, Flush Mount	3 ⁵ / ₈ "

Size Considerations		
Style Name	Maximum Width* (inches)	Maximum Height* (inches)
Alpine 2"	79	110
Coastal Waves 2"	96	105
Deco Diamond 2"	96	105
Deco Diamond 3"	96	65
Evening Star 2"	71	85
Glessner 2"/Glessner 3"	96	105
Glessner Sheen 2"/Glessner Sheen 3"	98	110
Glessner Woven 2"/Glessner Woven 3"	96	110
Lustrous 1"	102	69
Lustrous 2"	96	105
Marisco 2"/Marisco 2 3/4"	94	99
Modern Grid 1" 5301	102	69
Modern Grid 1" 5302, 5303, 5304	98	87
Modern Grid 1" 5300	94	75
Roslin 1"	94	75
San Simeon 3"	96	65
Starlight 2"	96	105
Starlight 3"	96	65
Sun Reflections 2"	96	105
Surfside 2"	96	105
Surfside 3"	96	65
Winchester 1"	97	87
Winchester Sheen 1"	102	69
Winchester Woven 1"	97	87

Minimum width: motorized lift 16".

Minimum height: 12"

*If the height is shorter than the maximum, a slightly larger width may be available to order. Maximum width is 102".

Features and Size Considerations

Lightweaves® Roller and Solar Shades Motorized Lift

Order Entry: See chart below



Refer to individual base product information guide for specific option information for the product being ordered. See page 2 for benefits of using RTS Motorization.

Features

- Line voltage has multiple wiring options and is ideal for large interior solar shades
- Not available with hold down brackets
- Available with standard or reverse roll; Reverse roll not available with any valance.
- Available with valance styles: cassette, contour, fascia, wood valance and wood cornice; 120v not available with cassette.
- Available with side channels with sealed hem bar only
- Motor located on the left or right side; standard on the right
- Rechargeable motors will be received at approximately 30% charge. Charging will be required before use.
- Available as corner and bay window applications
- Available with Wood Cornice and Valance
- Available as Dual Shade (integrates two fabrics that can be independently raised and lowered as needed); each shade requires a power source. Dual shade not available with rechargeable motors;
- Available with finishing options: scallops, gimp trim, bead trim

Control and Power Options

- Multiple control and power options available; see options section for availability

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.

Light Gap (inches)				
Valance Type	Motor Type			
	12V R28 Non-rechargeable Motor	12V Rechargeable Motor (RU28 and ST30)	24V RTS SON30 Non-Rechargeable	120V STD ST40 Motor/120V RTS ST40 Motor
Contour, Flat, Fascia, No Valance	$\frac{9}{16}$ to $\frac{13}{16}$	$\frac{9}{16}$ to $\frac{13}{16}$	$\frac{9}{16}$ to $\frac{7}{8}$	$\frac{9}{16}$ to $1\frac{1}{8}$
All Flat Cassette Sizes	$\frac{9}{16}$ to $\frac{15}{16}$	$\frac{9}{16}$ to $\frac{15}{16}$	$\frac{9}{16}$ to 1	N/A
Dual No Cassette	$\frac{9}{16}$ to $\frac{13}{16}$	N/A	$\frac{9}{16}$ to $\frac{7}{8}$	N/A
Dual with Cassette	$\frac{9}{16}$ to 1	N/A	$\frac{9}{16}$ to 1	N/A

Size Considerations			
Motor Type	Order Entry	Minimum Width (inches)	Minimum Height (inches)
12-Volt Non-rechargeable	12V RTS R28 Non-rechargeable Motor (2)	16	13
12-Volt Rechargeable	12V RTS RU28 Rechargeable Motor (11)	25½	
12-Volt Rechargeable	12V RTS ST30 Rechargeable Motor (15)	28	
24-Volt Non-rechargeable	24V RTS SON30 Motor (16)	20	
120-Volt Standard Interior	120V STD ST40 Motor (5)	23	
120-Volt RTS Interior	120V RTS ST40 Motor (4)	24½	


NOTE: See size charts on following pages.

See page 45 for Power Consideration size information.


Motorized Size Considerations

Motorized Lift: Mounting Depth Illustrations


The following diagrams illustrate the mounting depth requirements for shades mounted inside window casements.




Small Cassette Valance
1 3/8" Minimum Inside Mount




Medium Cassette Valance
1 3/4" Minimum Inside Mount




Large/Dual Cassette Valance
1 3/4" Minimum Inside Mount




No Valance*
3/4" Minimum Inside/Side Mount




No Valance*
4 1/8" Minimum Inside/Top Mount




Contour Valance
2 7/16" Minimum Inside Mount
(return can be trimmed)




3" Fascia
2 3/4" Minimum Inside/Top Mount
3/4" Minimum Inside/Side Mount



4" Fascia
3 3/4" Minimum Inside/Top Mount
1 1/2" Minimum Inside/Side Mount



Flat Valance
2 15/16" Minimum Inside Mount
(return can be trimmed)



Dual Shade—No Cassette Valance
2" Minimum Inside/Top Mount
3/4" Minimum Inside/Side Mount

12V RTS R28
Non-rechargeable Motor
Minimum Width: 16"
Minimum Height: 13"

12V RTS RU28
Rechargeable Motor
Minimum Width: 25½"
Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)							
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance			
															Width (inches)	Height (inches)	Width (inches)	Height (inches)
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Aberdeen BO (Ingenuae Pearl; Effervescene; Pristine; Dulcet Graphite)	66	114	65	126	65	126	65	126	65	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Aberdeen LF (Ingenuae Pearl; Effervescene; Pristine; Dulcet Graphite)	92	127	92	137	92	137	92	137	92	137	83	84	83	84	98	82	83	84
Arboretum BO (Serene; Monarch; Sirius; Distinguished)	87	97	82	131	82	131	82	131	82	131	75	84	75	84	89	82	75	84
Arboretum LF (Serene; Monarch; Sirius; Distinguished)	90	136	90	136	90	136	90	136	90	136	82	84	82	84	96	82	82	84
Bradley (Antique Silver; Hearthstone; Midas; Azurine; Majesty; Everest)	71	85	78	121	78	121	81	101	78	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado BO (Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)	73	93	82	125	82	125	84	111	82	125	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado LF (Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)	79	113	91	133	91	133	91	133	91	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Broadcast (Constellation; Sonnet; Cashmere; Alfresco; Motif; Talesin; Austere; Continental; Simplicity; Genuine; Gourmet; Serenade)	70	79	76	118	75	125	79	95	75	125	70	79	78	105	78	105	79	95
Cambridge LF (White; Off White; Inkwell; Clay; Hawaiian Blue; Academy; Mirage; Vernal Pond; Ivory)	94	121	94	121	94	121	94	121	94	121	95	110	95	110	95	110	95	110
Cambridge RD (Hawaiian Blue; Academy; Mirage; Vernal Pond; White; Off White; Inkwell ; Clay ; Ivory; Misty)	85	114	82	139	82	139	82	139	82	139	86	108	86	108	86	108	86	108
Canyon Ridge BO (Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	65	126	65	126	65	126	65	126	65	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Canyon Ridge LF (Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	82	141	82	141	82	141	82	141	82	141	74	84	74	84	87	82	74	84
Chronicles (Feather; Skyline; Sumatra; Tuxedo)	85	93	80	125	80	125	80	125	80	125	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations. See dual shade section for motorization information.

12V RTS R28**Non-rechargeable Motor**

Minimum Width: 16"

Minimum Height: 13"

12V RTS RU28**Rechargeable Motor**

Minimum Width: 25½"

Minimum Height: 13"

Features and Size Considerations**Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)**

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)									
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Cloud Frost (Fading Nimbus; Shell; Creamy Mocha)	80	120	80	120	80	120	80	120	80	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cloud Frost (Sea Stone)	82	102	80	120	80	120	80	120	80	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Complex (Couture; Chance; Oceans; Visage)	71	84	77	126	77	126	80	103	77	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy - LF (Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)	74	91	72	118	72	118	72	118	72	118	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy-BO (Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)	56	87	63	114	63	114	64	103	63	114	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Consummate Silk (Opalescence; Posh Platinum ; Bright Champagne; Pale Gold; Sandstone; Seafoam)	79	96	79	144	79	144	79	138	79	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Debonair (Weekender Twill; Tan Gabardine; Natural White; Harberdasher Gray)	92	106	89	132	89	132	89	132	89	132	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine BO (Mythical Gray; Evocative White; Island Paradise; Dark Earth)	72	101	82	123	82	123	82	120	82	123	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine LF (Mythical Gray; Evocative White; Island Paradise; Dark Earth)	94	118	94	119	94	119	94	119	94	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Destin BO (Natural Sherpa; Glacial Gray; Silver Lining; Deep Graphite; Morning Frost; White Whimsy)	71	99	80	126	80	126	80	121	80	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Earth Synergy (Soft Down; Wild Oats; Taupe Secret; Quarry Gray; Caviar)	85	106	82	131	82	131	82	131	82	131	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EcoEncore (Mint Condition; Lunar Light; Cocoa Powder)	95	119	95	119	95	119	95	119	95	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ellington 1% (Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	76	82	72	109	72	109	72	109	72	109	76	82	72	109	72	109	72	109	72	109
Ellington 3% (Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	78	86	73	121	73	121	73	121	73	121	78	86	74	113	74	113	74	113	74	113

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

12V RTS R28

Non-rechargeable Motor
Minimum Width: 16"
Minimum Height: 13"

12V RTS RU28

Rechargeable Motor
Minimum Width: 25½"
Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Ellington 5% (Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	78	88	74	119	74	119	74	119	74	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emerson (Freezing Point; Khaki Stripe; Poised Pewter)	74	84	81	124	81	124	84	100	81	124	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Empirical (White Shimmer; Complex Carbon; Modern Gray; Classic Khaki)	93	123	93	123	93	123	93	123	93	123	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium (Bookplate White)	88	120	88	124	88	124	88	124	88	124	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium (Silver Dollar; Vintage Letterpress; Sheet Music; Stepping Stone)	74	115	85	133	85	133	85	133	85	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium (Sepia Snapshot)	88	98	82	144	82	144	82	141	82	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EnviroINFUSION (Calle Lilly; Modern Silver; Gray Fedora; Shoreline Sand; Column Gray; Brownstone)	94	122	94	122	94	122	94	122	94	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Essential (Classic White; Creamy Beige; Taupe; Smokey; Black; Black on Black; Forest Green; Canyon; Beige; Stone; Black)	70	144	70	144	70	144	70	144	70	144	77	62	77	62	91	60	77	62	77	62	77	62
Exposition (Consummate; Genesis; Wishlist; Resonance)	75	67	82	104	79	124	71	92	79	124	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flock BO (Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	78	51	71	89	79	120	74	71	79	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flock LF (Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	86	43	80	76	87	130	83	60	88	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Gleam (Gold Rush; Ebony Glimmer; Silver Shine; Glistening Waterfall)	78	106	76	122	76	122	76	122	76	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Guildhall (Tenor; Illusion; Montage; Armor; Mystery)	68	98	77	124	77	124	78	116	77	124	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmonics (Titanium; Frosty White; Fossil Gray; Grounded Greige; Mannered Gold; Deep Sapphire; Modern Moss)	89	112	88	123	88	123	88	123	88	123	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmony (Pebble ; Tassel; Marina; Shiplap; Cityscape ; Harvest; Lavender)	91	132	91	133	91	133	91	133	91	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.

12V RTS R28

Non-rechargeable Motor
Minimum Width: 16"
Minimum Height: 13"

12V RTS RU28

Rechargeable Motor
Minimum Width: 25½"
Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)														
Normal Fabric Orientation					Fabric Turned Width for Height (railroaded)									
Valance Type	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette	
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Fabric	91	133	91	133	91	133	91	133	91	133	NO RR	NO RR	NO RR	NO RR
											Width (inches)	Height (inches)	Width (inches)	Height (inches)
Inkblot (Coastal Gray; Crystal; Haven; Navy Mosaic)											NO RR	NO RR	NO RR	NO RR
Jacinta (Candle Glow; Lavish Taupe; London Pewter; Greige Fusion; Charcoal)	94	125	94	125	94	125	94	125	94	125	NO RR	NO RR	NO RR	NO RR
Kindred (Endless Summer; City Skyline)	95	119	95	119	95	119	95	119	95	119	NO RR	NO RR	NO RR	NO RR
LiveWell (Dew Kissed; Finely Frosted; Succulent; Sandbar; Icelandic; Seaspray)	70	89	77	125	77	125	79	111	77	125	70	87	83	86
Manifest BO (Freshwater Pearl; Flint Rock; Savvy Gray; Lifting Fog; Ciabatta; Cream Filled)	82	140	82	144	82	144	82	144	82	144	NO RR	NO RR	NO RR	NO RR
Manifest LF (Freshwater Pearl; Flint Rock; Savvy Gray; Lifting Fog; Ciabatta; Cream Filled)	92	144	92	144	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR
Mayfair (Giza Cotton; Tickled Ivory; Risotto; Silversmith; Varsity Gray; Open Seas; Mystic Meadow)	97	140	97	140	97	140	97	140	97	140	NO RR	NO RR	NO RR	NO RR
Merit (Clarity; Panoramic; Emulation; Atmosphere; Exquisite; Cavalier)	76	93	73	117	73	117	73	117	73	117	NO RR	NO RR	NO RR	NO RR
Momentum (Soft Seashell; Parisian Cream; Luxe Leather; Etched Brown; Brushed Pewter; Toasted Spice)	71	94	80	120	80	120	81	113	80	120	NO RR	NO RR	NO RR	NO RR
Monticello (Mist; Burro; Dune; Tikki; Rust)	73	71	80	108	78	121	84	84	78	121	73	71	83	86
Nantucket (Vintage Veil; Taupe Utopia; Rich Sable; Spice)	77	64	84	98	80	124	72	89	80	124	NO RR	NO RR	NO RR	NO RR
Northshore (Chai; Cream Coverlet; Safair; Fine Flint; Icy Waterfall; Lakeside)	76	111	88	128	88	128	88	128	88	128	NO RR	NO RR	NO RR	NO RR
Pannier (Black Dahlia; Creamy Mocha; Feather White; Riverbed Brown)	75	67	81	104	78	126	71	89	78	126	NO RR	NO RR	NO RR	NO RR
Paving Stone BO(Bechamel; Pale Acobe; Eventide; Almond Butter)	81	112	79	126	79	126	79	126	79	126	82	105	82	105

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.

12V RTS R28**12V RTS RU28****Non-rechargeable Motor**

Minimum Width: 16"

Minimum Height: 13"

Rechargeable Motor

Minimum Width: 25½"

Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)																							
Valance Type		Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	
PlanetSafe (French Pastry; Gray Perfection; Cool Cave)	94	122	94	122	94	122	94	122	94	122	94	122	94	122	94	122	94	122	94	122	94	122	
Plexus 1% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	68	74	74	109	74	109	77	88	74	109	68	74	106	74	106	74	106	77	88	74	106		
Plexus 3% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	68	75	74	114	73	121	78	89	73	121	68	75	106	75	106	75	106	78	89	75	106		
Plexus 5% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	68	82	74	119	74	119	77	98	74	119	68	82	106	76	106	76	106	77	98	76	106		
Porter (Fuji Fog; Misty Marsh; Executive Gray; Rain; Classy Carbon)	68	65	75	99	73	113	64	90	73	113	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Providence-BO (Vanilla Bean ; Woolen Mittens; Varsity Blue ; Stacked Stone ; Golden Leaf; Dewdrop)	56	84	63	109	63	109	64	100	63	109	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Providence-LF (Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)	73	93	72	110	72	110	72	110	72	110	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Quintessence (White Enchantment; Flecked Gray; Gilded Linen; Gray Alloy; Black Facet)	65	96	74	125	74	125	75	114	74	125	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Regent (First Frost; Smoky Taupe; Fossil; Lulling Storm; Magnetic)	95	118	95	125	95	125	95	125	95	125	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Renaissance (Blushed Paradise; Subdued Botanical)	92	140	92	140	92	140	92	140	92	140	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Riverbend (Rust; Steel; Natural; Khaki; Maduro)	72	78	72	119	72	144	72	106	72	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Sabine (Smooth Java; Lush Garden; Midnight Blue; Summer Gray; Powdery Sand)	84	92	79	123	79	123	79	123	79	123	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.

12V RTS R28

Non-rechargeable Motor
Minimum Width: 16"
Minimum Height: 13"

12V RTS RU28

Rechargeable Motor
Minimum Width: 25½"
Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)														
Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)							
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
SafeSync (Wheat Harvest; Woodland Taupe; Bronze Haze; Black Sands; Elusive Ebony)	62	81	71	100	71	100	71	96	71	100	NO RR	NO RR	NO RR	NO RR
	81	84	89	129	89	130	77	115	89	130	NO RR	NO RR	NO RR	NO RR
Sahara Ridge (Vapor ; Alabaster; Birch Grove)	67	58	73	89	71	103	63	80	71	103	NO RR	NO RR	NO RR	NO RR
Sakura (White Lattice; Zen Gray; Craftsman)	73	63	78	96	76	119	68	87	76	119	NO RR	NO RR	NO RR	NO RR
Sanguine (Blue Pueblo; White Serenity; Misty Morning; Gray Estate; Montauk Slate)	76	144	76	144	76	144	76	144	76	144	NO RR	NO RR	NO RR	NO RR
Santorini (Desert Sands; Unexpected Umber; Evocative Ivory)	84	97	80	123	80	123	80	123	80	123	NO RR	NO RR	NO RR	NO RR
Shadow (White; Beige; Tan; Light Gray; Dark Gray)	78	126	91	136	91	136	91	136	91	136	NO RR	NO RR	NO RR	NO RR
Sheffield (Chelsea; Henley; Windsor; Tuscon; Eclipse; Weathered; Meadow; Manor)	93	124	93	124	93	124	93	124	93	124	NO RR	NO RR	NO RR	NO RR
Shiloh (Water Lily; Sunlit Stone; Almond; Distant Thunder; Gentle Gray)	64	87	72	114	72	114	73	103	72	114	NO RR	NO RR	NO RR	NO RR
Solana BO (Drift : Blue Breeze; Dandelion Wish; Brown Trmt; Black Whirlwind; Sweet Dreams)	92	140	92	140	92	140	92	140	92	140	84	84	84	84
Spring Bloom (Kissed Olive; Cultivated Kalamata; Tropical Garden; Sunmeadow; Botanical Garden; Cherry Blossom)	83	89	78	124	78	124	78	124	78	124	89	111	111	111
Standard Weave 1%(Calcite; Polished)	82	94	77	126	77	126	77	126	77	126	82	112	112	112
Standard Weave 10%(Calcite; Polished)	84	106	82	124	82	124	82	124	82	124	106	106	106	106
Standard Weave 10%(Veranda; Café Doppio; Chiseled)	84	101	81	121	81	121	81	121	81	121	101	106	106	106
Standard Weave 3%(Calcite; Polished)	83	96	80	120	80	120	80	120	80	120	96	113	113	113

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

12V RTS R28

Non-rechargeable Motor

Minimum Width: 16"

Minimum Height: 13"

12V RTS RU28

Rechargeable Motor

Minimum Width: 25½"

Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Standard Weave 3%(Veranda; Café Doppio; Chiseled)	82	96	78	124	78	124	78	124	78	124	82	96	79	114	79	114	79	114	79	114	79	114
Standard Weave 5%(Calcite; Polished)	84	96	81	121	81	121	81	121	81	121	84	96	82	114	82	114	82	114	82	114	82	114
Standard Weave 5%(Veranda; Café Doppio; Chiseled)	82	101	80	120	80	120	80	120	80	120	82	101	81	113	81	113	81	113	81	113	81	113
Steel House (Cavern Floor; Cloud; Buff; Chocolate Souffle)	72	99	82	121	82	121	82	118	82	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Suburban II (White ; Mystic ; Highland)	72	144	72	144	72	144	72	144	72	144	100	62	100	62	100	62	100	62	100	62	100	62
Tableaux (White Tranquility; Stately Gray ; Gray Opulence; Craftsman Brown; Provincial Plum; Ivory Cameo)	74	55	80	85	74	122	69	77	74	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tattered Husk BO (Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	74	84	81	126	81	126	84	100	81	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tattered Husk LF (Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	81	94	91	136	91	136	94	110	91	136	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Terrain (Gray Frost; Pale Adobe ; Pale Rhino)	78	112	89	135	89	135	89	135	89	135	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Thesis (Weathered Stone; Bluebook White; Summer Khakis; Oxford Blue; Macho Macchiato; Dusky Titanium)	70	93	70	142	70	144	70	126	70	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tuvalu (Wisteria White; Silver Tree; Dusky Botanical)	94	121	94	121	94	121	94	121	94	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Unison (Ilgoo; Malted Milk; Mascarpone; Platinum; Khaki Sand; Rivermist)	88	128	88	128	88	128	88	128	88	128	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Vancouver (Meringue; Heavenly; Light Fog; Good Graycious; Capri; Master Marine)	91	121	90	130	90	130	90	130	90	130	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Vanguard 1% (Authentic; Gentle Beige; Chrome; Pendulum)	83	89	78	124	78	124	78	124	78	124	83	89	80	111	80	111	80	111	80	111	80	111
Vanguard 1% (Elusive; Macedonia; Dew; Homage; Meloton)	82	94	77	126	77	126	77	126	77	126	82	94	79	112	79	112	79	112	79	112	79	112

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

See dual shade section for motorization information.

12V RTS R28**Non-rechargeable Motor**

Minimum Width: 16"

Minimum Height: 13"

12V RTS RU28**Rechargeable Motor**

Minimum Width: 25½"

Minimum Height: 13"

Features and Size Considerations**Roller and Solar Shades: 12-Volt Motor Maximum Shade Size (12V RTS R28 Non-rechargeable Motor and 12V RU28 Rechargeable Motor)**

Valance Type		Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Cassette/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	
Vanguard 3% (Authentic; Gentle Beige; Chrome; Pendulum)	83	96	80	120	80	120	80	120	80	120	83	96	81	113	81	113	81	113	81	113	81	113	
Vanguard 3% (Elusive; Macedonia; Dew; Homage; Peloton)	82	96	78	124	78	124	78	124	78	124	82	96	79	114	79	114	79	114	79	114	79	114	
Vanguard 5% (Authentic; Gentle Beige; Chrome; Pendulum)	84	96	81	121	81	121	81	121	81	121	84	96	82	114	82	114	82	114	82	114	82	114	
Vanguard 5% (Elusive; Macedonia; Dew; Homage; Peloton)	82	101	80	120	80	120	80	120	80	120	82	101	81	113	81	113	81	113	81	113	81	113	
Wayfarer (Sultry White; Maldives Gray)	92	144	92	144	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	
Whitcomb (Paloverde; Invitation; Juniper)	90	118	89	132	89	132	89	132	89	132	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	
Whitehall (Veranda; Wolverine; Nectar; Westminster; Seattle Mist)	87	106	82	144	82	144	82	144	82	144	87	106	87	108	87	108	87	108	87	108	87	108	
Whittaker BO (Sugar Quartz; Inspired Ivory; Orion; Gray Frost; Scone; Night Life)	73	87	81	122	81	122	84	102	81	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.
See dual shade section for motorization information.

Features and Size Considerations

12V RTS SON30

Rechargeable

Minimum Width: 28

Minimum Height: 13

24V RTS SON30

Minimum Width: 20"

Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia	
	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)	Width (Inches)	Height (Inches)
Fabric																						
Aberdeen BO (Ingenuae Pearl; Effervescence; Pristine; Dulcet Graphite)	66	114	88	128	88	128	91	101	88	128	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Aberdeen LF (Ingenuae Pearl; Effervescence; Pristine; Dulcet Graphite)	92	127	92	144	92	144	92	137	92	144	98	82	98	82	131	79	98	82	98	82	98	82
Arboretum BO (Serene; Monarch; Sirius; Distinguished)	87	97	92	124	92	144	82	131	92	144	89	82	89	82	121	79	89	82	89	82	89	82
Arboretum LF (Serene; Monarch; Sirius; Distinguished)	90	136	92	144	92	144	92	125	92	144	96	82	96	82	129	79	96	82	96	82	96	82
Bradley (Antique Silver; Hearthstone; Midas; Azureine; Majesty; Everest)	87	69	78	121	96	144	81	101	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado BO (Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)	90	76	82	125	108	144	84	111	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado LF (Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)	95	93	109	119	109	144	91	133	109	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Broadcast (Constellation; Sonnet; Cashmere; Alfresco; Motti; Tallesin; Austere; Continental; Simplicity; Genuine; Gourmet; Serenade)	86	65	76	118	100	143	79	95	100	143	86	65	78	105	107	103	107	95	107	107	103	
Cambridge LF (White; Off White; Inkwell; Clay; Hawaiian Blue; Academy; Mirage; Vernal Pond; Ivory)	94	121	119	144	119	144	119	132	119	144	95	110	127	107	127	107	127	107	127	107	127	107
Cambridge RD (Hawaiian Blue; Academy; Mirage; Vernal Pond; White; Off White; Inkwell; Clay ; Ivory; Misty)	85	114	111	144	111	144	117	100	111	144	86	108	117	105	117	105	117	100	117	117	105	
Canyon Ridge BO (Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	65	126	88	128	88	128	89	117	88	128	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Canyon Ridge LF (Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	82	141	92	144	92	144	92	132	92	144	87	82	87	82	116	79	87	82	87	87	82	
Chronicles (Feather; Skyline; Sumatra; Tuxedo)	85	93	96	118	96	144	80	125	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

May 2023

12V RTS ST30
Rechargeable
Minimum Width: 28
Minimum Height: 13

24V RTS SON30
Minimum Width: 20"
Minimum Height: 13"

Features and Size Considerations

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type		Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)														
		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia		
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Cloud Frost (Fading Nimbus; Shell; Creamy Mocha)	80	120	106	133	106	133	107	124	106	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cloud Frost (Sea Stone)	82	102	106	132	106	133	80	120	106	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Complex (Couture; Chance; Oceans; Visage)	87	70	77	126	96	144	80	103	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy -LF (Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)	74	91	96	117	96	122	72	118	96	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy-BO (Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)	69	71	89	90	82	144	64	103	82	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Consummate Silk (Opalescence; Posh Platinum ; Bright Champagne; Pale Gold; Sandstone; Seafoam)	79	96	79	144	79	144	79	138	79	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Debonair (Weekender Twill; Tan Gaberdine; Natural White; Harberdasher Gray)	92	106	106	135	106	144	89	132	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine BO (Mythical Gray; Evocative White; Island Paradise; Dark Earth)	88	82	109	105	108	144	82	120	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine LF (Mythical Gray; Evocative White; Island Paradise; Dark Earth)	94	118	108	144	108	144	94	119	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Destin BO (Natural Sherpa; Glacial Gray; Silver Lining; Deep Graphite; Morning Frost; White Whimsy)	86	83	112	107	108	133	80	121	108	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Earth Synergy (Soft Down; Wild Oats; Taupe Secret; Quarry Gray; Caviar)	85	106	111	135	109	144	82	131	109	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EcoEncore (Mint Condition; Lunar Light; Cocoa Powder)	95	119	100	144	100	144	100	144	100	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ellington 1% (Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	76	82	98	105	96	122	72	109	96	122	76	82	98	105	97	111	97	111	72	109	97	111	111	111

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

12V RTS ST30

Rechargeable

Minimum Width: 28

Minimum Height: 13

24V RTS SON30

Minimum Width: 20"

Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type	Normal Fabric Orientation												Fabric Turned Width for Height (railroaded)																											
	Small Cassette				Medium Cassette				Large Cassette/ Contour Valance/ No Valance				3" Fascia				4" Fascia				Small Cassette				Medium Cassette				Large Cassette/ Contour Valance/ No Valance				Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width				3" Fascia		4" Fascia	
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)								
Fabric																																								
Ellington 3% (Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	78	86	101	111	98	130	73	121	98	130	73	121	98	130	78	86	101	111	101	111	101	111	101	111	101	111	74	113	101	111										
Ellington 5% (Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	78	88	101	112	97	144	74	119	97	144	74	119	97	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Emerson (Freezing Point; Khaki Stripe; Polsed Pewter)	90	68	81	124	109	133	84	100	109	133	84	100	109	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Empirical (White Shimmer; Complex Carbon; Modern Gray; Classic Khaki)	93	123	96	144	96	144	96	144	96	144	96	144	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Emporium (Bookplate White)	88	120	96	144	96	144	96	106	96	144	96	106	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Emporium (Silver Dollar ; Vintage Letterpress ; Sheet Music; Stepping Stone)	89	98	96	125	96	144	85	133	96	144	85	133	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Emporium (Sepia Snapshot)	88	98	96	125	96	144	82	141	96	144	82	141	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
EnviroINFUSION (Calle Lily; Modern Silver; Gray Fedora; Shoreline Sand; Column Gray; Brownstone)	94	122	115	144	115	144	115	127	115	144	115	127	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Essential (Classic White; Creamy Beige; Taupe; Smokey; Black; Black on Black; Forest Green; Canyon; Beige; Stone; Black)	70	144	70	144	70	144	70	144	70	144	70	144	70	144	91	60	91	60	91	60	123	57	91	60	123	57	91	60	91	60			60							
Exposition (Consummate; Genesis; Wishlist; Resonance)	92	54	82	104	96	144	86	80	96	144	86	80	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Flock BO (Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	95	40	86	78	106	131	90	60	108	116	90	60	108	116	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Flock LF (Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	103	33	96	67	108	129	99	51	88	122	99	51	88	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Gleam (Gold Rush; Ebony Glimmer; Silver Shine; Glistening Waterfall)	78	106	92	136	92	144	76	122	92	144	76	122	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							
Guildhall (Tenor; Illusion; Montage; Armor; Mystery)	84	80	96	102	96	144	78	116	96	144	78	116	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR							

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

May 2023

Features and Size Considerations

12V RTS ST30
Rechargeable
Minimum Width: 28
Minimum Height: 13

24V RTS SON30
Minimum Width: 20"
Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type	Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)													
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Harmonics (Titanium; Frosty White; Fossil Gray; Grounded Greige; Mannered Gold; Deep Sapphire; Modern Moss)	89	112	115	143	115	144	88	123	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmony (Pebble ; Tassel; Marina; Shiplap; Cityscape ; Harvest; Lavender)	91	132	119	144	119	144	119	117	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Inkblot (Coastal Gray; Crystal; Haven; Navy Mosaic)	91	133	119	144	119	144	119	126	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Jacinta (Candle Glow; Lavish Taupe; London Pewter; Greige Fusion; Charcoal)	94	125	112	144	112	144	112	125	112	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Kindred (Endless Summer; Gilded Gray; Quarry; Ganache; City Skyline)	95	119	112	144	112	144	112	110	112	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
LiveWell (Dew Kissed; Finely Frosted; Succulent; Sandbar; Icelandic; Seaspray)	85	76	77	125	95	144	79	111	95	144	85	76	114	83	114	83	114	83	86	114	83	83
Manifest BO (Freshwater Pearl; Flint Rock; Savvy Gray; Lifting Fog; Ciabatta; Cream Filled)	82	140	92	144	92	144	92	124	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Manifest LF (Freshwater Pearl; Flint Rock; Savvy Gray; Lifting Fog; Ciabatta; Cream Filled)	92	144	92	144	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Mayfair (Giza Cotton; Tickled Ivory; Risotto; Silversmith; Varsity Gray; Open Seas; Mystic Meadow)	97	140	107	144	107	144	107	136	107	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Merit (Clarity; Panoramic; Emulation; Atmosphere; Exquisite; Cavalier)	76	93	96	118	96	140	73	117	96	140	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Momentum (Soft Seashell; Parisian Cream; Luxe Leather; Etched Brown; Brushed Pewter; Toasted Spice)	87	78	80	120	94	144	81	113	94	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Monticello (Mist; Burro; Dune; Tikki; Rust)	90	57	80	108	96	144	84	84	96	144	90	57	83	86	114	83	114	84	84	114	83	83
Nantucket (Vintage Veli; Taupe Utopia; Rich Sable; Spice)	93	51	84	98	96	144	88	76	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

12V RTS ST30

Rechargeable

Minimum Width: 28

Minimum Height: 13

24V RTS SON30

Minimum Width: 20"

Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type		Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)												
		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Northshore (Chai; Cream Coverlet; Safari; Fine Flint; Icy Waterfall; Lakeside)	93	91	115	117	115	144	88	128	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Pannier (Black Dahlia; Creamy Mocha; Feather White; Riverbed Brown)	91	54	81	104	96	144	85	80	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Paving Stone BO (Bechamel; Pale Adobe; Eventide; Almond Butter)	81	112	107	131	107	131	113	98	107	131	82	105	112	102	112	102	113	98	112	102	112	102
PlanetSafe (French Pastry; Gray Perfection; Cool Cave)	94	122	103	144	103	144	103	144	103	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Plexus 1% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	84	60	74	109	97	134	77	88	97	134	84	60	74	106	103	103	77	88	103	103	103	103
Plexus 3% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	84	61	74	114	98	135	78	89	98	135	84	61	75	106	104	103	78	89	104	104	103	103
Plexus 5% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	84	67	74	119	99	134	77	98	99	134	84	67	76	106	105	103	77	98	105	105	103	103
Porter (Fuji Fog; Misty Marsh; Executive Gray; Rain; Classy Carbon)	84	52	75	99	96	136	78	77	96	136	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Providence-BO (Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)	69	68	89	87	82	138	64	100	82	138	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Providence-LF (Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)	73	93	95	119	95	123	72	110	95	123	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Quintessence (White Enchantment; Flecked Gray; Gilded Linen; Gray Alloy; Black Facet)	80	78	104	100	98	144	75	114	98	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

12V RTS ST30
Rechargeable
Minimum Width: 28
Minimum Height: 13

24V RTS SON30
Minimum Width: 20"
Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)											
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width		3" Fascia		4" Fascia	
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Fabric																						
Regent (First Frost; Smoky Taupe; Fossil; Lulling Storm; Magnetic)	95	118	115	144	115	144	95	125	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Renaissance (Blushed Paradise; Subdued Botanical)	92	140	92	144	92	144	92	140	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Riverbend (Rust; Steel; Natural; Khaki; Maduro)	72	63	72	119	72	144	72	93	72	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sabine (Smooth Java; Lush Garden; Midnight Blue; Summer Gray; Powdery Sand)	84	92	96	117	96	144	79	123	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
SafeSync (Wheat Harvest; Woodland Taupe; Bronze Haze; Black Sands; Elusive Ebony)	77	66	71	100	95	111	71	96	95	111	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sahara Ridge (Vapor ; Alabaster; Birch Grove)	97	68	89	129	106	144	92	100	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sakura (White Lattice; Zen Gray; Craftsman)	82	46	73	89	94	120	77	69	94	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sanguine (Blue Pueblo; White Serenity; Misty Morning; Gray Estate; Montauk Slate)	78	50	78	96	78	144	78	74	78	142	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Santorini (Desert Sands; Unexpected Umber; Evocative Ivory)	76	124	76	144	76	144	76	144	76	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Shadow (White; Beige; Tan; Light Gray; Dark Gray)	84	97	109	124	107	136	80	123	107	136	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sheffield (Chelsea; Henley; Windsor; Tuscon; Eclipse; Weathered; Meadow; Manor)	95	101	108	133	108	144	91	136	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Shiloh (Water Lily; Sunlit Stone; Almond; Distant Thunder; Gentle Gray)	93	124	115	144	115	144	115	111	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Solana BO (Drift ; Blue Breeze; Dandelion Wish; Brown Tint; Black Whirlwind; Sweet Dreams)	79	71	72	114	97	122	73	103	97	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Spring Bloom (Kissed Olive; Cultivated Kalamata; Tropical Garden; Sunmadow; Botanical Garden; Cherry Blossom)	92	140	92	144	92	144	92	140	92	144	98	82	98	82	98	82	131	79	98	82	98	82

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

12V RTS ST30

Rechargeable

Minimum Width: 28

Minimum Height: 13

24V RTS SON30

Minimum Width: 20"

Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type	Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)													
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		Large Cassette/ Contour Valance/ No Valance/ at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Standard Weave 1% (Calcite; Polished)	83	89	108	114	106	129	78	124	106	129	83	89	109	111	109	111	109	111	80	111	109	111
Standard Weave 1% (Veranda; Café Doppio; Chiseled)	82	94	106	121	102	144	77	126	102	144	82	94	108	111	108	111	108	111	79	112	108	111
Standard Weave 10% (Calcite; Polished)	84	106	110	134	108	144	82	124	108	144	84	106	115	103	115	103	115	103	84	106	115	103
Standard Weave 10% (Veranda; Café Doppio; Chiseled)	84	101	108	130	108	135	81	121	108	135	84	101	113	103	113	103	113	103	83	106	113	103
Standard Weave 3% (Calcite; Polished)	83	96	108	123	107	133	80	120	107	133	83	96	110	111	110	111	110	111	81	113	110	111
Standard Weave 3% (Veranda; Café Doppio; Chiseled)	82	96	107	122	106	128	78	124	106	128	82	96	109	111	109	111	109	111	79	114	109	111
Standard Weave 5% (Calcite; Polished)	84	96	110	123	108	135	81	121	108	135	84	96	112	111	112	111	112	111	82	114	112	111
Standard Weave 5% (Veranda; Café Doppio; Chiseled)	82	101	108	127	107	133	80	120	107	133	82	101	110	111	110	111	110	111	81	113	110	111
Steel House (Cavern Floor; Cloud ; Buff; Chocolate Souffle)	88	81	82	121	96	144	82	118	96	144	NO RR	NORR	NORR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Suburban II (White ; Mystic ; Highland)	72	144	72	144	72	144	72	144	72	144	100	62	100	62	100	62	133	59	100	62	100	62
Tableaux (White Tranquility; Stately Gray ; Gray Opulence; Craftsman Brown; Provincial Plum; Ivory Cameo)	91	43	80	85	96	144	84	65	96	125	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tattered Husk BO (Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	90	68	81	126	109	135	84	100	109	135	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tattered Husk LF (Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	98	76	91	136	108	144	94	110	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Terrain (Gray Frost; Pale Adobe; Pale Rhino)	94	93	106	119	106	144	89	135	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Thesis (Weathered Stone; Bluebook White; Summer Khakis; Oxford Blue; Macho Macchiato; Dusky Titanium)	70	76	70	142	70	144	70	111	70	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tuvalu (Wisteria White; Silver Tree; Dusky Botanical)	94	121	106	144	106	144	106	111	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Unison (Ilgoo; Malted Milk; Mascarpone; Platinum; Khaki Sand; Rivermist)	88	128	115	144	115	144	115	118	115	144	NO RR	NORR	NORR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

12V RTS ST30

Rechargeable

Minimum Width: 28

Minimum Height: 13

24V RTS SON30

Minimum Width: 20"

Minimum Height: 13"

Roller and Solar Shades: Motor: Maximum Shade Size

Valance Type	Normal Fabric Orientation										Fabric Turned Width for Height (railroaded)							
	Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		3" Fascia		4" Fascia		Small Cassette		Medium Cassette		Large Cassette/ Contour Valance/ No Valance		Large Cassette/ Contour Valance/ No Cassette/ No Valance at Maximum Width	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Vancouver (Meringue; Heavenly; Light Fog; Good Graycious; Capri; Master Mariner)	91	121	114	144	114	144	114	111	114	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Vanguard 1% (Authentic; Gentle Beige; Chrome; Pendulum)	83	89	108	114	106	129	78	124	106	129	83	89	109	111	109	111	80	111
Vanguard 1% (Elusive; Macedonia; Dew; Homage; Peloton)	82	94	106	121	102	144	77	126	102	144	82	94	108	111	108	111	79	112
Vanguard 3% (Authentic; Gentle Beige; Chrome; Pendulum)	83	96	108	123	107	133	80	120	107	133	83	96	110	111	110	111	81	113
Vanguard 3% (Elusive; Macedonia; Dew; Homage; Peloton)	82	96	107	122	106	128	78	124	106	128	82	96	109	111	109	111	79	114
Vanguard 5% (Authentic; Gentle Beige; Chrome; Pendulum)	84	96	110	123	108	135	81	121	108	135	84	96	112	111	112	111	82	114
Vanguard 5% (Elusive; Macedonia; Dew; Homage; Peloton)	82	101	108	127	107	133	80	120	107	133	82	101	110	111	110	111	81	113
Wayfarer (Sultry White; Maldives Gray)	92	144	92	144	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Whitcomb (Paloverde; Invitation; Juniper)	90	118	108	144	108	144	108	105	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Whitehall (Veranda; Wolverine; Nectar; Westminster; Seattle Mist)	87	106	113	136	112	144	82	144	112	144	87	106	118	105	118	105	87	108
Whittaker BO (Sugar Quartz; Inspired Ivory; Orion; Gray Frost; Scone; Night Life)	89	71	81	122	108	137	84	102	108	137	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120-Volt RTS
 Minimum Width: 24.5"
 Minimum Height: 13"

120-Volt Standard
 Minimum Width: 23"
 Minimum Height: 13"

Roller and Solar Shades: 120-Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)					
		Contour Valance/ No Valance		3" Fascia		4" Fascia		Contour Valance/ No Valance		3" Fascia		4" Fascia	
Fabric		Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Aberdeen BO(Ingenue Pearl; Effervescence; Pristine; Dulcet Graphite)		92	144	91	101	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Aberdeen LF(Ingenue Pearl; Effervescence; Pristine; Dulcet Graphite)		92	144	92	113	92	144	131	79	131	79	131	79
Arboretum BO(Serene; Monarch; Sirius; Distinguished)		92	144	92	85	92	144	121	79	121	79	121	79
Arboretum LF(Serene; Monarch; Sirius; Distinguished)		92	144	92	125	92	144	129	79	129	79	129	79
Bradley(Antique Silver; Hearthstone; Midas; Azurine; Majesty; Everest)		96	144	96	60	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado BO(Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)		109	144	109	66	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado LF(Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)		109	144	109	81	109	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Broadcast(Constellation; Sonnet; Cashmere; Alfresco; Motif; Talesin; Austere; Continental; Simplicity; Genuine; Gourmet; Serenade)		116	144	116	56	116	120	144	100	144	56	144	100
Cambridge LF(White; Off White; Inkwell; Clay; Hawaiian Blue; Academy; Mirage; Vernal Pond; Ivory)		119	144	119	132	119	144	127	107	127	107	127	107
Cambridge RD(Hawaiian Blue; Academy; Mirage; Vernal Pond; White; Off White; Inkwell ; Clay ; Ivory; Misty)		117	144	117	100	117	144	117	105	118	100	117	105
Canyon Ridge BO(Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)		92	144	89	117	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Canyon Ridge LF(Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)		92	144	92	132	92	144	116	79	116	79	116	79
Chronicles(Feather; Skyline; Sumatra; Tuxedo)		96	144	96	81	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cloud Frost(Fading Nimbus; Shell; Creamy Mocha)		119	144	107	124	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cloud Frost(Sea Stone)		119	144	111	91	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Complex(Couture; Chance; Oceans; Visage)		96	144	96	61	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy -LF(Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)		115	144	100	80	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120-Volt RTS
Minimum Width: 24.5"
Minimum Height: 13"

120-Volt Standard
Minimum Width: 23"
Minimum Height: 13"

Roller and Solar Shades: 120-Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)					
		Contour Valance/ No Valance		3" Fascia		4" Fascia		Contour Valance/ No Valance		3" Fascia		4" Fascia	
Fabric		Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Conservancy-BO(Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)		110	144	95	61	111	130	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Consummate Silk(Opalescence; Posh Platinum ; Bright Champagne; Pale Gold; Sandstone; Seaf foam)		79	144	79	84	79	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Debonair(Weekender Twill; Tan Gaberdine; Natural White; Harberdasher Gray)		106	144	106	93	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine BO(Mythical Gray; Evocative White; Island Paradise; Dark Earth)		109	144	109	72	109	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine LF(Mythical Gray; Evocative White; Island Paradise; Dark Earth)		108	144	108	104	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Destin BO(Natural Sherpa; Glacial Gray; Silver Lining; Deep Graphite; Morning Frost; White Whimsy)		113	144	113	72	113	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Earth Synergy(Soft Down; Wild Oats; Taupe Secret; Quarry Gray; Caviar)		116	144	116	93	116	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EcoEncore (Mint Condition; Lunar Light; Cocoa Powder)		100	144	100	144	100	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ellington 1%(Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)		124	144	106	71	124	144	131	108	106	71	131	108
Ellington 3%(Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)		124	144	107	75	124	144	134	108	107	75	134	108
Ellington 5%(Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)		124	144	108	77	124	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emerson(Freezing Point; Khaki Stripe; Poised Pewter)		117	144	117	59	117	126	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Empirical(White Shimmer; Complex Carbon; Modern Gray; Classic Khaki)		96	144	96	144	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium(Bookplate White)		96	144	96	106	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium(Silver Dollar ; Vintage Letterpress; Sheet Music; Stepping Stone)		96	144	96	86	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium(Sepia Snapshot)		96	144	96	86	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EnviroINFUSION(Calle Lilly; Modern Silver; Gray Fedora; Shoreline Sand; Column Gray; Brownstone)		115	144	115	127	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120-Volt RTS

Minimum Width: 24.5"
Minimum Height: 13"

120-Volt Standard

Minimum Width: 23"
Minimum Height: 13"

Roller and Solar Shades: 120-Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)					
	Contour Valance/ No Valance		3" Fascia		4" Fascia		Contour Valance/ No Valance at Maximum Width		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Essential(Classic White; Creamy Beige; Taupe; Smokey; Black; Black on Black; Forest Green; Canyon; Beige; Stone; Black)	70	144	70	144	70	144	144	57	123	57	123	57
Exposition(Consummate; Genesis; Wishlist; Resonance)	96	144	96	46	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flock BO(Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	106	131	108	33	108	116	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flock LF(Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	108	129	108	27	108	99	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Gleam(Gold Rush; Ebony Glimmer; Silver Shine; Glistening Waterfall)	92	144	92	94	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Guildhall(Tenor; Illusion; Montage; Armor; Mystery)	96	144	96	69	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmonics(Titanium; Frosty White; Fossil Gray; Grounded Greige; Mannered Gold; Deep Sapphire; Modern Moss)	115	144	115	98	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmony(Pebble ; Tassel; Marina; Shiplap; Cityscape ; Harvest; Lavender)	119	144	119	117	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Inkblot(Coastal Gray; Crystal; Haven; Navy Mosaic)	119	144	119	126	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Jacinta(Candle Glow; Lavish Taupe; London Pewter; Greige Fusion; Charcoal)	112	144	112	125	112	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Kindred(Endless Summer; Gilded Gray; Quarry; Ganache; City Skyline)	112	144	112	110	112	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
LiveWell(Dew Kissed; Finely Frosted; Succulent; Sandbar; Icelandic; Seaspray)	95	144	95	66	95	144	144	83	118	66	114	83
Manifest BO(Freshwater Pearl; Flint Rock; Savvy Gray; Lifting Fog; Ciabatta; Cream Filled)	92	144	92	124	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Manifest LF(Freshwater Pearl; Flint Rock; Savvy Gray; Lifting Fog; Ciabatta; Cream Filled)	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Mayfair(Giza Cotton; Tickled Ivory; Risotto; Silversmith; Varsity Gray; Open Seas; Mystic Meadow)	107	144	107	136	107	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Merit(Clarity; Panoramic; Emulation; Atmosphere; Exquisite; Cavalier)	96	144	96	81	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120-Volt RTS
Minimum Width: 24.5"
Minimum Height: 13"

120-Volt Standard
Minimum Width: 23"
Minimum Height: 13"

Roller and Solar Shades: 120-Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)													
Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)					
		Contour Valance/ No Valance		3" Fascia		4" Fascia		Contour Valance/ No Valance		3" Fascia		4" Fascia	
Fabric		Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Momentum(Soft Seashell; Parisian Cream; Luxe Leather; Etched Brown; Brushed Pewter; Toasted Spice)		94	144	94	67	94	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Monticello(Mist; Burro; Dune; Tikki; Rust)		96	144	96	48	96	144	114	83	124	48	114	83
Nantucket(Vintage Veil; Taupe Utopia; Rich Sable; Spice)		96	144	96	43	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Northshore(Chai; Cream Coverlet; Safari; Fine Flint; Icy Waterfall; Lakeside)		115	144	115	80	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Pannier(Black Dahlia; Creamy Mocha; Feather White; Riverbed Brown)		96	144	96	46	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Paving Stone BO(Bechamel; Pale Adobe; Eventide; Almond Butter)		115	144	113	98	115	144	112	102	113	98	112	102
PlanetSafe(French Pastry; Gray Perfection; Cool Cave)		103	144	103	144	103	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Plexus 1%(Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)		116	144	116	51	97	134	139	100	117	51	139	100
Plexus 3%(Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)		116	144	116	52	98	135	140	100	118	52	140	100
Plexus 5%(Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)		116	144	116	57	116	123	141	100	117	57	141	100
Porter(Fuji Fog; Misty Marsh; Executive Gray; Rain; Classy Carbon)		96	139	96	44	96	136	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Providence-BO(Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)		109	144	94	59	112	124	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Providence-LF(Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)		115	144	99	81	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Quintessence(White Enchantment; Flecked Gray; Gilded Linen; Gray Alloy; Black Facet)		116	144	110	68	116	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Regent(First Frost; Smoky Taupe; Fossil; Lulling Storm; Magnetic)		115	144	115	104	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Renaissance(Blushed Paradise; Subdued Botanical)		92	144	92	139	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Riverbend(Rust; Steel; Natural; Khaki; Maduro)		72	144	72	54	72	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sabine(Smooth Java; Lush Garden; Midnight Blue; Summer Gray; Powdery Sand)		96	144	96	80	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120-Volt RTS
Minimum Width: 24.5"
Minimum Height: 13"

120-Volt Standard
Minimum Width: 23"
Minimum Height: 13"

Roller and Solar Shades: 120-Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)					
		Contour Valance/ No Valance		3" Fascia		4" Fascia		Contour Valance/ No Valance		3" Fascia		4" Fascia	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)
SafeSync(Wheat Harvest; Woodland Taupe; Bronze Haze; Black Sands; Elusive Ebony)	96	144	96	56	96	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sahara Ridge(Vapor ; Alabaster; Birch Grove)	106	144	106	59	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sakura(White Lattice; Zen Gray; Craftsman)	97	124	97	38	94	120	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sanguine(Blue Pueblo; White Serenity; Misty Morning; Gray Estate; Montauk Slate)	78	144	78	42	78	142	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Santorini(Desert Sands; Unexpected Umber; Evocative Ivory)	76	144	76	110	76	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Shadow(White; Beige; Tan; Light Gray; Dark Gray)	119	144	116	85	119	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Sheffield(Chelsea; Henley; Windsor; Tuscon; Eclipse; Weathered; Meadow; Manor)	108	144	108	91	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Shiloh(Water Lily; Sunlit Stone; Almond; Distant Thunder; Gentle Gray)	115	144	115	111	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Solana BO(Drift ; Blue Breeze; Dandelion Wish; Brown Tint; Black Whirlwind; Sweet Dreams)	114	144	109	61	114	130	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Spring Bloom(Kissed Olive; Cultivated Kalamata; Tropical Garden; Sunmeadow; Botanical Garden; Cherry Blossom)	92	144	92	132	92	144	131	79	144	76	131	79	79
Standard Weave 1%(Calcite; Polished)	124	144	116	78	124	144	144	108	144	108	116	78	144
Standard Weave 1%(Veranda; Café Doppio; Chiseled)	124	144	114	83	124	144	144	108	144	108	114	83	144
Standard Weave 10%(Calcite; Polished)	116	144	116	93	116	144	115	103	144	100	117	93	115
Standard Weave 10%(Veranda; Café Doppio; Chiseled)	116	144	116	89	116	144	113	103	144	100	116	89	113
Standard Weave 3%(Calcite; Polished)	124	144	116	84	124	144	144	108	144	108	116	84	144
Standard Weave 3%(Veranda; Café Doppio; Chiseled)	124	144	114	84	124	144	144	108	144	108	114	84	144
Standard Weave 5%(Calcite; Polished)	124	144	117	84	124	144	144	108	144	108	117	84	144
Standard Weave 5%(Veranda; Café Doppio; Chiseled)	124	144	115	88	124	144	144	108	144	108	115	88	144
Steel House(Cavern Floor; Cloud ; Buff; Chocolate Souffle)	96	144	96	70	96	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Suburban II(White ; Mystic ; Highland)	72	144	72	131	72	144	133	59	144	55	133	59	133
Tableaux(White Tranquility; Slaty Gray ; Gray Opulence; Craftsman Brown; Provincial Plum; Ivory Cameo)	96	144	96	36	96	125	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

120-Volt RTS
Minimum Width: 24.5"
Minimum Height: 13"

120-Volt Standard
Minimum Width: 23"
Minimum Height: 13"

Roller and Solar Shades: 120-Volt Motor Maximum Shade Size (120V RTS ST40 Motor or 120V STD ST40 Motor)

Valance Type	Normal Fabric Orientation								Fabric Turned Width for Height (railroaded)							
	Contour Valance/ No Valance		3" Fascia		4" Fascia		Contour Valance/ No Valance		Contour Valance/ No Valance at Maximum Width		3" Fascia		4" Fascia			
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)		
Tattered Husk BO(Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	109	144	109	59	109	135	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Tattered Husk LF(Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	108	144	108	66	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Terrain(Gray Frost; Pale Adobe ; Pale Rhino)	106	144	106	81	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Thesis(Weathered Stone; Bluebook White; Summer Khakis; Oxford Blue; Macho Macchiato; Dusky Titanium)	70	144	70	66	70	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Tuvalu(Wisteria White; Silver Tree; Dusky Botanical)	106	144	106	111	106	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Unison(Igloo; Malted Milk; Mascarpone; Platinum; Khaki Sand; Rivermist)	115	144	115	118	115	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Vancouver(Meringue; Heavenly; Light Fog; Good Graycloud; Capri; Master Mariner)	114	144	114	111	114	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Vanguard 1%(Authentic; Gentle Beige; Chrome; Pendulum)	124	144	116	78	124	144	144	108	144	108	116	78	144	108		
Vanguard 1%(Elusive; Macedonia; Dew; Homage; Peloton)	124	144	114	83	124	144	144	108	144	108	114	83	144	108		
Vanguard 3%(Authentic; Gentle Beige; Chrome; Pendulum)	124	144	116	84	124	144	144	108	144	108	116	84	144	108		
Vanguard 3%(Elusive; Macedonia; Dew; Homage; Peloton)	124	144	114	84	124	144	144	108	144	108	114	84	144	108		
Vanguard 5%(Authentic; Gentle Beige; Chrome; Pendulum)	124	144	117	84	124	144	144	108	144	108	117	84	144	108		
Vanguard 5%(Elusive; Macedonia; Dew; Homage; Peloton)	124	144	115	88	124	144	144	108	144	108	115	88	144	108		
Wayfarer(Sultry White; Maldives Gray)	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Whitcomb(Paloverde; Invitation; Juniper)	108	144	108	105	108	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		
Whitehall(Veranda; Wolverine; Nectar; Westminster; Seattle Mist)	117	144	117	94	117	144	118	105	144	101	120	94	118	105		
Whittaker BO(Sugar Quartz; Inspired Ivory; Orion; Gray Frost; Scone; Night Life)	113	144	113	61	113	130	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR		

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)												
		12-Volt Motor No Cassette/ No Valance		12-Volt Motor Large Cassette		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		12-Volt Motor No Cassette/ No Valance at Maximum Width		12-Volt Motor Large Cassette at Maximum Length		12-Volt Motor Large Cassette at Maximum Width		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Aberdeen BO(Ingenue Pearl; Effervescence; Pristine; Dulcet Graphite)	67	108	68	97	67	108	68	97	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Aberdeen LF(Ingenue Pearl; Effervescence; Pristine; Dulcet Graphite)	92	123	92	109	92	123	92	109	83	84	98	82	83	84	98	82	98	82	98	82
Arboretum BO(Serene; Monarch; Sirius; Distinguished)	72	108	73	101	87	93	89	82	75	84	89	82	75	84	89	82	89	82	89	82
Arboretum LF(Serene; Monarch; Sirius; Distinguished)	90	136	91	121	90	136	91	121	82	84	96	82	82	84	96	82	96	82	96	82
Bradley(Antique Silver; Hearthstone; Midas; Azurine; Majesty; Everest)	71	83	72	75	88	66	90	58	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado BO(Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)	74	90	75	82	90	73	92	64	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Bravado LF(Magnolia; Elusive Ecu; Tumbled Stone; Canterbury Night)	79	110	81	98	96	89	97	79	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Broadcast(Constellation; Sonnet Cashmere; Alfresco; Motif; Taliesin; Austere; Continental; Simplicity; Genuine; Gourmet; Serenade)	70	77	71	70	87	62	88	55	70	77	87	62	71	70	88	55	87	62	88	55
Cambridge LF(White; Off White; Inkwell; Clay; Hawaiian Blue; Academy; Mirage; Vernal Pond; Ivory)	94	121	94	121	94	121	94	121	95	110	95	110	95	110	95	110	95	110	95	110
Cambridge RD(Hawaiian Blue; Academy; Mirage; Vernal Pond; White; Off White; Inkwell ; Clay ; Ivory; Misty)	86	109	87	97	86	109	87	97	86	108	86	108	87	97	87	97	86	108	87	97
Canyon Ridge BO(Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	65	126	67	108	65	126	67	108	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Canyon Ridge LF(Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	82	141	83	127	82	141	83	127	74	84	87	82	74	84	87	82	87	82	87	82
Chronicles(Feather; Skyline; Sumatra; Tuxedo)	85	89	71	98	85	89	87	79	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cloud Frost(Fading Nimbus; Shell; Creamy Mocha)	80	120	80	119	80	120	80	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Cloud Frost(Sea Stone)	82	99	83	88	82	99	83	88	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor or RU30 Simple RTS motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)											
	12-Volt Motor No Cassette/ No Valance			24-Volt Motor No Cassette/ No Valance			24-Volt Motor Large Cassette			12-Volt Motor No Cassette/ No Valance at Maximum Width			12-Volt Motor Large Cassette at Maximum Length			12-Volt Motor No Cassette/ No Valance at Maximum Width		
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)
Fabric																		
Complex(Couture; Chance; Oceans; Visage)	71	84	72	76	87	68	89	59	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy -L(Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)	74	88	63	97	74	88	76	77	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Conservancy-BO(Edelweiss; Feather Grass; Golden Morel; Flowering Ash; Silver Maple; Black Peony; Sea Salt)	56	84	58	74	69	68	70	60	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Consummate Silk(Opalescence; Posh Platinum ; Bright Champagne; Pale Gold; Sandstone; Seafoam)	71	112	72	102	79	92	79	81	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Debonair(Weekender Twill; Tan Gaberdine; Natural White; Harberdasher Gray)	76	125	77	113	93	101	94	90	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine BO(Mythical Gray; Evocative White; Island Paradise; Dark Earth)	72	98	74	88	89	79	91	70	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Delphine LF(Mythical Gray; Evocative White; Island Paradise; Dark Earth)	95	110	79	126	95	110	96	101	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Destin BO(Natural Sherpa; Glacial Gray; Silver Lining; Deep Graphite; Morning Frost; White Whimsy)	71	99	72	89	87	80	89	71	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Earth Synergy(Soft Down; Wild Oats; Taupe Secret; Quarry Gray; Caviar)	86	102	72	108	86	102	88	90	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EcoEncore(Mint Condition; Lunar Light; Cocoa Powder)	95	119	95	119	95	119	95	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Ellington 1%(Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	62	98	63	88	76	79	78	70	62	98	76	83	63	88	78	70	79	78
Ellington 3%(Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	78	83	65	93	78	83	80	73	78	83	78	83	65	93	80	73	83	80
Ellington 5%(Tonal Taupe; Dusky Moment; Vintage Records; Georgia Brown; Misty Slate)	79	84	65	94	79	84	80	74	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emerson(Freezing Point; Khaki Stripe; Poised Pewter)	74	82	75	74	91	66	93	58	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Empirical(White Shimmer; Complex Carbon; Modern Gray; Classic Khaki)	93	123	93	123	93	123	93	123	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)														
		12-Volt Motor No Cassette/ No Valance		12-Volt Motor Large Cassette		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		12-Volt Motor No Cassette/ No Valance at Maximum Width		12-Volt Motor Large Cassette at Maximum Length		12-Volt Motor No Cassette/ No Valance at Maximum Width		12-Volt Motor Large Cassette at Maximum Width		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Emporium(Bookplate White)	89	115	75	119	89	115	90	102	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium(Silver Dollar : Vintage Letterpress ; Sheet Music; Stepping Stone)	74	115	75	105	90	94	92	83	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Emporium(Sepia Snapshot)	73	111	74	104	89	94	90	83	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
EnviroINFUSION(Calle Lilly; Modern Silver, Gray Fedora; Shoreline Sand; Column Gray; Brownstone)	94	122	94	122	94	122	94	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Essential(Classic White; Creamy Beige; Taupe; Smokey; Black; Black on Black; Forest Green; Canyon; Beige; Stone; Black)	70	144	70	144	70	144	70	144	77	62	91	60	77	62	91	60	91	60	91	60	91	60
Exposition(Consummate; Genesis; Wishlist; Resonance)	76	65	77	59	92	52	94	45	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flock BO(Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	79	49	80	44	96	38	98	33	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Flock LFSkyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	87	41	88	37	103	32	105	27	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Gleam(Gold Rush; Ebony Glimmer; Silver Shine; Glistening Waterfall)	78	102	80	90	78	102	80	90	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Guildhall(Tenor; Illusion; Montage; Armor; Mystery)	70	88	70	85	85	76	87	67	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmonics(Titanium; Frosty White; Fossil Gray; Grounded Greige; Mannered Gold; Deep Sapphire; Modern Moss)	90	107	75	119	90	107	91	95	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Harmony(Pebble ; Tassel; Marina; Shiplap; Cityscape ; Harvest; Lavender)	92	124	93	112	92	124	93	112	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Inkblot(Coastal Gray; Crystal; Haven; Navy Mosaic)	91	133	92	121	91	133	92	121	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Jacinta(Candle Glow; Lavish Taupe; London Pewter; Greige Fusion; Charcoal)	94	125	95	116	94	125	95	116	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Kindred(Endless Summer; Gilded Gray; Quarry; Ganache; City Skyline)	95	119	96	106	95	119	96	106	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
LiveWell(Dew Kissed; Finely Frosted; Succulent; Sandbar; Icelandic; Seaspray)	70	89	71	82	86	73	88	65	70	87	86	73	71	82	88	65	86	73	88	65	88	65

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type	Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)											
	12-Volt Motor No Cassette/ No Valance			12-Volt Motor Large Cassette			24-Volt Motor No Cassette/ No Valance			24-Volt Motor No Cassette/ No Valance at Maximum Width			12-Volt Motor Large Cassette at Maximum Length			12-Volt Motor No Cassette/ No Valance/ No Valance		
	Width (inches)	Height (inches)		Width (inches)	Height (inches)		Width (inches)	Height (inches)		Width (inches)	Height (inches)		Width (inches)	Height (inches)		Width (inches)	Height (inches)	
Fabric	84	131	85	119	84	131	85	119	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	92	144	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	97	140	98	128	97	140	98	128	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	77	89	64	97	77	89	78	79	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	71	92	72	83	88	74	89	66	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	74	68	75	62	91	54	92	48	74	68	54	91	75	62	48	91	54	48
	77	62	78	56	94	49	96	43	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	76	108	78	98	93	88	95	77	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	75	65	76	59	92	52	94	45	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	82	106	83	95	82	106	83	95	82	105	105	82	83	95	95	82	105	95
	94	122	94	122	94	122	94	122	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	68	72	70	65	85	57	87	50	68	72	57	85	70	65	50	85	57	50
	69	73	70	66	85	58	87	51	69	73	58	85	70	66	51	85	58	51
	68	80	69	72	84	64	86	56	68	80	64	84	69	72	56	84	64	56

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations. Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type	Normal Fabric Orientation				Fabric Turned Width for Height (railroaded)										24-Volt Motor Large Cassette			
	12-Volt Motor No Cassette/ No Valance		12-Volt Motor Large Cassette		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		12-Volt Motor No Cassette/ No Valance at Maximum Width		12-Volt Motor Large Cassette at Maximum Length		12-Volt Motor Large Cassette at Maximum Width		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette	
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Fabric	69	62	70	56	84	50	86	43	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Porter(Fuji Fog; Misty Marsh; Executive Gray; Rain; Classy Carbon)																	
	56	81	57	73	69	65	71	57	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Providence-BO(Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)																	
	74	89	62	99	74	89	75	79	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Providence-LF(Vanilla Bean ; Woolen Mittens; Varsity Blue; Stacked Stone ; Golden Leaf; Dewdrop)																	
	66	93	67	84	81	75	83	66	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Quintessence(White Enchantment; Flecked Gray; Gilded Linen; Gray Alloy; Black Facet)																	
	96	114	81	124	96	114	97	101	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Regent(First Frost; Smoky Taupe; Fossil; Lulling Storm; Magnetic)																	
	92	140	92	133	92	140	92	133	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Renaissance(Blushed Paradise; Subdued Botanical)																	
	72	75	72	68	72	60	72	53	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Riverbend(Rust; Steel; Natural; Khaki; Maduro)																	
	84	88	70	98	84	88	86	78	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Sabine(Smooth Java; Lush Garden; Midnight Blue; Summer Gray; Powdery Sand)																	
	63	78	64	71	78	63	80	55	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	SafeSync(Wheat Harvest; Woodland Taupe; Bronze Haze; Black Sands; Elusive Ebony)																	
	81	82	82	74	98	66	99	58	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Sahara Ridge(Vapor ; Alabaster; Birch Grove)																	
	67	56	69	50	83	44	85	38	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Sakura(White Lattice; Zen Gray; Craftsman)																	
	74	61	75	54	78	48	78	42	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Sanguine(Blue Pueblo; White Serenity; Misty Morning; Gray Estate; Montauk Slate)																	
	76	144	76	132	76	120	76	106	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Santorini(Desert Sands; Unexpected Umber; Evocative Ivory)																	
	84	93	71	97	84	93	86	82	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Shadow(White; Beige; Tan; Light Gray; Dark Gray)																	
	78	122	80	109	95	100	96	88	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
	Sheffield(Chelsea; Henley; Windsor; Tuscon; Eclipse; Weathered; Meadow; Manor)																	

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations. Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type		Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)												
		12-Volt Motor No Cassette/ No Valance		12-Volt Motor Large Cassette		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		12-Volt Motor No Cassette/ No Cassette/ No Valance at Maximum Width		12-Volt Motor Large Cassette at Maximum Width		12-Volt Motor Large Cassette No Valance/ No Cassette/ No Valance		24-Volt Motor Large Cassette				
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Shiloh(Water Lily; Sunlit Stone; Almond; Distant Thunder; Gentle Gray)	94	115	95	107	94	115	95	107	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Solana BO(Drift ; Blue Breeze; Dandelion Wish; Brown Tint; Black Whirlwind; Sweet Dreams)	64	84	66	76	79	68	81	60	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Spring Bloom(Kissed Olive; Cultivated Kalamata; Tropical Garden; Sunmeadow; Botanical Garden; Cherry Blossom)	92	140	92	127	92	140	92	127	84	84	98	82	84	84	98	82	98	82	98	82
Standard Weave 1%(Calcite; Polished)	84	86	71	87	84	86	86	76	84	86	84	86	71	87	86	76	84	86	86	76
Standard Weave 1%(Veranda; Café Doppio; Chiseled)	82	91	68	101	82	91	84	80	82	91	82	91	68	101	84	80	82	91	84	80
Standard Weave 10%(Calcite; Polished)	85	102	71	110	85	102	87	90	85	102	85	102	71	108	87	90	85	102	87	90
Standard Weave 10%(Veranda; Café Doppio; Chiseled)	84	98	71	101	84	98	86	86	84	98	84	98	71	101	86	86	84	98	86	86
Standard Weave 3%(Calcite; Polished)	84	92	70	101	84	92	86	82	84	92	84	92	70	101	86	82	84	92	86	82
Standard Weave 3%(Veranda; Café Doppio; Chiseled)	83	92	71	87	83	92	85	82	83	92	83	92	71	87	85	82	83	92	85	82
Standard Weave 5%(Calcite; Polished)	85	92	71	101	85	92	87	82	85	92	85	92	71	101	87	82	85	92	87	82
Standard Weave 5%(Veranda; Café Doppio; Chiseled)	83	97	85	86	83	97	85	86	83	97	83	97	85	86	85	86	83	97	85	86
Steel House(Cavern Floor; Cloud ; Buff; Chocolate Souffle)	72	96	74	87	89	78	91	68	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Suburban II(White ; Mystic ; Highland)	72	144	72	144	72	141	72	125	100	62	100	62	100	62	100	62	100	62	100	62
Tableaux(White Tranquility; Stately Gray ; Gray Opulence; Craftsman Brown; Provincial Plum; Ivory Cameo)	74	53	76	47	91	42	93	36	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tattered Husk BO(Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	74	81	76	73	91	65	93	57	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tattered Husk LF(Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	82	91	83	82	99	73	100	65	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor.

Features and Size Considerations

This table provides the maximum shade size available by fabric, control type, and valance style. Only the large cassette valance is available for the dual shade. Fabric turned width for height (railroaded) may curl along its edge. This is not a defect in the product. Small and medium cassette valances are not available.

Roller and Solar Shades: Dual Shades Maximum Shade Size

Valance Type			Normal Fabric Orientation						Fabric Turned Width for Height (railroaded)											
			12-Volt Motor No Cassette/ No Valance		12-Volt Motor Large Cassette		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette		12-Volt Motor No Cassette/ No Valance at Maximum Width		12-Volt Motor Large Cassette at Maximum Length		12-Volt Motor Large Cassette at Maximum Width		24-Volt Motor No Cassette/ No Valance		24-Volt Motor Large Cassette	
Fabric			Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Terrain(Gray Frost; Pale Adobe; Pale Rhino)			78	110	79	99	95	88	96	79	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Thesis(Weathered Stone; Bluebook White; Summer Khakis; Oxford Blue; Macho Macchiato; Dusky Titanium)			70	90	70	82	70	73	70	64	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Tuvalu(Wisteria White; Silver Tree; Dusky Botanical)			94	121	95	107	94	121	95	107	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Unison(gloo; Malted Milk; Mascarpone; Platinum; Khaki Sand; Rivermist)			88	128	90	112	88	128	90	112	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Vancouver(Meringue; Heavenly; Light Fog; Good Graycious; Capri; Master Marner)			91	121	92	107	91	121	92	107	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Vanguard 1%(Authentic; Gentle Beige; Chrome; Pendulum)			84	86	71	87	84	86	86	76	84	86	84	86	71	87	86	76	84	86
Vanguard 1%(Elusive; Macedonia; Dew; Homage; Peloton)			82	91	68	101	82	91	84	80	82	91	82	91	68	101	84	80	82	91
Vanguard 3%(Authentic; Gentle Beige; Chrome; Pendulum)			84	92	70	101	84	92	86	82	84	92	84	92	70	101	86	82	84	92
Vanguard 3%(Elusive; Macedonia; Dew; Homage; Peloton)			83	92	71	87	83	92	85	82	83	92	83	92	71	87	85	82	83	92
Vanguard 5%(Authentic; Gentle Beige; Chrome; Pendulum)			85	92	71	101	85	92	87	82	85	92	85	92	71	101	87	82	85	92
Vanguard 5%(Elusive; Macedonia; Dew; Homage; Peloton)			83	97	85	86	83	97	85	86	83	97	83	97	85	86	85	86	83	97
Wayfarer(Sultry White; Maldives Gray)			92	144	92	144	92	144	92	144	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Whitcomb(Paloverde; Invitation; Juniper)			91	114	76	126	91	114	93	101	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR
Whitehall(Veranda; Wolverine; Nectar; Westminster; Seattle Mist)			88	102	73	114	88	102	89	90	88	102	88	102	73	109	89	90	88	102
Whittaker BO(Sugar Quartz; Inspired Ivory; Orion; Gray Frost; Scone; Night Life)			73	84	75	76	90	68	92	60	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR	NO RR

NOTES: Due to continuous manufacturing improvements, minimums and maximums are subject to change. Please call customer service for up to date size considerations.

Seams may be added to fabrics to accommodate long shade requirements. Seams will be placed as close to the tube as possible; seam location is not selectable. Seams are visible when the shade is fully extended. Not available with RU28 rechargeable motor.

Features and Size Considerations

Exterior Solar Shades Motorized Lift

Order Entry: 120V Motor 3-Wire RTS



Refer to individual product information guide for specific option information for the product being ordered.

Features

- Operate exterior shades virtually anywhere around the home, up to 65 foot RTS range
- Provides easy operation of outdoor living space shades
- Manages harsh sun glare and solar heat, assists with temperature control
- Blocks damaging UV rays while maintaining outdoor view
- Motor located on the left or right side, standard on right
- Powered with 10 foot power cable; optional outdoor-rated plug
- Available with large cassette only, choose Brown (873), Vanilla (970), White (871), or Black (939)
- Available as standard roll only
- Stainless steel guide cables and unique universal cable locks (sill, jam, or wall mounted) are included

Control and Power Options

- Multiple control and power options available; see options section for availability

Size Considerations				
Motor Type	Order Entry	Minimum Width (inches)	Minimum Height (inches)	Light Gap Per Side (inches)
Exterior 120-Volt RTS	120V Motor 3-Wire RTS (6)	32	13	1 to 1 ¹ / ₁₆

Exterior Solar Shades: Maximum Shade Size

Fabric	Normal Fabric Orientation		Fabric Turned Width for Height (railroaded)			
	120-Volt Motor Large Cassette		120-Volt Motor Large Cassette		120-Volt Motor Large Cassette at Maximum Width	
	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Aberdeen BO (Ingenue Pearl; Effervescence; Pristine; Dulcet Graphite)	92	144	NO RR	NO RR	NO RR	NO RR
Aberdeen LF (Ingenue Pearl; Effervescence; Pristine; Dulcet Graphite)	92	144	144	76	144	71
Broadcast (Constellation; Sonnet; Cashmere; Alfresco; Motif; Taliesin; Austere; Continental; Simplicity; Genuine; Gourmet; Serenade)	116	144	136	101	144	84
Canyon Ridge BO (Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	92	144	NO RR	NO RR	NO RR	NO RR
Canyon Ridge LF (Arborio Rice; Fading Nimbus; Bona Fide Taupe; Shadow Mist; Evening Storm)	92	144	142	76	144	71
Chronicles (Feather; Skyline; Sumatra; Tuxedo)	96	144	NO RR	NO RR	NO RR	NO RR
Cloud Frost (Fading Nimbus; Shell; Creamy Mocha)	119	144	NO RR	NO RR	NO RR	NO RR
Cloud Frost (Sea Stone)	119	144	NO RR	NO RR	NO RR	NO RR
Exposition (Consummate; Genesis; Wishlist; Resonance)	96	144	NO RR	NO RR	NO RR	NO RR
Flock BO (Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	108	120	NO RR	NO RR	NO RR	NO RR
Flock LF (Skyscraper; Stallion; Evening Moonstone; Soft Beige; Brushwood)	108	102	NO RR	NO RR	NO RR	NO RR
Guildhall (Tenor; Illusion; Montage; Armor; Mystery)	96	144	NO RR	NO RR	NO RR	NO RR
Inkblot (Coastal Gray; Crystal; Haven; Navy Mosaic)	119	144	NO RR	NO RR	NO RR	NO RR

Due to continuous manufacturing improvements, minimums, and maximums are subject to change. Please call customer service for up to date size considerations.

NOTE: These tables provide the maximum shade size available by fabric and cassette.

Seams may be added to fabrics to accommodate long shade requirements. For shades longer than material width, seams will be visible when the shade is fully extended. Refer to exterior solar shades product information guide for pricing.

Features and Size Considerations

Exterior Solar Shades: Maximum Shade Size

	Normal Fabric Orientation		Fabric Turned Width for Height (railroaded)			
	120-Volt Motor Large Cassette		120-Volt Motor Large Cassette		120-Volt Motor Large Cassette at Maximum Width	
Fabric	Width (inches)	Height (inches)	Width (inches)	Height (inches)	Width (inches)	Height (inches)
Merit(Clarity; Panoramic; Emulation; Atmosphere; Exquisite; Cavalier)	96	144	NO RR	NO RR	NO RR	NO RR
Monticello(Mist; Burro; Dune; Tikki; Rust)	96	144	144	81	144	73
Pannier (Black Dahlia; Creamy Mocha; Feather White; Riverbed Brown)	96	144	NO RR	NO RR	NO RR	NO RR
Paving Stone BO (Bechamel; Pale Adobe; Eventide; Almond Butter)	115	144	141	100	144	95
Plexus 1% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	116	144	131	101	144	77
Plexus 3% (Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	116	144	133	101	144	78
Plexus 5%(Renewal; Provisions; Chalcedony; Stately; Landmark; Travertine; Penumbra; Nutley Pier; Black Granite; Niche)	116	144	134	101	144	86
Sahara Ridge (Vapor ; Alabaster; Birch Grove)	106	144	NO RR	NO RR	NO RR	NO RR
Spring Bloom (Kissed Olive; Cultivated Kalamata; Tropical Garden; Sunmeadow; Botanical Garden; Cherry Blossom)	92	144	144	76	144	71
Standard Weave 1% (Calcite; Polished)	124	144	138	109	144	104
Standard Weave 1% (Veranda; Café Doppio; Chiseled)	124	144	137	109	144	104
Standard Weave 10% (Calcite; Polished)	116	144	144	101	144	96
Standard Weave 10% (Veranda; Café Doppio; Chiseled)	116	144	143	101	144	96
Standard Weave 3% (Calcite; Polished)	124	144	140	109	144	104
Standard Weave 3% (Veranda; Café Doppio; Chiseled)	124	144	138	109	144	104
Standard Weave 5% (Calcite; Polished)	124	144	141	109	144	104
Standard Weave 5% (Veranda; Café Doppio; Chiseled)	124	144	140	109	144	104
Steel House (Cavern Floor; Cloud ; Buff; Chocolate Souffle)	96	144	NO RR	NO RR	NO RR	NO RR
Tattered Husk BO (Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	109	144	NO RR	NO RR	NO RR	NO RR
Tattered Husk LF (Pale Adobe; Feather White; Crystal; Polished Ore; Woven Canvas)	108	144	NO RR	NO RR	NO RR	NO RR
Terrain (Gray Frost; Pale Adobe ; Pale Rhino)	106	144	NO RR	NO RR	NO RR	NO RR
Vanguard 1% (Authentic; Gentle Beige; Chrome; Pendulum)	124	144	138	109	144	104
Vanguard 1% (Elusive; Macedonia; Dew; Homage; Peloton)	124	144	137	109	144	104
Vanguard 3%(Authentic; Gentle Beige; Chrome; Pendulum)	124	144	140	109	144	104
Vanguard 3%(Elusive; Macedonia; Dew; Homage; Peloton)	124	144	138	109	144	104
Vanguard 5%(Authentic; Gentle Beige; Chrome; Pendulum)	124	144	141	109	144	104
Vanguard 5%(Elusive; Macedonia; Dew; Homage; Peloton)	124	144	140	109	144	104


Due to continuous manufacturing improvements, minimums, and maximums are subject to change. Please call customer service for up to date size considerations.

NOTE: These tables provide the maximum shade size available by fabric and cassette.

Seams may be added to fabrics to accommodate long shade requirements. For shades longer than material width, seams will be visible when the shade is fully extended. Refer to exterior solar shades product information guide for pricing.

Options

Guide Cables (motorized exterior shades only)



Use the following guidelines to determine the guide cable length that will be provided with your shade.

- Add 10" to the shade height to determine guide cable length
 - Cable lengths available are: 54", 80", 144", and 186"
 - The next longest cable length will be supplied with your measurement
 - All cables are stainless steel and include cable locks
 - Cables can be cut to length at time of installation

EXAMPLE: Shade height is 95". Adding 10" = 105".
Shade will come with a guide cable at 144".

Options

Motorized Graber® Blinds and Shades feature Somfy® Radio Frequency Motors and Accessories. All Somfy Radio Frequency Motors utilize Somfy's Proprietary Protocol Radio Technology Somfy® (RTS).

Exterior Solar Shade Motorization Controls



Telis Handheld Remotes (Exterior rated)

- Compatible with all Somfy RTS motors
- Used to control single blinds/shades on each channel or group blinds/shades performing the same function
- Battery included
- Remote includes convenient mounting hardware for hanging when not in use
- Controls unlimited number of motors
- Water resistant and shock proof for outdoor use.

Telis 1, Single-Channel Remote

Available colors: Patio Blue

Telis 5, Five-Channel Remote

Available colors: Patio Blue



Eolis RTS Wind Sensor

- The Somfy's Eolis RTS wind sensor is a radio wind sensor for exterior motorized lift shades.
- The sensor detects a wind threshold and automatically raises the shades.
- The wind threshold is adjustable.
- Powered by plugging into a 120-volt electrical outlet.
- Exterior-rated fasteners are not included.



Exterior-Rated Plug

- Optional black electrical 3-wire plug, 15 amp, to be used with a GFCI outlet. This allows the shade to be plugged in versus hard-wired.

Options

12-Volt Power Considerations

12-volt motors can be powered by batteries, plug-in transformer, or multi-motor power supply. Below are some considerations when planning for power.

Power Considerations

Larger shades consume more power while operating. When choosing the appropriate power source based on shade size, we recommend the following power source for best performance.

Shade size (square inches)	Non-Rechargeable
0 - 3,600	Batteries (single or dual), plug-in or multi-motor power supply
3,600 - 7,200	Dual Batteries tubes, plug-in or multi-motor power supply
7200	Plug-in or multi-motor power supply



Outside Mount



Inside Mount

NOTE: The chart above reflects manufactures power source recommendation for best performance based on motor type, shade size, and fabric type.

Battery Tube Considerations

For best performance, orders of 10 or more are recommended to use plug-in transformers.

Battery tubes are installed outside of the product and can be challenging to hide in some applications.

- For outside mounts, battery tubes can be installed above or to the side of the shade
- For inside mounts, battery tubes are usually top-mounted (behind the headrail) between the shade and the window; to mount the battery tubes, additional recessed space will be needed

Low Voltage 12-Volt Power Components (non-rechargeable motors)



Battery Tubes

- Reloadable and are available with or without batteries
- Each tube requires 8 AA lithium batteries
- Each tube includes 2 battery clips
- Optional 48" or 96" extensions available

Battery Tube Dimensions:

18" x 1 1/8"

Dual Battery Tube Dimensions:

18" x 2 1/4" (installed side-by-side)

36" x 1 1/8" (installed end-to-end)

product flush mount + 1 1/8"

Single Battery Tube with Flush Mount:

Single Battery Tube Minimum

Recessed Space:

product minimum recessed space + 1 1/8"

Dual Battery Tube with Flush Mount:

Dual Battery Tube Minimum

Recessed Space:

product minimum recessed space + 2 1/4"

NOTE: For best performance, use only AA lithium batteries.

Options

Low Voltage 12-Volt and 24-Volt Power Considerations



Plug-In Transformer

- Eliminates the need for batteries
- Available in White only
- 12-volt: 72" power cord and 96" extension cable (power cord and extensions cannot be cut to length) One additional extension cable can be added.
- 24-volt: 60" power cord (power cord can be cut to length), wire lengths longer than 60" must be field supplied

Transformer Dimensions

- 12-volt: 3¼" wide x 2" deep (not including plug) x 1½" high (as you look at the plug in the outlet)
- 24-volt: 1¾" wide x 1⅝" deep (not including plug) x 2¾" high (as you look at the plug in the outlet)

NOTE: Due to the many variations of installations, wire management components are not included with your motorized shade system. There are numerous wire management products available at your local hardware store or home improvement center to help disguise the power cord when using a plug-in transformer. An example of a popular wire management accessory is wire channel. Wire channel is a vinyl sheathing that can be placed along the window casing or wall that will house and conceal exposed wiring for a clean and professional appearance.



Multi-Motor Power Supply

- Used when hard-wiring the transformer and direct wiring the motorized window coverings
- Each motor is "home run" wired back to the multi-motor power supply
- Power supply includes instructions and connection cables
- Must be mounted indoors, NEMA rated
- 120-volt AC 3.3 amp

Multi-Motor Power Supply Considerations

Transformer enclosure is generally mounted in an accessible indoor location such as a basement, utility closet, or garage. Motors are "home run" wired to the panel using 16-gauge wire.

- Dimensions: 12" wide x 6" deep x 12" high
- Additional wire may be purchased locally; up to 150 feet maximum


CAUTION: A licensed electrician is required for all line voltage electrical connections. All local and NEC codes must be followed.

12-Volt: 10 motor power supply kit available

24-Volt: 5 or 10 motor power supply kits available

DC Plug-In Transformer Considerations

- A power outlet must be within cord length to power motor
- Transformer power available for shade systems of any size or quantity



Options

Rechargeable Power Considerations

Shades will need charging on-site before installation.

	Plug-In Charger • Sold separately • Used with 12V rechargeable motors • 6 foot power cord white only • Recommend one charger per order and for orders with more than 3 shades, recommend an additional charger • Charge time up to 4.5 hours • LED indicator illuminates as follows: • Solid Red - charging • Solid Orange - charging almost complete • Solid Green - charging complete
	Extension Cable • Sold separately • 94" extension cable • One extension per charger • White only

Battery Autonomy (Years)																
Shade width (inches)																
	24	31	39	47	55	63	71	79	87	94	102	110	118	126	134	144
24	1.4	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.2	1.2
31	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.1	1.1	1.1	1.1	1.1	1.1
39	1.2	1.2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.0	1.0	1.0	1.0	1.0	1.0
47	1.1	1.1	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9
55	1.0	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8
63	1.0	1.0	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7
71	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7
79	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6
87	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6
94	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5
102	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5
110	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5
118	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4
126	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	
134	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4		
144	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4		

Options

120-Volt Power Considerations

120-volt motors utilize the home or building's line voltage. Below are some considerations when planning for power.

CAUTION: A licensed electrician is required for all electrical connections. All local and NEC codes must be followed.

Radio Frequency 120-Volt 3-Wire Motors

Radio frequency-controlled motors are either hard-wired or plugged into line voltage. Any variety of RF controls can be used to achieve your desired control scenarios: remotes, wall switches, or timers. When installing a radio frequency-controlled line voltage motor, you have three options for electrical connection:

1. 3-prong plug: Plug into a prewired outlet. This is the simplest method; however, it requires the outlet be located within range of the motor cord. Do not use an extension cord.
2. Junction box lead: Use a junction box lead that can be hardwired to a nearby junction box. Requires the junction box to be located within range.
3. Custom plug plate: Plate to be installed nearby single gang junction box using the quick disconnect prewired to motor lead. Option best suited for commercial projects.

Interior Radio Frequency 120-Volt 3-Wire Power Options

- 3 foot power cord with 3-prong plug
- 10 foot power cord with 3-prong plug
- 3 foot motor lead with 8 foot junction box lead and quick disconnect
- 10 foot motor lead with quick disconnect and plug plate
- 3 foot motor lead with quick disconnect and plug plate

Exterior Radio Frequency 120-Volt 3-Wire Power Options

- 10 foot power cord
- 10 foot power cord with 3-prong plug (field attached)

Standard 4-Wire 120-Volt Motors


When installing a standard line voltage motor, both power and control are hard-wired to the motor. Control is provided via wall switches or dry contact outputs provided by certain home and building automation packages. Standard motor configuration options are:

Standard Motor Options

- 18 inches motor lead with 8 foot junction box lead and quick disconnect
- 18 inches motor lead with quick disconnect and plug plate
- 10 foot motor lead with quick disconnect and plug plate



Plug Plate



Junction (j-box) lead

Options

Motorized Graber® Blinds and Shades feature Somfy® Radio Frequency Motors and Accessories. All Somfy Radio Frequency Motors utilize Somfy's Proprietary Protocol Radio Technology Somfy® (RTS).

Radio Frequency Controls (RTS range 65 feet)	
	Situo Handheld Remotes • Compatible with all Somfy RTS motors • Used to control single blinds/shades on each channel or group blinds/shades performing the same function • Battery included (CR 2032) • Remote includes convenient mounting hardware for hanging when not in use • Controls unlimited number of motors Situo 1, Single-Channel Remote Available colors: • Interior: White, Silver Situo 5, Five-Channel Remote Available colors: • Interior: White, Silver
	Telis 16, Sixteen-Channel Handheld Remote • Compatible with all Somfy RTS motors • Used to control a single blind/shade on each channel or group blinds/shades performing the same function • Convenient display provides easy identification of shade(s) being controlled • Battery included (2 AAA) • Remote includes convenient mounting hardware for hanging when not in use • Controls unlimited number of motors Available colors: • Interior only: White
	Situo 5 Variation Handheld Remote • Compatible with all Somfy RTS motors • Used to control a single blind/shade on each channel or group blinds/shades performing the same function • Scroll interface allows for precise adjustment for blinds/shades, ideal for fine control horizontal blinds, layered, and sheer shades • Battery included (CR 2032) • Controls unlimited number of motors Available colors: • Interior only: White
	DecoFlex Wireless Wall Switches • Compatible with all Somfy RTS motors • Used to control a single blind/shade on each channel or group blinds/shades performing the same function • Switches include button labels and mounting hardware to flush mount in drywall (wireless) • Battery included (CR 2450) • Controls unlimited number of motors Single-Channel Wall Switch Available colors: • Interior: White Five-Channel Wall Switch Available colors: • Interior: White,

Options

Motorized Graber® Blinds and Shades feature Somfy® Radio Frequency Motors and Accessories. All Somfy Radio Frequency Motors utilize Somfy's Proprietary Protocol Radio Technology Somfy® (RTS).

Specialty Radio Frequency Controls



Telis 1 Chronis RTS Timer

- Compatible with all Somfy RTS motors
- Used to control a single blind/shade or group of blinds/shades performing the same function
- Schedule one open and one closed function per day with different scheduled operation for weekend and weekdays
- Convenient display provides easy identification of shade(s) being controlled
- Battery included (2 AAA)
- Remote includes convenient mounting hardware for hanging when not in use
- Controls unlimited number of motors

Available colors:

- Interior only: White



Situo 5 Soliris

- Compatible with all Somfy RTS motors
- Used to control a single blind/shade on each channel or group blinds/shades performing the same function
- Battery included (CR 2032)
- Remote includes convenient mounting hardware for handing when not in use
- Controls unlimited number of motors

Available colors:

- Interior only: White



Sunis Sun Sensor

The Somfy Sunis RTS Sun Intensity Sensor is a wireless transmitter compatible with RTS motorized window coverings. Window or sill mounted, the Sunis RTS operates motorized window coverings in accordance to the sun intensity. Sensitivity (threshold) settings can be adjusted to accommodate various sunlight intensity and room temperatures to provide the ultimate in comfort and protection from harmful UV rays.

The Somfy Sunis RTS controller communicates with all Somfy RTS controllable devices. The Sunis is a wireless, battery-powered, single-channel RF programmable controller for an unlimited number of Somfy RTS motors. All motors assigned to the Sunis will operate simultaneously. When used with the Somfy RTS shade motors, the Sunis will open or close the shades based on the amount of sun reaching the sensor.

- Two-position suction cup mounting
- Mounts to glass or windowsill
- Battery included (CR 2450)
- Controls unlimited RTS motors
- Controls RTS motors based on sun intensity
- Operating temperature: 32°F to 140°F
- INDOOR USE ONLY
- Dimensions: 2 3/16" diameter x 3/4" deep



(RTS) Repeater—Range Expander

The Repeater extends the range of all Somfy RTS controllers. Devices or motors that might have been previously out of range from an RTS transmitter can now be controlled by adding the RTS Repeater. The RTS Repeater should be placed approximately halfway between the RTS Somfy motor and controller. An LED is provided for confirmation that the unit is receiving the RTS. Repeater has the same typical range of other transmitters at approximately 65 feet and plugs directly into any household AC outlet.

- Communicates with all Somfy (RTS) devices/motors
- Range expander: strengthens and extends the radio frequency signal (RTS) from control to motor
- Plug and play: plugs directly into any AC-Outlet; no programming needed
- LED feedback
- Controls unlimited number of shades simultaneously
- Dimensions: 2 1/8" wide x 4 1/8" high x 1.275" deep (without antenna)

Options

Motorized Graber® Blinds and Shades feature Somfy® Radio Frequency Motors and Accessories. All Somfy Radio Frequency Motors utilize Somfy's Proprietary Protocol Radio Technology Somfy® (RTS).

Integration Devices	
	16-Channel Z-WAVE to RTS Bridge (ZRTSI II) The ZRTSI II is a Z-Wave to RTS Interface which acts as a bridge controller between a Somfy RTS motor and Z-Wave network. It receives Z-Wave transmissions and converts them to motor control commands for wireless controlled motors. Each ZRTSI II is plugged into an active electrical outlet and has sixteen (16) RTS channels. Each channel can control one individual or one group of RTS motorized window coverings. • Allows Z-Wave controllers to operate Somfy RTS motors • 16 Channels of RTS control • Can be controlled with Z-Wave only • 65 foot RTS range • Plugs into wall outlet • Dimensions: 2¾" wide x 5½" high x 1½" deep (not including plug)
	Universal RTS Interface (URTSI II) The addressable Universal RTS Interface can be used to communicate between home automation or other third party systems and all Somfy (RTS) motors and controls. It is capable of individual or group control and can be operated via Infrared Remote, RS232, or RS485 serial communication. Once an input is activated, an RTS radio command is sent to the motorized window treatment. Up to 16 addressable channels are available. • Used for third party integration of all Somfy RTS motors, including both line (120-Volt A/C) and low voltage systems • Converts IR/RS232/RS485 to control all Somfy Radio Frequency (RTS) motors • 65 foot RTS range • Power: 9-volt to 15-volt DC, 200mA draw for each universal interface—transformer included • Up to 16 URTSI II's can be used in one system
	Single-Channel Dry Contact to RTS Interface (includes power cord) The Somfy Single-Channel RTS dry contact interface communicates with all RTS motors and can only be controlled by dry contact. It operates as a single-channel Telis remote controller, providing UP, DOWN and STOP functions along with a "MY" or customer-preferred shade setting. The RTS (RF) technology controls all RTS devices within a 65 foot range. This device is enclosed in a weatherproof mounting case for indoor and outdoor operation. • Single-channel RTS control for all Somfy RTS motors • Controlled with dry contacts • Powered by 3-volt lithium battery (included) • Knockout holes in back and bottom of weatherproof case • Dimensions: 6" wide x 4¼" high x 2¼" deep
	TaHoma™ The TaHoma™ gateway is a smart home hub that allows control of up to 40 RTS and 50 Zigbee devices using the TaHoma North America app (available on iOS and Android). Using the app, users can send Zigbee and RTS commands, create scenes/routines, and schedules. Users can access TaHoma from anywhere via remote access. Though designed as a room controller, up to 10 TaHomas can combine within the same RTS system only for multi-zone control. TaHoma can also be used as a Wi-Fi to RTS/Zigbee interface for integration with third-party control systems. The TaHoma can be connected wirelessly or with an ethernet adapter shown below. • Dimensions: 2.76" L x 2.76" W x 6.69" H
	TaHoma Ethernet Adapter The TaHoma® Ethernet Adaptor adds an Ethernet LAN port to TaHoma, providing fast and stable internet connection.

Options

Standard 4-Wire Motor 120-Volt Controls

	Maintained DP-DT Paddle Switch - Controls one or two shades as a stand-alone control 120-volt A/C - Available colors: White, Ivory
	Group Control System (GCS-II) The Group Control System-II (GCS-II) permits low voltage control of up to four Somfy® motors with one or more switches, from one or more locations. The GCS-II offers only group control, and does not have the capability of operating each motor individually. The Group Control System-II is UL and cUL approved. - Enclosure measures 8" wide x 10" high x 4" deep - SP-DT paddle switch sold separately
	Maintained SP-DT Paddle Switch - Controls one shade as a stand-alone or in conjunction with a GCS-II multi-motor control for up to four motor operation 120-volt A/C - Available colors: White, Ivory
	IGC 4n1 Motor Group Control - Control up to four WT motors individually or in groups - Provides default intermediate positions: 25%, 50%, 75% openness - Three customizable intermediate positions per motor - Individual control and master control using DecoFlex IGC/4N1 Keypads - Four keypad ports and two master ports - IGC 4n1 switch sold separately
	RTS to IGC 4n1 Receiver Receiver allows RTS remotes to be added to the standard four wire motor control and motors
	IGC 4n1 Switch - Designed to be used with the IGC 4n1 motor group controller - Six button control, three intermediate positions, up, stop, and down - Available colors: White
	Motor Tester Cable The motor tester cable is used for any 120-volt motor with the wago quick disconnect. The cable allows adjusting limits on standard motors and can provide alternate power for radio frequency and intelligent motors. Motor tester cable includes switch and wago quick disconnect plug. Dimensions 2.5" wide x 3" high x 2" deep

GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

(5/23) 23-406956

GRABER®

Grabber Motorization

Designer US Price List — Effective May 2023

Radio Frequency (RF)

Power Source: Choose one (1) Power Source per motor. For motorized lift dual shades, one (1) motor and one (1) power source are required for each motorized shade (total of two motors and two power sources if both shades of the dual shade are motorized lift).

RTS Motor and Accessory Pricing

A. RTS Motor Pricing

Add price of motor to blind or shade price.

12 Volt RF Motor Options

Lift Motor	
Cellular, Pleated, or Fresco Roman Shades: 12V CL32 RTS Motor (2) (price per panel)	440
Tilt Motor	
Aluminum, Composite, Vinyl or Wood Blinds (except 1" (2.5 cm)): Cord lift with Motorized Tilt (F)	365
Composite, Vinyl or Wood Blinds (except 1" (2.5 cm)): Ring lift with Motorized Tilt (M)	365
Roller Motor	
Layered, Roller, Sheer, Soft Roman, Solar, Natural Shades*: 12V R28 RTS Non-Rechargeable Motor (2)	403
Roller, Solar Shades: 12V RU28 RTS Rechargeable Motor (11)	600
Roller, Solar Shades: 12V RTS ST30 Rechargeable Motor (15)	650

* Natural Shade price is per panel

For motorized lift dual shades, price one motor for each motorized shade (total of 2 motors); Dual shade is not available with rechargeable motors.

24 Volt RF Motor Options

Roller Motor	
Roller, Soft Roman, Solar, Natural Shades: 24V Son30 RTS Non-Rechargeable Motor (16)	853

* Natural Shade price is per panel

120 Volt RF Motor Options

Roller Motor	
Roller, Solar Shades: 120V ST40 RTS Motor (4); add power source below	1007
Choose one power option below	
3 Foot (91.4 cm) Motor Lead and 3-Prong Plug	50
3 Foot (91.4 cm) Motor Lead and 8 1/2 Foot (259.1 cm) J-Box Lead with Quick Disconnect	100
3 Foot (91.4 cm) Motor Lead with Quick Disconnect and Plug Plate	112
10 Foot (304.8 cm) Motor Lead and 3-Prong Plug	140
10 Foot (304.8 cm) Motor Lead with Quick Disconnect and Plug Plate	142

NOTE: 3-prong exterior plug price below and remote pricing on following charts.

B. Motorization Power Sources

Choose one (1) power supply per motor or select multi-motor power supply.

NOTE: Power supply is per motor/panel

12 Volt Non-rechargeable Power Options

Tube No Batteries	65
Tube With Batteries (Includes 8 AA lithium batteries)	128
Dual Tubes No Batteries	147
Dual Tubes with Batteries (Includes 16 AA lithium batteries)	273
DC Transformer Single Motor (includes 96" (243.9 cm) extension)	119

Other 12 Volt Non-rechargeable Power Options

Extension Cable - 48" (122.0 cm)	20
Extension Cable -96" (243.9 cm)	24
12V Multi Motor Power Panel	1176
10 Motors—Up to 10 Motors Per Power Supply; includes motor connection lead	

12 Volt Rechargeable Power Options

Charger Extension Cable - 94" (238.8 cm)	20
Li-ion Charger - 6 Foot (1.9 m)	50

24 Volt Power Options

24V Transformer Single Motor - 5 Foot (152.4 cm) Power Cord	147
24V Multi Motor Power Panel	1359
5 Motors—Up to 5 Motors Per Power Supply; includes motor connection lead	
24V Multi Motor Power Panel	2002
10 Motors—Up to 10 Motors Per Power Supply; includes motor connection lead	

120 Volt Exterior Power

120 Volt Exterior Electrical 3-Prong Plug: 15 Amp	58
---	----

NOTE: Dual tubes not available with horizontal products. Review power considerations for best performance.

C. Radio Frequency Motorization Controls

Choose one or more controls per order. Controllers are wire-free and battery is included. Multi-channel remotes and Channel Assignments should be entered in the Motorization Control Product ID option.

Radio Frequency Remote Controls	
Situo 1 Single-Channel RTS Remote: White	119
Situo 1 Single-Channel RTS Remote: Silver	194
Telis 1 Single-Channel Exterior RTS Remote: White/Blue	147
Situo 5 Five-Channel RTS Remote: White	160
Situo 5 Five-Channel RTS Remote: Silver	218
Telis 4 Five-Channel Exterior RTS Remote: White/Blue	161
Situo 5 Five-Channel Variation Remote: White	578
Telis 16-Channel Remote: White	649
Radio Frequency Wall Switches	
DecoFlex Single-Channel Wall Switch: White	308
DecoFlex Five-Channel Wall Switch: White	339
Specialty Radio Frequency Controls	
Telis 1 Chronis RTS Timer: White	633
Situo 5 Five-Channel Soliris RTS Remote: White	756
Sunis RTS Sun Sensor	513
Radio Frequency Repeater (plug-in)	642
RTS Wind Sensor (includes exterior power cord with 3-prong plug)	578
Integration Devices	
ZRTSI II: 16-Channel Z-Wave to RTS Bridge	242
URTSI II: Universal RTS Bridge	1426
Single-Channel Dry Contact to RTS Interface	262
TaHoma Zigbee Bridge	572
TaHoma Ethernet Adapter	89

NOTE: The integration devices cannot be the sole controller for motorized window treatment(s). A remote, wall switch, or timer is needed with your window treatment(s).

120 Volt Standard Motor

NOTE: 120 volt power options included with motor selection.

Motor Pricing

A. 120 Volt Standard Motor Pricing

Add price of motor to shade price

12 Volt RF Motor Options

Roller and Solar Shades: 120V ST40 STD Wired Motor (5); add power source below	695
Choose one power option below	
18 Inches (45.8 cm) Motor Lead and 81/2 Foot (304.8 cm) J-Box Lead with Quick Disconnect	130
18 Inches (45.8 cm) Motor Lead with Quick Disconnect and Plug Plate	118
10 Foot (3.048M) Lead with Quick Disconnect and Plug Plate	198

B. 120 Volt Standard 4-Wire Control Options

Choose the control option you desire.

Standard control options provide up, down, and stop operation of the shades only. When grouping multiple shades, the entire group will go up and down together. For individual shade control within groups or to set intermediate settings, choose from the IGC 4n1 control options below.

1–2 Motors

Maintained Double Throw/Double Pull Paddle Switch with Face Plate—White or Ivory	149
--	-----

Group Control Systems

Group of Shades Operating Together	
Group Control System (GCS-II); up to four (4) motors	1001
Maintained Single Throw/Double Pull Paddle Switch with Face Plate—White or Ivory	88
Individual and/or Group of Shades Operation	
IGC 4n1 Group Controller; up to four (4) motors	1320
IGC 4n1 Switch—White	171
IGC 4n1 RTS to IGC Receiver	578

Troubleshooting Tool

Motor Limit Set Switch W Wago Plug	402
------------------------------------	-----