

GRABER®



Grabber Overture Sheer Shades English US Price Guide

OVERTURE SHEER SHADES

Product Information Guide

Features

Overture Sheer Shades	2
Fabric Styles and Information: Sheer Shades	3
Light Control and Privacy	4
Fabric Recommendations	4
Light Gap	4
Fabric Disclaimers	4
Cleaning and Care Information	4
Fabric Certifications	4

Size Considerations

Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations	5
Maximum Shade Size	6–7
Continuous-Loop Lift	8

Options

Shade Options	9
Projection Brackets	9
Continuous-Loop Lift Control	10
Motorized Lift	10
Corner Windows	11
Adjacent Shadings	11
Bay Windows	12

General Information

Continuous-Loop Lift	13
Continuous-Loop Lift and Motorized Lift	14
Continuous-Loop Lift Product Detail	15
Color Coordination Charts	16–17

GRABER®

NOVEMBER 2019

Features

Overture Sheer Shades

- Two layers of fabric encase lightweight fabric vanes for effortless light control
- The sheer softens incoming light and helps filter out harmful UV rays while providing an outside view
- The light filtering option allows soft light to flow through while providing privacy
- Smaller vanes are often better for smaller-sized windows while larger vanes work best for larger windows and have the added advantage of providing more view-through

Features	Benefits
Continuous-Loop Lift	<ul style="list-style-type: none">• Cord and clutch system makes raising and lowering shade easy• Cord remains at same length, regardless of shade position• Choose left or right cord location• Color coordinated cords• Choose from six colors of bottomrail<ul style="list-style-type: none">• Bottomrail color selected is also used for cassette end caps and cord guide
Motorized Lift	<ul style="list-style-type: none">• Window treatments can be operated from virtually anywhere in the home• Easily operate hard-to-reach or large window coverings• Operate multiple window treatments simultaneously or individually
Fabric-Wrapped Cassette	<ul style="list-style-type: none">• Fabric-wrapped cassette (standard) creates a cohesive appearance in the window

Features

Fabric Styles and Information: Sheer Shades

Style Name	Color Name	Oeko-Tex® Certified	Fire Retardant Rated	Color to Street side
Glessner 2" Glessner 3"	Apple Blossom	•	•	
	Bechamel	•	•	
	Cavalry	•	•	
	Downtown	•	•	
	Glacial	•	•	
	Lemongrass	•	•	
	Limestone	•	•	
	Macchiato	•	•	
	Merlot	•	•	
	Portico	•	•	
	Rodeo Drive	•	•	
	Sable	•	•	
	Sandstone	•	•	
	Stationery	•	•	
	Vellum	•	•	
Glessner Sheen 2" Glessner Sheen 3"	Bubbly	•	No	
	Limousine	•	No	
	Soiree	•	No	
Glessner Woven 2" Glessner Woven 3"	Bamboo	•	•	
	Champagne	•	•	
	Silver Mine	•	•	
Marisco 2" Marisco 2¾"	Bechamel	•	•	Neutral to the street
	Stationery	•	•	Neutral to the street
San Simeon 3"	Adirondack	•	•	Neutral to the street
	Everglades	•	•	Neutral to the street
	Sandstone	•	•	Neutral to the street
	Silver Mine	•	•	Neutral to the street
	Stationery	•	•	Neutral to the street
	Vellum	•	•	Neutral to the street
Roslin*	Bechamel	•	•	Neutral to the street
	Sandstone	•	•	Neutral to the street
	Stationery	•	•	Neutral to the street
Winchester*	Bechamel	•	•	
	Rodeo Drive	•	•	
	Stationery	•	•	
Winchester Sheen*	Limousine	•	No	
	Soiree	•	No	
	Sunset Strip	•	No	
Winchester Woven*	Champagne	•	•	
	Everglades	•	•	
	Silver Mine	•	•	

NOTE: All fabric composition consists of 100% polyester and light filtering (except San Simeon which is room darkening) while providing privacy.
 *Styles have a 2" vane size with a unique design, limiting the view to the outside.

Features

Light Control and Privacy

Light Filtering*: Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric colors provide moderate light control, while light colors provide lower light control. **Privacy Level:** Moderate.

Room Darkening*: Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric colors darken a room; light colors filter and diffuse bright sunlight. **Privacy Level:** Complete.

Light Gaps: For optimal light, outside mount is recommended, or you may add a secondary soft window treatment (drapery or curtain) to hide the light gap on an inside mount.

Privacy Level: Moderate.

*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully open.

Fabric Recommendations

Order all shades for the same room at the same time to ensure color consistency and to minimize dye lot variation. For side-by-side sheer shades, request vane alignment. Vanes can be aligned to within 1/4".

NOTE: Shades must be ordered at the same time with the same fabric color and height. To ensure best results, combined shade width should be 102" or less.

Light Gap

The fabric width is narrower than the finished shade width of the tube and its components. See chart below for light gap.

Control Type	Control End		Idle End	
	Inside Mount (inches)	Outside Mount (inches)	Inside Mount (inches)	Outside Mount (inches)
Continuous-Loop Lift	15/16	7/8	11/16	5/8

Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave are normal. Fabric appearance can vary based on changing light conditions in the room.

Due to the construction and functionality of sheer shades, the front and back sheer fabric will not form a perfect seal against light leakage.

As with all textiles, the fabric is subject to some variations. Slight wrinkling, puckering, or bowing is inherent to this textile product and should be considered normal, acceptable quality.

Cleaning and Care Information

Regular light dusting with a feather duster, vacuum with low suction, or a hair dryer on a cool temperature.

Professional blind cleaners use a variety of methods to clean blinds and vary in their capabilities. While Springs Window Fashions, LLC knows that many of our window treatments can be safely cleaned using the appropriate ultrasonic or injection/extraction cleaning methods, we cannot guarantee the outcome of any cleaning services provided by an independent company.

For assistance in locating a certified blind cleaner that serves your area, visit blindcleaners.net or contact customer service at 800-221-6352.

Fabric Certifications

Oeko-Tex® Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

oeko-tex.com


Oeko-Tex is a registered trademark of the Oeko-Tex Association.



Size Considerations

Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations

The following diagram illustrates the mounting depth requirements for shades mounted inside window casements.



Size Considerations

Maximum Shade Size

NOTE: Shaded areas are available for order.

Minimum width: Continuous-loop lift 12"

Minimum height: 12" all control types

Fabric: Glessner 2"																
Height up to (inches) ↓	Width up to (inches) →															
	24	30	36	42	48	54	60	66	72	78	84	90	96	102		
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																
90																
96																
105																
108																
110																

Fabric: Glessner Sheen 2"																
Height up to (inches) ↓	Width up to (inches) →															
	24	30	36	42	48	54	60	66	72	78	84	90	96	102		
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																
90																
96																
105																
108																
110																

Fabric: Glessner Woven 2"															
Height up to (inches)	Width up to (inches) →														
	24	30	36	42	48	54	60	66	72	78	84	90	96	102	
24															
30															
36															
42															
48															
54															
60															
66															
72															
78															
84															
90															
96															
105															
108															
110															

Fabric: Glessner 3"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Glessner Sheen 3"																
Height up to (inches) ↓	Width up to (inches) →															
	24	30	36	42	48	54	60	66	72	78	84	90	96	102		
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																
90																
96																
105																
108																
110																

Fabric: Glessner Woven 3"																
Height up to (inches) ↓	Width up to (inches) →															
	24	30	36	42	48	54	60	66	72	78	84	90	96	102		
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																
90																
96																
105																
108																
110																

Size Considerations

Maximum Shade Size

NOTE: Shaded areas are available for order.

Minimum width: Continuous-loop lift 12"

Minimum height: 12" all control types

Fabric: Marisco 2"	
Height up to (inches) ↓	Width up to (inches) →
24	24 30 36 42 48 54 60 66 72 78 84 90 96 102
30	
36	
42	
48	
54	
60	
66	
72	
78	
84	
90	
96	
105	
108	
110	

Fabric: Marisco 2 ³ / ₄ "														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: San Simeon 3"														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Roslin	
Height up to (inches) ↓	Width up to (inches) →
24	24 30 36 42 48 54 60 66 72 78 84 90 96 102
30	
36	
42	
48	
54	
60	
66	
72	
78	
84	
90	
96	
105	
108	
110	

Fabric: Winchester														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Winchester Sheen														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Fabric: Winchester Woven														
Height up to (inches) ↓	Width up to (inches) →													
	24	30	36	42	48	54	60	66	72	78	84	90	96	102
24														
30														
36														
42														
48														
54														
60														
66														
72														
78														
84														
90														
96														
105														
108														
110														

Size Considerations

Continuous-Loop Lift

Style Name	Color Name	Maximum Width* (inches)	Maximum Height* (inches)
Glessner 2"	Apple Blossom	96	105
	Bechamel		
	Cavalry		
	Downtown		
	Glacial		
	Lemongrass		
	Limestone		
	Macchiato		
	Merlot		
	Portico		
	Rodeo Drive		
	Sable		
	Sandstone		
	Stationery		
	Vellum		
Glessner Sheen 2"	Bubbly	98	110
	Limousine		
	Soiree	96	110
Glessner Woven 2"	Bamboo		
	Champagne	96	110
	Silver Mine		
Glessner 3"	Apple Blossom	96	105
	Bechamel		
	Cavalry		
	Downtown		
	Glacial		
	Lemongrass		
	Limestone		
	Macchiato		
	Merlot		
	Portico		
	Rodeo Drive		
	Sable		
	Sandstone		
	Stationery		
	Vellum		

Style Name	Color Name	Maximum Width* (inches)	Maximum Height* (inches)
Glessner Sheen 3"	Bubbly	98	110
	Limousine		
	Soiree		
Glessner Woven 3"	Bamboo	96	110
	Champagne		
	Silver Mine		
Marisco 2"	Bechamel	94	99
	Stationery		
Marisco 2¾"	Bechamel	94	98
	Stationery		
San Simeon 3"	Adirondack	96	65
	Everglades		
	Sandstone		
	Silver Mine		
	Stationery		
	Vellum		
Roslin	Bechamel	94	75
	Sandstone		
	Stationery		
Winchester	Bechamel	97	87
	Rodeo Drive		
Winchester Sheen	Stationery	102	69
	Limousine		
	Soiree		
Winchester Woven	Sunset Strip	97	87
	Champagne		
	Everglades		
	Silver Mine	97	87

Minimum width: Continuous-loop lift 12"

Minimum height: 12" all control types

*If the height is shorter than the maximum, a slightly larger width may be available to order. Maximum width is 102".

Options

Shade Options (for surcharges and pricing refer to price charts)

Below is a list of options for sheer shades. All options are available in all styles and colors. See detailed descriptions on the following pages.

Control Type Options

- Continuous-loop lift
- Motorized lift (see motorization product information guide)


Shade Options—No Charge

- Bottomrail and end cap colors
- Bay and corner windows
- Cord length (must specify different length)
- Cord location
- Projection brackets 3¼" and 4"
 - 3¼" projection brackets add up to 2⅛" extension from wall
 - 4" projection brackets add up to 2⅞" extension from wall

Shade Options—Surcharge

- Motorization (see motorization product information guide)
- Palladian window shelf (see cornice, valance, and palladian window shelf product information guide)

Projection Brackets



- **No charge**
- Available with continuous-loop lift and motorized lift
- Two sizes: 3¼" and 4"
- 3¼" projection brackets add up to 2⅛" extension from wall
- 4" projection brackets add up to 2⅞" extension from wall

Options

Continuous-Loop Lift Control



- **Standard**
- Cord loop and clutch system makes raising and lowering shade easy
- Special cord loop length must be requested at time of order
- Cord remains at same length regardless of shade position
- Color coordinated cord loop and cord guide
- Safety cord guide keeps the cord out of the reach of children and pets to enhance safety
- Choose left or right cord location
- Outside mount is recommended for maximum light control

NOTE: Cord guide must be installed to operate shade.



Inside Mount Light Gap
Refer to Light Gap Chart

Motorized Lift



- **See motorization product information guide for accessories, additional options, sizing, and pricing**
- Down position will have vanes open
- Allows for easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Motorized lift shades are cordless and are a safer choice for homes with children or pets
- Low-voltage motorization requires no costly electrical hardwiring
- Available with multiple power and control options
- Motor located on the left or right side; standard on the right

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.




Options

Corner Windows



Shades on Corner Windows


- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether butt or bypass
- Bypass shade is mounted into the corner; butt shade is butted to the other shade
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a corner shade if you do not want manufacturer to take deductions



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.

Adjacent Shadings

To cover wide window openings, window shadings may be installed end to end so that the cassette headrails touch. The gap between the fabric panels of the adjacent shading varies by the control placement as shown in the chart.

Control Placement for Adjacent Shades			
Control Placement		Gap	
Left Shade Control	Right Shade Control	Continuous-Loop Lift (inches)	Motorized Lift (inches)
Right	Right	1 $\frac{5}{8}$	1 $\frac{1}{16}$
Left	Left	1 $\frac{5}{8}$	1 $\frac{1}{16}$
Right	Left	1 $\frac{5}{8}$	2
Left	Right	1 $\frac{5}{8}$	1 $\frac{5}{8}$

Side-by-Side Alignment

Vane alignment to within $\frac{1}{4}$ " is available upon request only for shades ordered at the same time with the same fabric color and height. Add note in special instructions. To ensure best results, combined shade width should be 102" or less.

Options


Bay Windows



Shades on Bay Windows

- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a bay window shade if you do not want manufacturer to take deductions

Measuring Information: Three-Sided Bay Window



Measure:

L and R:

Width of each side window from the corners on the mounting surface to the point you would like to cover.

C1:

Width of the center window on the mounting surface from corner to corner.

Angle L-C1:

Angle between the (L) and (C1) windows.


Angle C1-R:

Angle between the (C1) and (R) windows.

Projection:

If needed: the depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-Sided Bay Window



L and R:

Width of each side window from the corners on the mounting surface to the point you would like to cover.

C1, C2:

Width of each center window on the mounting surface from corner to corner.

Angle L-C1:

Angle between the (L) and (C1) windows.

Angle C1-C2:

Angle between the (C1) and (C2) windows.

Angle C2-R:

Angle between the (C2) and (R) windows.

Projection (P):

If needed: the depth of the trim or molding the shade will be mounted above.

NOTE: The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated. For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (angle C1-C2, angle C2-C3, ...) as needed. Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, trace on paper, and fax to customer service.


The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).

General Information


Continuous-Loop Lift

Shade Operation

- A. To lower, pull down on the back cord.
- B. Continue to pull on the back cord when fully lowered to open the vanes. Over-rotation will occur if you continue to pull when the vanes are fully opened. The bottomrail will face into the room if over-rotated.
- C. To close, pull the front cord. Continue to pull on the front cord to raise the shade.



Open Vanes



General Information


Continuous-Loop Lift and Motorized Lift

Closed Vanes

When closed, the vanes of sheer shades overlap providing privacy. Sheer shades may have light gaps towards the bottom of the shade.


Importance of Correct Shade Height

The bottomrail pivots when the vanes are opened and closed as shown below. The proper height measurement is critical in applications where the window shading closes just above a window sill or floor. If the window shading is too long and the bottomrail rests on the sill or floor when it is fully lowered, the rail cannot pivot freely and the vanes cannot be opened properly.



General Information

Continuous-Loop Lift Product Detail



General Information

Color Coordination Charts

Color coordination is shown for informational purposes only.

Style	Color Name	Fabric Insert Color	Bottomrail Color	Continuous-Loop Lift
Glessner 2"	Apple Blossom	Sheer fabric-wrap Apple Blossom	White Satin	Bamboo
	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Cavalry	Sheer fabric-wrap Cavalry	Classic Gray	Smokey Gray
	Downtown	Sheer fabric-wrap Downtown	Classic Gray	Smokey Gray
	Glacial	Sheer fabric-wrap Glacial	White Satin	Bamboo
	Lemongrass	Sheer fabric-wrap Lemongrass	Cream	Bamboo
	Limestone	Sheer fabric-wrap Limestone	Cream	Tuscany
	Macchiato	Sheer fabric-wrap Macchiato	Sand	Tuscany
	Merlot	Sheer fabric-wrap Merlot	Clover	Redwood
	Portico	Sheer fabric-wrap Portico	White Satin	Bamboo
	Rodeo Drive	Sheer fabric-wrap Rodeo Drive	White Satin	Bamboo
	Sable	Sheer fabric-wrap Sable	Coffee	Cocoa
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
	Vellum	Sheer fabric-wrap Vellum	Cream	Bamboo
Glessner Sheen 2"	Bubbly	Sheer fabric-wrap Sheen Bubbly	Cream	Bamboo
	Limousine	Sheer fabric-wrap Sheen Limousine	Classic Gray	Smokey Gray
	Soiree	Sheer fabric-wrap Sheen Soiree	White Satin	Bamboo
Glessner Woven 2"	Bamboo	Sheer fabric-wrap woven Bamboo	Cream	Tuscany
	Champagne	Sheer fabric-wrap woven Champagne	Cream	Tuscany
	Silver Mine	Sheer fabric-wrap woven Silver Mine	Classic Gray	Smokey Gray
Glessner 3"	Apple Blossom	Sheer fabric-wrap Apple Blossom	White Satin	Bamboo
	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Cavalry	Sheer fabric-wrap Cavalry	Classic Gray	Smokey Gray
	Downtown	Sheer fabric-wrap Downtown	Classic Gray	Smokey Gray
	Lemongrass	Sheer fabric-wrap Lemongrass	Cream	Bamboo
	Limestone	Sheer fabric-wrap Limestone	Cream	Tuscany
	Macchiato	Sheer fabric-wrap Macchiato	Sand	Tuscany
	Merlot	Sheer fabric-wrap Merlot	Clover	Redwood
	Portico	Sheer fabric-wrap Portico	White Satin	Bamboo
	Rodeo Drive	Sheer fabric-wrap Rodeo Drive	White Satin	Bamboo
	Sable	Sheer fabric-wrap Sable	Coffee	Cocoa
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
	Vellum	Sheer fabric-wrap Vellum	Cream	Bamboo
Glessner Sheen 3"	Bubbly	Sheer fabric-wrap Sheen Bubbly	Cream	Bamboo
	Limousine	Sheer fabric-wrap Sheen Limousine	Classic Gray	Smokey Gray
	Soiree	Sheer fabric-wrap Sheen Soiree	White Satin	Bamboo
Glessner Woven 3"	Bamboo	Sheer fabric-wrap woven Bamboo	Cream	Tuscany
	Champagne	Sheer fabric-wrap woven Champagne	Cream	Tuscany
	Silver Mine	Sheer fabric-wrap woven Silver Mine	Classic Gray	Smokey Gray
Marisco 2"	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
Marisco 2¾"	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo

NOTE: Certain components are only available in limited colors.

General Information

Color Coordination Charts (continued)

Color coordination is shown for informational purposes only.

Style	Color Name	Fabric Insert Color	Bottomrail Color	Continuous-Loop Lift
San Simeon 3"	Adirondack	Sheer fabric-wrap Woven Adirondack	Coffee	Cocoa
	Everglades	Sheer fabric-wrap Woven Everglades	Coffee	Cocoa
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Silver Mine	Sheer fabric-wrap Woven Silver Mine	Classic Gray	Smokey Gray
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
	Vellum	Sheer fabric-wrap Vellum	Cream	Bamboo
Roslin	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Sandstone	Sheer fabric-wrap Sandstone	Cream	Tuscany
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
Winchester	Bechamel	Sheer fabric-wrap Bechamel	Cream	Bamboo
	Rodeo Drive	Sheer fabric-wrap Rodeo Drive	White Satin	Bamboo
	Stationery	Sheer fabric-wrap Stationery	White Satin	Bamboo
Winchester Sheen	Limousine	Sheer fabric-wrap Sheen Limousine	Classic Gray	Smokey Gray
	Soiree	Sheer fabric-wrap Sheen Soiree	White Satin	Bamboo
	Sunset Strip	Sheer fabric-wrap Sheen Sunset Strip	Classic Gray	Smokey Gray
Winchester Woven	Champagne	Sheer fabric-wrap Woven Champagne	Cream	Tuscany
	Everglades	Sheer fabric-wrap Woven Everglades	Coffee	Cocoa
	Silver Mine	Sheer fabric-wrap Woven Silver Mine	Classic Gray	Smokey Gray

Bottomrail Colors
Classic Gray
Clover
Coffee
Cream
Sand
White Satin

Continuous-Loop Lift Cord Colors
Bamboo
Cocoa
Redwood
Smokey Gray
Tuscany

Continuous-Loop Lift Lengths (inches)
18
24
36
48
60
72
84

NOTE: Certain components are only available in limited colors.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10018-111 (11/19)|S19-20113

GRABER.

Grabber Overture Sheer Shades Designer US Price List — Effective February 2021

Price Group A: Marisco 2", Marisco 2 3/4"

Width up to inches (cm) →													
Height up to inches (cm) ↓	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (96)
36 (96)	566	627	702	767	834	902	967	1036	1175	1272	1310	1441	1528
42 (106.7)	590	671	739	814	885	962	1036	1107	1250	1353	1394	1540	1632
48 (122)	625	704	783	858	940	1020	1106	1185	1332	1444	1483	1641	1758
54 (137.2)	646	738	821	913	997	1083	1173	1267	1409	1527	1572	1752	1880
60 (152.4)	674	775	865	957	1045	1143	1242	1339	1475	1599	1670	1863	2013
66 (167.7)	688	808	912	1005	1107	1210	1321	1422	1558	1689	1773	1981	2118
72 (182.9)	739	845	948	1052	1164	1279	1394	1503	1664	1803	1865	2092	2201
78 (198.2)	755	873	985	1095	1211	1332	1452	1576	1740	1885	1984	2220	2382
84 (213.4)	791	912	1021	1149	1273	1400	1534	1660	1827	1981	2091	2340	2506
96 (243.9)	847	980	1110	1247	1394	1535	1679	1819	2002	2170	2258	2571	
110 (279.4)	928	1122	1254	1391	1537	1678	1822	1962	2146	2324	2401	2715	

NOTE: Size availability is based on fabric. See minimum and maximum charts for specific sizes.

Marisco 2"

Bechamel	6200	Stationery	6201
----------	------	------------	------

Marisco 2 3/4"

Bechamel	7200	Stationery	7201
----------	------	------------	------

Price Group B: Glessner 2", Glessner 3", Roslin, Winchester

Width up to inches (cm) →													
Height up to inches (cm) ↓	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (96)
36 (96)	626	697	779	852	927	1001	1071	1151	1306	1415	1455	1601	1697
42 (106.7)	657	745	820	905	981	1068	1151	1229	1388	1504	1550	1710	1811
48 (122)	693	782	870	954	1044	1132	1228	1318	1479	1603	1645	1822	1954
54 (137.2)	716	816	913	1011	1107	1202	1302	1407	1566	1696	1745	1945	2090
60 (152.4)	747	862	961	1062	1160	1269	1380	1488	1639	1778	1855	2069	2236
66 (167.7)	764	896	1010	1116	1229	1345	1467	1579	1731	1874	1968	2200	2354
72 (182.9)	820	936	1054	1167	1292	1420	1549	1670	1848	2002	2071	2324	2445
78 (198.2)	838	970	1094	1216	1346	1480	1612	1750	1931	2093	2203	2467	2646
84 (213.4)	876	1010	1135	1277	1414	1553	1704	1842	2029	2199	2322	2601	2784
96 (243.9)	940	1090	1233	1387	1549	1705	1865	2021	2224	2409	2509	2858	3062
110 (279.4)	1083	1246	1410	1589	1746	1907	2121	2326	2483	2689	2816	3141	3337

NOTE: Size availability is based on fabric. See minimum and maximum charts for specific sizes.

Glessner 2"					
Apple Blossom	5108	Lemongrass	5116	Rodeo Drive	5118
Bechamel	5123	Limestone	5111	Sable	5103
Cavalry	5117	Macchiato	5112	Sandstone	5121
Downtown	5124	Merlot	5102	Stationery	5125
Glacial	5100	Portico	5101	Vellum	5122

Glessner 3"					
Apple Blossom	6108	Lemongrass	6116	Rodeo Drive	6118
Bechamel	6123	Limestone	6111	Sable	6103
Cavalry	6117	Macchiato	6112	Sandstone	6121
Downtown	6124	Merlot	6102	Stationery	6125
Glacial	6100	Portico	6101	Vellum	6122

Roslin					
Bechamel	7246	Sandstone	7245	Stationery	7247

Winchester					
Bechamel	7261	Rodeo Drive	7262	Stationery	7260

**Price Group C: Glessner Woven 2", Glessner Woven 3",
San Simeon 3", Winchester Woven**

Height up to inches (cm) ↓	Width up to inches (cm) →												
	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (96)
36 (96)	685	764	853	932	1012	1098	1174	1259	1430	1550	1599	1757	1860
42 (106.7)	716	814	896	985	1076	1167	1259	1345	1530	1659	1702	1879	1987
48 (122)	752	853	949	1044	1145	1241	1342	1441	1618	1753	1807	1995	2146
54 (137.2)	783	894	1001	1109	1205	1318	1421	1537	1711	1853	1917	2136	2292
60 (152.4)	821	936	1053	1164	1269	1392	1516	1637	1803	1953	2031	2276	2454
66 (167.7)	838	977	1107	1228	1345	1474	1609	1740	1896	2053	2157	2418	2580
72 (182.9)	896	1026	1158	1279	1415	1565	1699	1836	2024	2192	2280	2547	2685
78 (198.2)	927	1058	1198	1333	1474	1631	1777	1923	2122	2299	2427	2713	2905
84 (213.4)	961	1107	1242	1395	1551	1707	1869	2021	2230	2417	2546	2857	3061
96 (243.9)	1034	1188	1346	1518	1699	1871	2041	2218	2436	2638	2760	3140	3361
110 (279.4)	1187	1363	1549	1742	1922	2098	2326	2555	2731	2959	3094	3452	3664

Glessner Woven 2"					
Bamboo	5181	Champagne	5183	Silver Mine	5182

Glessner Woven 3"					
Bamboo	6181	Champagne	6183	Silver Mine	6182

San Simeon 3"					
Adirondack	7224	Sandstone	7221	Stationery	7225
Everglades	7220	Silver Mine	7223	Vellum	7222

Winchester Woven					
Champagne	7264	Everglades	7266	Silver Mine	7265

Price Group D: Glessner Sheen 2", Glessner Sheen 3", Winchester Sheen

	Width up to inches (cm) →												
Height up to inches (cm) ↓	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (96)
36 (96)	747	832	932	1021	1109	1202	1284	1380	1569	1700	1755	1926	2038
42 (106.7)	785	890	981	1085	1180	1279	1380	1473	1675	1814	1869	2058	2183
48 (122)	822	933	1041	1145	1255	1358	1470	1577	1776	1922	1984	2195	2357
54 (137.2)	855	978	1098	1214	1322	1441	1563	1684	1880	2037	2105	2347	2516
60 (152.4)	896	1028	1152	1275	1392	1526	1663	1798	1976	2142	2226	2497	2692
66 (167.7)	914	1074	1210	1342	1473	1617	1765	1906	2084	2257	2368	2651	2836
72 (182.9)	981	1121	1267	1406	1552	1712	1865	2013	2224	2409	2502	2796	2945
78 (198.2)	1014	1158	1312	1462	1618	1787	1942	2107	2327	2522	2663	2980	3191
84 (213.4)	1159	1322	1483	1661	1822	1977	2166	2357	2630	2850	2954	3267	3492
96 (243.9)	1241	1415	1599	1788	1967	2142	2346	2553	2839	3077	3149	3542	3801
110 (279.4)	1422	1625	1847	2058	2235	2415	2679	2914	3181	3444	3536	3901	4145

NOTE: Size availability is based on fabric. See minimum and maximum charts for specific sizes.

Glessner Sheen 2"					
Bubbly	5161	Limousine	5162	Soiree	5163

Glessner Sheen 3"					
Bubbly	6161	Limousine	6162	Soiree	6163

Winchester Sheen					
Limousine	7301	Soiree	7302	Sunset Strip	7300

Options Pricing

Bay and Corner Window Shades	No charge
Bottomrail Color	No charge
Continuous-Loop Lift	No charge
Fabric-Wrapped Cassette	Standard—No charge
Motorized Lift	See motorization product information guide
Projection Brackets	No charge
Wood Cornice and Valance	See cornices and valances product information guide