



SIMPLE SELECTIONS™

BY  GRABER.



Simple Selections by Graber offers your customers an uncomplicated mix of products, colors, and options, all at a value-right price. The popular blinds and shades featured in Simple Selections are affordable, easy to clean, easy to customize to fit any window, and manufactured in 72 hours or less so you can serve your customers better.

**UNITED STATES
JULY 2017**

NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.

Table of Contents

| | |
|---|-------|
| 2" (5.1 cm) Wood Blinds | 3 |
| 2" (5.1 cm) Premium Faux Wood Blinds. | 4-5 |
| 2" (5.1 cm) Faux Wood Blinds | 6-7 |
| Light Filtering Cellular Shades | 8 |
| Blackout Cellular Shades | 9 |
| Roller and Solar Measurement Guide | 10 |
| Vinyl Roller Shades | 11 |
| Fabric and Natural Roller Shades. | 11 |
| Solar Roller Shades | 12 |
| Solar Roller Premium Shades. | 12 |
| 1" (2.5 cm) Aluminum Blinds | 13 |
| 1" (2.5 cm) Vinyl Blinds | 13 |
| 3½" (8.9 cm) Vertical Blinds | 14-15 |
| General Information | 16-17 |

2" (5.1 cm) Wood Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | | | | | | | | | | | |
|----------------------------|---------------------------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | 12 (30.5) | 24 (61.0) | 32 (81.3) | 36 (91.5) | 42 (106.7) | 48 (122.0) | 54 (137.2) | 60 (152.4) | 66 (167.7) | 72 (182.9) | 78 (198.2) | 84 (213.4) | 90 (228.6) | 96 (243.9) | 106 (269.3) | 116 (294.7) | 120 (304.8) |
| 30 (76.2) | \$107 | 92 | 109 | 130 | 143 | 152 | 171 | 201 | 207 | 216 | 262 | 279 | 297 | 311 | 343 | 374 | 407 |
| 36 (91.5) | 121 | 105 | 124 | 145 | 158 | 170 | 198 | 228 | 239 | 246 | 298 | 309 | 329 | 345 | 380 | 416 | 452 |
| 42 (106.7) | 133 | 117 | 136 | 159 | 174 | 190 | 222 | 254 | 262 | 278 | 324 | 349 | 371 | 390 | 429 | 470 | 510 |
| 48 (122.0) | 143 | 126 | 150 | 173 | 191 | 207 | 245 | 281 | 297 | 311 | 358 | 391 | 419 | 440 | 486 | 531 | 577 |
| 54 (137.2) | 154 | 139 | 164 | 189 | 211 | 228 | 269 | 303 | 329 | 348 | 401 | 431 | 462 | 492 | 544 | 595 | 647 |
| 60 (152.4) | 167 | 152 | 176 | 204 | 226 | 249 | 294 | 327 | 358 | 380 | 436 | 472 | 503 | 534 | 591 | 646 | 701 |
| 66 (167.7) | 182 | 165 | 192 | 220 | 245 | 276 | 323 | 361 | 391 | 417 | 474 | 511 | 565 | 593 | 655 | 716 | 778 |
| 72 (182.9) | 197 | 182 | 204 | 235 | 264 | 299 | 352 | 392 | 416 | 444 | 506 | 545 | 583 | 614 | 677 | 742 | 805 |
| 78 (198.2) | 202 | 188 | 211 | 242 | 271 | 308 | 359 | 404 | 428 | 473 | 541 | 583 | 622 | 654 | 721 | 791 | 859 |
| 84 (213.4) | 216 | 200 | 225 | 258 | 290 | 329 | 380 | 411 | 460 | 509 | 575 | 621 | 666 | 701 | 774 | 847 | 920 |
| 90 (228.6) | 230 | 214 | 238 | 272 | 309 | 352 | 400 | 436 | 487 | 539 | 606 | 664 | 710 | 746 | 823 | 901 | 978 |
| 96 (243.9) | 239 | 224 | 247 | 281 | 324 | 364 | 420 | 464 | 522 | 574 | 648 | 703 | 752 | 789 | 872 | 954 | 1036 |
| 102 (259.1) | 249 | 234 | 261 | 298 | 343 | 389 | 447 | 493 | 552 | 610 | 689 | 745 | 799 | 838 | 925 | 1013 | 1099 |
| 108 (274.4) | 262 | 245 | 269 | 312 | 360 | 409 | 470 | 518 | 582 | 641 | 720 | 781 | 838 | 878 | 970 | 1062 | 1154 |
| 114 (289.6) | 271 | 255 | 283 | 329 | 381 | 429 | 495 | 547 | 611 | 675 | 761 | 822 | 880 | 925 | 1022 | 1118 | 1215 |
| 120 (304.8) | 284 | 268 | 297 | 343 | 397 | 453 | 519 | 562 | 644 | 705 | 794 | 860 | 923 | 970 | 1071 | 1172 | 1273 |
| Decorative Valance | \$5 | 5 | 7 | 8 | 10 | 13 | 16 | 18 | 20 | 22 | 23 | 25 | 27 | 28 | 31 | 33 | 36 |

NOTE: Due to weight limitations, blinds to the right of the heavy line will be automatically manufactured as two blinds on one headrail at no charge.

Product Specifications

- 2" (5.1 cm) slats crafted of the finest North American hardwood
 - Cord tilt left or right, cord lift left or right
 - Heavy duty steel headrail
 - Rectangular bottomrail
 - Standard route holes
- Minimum depth required for inside mount: ¾" (1.9 cm)

Size Specifications

Minimum blind width: 7" (17.8 cm) outside mount
7½" (19.1 cm) inside mount

Maximum blind width (single blind): 96" (243.9 cm)
Maximum blind width (multiple blinds): 120" (304.8 cm)

Minimum blind height: 10" (25.4 cm)
Maximum blind height:
Width: 7" to 72" (17.8 to 182.9 cm): 120" (304.8 cm)
Width: 72½" to 78" (183.1 to 198.2 cm): 108" (274.4 cm)
Width: 78½" to 84" (198.3 to 213.4 cm): 102" (259.1 cm)
Width: 84½" to 90" (213.6 to 228.6 cm): 96" (243.9 cm)
Width: 90½" to 96" (228.8 to 243.9 cm): 90" (228.6 cm)

Exceptions:
7" (17.8 cm) to 11½" (30.4 cm) center tilt only; no lift
12" (30.5 cm) to 16" (40.7 cm) standard or reverse standard controls only
16½" (40.8 cm) minimum for same side controls

Factory deduction for inside mount: ½" (1.3 cm)

Maximum single valance width: 100¼" (254.7 cm) inside mount; 98¾" (249.9 cm) outside mount (continuous valances wider than listed dimensions will be two or more sections spliced together).

Options

Multiple Blinds on One Headrail:


Two on one headrail (left of the heavy line): \$33 surcharge
Three on one headrail (left of the heavy line): \$46 surcharge
Blind panels will have ¼" (.7 cm) gap between them.

Valances:

3" (7.7 cm) standard valance: no charge
3½" (8.9 cm) decorative valance: see price chart above for surcharge

Valance returns: standard valance return sizes available
½" to 8" (1.3 to 20.4 cm) (2⅞" (7.3 cm) default);
full recess depth 3¼" (8.3 cm)
decorative valance return sizes available
½" to 8" (1.3 to 20.4 cm) (2⅞" (7.4 cm) default);
full recess depth 3½" (8.9 cm)

3" (7.7 cm) Standard Valance 3½" (8.9 cm) Decorative Valance



Colors

Acorn..... 1849 Snowstorm 1318 Winter 1837
Fig 1851 Wheatfields 1850

Replacement Valance Pricing

Replacement standard and decorative valance

| Width up to inches (cm) → | | | | | | | | | | | | | | | | | |
|---------------------------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|
| | 12 (30.5) | 24 (61.0) | 32 (81.3) | 36 (91.5) | 42 (106.7) | 48 (122.0) | 54 (137.2) | 60 (152.4) | 66 (167.7) | 72 (182.9) | 78 (198.2) | 84 (213.4) | 90 (228.6) | 96 (243.9) | 106 (269.3) | 116 (294.7) | 120 (304.8) |
| \$33 | 33 | 41 | 47 | 52 | 56 | 58 | 66 | 71 | 75 | 79 | 86 | 89 | 93 | 104 | 114 | 122 | |

2" (5.1 cm) Premium Faux Wood Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | |
|----------------------------|---------------------------|-----------|------------|------------|-------------|
| | 24 (61.0) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 71½ (181.7) |
| 42 (106.7) | \$117 | 142 | 197 | 210 | 249 |
| 54 (137.2) | 124 | 149 | 207 | 222 | 262 |
| 66 (167.7) | 134 | 166 | 222 | 247 | 291 |
| 78 (198.2) | 138 | 174 | 237 | 260 | 307 |
| 96 (243.9) | N/A | 201 | | | |

78⅞" to 96" (198.4 to 243.8 cm) height available in the following sizes:

Inside Mount: 30⅞" to 36" (76.4 to 91.4 cm) wide

Outside Mount: 29⅞" to 35½" (75.1 to 90.2 cm) wide

Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) default); optional ½" to 1¾" (1.3 to 1.4 cm) returns available on inside mount (1" (2.5 cm) default)

Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount
13" (33.0 cm) inside mount

Maximum blind width: 71½" (181.6 cm)

Minimum blind height: 18" (45.7 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)

Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)

Full recess depth (headrail and brackets)

Headrail only: 2⅝" (6.7 cm)

Headrail with standard valance: 3⅞" (7.9 cm)

Headrail with decorative valance: 3⅞" (8.7 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Colors

Coconut C630

Options

2½" (6.4 cm) Standard Valance

3½" (8.3 cm) Decorative Valance



Replacement Valance Pricing

Replacement standard and decorative valance

| Width up to inches (cm) → | | | | | | | |
|---------------------------|-----------|------------|------------|------------|------------|------------|-------------|
| 24 (61.0) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 72 (182.9) | 84 (213.4) | 96 (243.9) | 108 (274.4) |
| \$34 | 37 | 42 | 46 | 53 | 56 | 61 | 67 |

2" (5.1 cm) Premium Faux Wood Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | |
|----------------------------|---------------------------|-----------|------------|------------|-------------|
| | 24 (61.0) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 71½ (181.7) |
| 42 (106.7) | \$124 | 149 | 207 | 219 | 262 |
| 54 (137.2) | 132 | 155 | 218 | 233 | 274 |
| 66 (167.7) | 140 | 174 | 233 | 260 | 305 |
| 78 (198.2) | 144 | 184 | 247 | 272 | 322 |
| 96 (243.9) | N/A | 211 | | | |

78⅞" to 96" (198.4 to 243.8 cm) height available in the following sizes:

Inside Mount: 30⅞" to 36" (76.4 to 91.4 cm) wide

Outside Mount: 29⅞" to 35½" (75.1 to 90.2 cm) wide

Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) default); optional ½" to 1¾" (1.3 to 1.4 cm) returns available on inside mount (1" (2.5 cm) default)

Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount

13" (33.0 cm) inside mount

Maximum blind width: 71½" (181.6 cm)

Minimum blind height: 18" (45.7 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)

Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)

Full recess depth (headrail and brackets)

Headrail only: 2⅝" (6.7 cm)

Headrail with standard valance: 3⅞" (7.9 cm)

Headrail with decorative valance: 3⅞" (8.7 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Colors

Barley C912 Honey C307 Mahogany C536 Natural..... C007

Replacement Valance Pricing

Replacement standard and decorative valance

| Width up to inches (cm) → | | | | | | | |
|---------------------------|-----------|------------|------------|------------|------------|------------|-------------|
| 24 (61.0) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 72 (182.9) | 84 (213.4) | 96 (243.9) | 108 (274.4) |
| \$34 | 37 | 42 | 46 | 53 | 56 | 61 | 67 |

2" (5.1 cm) Faux Wood Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | | | | |
|----------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|------------|------------|-------------|
| | 24 (61.0) | 32 (81.3) | 36 (91.5) | 42 (106.7) | 48 (122.0) | 54 (137.2) | 60 (152.4) | 66 (167.7) | 72 (182.9) | 77½ (196.9) |
| 30 (76.2) | \$55 | 65 | 69 | 80 | 85 | 91 | 101 | 108 | 128 | 131 |
| 36 (91.5) | 60 | 71 | 77 | 84 | 92 | 99 | 113 | 119 | 135 | 148 |
| 42 (106.7) | 64 | 74 | 79 | 89 | 95 | 110 | 121 | 131 | 139 | 161 |
| 48 (122.0) | 68 | 78 | 87 | 95 | 104 | 121 | 131 | 146 | 154 | 179 |
| 54 (137.2) | 72 | 84 | 94 | 105 | 113 | 131 | 140 | 158 | 173 | 201 |
| 60 (152.4) | 77 | 91 | 103 | 112 | 124 | 140 | 149 | 168 | 189 | 216 |
| 66 (167.7) | 82 | 96 | 109 | 121 | 138 | 149 | 160 | 180 | 206 | 237 |
| 72 (182.9) | 91 | 103 | 117 | 132 | 149 | 160 | 171 | 192 | 216 | 252 |
| 78 (198.2) | 94 | 105 | 120 | 136 | 153 | 168 | 183 | 205 | 226 | 269 |
| 84 (213.4) | 101 | 111 | 129 | 145 | 164 | | | | | |
| 90 (228.6) | 108 | 119 | 136 | 153 | 174 | | | | | |
| 96 (243.9) | 111 | 123 | 141 | 161 | 182 | | | | | |

*78½" to 96" (198.4 to 243.8 cm) height available on Coconut and White Silk in the following sizes:

Inside Mount: 15½" to 49" (38.4 to 124.5 cm) wide (pricing good on 96" (243.8 cm) height up to 49" (124.5 cm) wide)

Outside Mount: 14½" to 48½" (37.1 to 123.2 cm) wide

Product Specifications

- 500 hours UV-A light fastness
- Steel headrail (1½" x 2¼" (3.8 x 5.7 cm))
- Rectangular bottomrail
- Cord tilt left, cord lift right
- Standard route holes
- Valance options: 2½" (6.4 cm) standard or 3¼" (8.3 cm) decorative valance included in the blind price

Minimum depth required for inside mount: 1" (2.5 cm)

Depth requirements for flush mounting:

No valance: 2⅝" (6.7 cm)

Standard valance: 3⅞" (7.9 cm)

Decorative valance: 3¼" (8.3 cm)

Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount
12" (30.5 cm) inside mount

Maximum blind width: 77½" (196.9 cm)

Minimum blind height: 14" (35.6 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) available on select widths)

Factory deduction for inside mount: ½" (1.3 cm)

Valance width: up to 108" (274.3 cm) without returns; 106½" (270.5 cm) with returns; splicing is not available.

Valance returns: ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" to 1¾" (1.3 to 4.4 cm) returns available on inside mount (1" (1.3 cm) standard).

Colors

Coconut. C630

White Silk. C803

Replacement Valance Pricing

Replacement standard and decorative valance

| Width up to inches (cm) → | | | | | | | | | | | |
|---------------------------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| 24 (61.0) | 32 (81.3) | 36 (91.5) | 42 (106.7) | 48 (122.0) | 54 (137.2) | 60 (152.4) | 66 (167.7) | 72 (182.9) | 84 (213.4) | 96 (243.9) | 108 (274.4) |
| \$16 | 19 | 22 | 23 | 24 | 28 | 30 | 32 | 33 | 38 | 58 | 79 |

2" (5.1 cm) Faux Wood Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | | | | |
|----------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|------------|------------|-------------|
| | 24 (61.0) | 32 (81.3) | 36 (91.5) | 42 (106.7) | 48 (122.0) | 54 (137.2) | 60 (152.4) | 66 (167.7) | 72 (182.9) | 77½ (196.9) |
| 30 (76.2) | \$58 | 68 | 72 | 84 | 90 | 95 | 106 | 113 | 134 | 137 |
| 36 (91.5) | 63 | 74 | 81 | 89 | 96 | 104 | 118 | 126 | 141 | 155 |
| 42 (106.7) | 67 | 79 | 83 | 93 | 100 | 115 | 129 | 137 | 146 | 169 |
| 48 (122.0) | 71 | 82 | 92 | 100 | 109 | 129 | 137 | 153 | 162 | 188 |
| 54 (137.2) | 75 | 89 | 98 | 110 | 118 | 137 | 147 | 166 | 182 | 211 |
| 60 (152.4) | 81 | 95 | 108 | 117 | 131 | 147 | 156 | 176 | 199 | 226 |
| 66 (167.7) | 86 | 101 | 114 | 129 | 145 | 156 | 168 | 189 | 216 | 248 |
| 72 (182.9) | 95 | 108 | 124 | 138 | 156 | 168 | 180 | 202 | 226 | 265 |
| 78 (198.2) | 98 | 110 | 128 | 142 | 161 | 176 | 192 | 215 | 239 | 283 |

Product Specifications

- 500 hours UV-A light fastness
- Steel headrail (1½" x 2¼" (3.8 x 5.7 cm))
- Rectangular bottomrail
- Cord tilt left, cord lift right
- Standard route holes
- Valance options: 2½" (6.4 cm) standard or 3¼" (8.3 cm) decorative valance included in the blind price

Minimum depth required for inside mount: 1" (2.5 cm)

Depth requirements for flush mounting:

No valance: 2⅝" (6.7 cm)

Standard valance: 3⅛" (7.9 cm)

Decorative valance: 3¼" (8.3 cm)

Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount
12" (30.5 cm) inside mount

Maximum blind width: 77½" (196.9 cm)

Minimum blind height: 14" (35.6 cm)

Maximum blind height: 78" (198.1 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Valance width: Up to 108" (274.3 cm) without returns;
106½" (270.5 cm) with returns.
Splicing is not available.

Valance returns: ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" to 1¾" (1.3 to 4.4 cm) returns available on inside mount (1" (1.3 cm) standard).

Colors

MapleC013

WalnutC012

Options

2½" (6.4 cm) Standard Valance

3¼" (8.3 cm) Decorative Valance



Replacement Valance Pricing

Replacement standard and decorative valance

| Width up to inches (cm) → | | | | | | | | | | | |
|---------------------------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|
| 24 (61.0) | 32 (81.3) | 36 (91.5) | 42 (106.7) | 48 (122.0) | 54 (137.2) | 60 (152.4) | 66 (167.7) | 72 (182.9) | 84 (213.4) | 96 (243.9) | 108 (274.4) |
| \$17 | 19 | 22 | 23 | 24 | 28 | 30 | 33 | 34 | 39 | 59 | 81 |

Light Filtering Cellular Shades

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | | |
|----------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|------------|
| | 24 (61.0) | 31 (78.8) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 72 (182.9) | 84 (213.4) | 96 (243.9) |
| 36 (91.5) | \$101 | 113 | 125 | 160 | 191 | 219 | 245 | 287 |
| 48 (122.0) | 113 | 132 | 151 | 194 | 227 | 264 | 296 | 345 |
| 60 (152.4) | 125 | 154 | 172 | 219 | 265 | 308 | 351 | 404 |
| 72 (182.9) | 145 | 169 | 195 | 250 | 303 | 355 | 404 | 468 |
| 84 (213.4) | 160 | 191 | 219 | 283 | 345 | 401 | 459 | 524 |
| 96 (243.9) | 175 | 209 | 240 | 308 | 378 | 445 | 511 | 582 |

| Add Surcharge to Shade | |
|------------------------|------|
| Cordless | \$71 |

Product Specifications

- 3/8" (1.0 cm) single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail (1 1/16" x 1 5/8" (4.3 x 4.2 cm))
- Soft fabric shades filter light
- Cord controls on right or left side
- Same fabric color on front and back of shade
- Installation hardware included

Size Specifications

Corded Shade

Minimum blind width: 9" (22.9 cm) outside mount
 9 1/2" (24.1 cm) inside mount
 Maximum blind width: 96" (243.8 cm)

Minimum blind height: 9" (22.9 cm)
 Maximum blind height: 96" (243.8 cm)

Cordless Shade

Minimum blind width: 12" (30.5 cm) outside mount
 12 1/2" (31.8 cm) inside mount
 Maximum blind width: 84" (213.4 cm)

Minimum blind height: 9" (22.9 cm)
 Maximum blind height: 72" (182.9 cm)

Colors

Alabaster 1402 Truffle 1403
 Latte 1404 White 1401

Blackout Cellular Shade

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | | |
|-------------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|------------|
| | 24 (61.0) | 31 (78.8) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 72 (182.9) | 84 (213.4) | 96 (243.9) |
| 36 (91.5) | \$122 | 135 | 149 | 191 | 224 | 261 | 289 | 341 |
| 48 (122.0) | 135 | 156 | 181 | 230 | 271 | 313 | 352 | 408 |
| 60 (152.4) | 149 | 184 | 205 | 261 | 318 | 367 | 416 | 479 |
| 72 (182.9) | 173 | 203 | 232 | 299 | 362 | 420 | 479 | 558 |
| 84 (213.4) | 191 | 224 | 261 | 335 | 408 | 476 | 545 | 626 |
| 96 (243.9) | 208 | 250 | 284 | 367 | 450 | 528 | 607 | 694 |
| Add Surcharge to Shade | | | | | | | | |
| Cordless | \$71 | | | 94 | | | | |

Product Specifications

- 1/16" (1.4 cm) single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail
- (1 1/16" x 1 5/8" (4.3 x 4.2 cm))
- Blackout fabrics; perfect for bedrooms or media rooms
- Cord controls on right or left side
- Neutral to the street side
- Installation hardware included

Size Specifications

Corded Shade

Minimum blind width: 9" (22.9 cm) outside mount
9 1/2" (24.1 cm) inside mount

Maximum blind width: 96" (243.8 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 96" (243.8 cm)

Cordless Shade

Minimum blind width: 12" (30.5 cm) outside mount
12 1/2" (31.8 cm) inside mount

Maximum blind width: 84" (213.4 cm)


Minimum blind height: 9" (22.9 cm)

Maximum blind height: 72" (182.9 cm)

Colors

Cocoa 2802
Sandstone 2801
White Dove 2800

Roller and Solar Measurement Guide



TIP: If ordering as **inside mount**, measure the window opening width from left to right, in 3 different places. Choose the narrowest measurement and deduct $\frac{1}{8}$ " (0.4 cm) from that measurement for size to order. The size you receive will be the size ordered as the bracket to bracket measurement.

If ordering as **outside mount**, you will receive the size ordered as the fabric measurement to assure your window opening is fully covered when installed. You may want to add $1\frac{1}{2}$ " (3.9 cm) to each side (total 3" (7.7 cm)) to the width for additional privacy and light control.

Vinyl Roller Shades

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | |
|----------------------------|---------------------------|------------|------------|------------|
| | 30 (76.2) | 45 (114.3) | 60 (152.4) | 72 (182.9) |
| 54 (137.2) | \$86 | 114 | 140 | 162 |
| 78 (198.2) | 107 | 145 | 177 | 208 |
| 96 (243.9) | 121 | 167 | 231 | 243 |

NOTE: Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Durable 12 mil blackout vinyl shade
- Cordless design for easy operation and safety
- Lightweight vinyl shade can be cleaned for easy maintenance
- Installation hardware included

Size Specifications

Minimum width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 72" (182.9 cm) inside mount
 70¾" (179.7 cm) outside mount
 Flush mount requirements: 2" (5.1 cm)
 Minimum recess space: 1" (2.5 cm)

Fabric and Natural Roller Shades

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | |
|----------------------------|---------------------------|------------|------------|
| | 30 (76.2) | 45 (114.3) | 60 (152.4) |
| 54 (137.2) | \$101 | 136 | 165 |
| 78 (198.2) | 126 | 171 | 210 |
| 96 (243.9) | 144 | 198 | 272 |

NOTE: Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Roller shade in fabric and natural material to enhance any décor
- Natural and fabric roller come with a color coordinated continuous chain loop on right side
- Installation hardware included

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 60" (152.4 cm) inside mount
 58¾" (149.2 cm) outside mount
 Flush mount requirements: 2⅝" (6.0 cm)
 Minimum recess space: 1½" (3.8 cm)
 Continuous chain loop: 40" (101.6 cm)

Colors

| Vinyl Roller | Fabric Roller | Natural Roller |
|-----------------------|-------------------------|-------------------------|
| Cream 0002V | Java 0011F | Bermuda 0009N |
| Gray 0008V | Oatmeal 0010F | Havana 0005N |
| White 0001V | | Panama 0004N |

Solar Roller Shades

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | |
|----------------------------|---------------------------|------------|------------|------------|
| | 30 (76.2) | 45 (114.3) | 60 (152.4) | 72 (182.9) |
| 54 (137.2) | \$105 | 142 | 173 | 200 |
| 78 (198.2) | 132 | 180 | 219 | 257 |
| 96 (243.9) | 150 | 207 | 257 | 300 |

NOTE: Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Durable mesh shade blocks 85%–90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Installation hardware included
- Same color on front and street side

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 72" (182.9 cm) inside mount
 70¾" (179.7 cm) outside mount

Flush mount requirements: 2½" (6.4 cm)
 Minimum recess space: 1½" (3.8 cm)
 Continuous chain loop: 44" (111.8 cm)

Solar Roller Premium Shades

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | |
|----------------------------|---------------------------|------------|------------|------------|
| | 30 (76.2) | 45 (114.3) | 60 (152.4) | 72 (182.9) |
| 54 (137.2) | \$122 | 165 | 201 | 232 |
| 78 (198.2) | 153 | 208 | 255 | 299 |

NOTE: Only 54" (137.2 cm) and 78" (198.1 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Durable mesh shade blocks 85%–90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Installation hardware included
- Same color on front and street side

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 72" (182.9 cm) inside mount
 70¾" (179.7 cm) outside mount

Flush mount requirements: 2½" (6.4 cm)
 Minimum recess space: 1½" (3.8 cm)
 Continuous chain loop: 44" (111.8 cm)

Colors

Solar Shades

Chocolate 0003S
 Cream 0002S

Premium Solar Shades

Charcoal 0004S
 Espresso 0007S
 Pebble 0006S

1" (2.5 cm) Aluminum Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | |
|----------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|
| | 24 (61.0) | 30 (76.2) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 72 (182.9) | 86 (218.5) |
| 54 (137.2) | \$65 | 80 | 91 | 114 | 138 | 167 | 206 |
| 72 (182.9) | 80 | 95 | 114 | 143 | 170 | 206 | 256 |
| 84 (213.4) | 91 | 108 | 129 | 161 | 196 | 233 | 289 |

Product Specifications

- 1" (2.5 cm) 6-gauge (0.006" (.02 mm)) room darkening slats
- Premium, color coordinated steel headrail (1" x 1½" (2.5 x 3.8 cm)) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right

Size Specifications

Minimum blind width: 14" (35.6 cm) outside mount
14½" (36.8 cm) inside mount

Maximum blind width: 86" (218.4 cm)

Minimum blind height: 6" (15.2 cm)
Maximum blind height: 84" (213.4 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Minimum depth requirement:
Inside mount: ¾" (1.9 cm)
Flush mount: 1¾" (4.4 cm)

Colors

| | |
|--------------------------------|--------------------------|
| Alabaster 112 | Char Brown 062 |
| Beige Pearl 328 | Wheat 710 |
| Black 156 | White 205 |
| Brushed Aluminum 121 | |

1" (2.5 cm) Vinyl Blinds

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | | |
|----------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|
| | 24 (61.0) | 30 (76.2) | 36 (91.5) | 48 (122.0) | 60 (152.4) | 72 (182.9) | 86 (218.5) |
| 54 (137.2) | \$52 | 60 | 72 | 90 | 112 | 131 | 155 |
| 72 (182.9) | 61 | 75 | 90 | 113 | 137 | 163 | 187 |
| 84 (213.4) | 72 | 85 | 101 | 128 | 155 | 175 | 207 |

Product Specifications

- Premium, color coordinated steel headrail (1" x 1½" (2.5 x 3.8 cm)) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right

Size Specifications

Minimum blind width: 17" (43.2 cm) outside mount
17½" (44.5 cm) inside mount

Maximum blind width: 86" (218.4 cm)

Minimum blind height: 6" (15.2 cm)
Maximum blind height: 84" (213.4 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Minimum depth requirement:
Inside mount: ¾" (1.9 cm)
Flush mount: 1¾" (4.4 cm)

Colors

| | | |
|-------------------------|-------------------------------|---------------------|
| Alabaster 112 | Cornflower Blue 882 | Mauve 123 |
| Black 156 | Hunter Green 184 | Wheat 710 |
| Bronze 748 | Light Gray 193 | White 205 |

3½" (8.9 cm) Vertical Blinds

Product Specifications

- Reversible white painted steel headrail (1½" x 1¼" (3.8 x 3.2 cm))
- One way draw right or left
- Wand control only—wand length 27½" (69.9 cm)
- Channel panel valance with 5½" (14.0 cm) returns included

Size Specifications

Minimum blind width: 13" (33.0 cm)
 Maximum blind width: 120" (304.8 cm)
 Minimum blind height: 6" (15.2 cm)
 Maximum blind height: 104" (264.2 cm)
 Minimum depth requirements for flush mount:
 Flush mount track: 2¾" (7.0 cm)
 Louvers: 3¾" (9.5 cm)
 Valance: 4⅝" (11.7 cm)

Chart 1: Crown

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | Vanes |
|----------------------------|---------------------------|------------|------------|-------------|-------------|-------|
| | 38½ (96.9) | 53 (134.7) | 78 (198.2) | 104 (264.2) | 120 (304.8) | |
| 48 (122.0) | \$118 | 147 | 191 | 288 | 329 | 2 |
| 60 (152.4) | 123 | 159 | 205 | 311 | 354 | 3 |
| 72 (182.9) | 132 | 167 | 217 | 329 | 381 | 3 |
| 84 (213.4) | 140 | 179 | 231 | 351 | 405 | 3 |
| 104 (264.2) | 147 | 187 | 249 | 377 | 434 | 3 |
| Valance Only | \$14 | 17 | 23 | 36 | 41 | |

Colors

Alabaster 3073 Pearl White 3075
 Beige 3076 White 3056

Chart 2: Chams, Dune, Maui

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | Vanes |
|----------------------------|---------------------------|------------|------------|-------------|-------------|-------|
| | 38½ (96.9) | 53 (134.7) | 78 (198.2) | 104 (264.2) | 120 (304.8) | |
| 48 (122.0) | \$150 | 183 | 240 | 364 | 451 | 3 |
| 60 (152.4) | 158 | 197 | 258 | 388 | 477 | 5 |
| 72 (182.9) | 167 | 206 | 275 | 416 | 501 | 6 |
| 84 (213.4) | 173 | 219 | 292 | 440 | 530 | 6 |
| 104 (264.2) | 184 | 228 | 309 | 468 | 554 | 6 |
| Valance Only | \$17 | 19 | 32 | 39 | 47 | |

Colors

| Chams | Dune | Maui |
|----------------------|----------------------------|---------------------------|
| White 9090 | Cocoa 3473 | Basil 3177 |
| | Toasty Grey 3472 | Shell 3171 |
| | | Tan 3173 |
| | | White Silk 3170 |

3 1/2" (8.9 cm) Vertical Blinds

Chart 3: Curved*, Mont Blanc, Rustic, Suede

| Height up to inches (cm) ↓ | Width up to inches (cm) → | | | | | Vanes |
|----------------------------|---------------------------|------------|------------|-------------|-------------|-------|
| | 38 1/2 (96.9) | 53 (134.7) | 78 (198.2) | 104 (264.2) | 120 (304.8) | |
| 48 (122.0) | \$169 | 209 | 281 | 420 | 507 | 5 |
| 60 (152.4) | 183 | 225 | 306 | 461 | 548 | 6 |
| 72 (182.9) | 197 | 245 | 333 | 498 | 587 | 6 |
| 84 (213.4) | 211 | 263 | 361 | 539 | 628 | 6 |
| 104 (264.2) | 224 | 281 | 384 | 580 | 667 | 8 |
| Valance Only | \$19 | 23 | 34 | 44 | 52 | |

Colors

| Curved* | Mont Blanc | Rustic | Suede |
|---------------------------------|---------------------|-----------------------|----------------------|
| Fontana Crème 9076 | Bark 6776 | Coffee 6910 | Cocoa 6443 |
| Sculptured Beige 9071 | | Cream 6915 | |

*Curved vanes are always high side right.

Standard Track Replacement Pricing

| Width up to inches (cm) → | | | | |
|---------------------------|------------|------------|-------------|-------------|
| 38 1/2 (96.9) | 53 (134.7) | 78 (198.2) | 104 (264.2) | 120 (304.8) |
| \$61 | 69 | 93 | 160 | 198 |

General Information

Ladder Count Tables

Aluminum Ladder Count Table

| Finished Blind Width inches (cm) | Number of Ladders | Number of Lifts |
|--|----------------------|--------------------|
| 14 to 20 ¹ / ₁₆ (35.6 to 53.2) | 2 | 2 |
| 21 to 37 (53.4 to 94.0) | 2 | 2 |
| 37 ¹ / ₁₆ to 61 (94.2 to 155.0) | 3 | 2 |
| 61 ¹ / ₁₆ to 85 (155.1 to 215.9) | 4 | 4 |
| 85 ¹ / ₁₆ to 86 (216.1 to 218.5) | 5 | 4 |

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Premium Vinyl Ladder Count Table

| Finished Blind Width inches (cm) | Number of Ladders | Number of Lifts |
|--|----------------------|--------------------|
| 17 to 23 (216.1 to 218.5) | 2 | 2 |
| 23 ¹ / ₁₆ to 30 (216.1 to 218.5) | 2 | 2 |
| 30 ¹ / ₁₆ to 37 (216.1 to 218.5) | 3 | 2 |
| 37 ¹ / ₁₆ to 45 1/2 (216.1 to 218.5) | 3 | 3 |
| 45 ¹ / ₁₆ to 51 (216.1 to 218.5) | 5 | 3 |
| 51 ¹ / ₁₆ to 58 (216.1 to 218.5) | 5 | 3 |
| 58 ¹ / ₁₆ to 65 (216.1 to 218.5) | 5 | 3 |
| 65 ¹ / ₁₆ to 72 (216.1 to 218.5) | 5 | 3 |
| 72 ¹ / ₁₆ to 79 (216.1 to 218.5) | 6 | 4 |
| 79 ¹ / ₁₆ to 86 (216.1 to 218.5) | 6 | 4 |

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Faux Wood Ladder Count Table

| Finished Blind Width inches (cm) | Number of Ladders | Number of Lifts |
|-------------------------------------|----------------------|--------------------|
| 11 1/2 to 14 1/2 (29.3 to 36.9) | 2 | 2 |
| 14 1/2 to 18 1/2 (37.2 to 47.0) | 2 | 2 |
| 18 1/2 to 23 1/2 (47.4 to 59.7) | 2 | 2 |
| 23 1/2 to 28 1/2 (60.1 to 72.4) | 3 | 2 |
| 28 1/2 to 33 1/2 (72.8 to 85.1) | 3 | 2 |
| 33 1/2 to 38 1/2 (85.5 to 97.8) | 4 | 4 |
| 38 1/2 to 43 1/2 (98.2 to 110.5) | 4 | 4 |
| 43 1/2 to 48 1/2 (110.9 to 123.2) | 5 | 3 |
| 48 1/2 to 52 1/2 (123.6 to 133.4) | 5 | 3 |
| 52 1/2 to 57 1/2 (133.7 to 146.1) | 5 | 3 |
| 57 1/2 to 62 1/2 (146.4 to 158.8) | 6 | 4 |
| 62 1/2 to 67 1/2 (159.1 to 171.5) | 6 | 4 |
| 67 1/2 to 72 1/2 (171.8 to 184.2) | 7 | 5 |
| 72 1/2 to 77 1/2 (184.5 to 196.9) | 7 | 5 |

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Wood Ladder Count Table

| Finished Blind Width inches (cm) | Number of Ladders | Number of Lifts |
|--|----------------------|--------------------|
| 9 to 11 ¹ / ₁₆ (22.9 to 30.4) | 2 | 2 |
| 12 to 24 (30.5 to 61.0) | 2 | 2 |
| 24 ¹ / ₁₆ to 36 (61.2 to 91.5) | 2 | 2 |
| 36 ¹ / ₁₆ to 60 (91.6 to 152.4) | 3 | 2 |
| 60 ¹ / ₁₆ to 78 (152.6 to 198.2) | 4 | 4 |

NOTE: Maximum spacing between ladders is 24" (61.0 cm).
Standard control positions: lift right and tilt left.

Lightblocker Vinyl Ladder Count Table

| Finished Blind Width inches (cm) | Number of Ladders | Number of Lifts |
|--|----------------------|--------------------|
| 18 to 24 (45.8 to 61.0) | 2 | 2 |
| 24 ¹ / ₁₆ to 30 (61.2 to 76.2) | 3 | 2 |
| 30 ¹ / ₁₆ to 36 (76.4 to 91.5) | 3 | 2 |
| 36 ¹ / ₁₆ to 42 (91.6 to 106.7) | 3 | 3 |
| 42 ¹ / ₁₆ to 48 (106.9 to 122.0) | 5 | 3 |
| 48 ¹ / ₁₆ to 54 (122.1 to 137.2) | 5 | 3 |
| 54 ¹ / ₁₆ to 60 (137.4 to 152.4) | 5 | 3 |
| 60 ¹ / ₁₆ to 66 (152.6 to 167.7) | 5 | 3 |
| 66 ¹ / ₁₆ to 72 (167.8 to 182.9) | 5 | 3 |

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 3/8" (1.0 cm) deduction equals 29 3/8" (75.3 cm) finished blind width.

Privacy Faux Wood Ladder Count Table

| Finished Blind Width inches (cm) | Number of Ladders | Number of Lifts |
|-------------------------------------|----------------------|--------------------|
| 12 1/2 to 18 1/2 (31.8 to 47.0) | 2 | 4 |
| 18 1/2 to 23 1/2 (47.4 to 59.7) | 2 | 4 |
| 23 1/2 to 29 1/2 (60.1 to 75.0) | 3 | 4 |
| 29 1/2 to 35 1/2 (75.3 to 90.2) | 3 | 4 |
| 35 1/2 to 41 1/2 (90.5 to 105.5) | 4 | 4 |
| 41 1/2 to 47 1/2 (105.8 to 120.7) | 4 | 4 |
| 47 1/2 to 53 1/2 (121.0 to 135.9) | 5 | 6 |
| 53 1/2 to 59 1/2 (136.3 to 151.2) | 5 | 6 |
| 59 1/2 to 65 1/2 (151.5 to 166.4) | 6 | 6 |
| 65 1/2 to 71 1/2 (166.7 to 181.7) | 6 | 6 |

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

General Information

3½" (8.9 cm) Vane Stacking Chart

| Number of Vanes | C.O. inches (cm) | F.B.W. inches (cm) |
|-----------------|---------------------|-----------------------|
| 5 | 12 (30.5) | 16 (40.6) |
| 6 | 14¼ (37.5) | 19½ (48.6) |
| 7 | 17¾ (44.1) | 22¼ (56.5) |
| 8 | 20 (50.8) | 25¾ (64.5) |
| 9 | 22¾ (57.5) | 28½ (72.4) |
| 10 | 25¼ (64.1) | 31¾ (79.7) |
| 11 | 28¼ (71.8) | 34¾ (88.6) |
| 12 | 30¾ (77.8) | 38 (96.5) |
| 13 | 33¼ (84.5) | 41½ (104.5) |
| 14 | 35¾ (89.9) | 44¼ (112.4) |
| 15 | 38½ (97.8) | 47¾ (120.3) |
| 16 | 41¼ (104.5) | 50½ (128.3) |

| Number of Vanes | C.O. inches (cm) | F.B.W. inches (cm) |
|-----------------|---------------------|-----------------------|
| 17 | 43¾ (111.1) | 53¾ (136.2) |
| 18 | 46¾ (117.8) | 56¾ (144.1) |
| 19 | 49 (124.5) | 59¾ (152.1) |
| 20 | 51¼ (131.4) | 63 (160.0) |
| 21 | 54¾ (138.1) | 66¾ (168.0) |
| 22 | 57 (144.8) | 69¾ (175.9) |
| 23 | 59¾ (151.4) | 72¾ (184.5) |
| 24 | 62¼ (158.1) | 75¾ (192.4) |
| 25 | 65¼ (165.7) | 79 (200.7) |
| 26 | 68 (172.7) | 82¼ (208.9) |
| 27 | 69¾ (177.2) | 85¼ (216.5) |

| Number of Vanes | C.O. inches (cm) | F.B.W. inches (cm) |
|-----------------|---------------------|-----------------------|
| 28 | 72¾ (183.8) | 88¾ (225.1) |
| 29 | 74¾ (189.9) | 92 (233.7) |
| 30 | 77¼ (196.2) | 94¼ (239.4) |
| 31 | 79¾ (202.6) | 98½ (250.2) |
| 32 | 82¼ (208.9) | 101¼ (258.4) |
| 33 | 85 (215.9) | 104¾ (266.4) |
| 34 | 89¾ (227.0) | 108 (274.3) |
| 35 | 92¾ (234.0) | 111¼ (282.6) |
| 36 | 95¾ (242.3) | 114½ (290.8) |
| 37 | 98¾ (249.2) | 117¾ (299.1) |
| 38 | 99¾ (253.7) | 120 (304.8) |

SIMPLE
SELECTIONS™
BY GRABER

For orders of 50 blinds or more, please call
customer service for estimated delivery time.

19-0401-08 (07/17) 17-5487|S17-5079