

GRABER®



Graber Vertical Blinds English US Price Guide

VERTICAL BLINDS

Product Information Guide

Features

Vertical Blinds: Vane Styles and Information	3
Sheer Vertical Blinds: Styles, Fabric Content, Light Control, Light Control Levels	4
Oeko-Tex® Standard 100 Certified Fabrics	4
NFPA 701	4
Vertical Blinds: Vane Features	5

Size Considerations

Vertical Blinds, Depth Requirements for Inside Mount	6
Sheer Vertical Blinds, Depth Requirements for Inside Mount	6

Options

Summary	7
Vertical Blinds: Control Options	8
Sheer Vertical Blinds: Control Options	8
Vertical Blinds: Headrail Systems	9
Vertical Blinds and Sheer Vertical Blinds: Stacking Options	10
Vertical Blinds and Sheer Vertical Blinds: Installation Types	10
Vertical Blinds: Cut-Out Blinds	11
Vertical Blinds: Bottom Chain	11
Vertical Blinds: Stay Clear™ Channel Panel for Fabric Vanes	12
Vertical Blinds and Sheer Vertical Blinds: Paired Blinds	12
Vertical Blinds and Sheer Vertical Blinds: Vane Replacement Ordering	12
Sheer Vertical Blinds: Hem Style	12
Vertical Blinds: Square-Corner Valance	13
Vertical Blinds and Sheer Vertical Blinds: Round-Corner	13
Vertical Blinds and Sheer Vertical Blinds: Double Round-Corner Valances	13
Sheer Vertical Blinds: Dauphine® Valance	13
Vertical Blinds and Sheer Vertical Blinds: Bay and Corner Windows	14
Vertical Blinds: Specialty Shapes: Angled Window Headrail	15

General Information

Vertical Blinds and Sheer Vertical Blinds: Installation Hardware	16
Vertical Blinds and Sheer Vertical Blinds: Number of Mounting Brackets	16
Vertical Blinds and Sheer Vertical Blinds: Clear Opening: How to Measure for Uncovered Window	17
Vertical Blinds: Vane Stacking Chart: G-71 Super-Vue® 3½"	17
Vertical Blinds: Vane Stacking Chart: G-98 Ultra-Vue™ 3½"	18
Vertical Blinds: Vane Stacking Chart: G-85 Dura-Vue® 3½"	18
Vertical Blinds: Vane Stacking Chart: One Touch® Control	19
Sheer Vertical Blinds: Vane Stacking Chart: Outside Mount	20

GRABER®

NOVEMBER 2019

10003-110 (11/19)|S19-19701

Table of Contents

General Information

Sheer Vertical Blinds: Vane Stacking Chart: Inside Mount	20
Sheer Vertical Blinds: Vane Color Coordination Chart	21
G-71 Super-Vue Product Detail	22
G-98 Ultra-Vue Product Detail	23
G-85 Dura-Vue Product Detail	24
Sheer Vertical Blinds: G-71 Super-Vue Product Detail	25

Features

- Choose from a variety of fabric, crown vinyl, or S-shaped vinyl vanes
- S-shaped vanes feature a rolling drapery look
- Fabric vanes can be free hanging or inserted into channel panel for more light control and privacy
- Many vinyl styles coordinate with Graber® 2" Horizontal Vinyl Blinds
- Several fabric styles coordinate with Graber FashionPleat®, EvenPleat®, or LightWeaves® Shades

Vertical Blinds: Vane Styles and Information

Collection Name	Material Content	Light Control	Vane Style	Street Side Appearance	Coordinates
Fabric					
Allure	Fabric	Light filtering/room darkening	FH or INS		LightWeaves Roller
Baskerville	Fabric	Light filtering/transparent	FH or INS		
Brighton FR	Fabric	Light filtering	FH or INS		FashionPleat and EvenPleat
Compass®	Fabric	Room darkening	FH		
Crossweave®	Fabric	Light filtering	FH or INS		LightWeaves Roller, FashionPleat, and EvenPleat
Devon	Fabric	Light filtering	FH or INS		
Grasses	Fabric	Light filtering	FH or INS		
Harmony®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Network	Fabric	Light filtering	FH or INS		
Prescott®	Fabric	Room darkening	FH		
Royale®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Sheffield®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Strings	Fabric	Transparent	FH		
Tahiti Weave	Fabric	Light filtering	FH or INS		
Thatch	Fabric	Light filtering	FH or INS		
Tuvalu®	Fabric	Light filtering/transparent	FH or INS		EvenPleat
Urban Loft®	Fabric	Light filtering/transparent	FH or INS		
S-Shaped Vinyl					
Georgetown S	100% vinyl	Room darkening	S-shaped	Neutral	2" horizontal vinyl
Homespun II S	100% vinyl	Room darkening	S-shaped	Neutral	
Linen S	100% vinyl	Room darkening	S-shaped	Neutral	2" horizontal vinyl
Quantum S	100% vinyl	Room darkening	S-shaped	Neutral	
Crown Vinyl					
Acropolis	100% vinyl	Room darkening	Crown	Neutral	
Cachet	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Channel Panel	100% vinyl	Room darkening	Crown	Same front and back	
Chenille	100% vinyl	Room darkening	Crown	Neutral	
Coronation	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Crown	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Fiber	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Grotto	100% vinyl	Room darkening	Crown	Same front and back	
Homespun II	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Kensington	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Lake Forest®	100% vinyl	Room darkening	Crown	Same front and back	Lake Forest Faux Wood Blinds
Parallels	100% vinyl	Room darkening	Crown	Neutral	
Quantum	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Rapture	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Safari	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Satin Stripe	100% vinyl	Room darkening	Crown	Neutral	
Stowe	100% vinyl	Room darkening	Crown	Neutral	
Window Weaves	100% vinyl	Room darkening	Crown	Neutral	

®Oeko-Tex® fabric

FR = Flame resistant NFPA 701

FH = Free hanging fabric

INS = Fabric inserted into channel panel

Features

Sheer vertical blinds combine the soft look of sheer fabric draperies and the light control benefits of vinyl vertical blinds. When the vanes are open, softly diffused light streams into the room through sheer fabric for minimal privacy and light control; when closed, light is blocked from entering the room to provide maximum privacy and light control. Not only for patio doors, sheer vertical blinds also look beautiful on wider or uniquely shaped windows. Plus, sheer vertical fabrics are easily removed and machine washable.

- Fabric easily installed and removed—no need to take down entire blind
- Easily replace original fabric with different style or color when décor changes
- Fabric is machine washable
- Color coordinated thread for a finished appearance
- Heavy-duty aluminum headrail with steel pantograph system ensures smooth operation and proportional spacing of vanes
- Available as both inside and outside mount
- Cord and chain control only
- Stems are removable for easy replacement in the home

Sheer Vertical Blinds: Styles, Fabric Content, and Light Control

Collection Name	Material Content	Light Control	Vane Style	Street Side Appearance	Coordinates
Bengali	100% polyester	Sheer/room darkening	FH	Neutral	Graber® Artisan
Cascade	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan
Dijon	100% polyester	Sheer/room darkening	FH	Neutral	
Gossamer	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan
Highlight	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan

Light Control Levels

Light Filtering: Light is filtered to varying degrees depending on fabric style and color; silhouettes of objects and people are visible through the blind.

Room Darkening: Light is substantially blocked; vague shadows of objects or people may be visible; maximum room darkening is achieved with darker colors.

Sheer: Allows light to enter the room where light control and privacy are not a concern. Objects in the room can be seen quite clearly through open blinds.

Oeko-Tex® Standard 100 Certified Fabrics

Oeko-Tex Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.





NFPA 701


NFPA 701 Flame resistance test is the standard method of fire tests for flame propagation of textiles and films by the National Fire Protection Agency.

Features


Vertical Blinds: Vane Features



Vane View: Side the color or texture is facing when vanes are rotated open so you can see through the vanes to the street.



Free Hanging Fabric with Optional Bottom Chain and Clips



Vinyl Styles

- All vinyl vanes offer value, durability, easy cleaning, and superior light control
- Choose from embossed crown, smooth crown, or S-shaped embossed vinyl vanes
- Embossed textures offered in solids or prints with the look of jacquard or linen fabrics, wood, or stucco
- Coordinating 2" horizontal vinyl blinds available for many styles; for pricing on 2" horizontal vinyl blinds, see the Graber® 2" horizontal vinyl product information guide

Vinyl Crown Vanes

- Traditional curved vanes

Vinyl S-Shaped Vanes

- Provide a more drapery like look to your vertical blinds
- Provide better closure for more light control and privacy
- Valances are made with crown PVC of the same texture and color; dye lot cannot be guaranteed
- S-shaped vanes are NOT reversible; vane view shows which side the color/texture is facing when vanes are rotated open so you can see out the window
 - Right stack and split stack—left
 - Left stack—right
- You may choose a vane view other than the recommended if you are concerned about which side of the vane you will see when blinds are rotated open
- For paired, bay and corner blinds, the same vane view is recommended for all blinds

NOTE: See illustrations on how S-shaped vanes will hang.

Fabric Vanes

- Designer fabric vane styles range from sheer to room darkening in a variety of weaves and materials
- Free-hanging vanes come with sewn-in bottom weights and optional chain and clips
- For increased privacy and room darkening, fabric vanes can be inserted into channel panels; the clear edge channels hold fabric securely and will not yellow over time; the opaque vinyl vanes provide additional privacy and light control; see price charts for replacement pricing
- Coordinating Graber pleated, Roman, solar, and roller shade fabric and Graber sliding panels are available for selected styles
- Available in 3½" fabric styles

Additional Information

- Due to the nature of vane materials (both fabric and vinyl prints), colors may vary slightly from dye lot to dye lot; exact matches cannot be guaranteed
- Due to the random design of some vane patterns, exact alignment of the pattern across the blind is not possible

Size Considerations

Vertical Blinds

	Width			Height	
	Minimum Single Stack (inches)	Minimum Split Stack (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
G-71 Super-Vue®	9	12	191	12	192
G-98 Ultra-Vue™	9	17	191	12	192
G-85 Dura-Vue®	9	12	178¾	12	144
One Touch®	9	N/A	144	12	96

One Touch Control: 10,080 square inches maximum overall size. Minimum wand length is 33".

Factory Deductions

Mount	Mount Bracket Location	Valance	Height Deduction G-71 (inches)	Height Deduction G-98 (inches)	Height Deduction G-85 (inches)
Outside	All types	Yes/no	0	0	0
Inside	Ceiling or top	No	¾	½	½
Inside	Ceiling or top	Yes	¾	¾	½
Inside	Wall or back	No	1⅞	¾	¾
Inside	Wall or back	Yes	1⅞	1⅞	1⅞

Mount	Width Deductions (inches)
Outside	0
Inside	¼

Depth Requirements for Inside Mount

	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	Headrail Flush with Casing (vanes and/or valance not flush with casing) (inches)	Depth Needed for Flush Mount Vane (inches)	 Fully recessed valance in window casing/molding Depth Needed for Flush Mount Valance (inches)
G-71 Super-Vue	1⅞ x 1⅞	2⅞	3	3¼	4⅞
G-98 Ultra-Vue	1⅞ x 1⅞	2⅞	2⅞	3¼	4⅞
G-85 Dura-Vue	1⅞ x 1½	2⅞	2¼	3¼	4⅞

Sheer Vertical Blinds

	Width		Height	
	Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
Sheer Vertical Blinds	17	191	19	104

Depth Requirements for Inside Mount

 Partially recessed headrail in window casing/molding Minimum Depth Partially Recessed Mount (inches)	Depth Needed for Flush Mount Headrail (inches)	Depth Needed for Flush Mount Vane (inches)	 Fully recessed valance in window casing/molding Depth Needed for Flush Mount Valance (inches)
2⅞	3	5¼	6

Partially Recessed: A partially recessed window treatment is where the depth of the window casing is less than the space necessary for a flush mount.

Flush Mount: If the window casing is deep enough to mount the entire blind inside of it, this is called a flush mount.

Options

Summary

The following is a list of options for vertical and sheer vertical blinds. All options are available in all styles and colors. Limitations will be based on fabric width. See detailed descriptions on the following pages.

Vertical Blinds

Control Type Options—No Charge

- Cord and chain controls
- One Touch® Control (standard)

Options—No Charge

- Bay and corner windows
- Paired blinds
- Projection bracket: 4 $\frac{3}{8}$ "

Options—Surcharge (see price charts for pricing and/or surcharges)

- Bottom chain and clips (fabric)
- Bottom chain (vinyl)
- Cut-outs
- Round-corner valance
- Double round-corner valance
- Square-corner valance
- Stay Clear™ channel panels
- Wood cornices and valances (see cornices and valances product information guide)

Specialty Options (see price charts for pricing and/or surcharges)

- Angled top

Sheer Vertical Blinds

Control Type Options—No Charge

- Standard cord and chain controls

Options—No Charge


- Bay and corner windows
- Dauphine® valance
- Paired blinds

Options—Surcharge (see price charts for pricing and/or surcharges)

- Round-corner valance
- Double round-corner valance
- Wood cornices and valances (see cornices and valances product information guide)

Options

Vertical Blinds: Control Options



Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation

One Touch® Wand Control—Standard


- **No charge**
- A slender wand controls vane rotation and traversing
- Simple, convenient, safe (no cords and chains)
- Recommended for homes with children or pets
- Available with single stack only; no split stack or opposite stack
- Wand is always attached to leading vane

Width		Height	
Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
9	144	12*	96

Maximum overall size: 10,080 square inches (width x height)

Wand Sizes


Keep in mind that the wand length is determined by the finished blind height. If the vertical blind covers a patio door or the bottom of the vertical blind reaches the floor, the following chart indicates wand length. If the headrail distance from the floor is greater than 77" or there is any furniture in front of the blind, specify a 48" or 60" wand for easy accessibility.



Blind Height (inches)	Wand Height (inches)
77 or less*	33
77½ to 92	48
92½ to 96	60

*If blind is less than 35", wand will be longer than vanes. The standard cord and chain control is recommended.

Sheer Vertical Blinds: Control Options




Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation


Options

Vertical Blinds: Headrail Systems




G-71 Super-Vue®

The top-of-the-line G-71 Super-Vue features the patented pantograph traversing system to assure proportional spacing of vanes when closed. G-71 Super-Vue is available in a smooth, anodized aluminum channel. Ball bearing pulleys in the control mechanism and thermoplastic self-lubricating wheels on every carriage allow for smooth traversing vanes. Clear stems provide a sleek appearance with both fabrics and vinyl vanes. E-Z Open™, available only on the G-71 headrail, automatically rotates the vanes when the cord is pulled to traverse the blind.



G-98 Ultra-Vue™

The anodized aluminum G-98 Ultra-Vue headrail system traverses vanes smoothly through the consecutive action of stainless steel pick-up tails. Ultra-Vue carriers are wheeled for smooth traversing and are self-aligning.



G-85 Dura-Vue®

G-85 Dura-Vue headrails traverse vanes smoothly with a thermoplastic strap system. Dura-Vue steel headrail is offered in an ivory painted finish. Dura-Vue carriers are wheeled for smooth traversing.

The design of all Graber® headrails allows for reversible installation, providing versatile placement of controls on either the left or right.

Options

Vertical Blinds and Sheer Vertical Blinds: Stacking Options



Split Stack
Left Controls
(right controls available)



Left Stack
Same Side Stack
and Controls




Right Stack
Same Side Stack
and Controls




Opposite Stack
and Controls

VERTICALS ONLY: There is a surcharge for center/uneven stack and opposite stack.
Center/uneven stack available on G-71 Super-View® headrails for blinds with vanes only.

Vertical Blinds and Sheer Vertical Blinds: Installation Types



Inside/Ceiling Mount





Outside Mount

1. Inside Mount—Ceiling or Top of Window Frame (standard)
Manufacturing height deduction is taken for blinds being installed as inside, ceiling mount with or without a valance.
2. Inside Mount—Wall or Back of Window Frame
Manufacturing height deduction is taken for blinds being installed as inside mount using the L-bracket for a wall mount. An additional manufacturing height deduction is taken if a valance is included, to accommodate the height of the Dauphine® valance bracket.
3. Outside Mount—Wall or Back (standard)
No manufacturing height deduction is taken.
4. Outside Mount—Ceiling or Top (optional)
No manufacturing height deduction is taken.


Options

Vertical Blinds: Cut-Out Blinds



- **For surcharges, see price charts**
- Order when air conditioner, heating register, or other object would interfere with vanes
- Blind must stack away from cut-out area
- Specify size and base price by maximum width and height of blind
- Submit drawing to identify size and location of cut-out (see example)
- Minimum cut-out width 3½"
- Cut-out must be a full vane width (3½"); therefore may be wider than ordered
- Not available with bottom chain


Vertical Blinds: Bottom Chain



Bottom Chain
Vinyl Vanes
(Must be requested at time of order.)

- **For surcharges, see price charts**
- Optional, must be requested at time of order
- Not available with channel panel, S-shaped vanes, angle top, or cut-out blinds

Vane Style	Standard/Option	Description
Fabric	Standard	3-sided sewn-in weight
	Option	Single nickel-plated chain at back of vanes with clips
Vinyl	Standard	No bottom chain
	Option	Single nickel-plated chain in the middle of the vanes
Channel Panel	Standard	No bottom weights or chain




Back Side
of Vanes
Shown

Bottom Chain and Clip
Fabric Vanes
(Free hang only.)

Options

Vertical Blinds: Stay Clear™ Channel Panel for Fabric Vanes



- **See price charts for surcharges**
- For replacement channel panel pricing, see price charts
- Vane material inserted into extruded channel panel with clear edges; see blind features for fabric styles available
- Offers improved privacy, room darkening, and a neutral color appearance from exterior of window
- Channel panel colors are: Ivory (#7137) or White (#7136)
- Not available with bottom chain


Vertical Blinds and Sheer Vertical Blinds: Paired Blinds



- **Price as two separate blinds**
- The appearance of a split stack blind can be achieved by pairing blinds; the center opening point can be either on center or off center
- Paired blinds can also be used when the required width is larger than the maximum width available for a single blind
- Specify paired blinds on your order
- Control locations must be same as stack
- Recommend ordered as left/left and right/right
- Square-corner valance with dust cover only
- **Available with one-way cord and chain only**

Vertical Blinds and Sheer Vertical Blinds: Replacement Vane Ordering

See the column at the far right of each price chart, for individual vane pricing based on material desired.



How to Price a Replacement Vane

- Use the price charts for individual vane pricing
- Determine which chart based on material desired
- Locate height of your vane on the left side of the chart
- Use the price in the "Replmt Vanes" column in the price charts that coincides with the height of vane desired

How to Measure a Replacement Existing Vane, No Changes

- Measure the vane(s) from tip to tip to determine the exact finished vane length/height (FLL)
- No additional deductions will be taken by manufacturing; vanes will be manufactured to the exact size you provide
- Submit the measurement as exact height


How to Measure a Replacement Existing Vane, Changing the Height of the Vanes

- Measure from top of mounted headrail to bottom of location to be covered
- Record this measurement; this is the finished blind length/height (FBL)
- Manufacturing will take appropriate deduction so vanes will cover desired area

NOTE: Free hang fabric vanes include bottom weights.

Bottom chains for vinyl vanes are optional; must be specified at time of order


Sheer Vertical Blinds: Hem Style



- 4" drapery hem is standard


Options

Vertical Blinds: Square-Corner Valance



Square-Corner Valance
without Dust Cover

Square-Corner Valance
with Dust Cover




5 1/2" Returns

- **For surcharge, see price charts**
- The square-corner valance is an extruded vinyl, Stay-Clear™ channel panel, which is sized to hold 3 1/2" wide vane material; it includes two 5 1/2" returns
- Valances greater than 192" must have a dust cover
- Vinyl valance inserts are not available over 191" wide

Maximum Valance Size Limitations


	Valance		Returns	
	Maximum Vinyl (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Square-Corner Valance	191	191	3	8

Vertical Blinds and Sheer Vertical Blinds: Round-Corner and Double Round-Corner Valances



5" Return

Round-Corner
Valance




5" Return

4" Return

Double Round-Corner
Valance

Round-Corner Valance
with Dust Cover




Outside Mount Only

- **For surcharge, see price charts**
- The round-corner valance system features the Stay-Clear channel panel and is guaranteed not to yellow; accommodates vinyl and fabric vanes as inserts; S-shaped style vanes use matching crown profile for valance insert
- Create a layered look with a double round-corner valance
- Round and double round-corner valances include 5 1/2" returns
- Single round-corner valance: 3 3/4" high
- Double round-corner valance: 6 1/2" high

Maximum Valance Size Limitations

	Valance		Returns	
	Maximum Vinyl (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Round-Corner Valance	175	191	3	8
Double Round-Corner Valance	175	191	3	8

Sheer Vertical Blinds: Dauphine® Valance



4 1/2"

- **No charge**
- Fabric is Shirred for a soft look
- Snap-in brackets for easy installation
- Threader cap provides no-sag shirring of sheer fabric
- Notched for minimum 2 1/2" returns and will extend to 7 1/2" using the additional return slides which are included

NOTE: Top hem of blind will be visible below the Dauphine valance.

Also available are wood cornices and valances; see cornice and valance product information guide for more information.


Options

Vertical Blinds and Sheer Vertical Blinds: Bay and Corner Windows

- No charge
- Minimal corner gaps
- Square-corner valance with dust cover only
- Chain and cord only
- Each blind is controlled separately


- List each track width and height on separate lines
- Price as separate blinds
- If no deductions are required, do not order as bay or corner
- Sheer verticals—Dauphine® valance only

Measuring Information



Corner Window

Measure: Width of each window from corner to the point you would like to cover.




Three-Sided Bay Window

Measure:

- A and C: Width of side windows from the corners to the point you would like the blind to cover.
 B: Width of the center window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).

Measure bay angle using protractor or angle finder. Or use two business cards in bay corner as illustrated and fax to customer service.




Four-Sided Bay Window

Measure:

- A and D: Width of side windows from the corners to the point you would like the blind to cover.
 B and C: Width of each window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).
 Angle C-D: Angle between windows (C) and (D).

Measure bay angle using protractor or angle finder. Or use two business cards in bay corner as illustrated and fax to customer service.



Five-Sided Bay Window


Measure:

- A and E: Width of side windows from the corners to the point you would like the blind to cover.
 B, C, and D: Width of each center window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).
 Angle C-D: Angle between windows (C) and (D).
 Angle D-E: Angle between windows (D) and (E).

Measure bay angle using protractor or angle finder. Or use two business cards as illustrated and fax to customer service.

Options

Vertical Blinds: Specialty Shapes: Angled Window Headrail

















- **For surcharges, see price charts**
- Ideal for sloping, cathedral-type windows
- Only available in single stack cord control vertical blinds
- Vane stack and cord control must be at the highest point of the window
- Exact dimensions must accompany orders to ensure proper fit
- Steepest slope possible is 55°
- Maximum size: 144" wide x 144" long, depending on angle
- Minimum low end is 6"
- Available on G71 Super-View® headrail only
- Square-corner valance with dust cover only; must be mitered at time of installation
- Bottom chains are not available

Measuring Outside Mount

1. Measure exact width and height of area to be covered. It is recommended that shades overlap window frame or opening by 1½" on each side.
2. Measure height of opening on left side and mark this dimension "left". Allow for overlap as desired: 1½" on top and bottom is recommended.
3. Measure height of opening on right side and mark this dimension "right". Allow for the same overlap as left side.
4. Factory will determine the angle from these three dimensions.

General Information

Vertical Blinds and Sheer Vertical Blinds: Installation Hardware

	G-71	G-98	G-85	Sheer Vertical Blinds	
Track Clip for Inside or Ceiling Mount					Dauphine® Valance Bracket 
L-Bracket for Outside or Wall Mount					Dauphine Valance Bracket 
Optional Flat Projection Bracket (NOTE: Attaches to angle bracket with nut/bolt pairs. Must be requested at time of order.)					

Vertical Blinds and Sheer Vertical Blinds: Number of Mounting Brackets

Sheer Vertical Blinds: Number of headrail and Dauphine valance mounting brackets

Blind Width (inches)	17 to 54	54 $\frac{1}{16}$ to 81	81 $\frac{1}{16}$ to 108	108 $\frac{1}{16}$ to 135	135 $\frac{1}{16}$ to 162	162 $\frac{1}{16}$ to 191
Number of Brackets	2	3	4	5	6	7

G-98 Headrail

Blind Width (inches)	9 to 50	50 to 90	91 to 130	131 to 170	171 to 191
Number of Brackets	2	3	4	5	6


G-71 and G-85 Headrail

Blind Width (inches)	9 to 62	63 to 98	99 to 134	135 to 170	171 to 191
Number of Brackets	2	3	4	5	6


General Information

Vertical Blinds and Sheer Vertical Blinds: Clear Opening: How to Measure for Uncovered Window

Stack Left Finished Blind Width (FBW)



Split Stack
(recommended for
balanced appearance)
Finished Blind Width (FBW)



1. Determine headrail type and the clear opening width for split stack, stack right or stack left (see diagrams)—the additional 3" shown for privacy is recommended if ordering a right or left stack.
2. Match the clear opening width with dimension found under "CO" column below. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even number of vanes.
3. Order the corresponding dimension found in the "FBW" (finished blind width) column below.

EXAMPLE: Stack Left

If determined width for clear opening window view is 54 $\frac{1}{4}$ ", order width needed to provide full unobstructed view is 66 $\frac{3}{4}$ ".

NOTE: For stack right or stack left blinds add an additional 3" to the clear opening before calculating the finished blind width.

For G-98 Ultra-Vue™ and G-85 Dura-Vue® headrails, and One Touch® Control, see appropriate stacking charts for single stack blinds only on the following pages.

Vertical Blinds: Vane Stacking Chart: G-71 Super-Vue® 3 $\frac{1}{2}$ "

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6 $\frac{5}{8}$	10 $\frac{5}{8}$		
4	9 $\frac{1}{2}$	13 $\frac{3}{4}$	7 $\frac{1}{4}$	12 $\frac{1}{2}$
5	12 $\frac{1}{8}$	16 $\frac{1}{8}$		
6	14 $\frac{7}{8}$	19 $\frac{5}{8}$	12 $\frac{1}{2}$	18 $\frac{3}{4}$
7	17 $\frac{1}{2}$	22 $\frac{3}{4}$		
8	20 $\frac{1}{8}$	25 $\frac{5}{8}$	17 $\frac{5}{8}$	25 $\frac{5}{8}$
9	22 $\frac{3}{4}$	29		
10	25 $\frac{5}{8}$	32 $\frac{1}{8}$	23 $\frac{1}{4}$	31 $\frac{1}{8}$
11	28 $\frac{1}{8}$	35 $\frac{1}{8}$		
12	30 $\frac{3}{4}$	38 $\frac{1}{2}$	28 $\frac{1}{2}$	37 $\frac{3}{4}$
13	33 $\frac{3}{8}$	41 $\frac{1}{8}$		
14	36 $\frac{1}{8}$	44 $\frac{3}{4}$	33 $\frac{3}{4}$	44
15	38 $\frac{3}{4}$	47 $\frac{7}{8}$		
16	41 $\frac{1}{8}$	51	39 $\frac{5}{8}$	50 $\frac{1}{4}$
17	44	54 $\frac{1}{4}$		
18	46 $\frac{3}{8}$	57 $\frac{1}{8}$	44 $\frac{1}{2}$	56 $\frac{3}{8}$
19	49 $\frac{3}{8}$	60 $\frac{1}{2}$		
20	52	63 $\frac{3}{8}$	49 $\frac{3}{4}$	62 $\frac{7}{8}$
21	54 $\frac{5}{8}$	66 $\frac{1}{4}$		
22	57 $\frac{3}{8}$	70	55	69 $\frac{1}{8}$
23	60	73 $\frac{1}{8}$		
24	62 $\frac{5}{8}$	76 $\frac{1}{4}$	60 $\frac{5}{8}$	75 $\frac{1}{2}$
25	65 $\frac{1}{4}$	79 $\frac{3}{8}$		
26	67 $\frac{1}{8}$	82 $\frac{1}{2}$	65 $\frac{3}{4}$	81 $\frac{1}{4}$
27	70 $\frac{5}{8}$	85 $\frac{3}{4}$		
28	73 $\frac{1}{4}$	88 $\frac{3}{8}$	71	88
29	75 $\frac{3}{8}$	92		
30	78 $\frac{5}{8}$	95 $\frac{1}{8}$	76 $\frac{1}{4}$	94 $\frac{3}{8}$
31	81 $\frac{1}{4}$	98 $\frac{1}{4}$		
32	83 $\frac{3}{8}$	101 $\frac{1}{8}$	81 $\frac{1}{2}$	100 $\frac{5}{8}$

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
33	86 $\frac{1}{2}$	104 $\frac{5}{8}$		
34	89 $\frac{1}{8}$	107 $\frac{3}{4}$	86 $\frac{3}{8}$	107
35	91 $\frac{1}{4}$	110 $\frac{1}{8}$		
36	94 $\frac{1}{2}$	114	92 $\frac{1}{8}$	113 $\frac{3}{4}$
37	97 $\frac{1}{8}$	117 $\frac{1}{8}$		
38	99 $\frac{3}{4}$	120 $\frac{3}{8}$	97 $\frac{3}{8}$	119 $\frac{1}{2}$
39	102 $\frac{3}{8}$	123 $\frac{1}{2}$		
40	105 $\frac{1}{8}$	126 $\frac{3}{8}$	102 $\frac{3}{4}$	125 $\frac{5}{8}$
41	107 $\frac{3}{4}$	129 $\frac{1}{4}$		
42	110 $\frac{1}{8}$	132 $\frac{3}{8}$	108 $\frac{1}{8}$	132 $\frac{1}{8}$
43	113	136		
44	115 $\frac{3}{4}$	139 $\frac{1}{4}$	113 $\frac{3}{8}$	138 $\frac{3}{8}$
45	118 $\frac{3}{8}$	142 $\frac{3}{8}$		
46	121	145 $\frac{1}{2}$	118 $\frac{3}{8}$	144 $\frac{1}{4}$
47	123 $\frac{3}{8}$	148 $\frac{3}{8}$		
48	126 $\frac{3}{8}$	151 $\frac{1}{4}$	124	151
49	129	155		
50	131 $\frac{1}{8}$	158 $\frac{3}{8}$	129 $\frac{1}{4}$	157 $\frac{1}{4}$
51	134 $\frac{1}{4}$	161 $\frac{1}{4}$		
52	137	164 $\frac{3}{8}$	134 $\frac{3}{8}$	163 $\frac{3}{8}$
53	139 $\frac{3}{8}$	167 $\frac{1}{2}$		
54	142 $\frac{1}{4}$	170 $\frac{3}{8}$	139 $\frac{3}{8}$	169 $\frac{3}{8}$
55	144 $\frac{7}{8}$	173 $\frac{3}{8}$		
56	147 $\frac{5}{8}$	177	145 $\frac{1}{4}$	176 $\frac{1}{4}$
57	150 $\frac{1}{4}$	180 $\frac{3}{8}$		
58	152 $\frac{3}{8}$	183 $\frac{1}{4}$	150 $\frac{1}{2}$	182 $\frac{1}{2}$
59	155 $\frac{1}{2}$	186 $\frac{3}{8}$		
60	158 $\frac{1}{4}$	189 $\frac{3}{8}$	155 $\frac{5}{8}$	188 $\frac{3}{4}$
61	159 $\frac{3}{8}$	191		
62			157	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

For even spacing on outside mounts, round up width measurement to the next size in the stack chart. Split stack blinds must have an even number of vanes.

General Information

Vertical Blinds: Vane Stacking Chart: G-98 Ultra-Vue™ 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	7¼	10¼		
4	10	13¾	8½	13½
5	12⅞	16½		
6	15½	19 ⅝	14	19¾
7	18⅞	22¾		
8	21⅞	25⅞	19½	26
9	23 ⅞	29		
10	26¾	32¾	25⅞	32¼
11	29⅞	35⅞		
12	32¼	38¼	30⅞	38⅞
13	35	41⅞		
14	37¾	44½	36¼	44⅞
15	40½	47⅞		
16	43⅞	50¾	41¾	50⅞
17	46⅞	53⅞		
18	48⅞	57	47⅞	57⅞
19	51⅞	60		
20	54¾	63⅞	52⅞	63¼
21	57¼	66¼		
22	60	69⅞	58⅞	69½
23	62¾	72½		
24	65½	75⅞	64	75¾
25	68¼	78¾		
26	71⅞	80⅞	69½	82
27	73⅞	85		
28	76⅞	88	75	88⅞
29	79⅞	91⅞		
30	82¼	94¼	80⅞	94⅞
31	85	97⅞		
32	87¾	100½	86⅞	100⅞
33	90½	103⅞		
34	93¼	106¾	91¾	106⅞
35	96⅞	109⅞		
36	98¾	112⅞	97¼	113
37	101⅞	116		
38	104¾	119⅞	102⅞	119¼
39	107⅞	122¼		
40	109⅞	125⅞	108⅞	125½
41	112¾	128½		
42	115½	131 ⅝	113⅞	131¼
43	118¼	134¾		
44	121⅞	137⅞	119½	138
45	123¾	140⅞		
46	126⅞	144	125	144⅞
47	129⅞	147⅞		
48	132⅞	150¼	130⅞	150⅞
49	134⅞	153⅞		
50	137⅞	156½	136⅞	156⅞
51	140½	159⅞		
52	143¼	162¾	141¾	162⅞
53	146	165¾		
54	148¾	168⅞	147¼	169
55	151⅞	172		
56	154⅞	175⅞	152¾	175¼
57	157⅞	178¼		
58	159⅞	181⅞	158¼	181½
59	162⅞	184½		
60	165⅞	187⅞	163⅞	187¾
61	168⅞	190⅞		
62	168⅞	191	166½	191

Vertical Blinds: Vane Stacking Chart: G-85 Dura-Vue® 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6⅞	10⅞		
4	9½	13¼	7¼	12½
5	12⅞	16⅞		
6	14¾	19½	12½	18¾
7	17⅞	22⅞		
8	20	25¾	17¾	25
9	22¾	28⅞		
10	25⅞	32	23	31¼
11	28	35 ⅞		
12	30⅞	38 ¼	28⅞	37½
13	33¼	41⅞		
14	35⅞	44½	33⅞	43¾
15	38½	47⅞		
16	41⅞	50 ¾	38⅞	50
17	43¾	53⅞		
18	46⅞	57	44⅞	56¼
19	49	60⅞		
20	51⅞	63¼	49⅞	62½
21	54⅞	66⅞		
22	57	69½	54⅞	68¾
23	59⅞	72⅞		
24	62¼	75¾	60	75
25	64⅞	78⅞		
26	67½	82	65¼	81¼
27	70⅞	85⅞		
28	72¾	88¼	70½	87½
29	75⅞	91⅞		
30	78	94½	75¾	93¾
31	80⅞	97⅞		
32	83¼	100¾	81	100
33	85⅞	103⅞		
34	88½	107	86¼	106 ¼
35	91⅞	110⅞		
36	93¾	113¼	91½	112½
37	96½	116⅞		
38	99⅞	119½	96¾	118¾
39	101¾	122⅞		
40	104⅞	125¾	102	125
41	107	128⅞		
42	109⅞	132	107⅞	131¼
43	112¼	135⅞		
44	114⅞	138¼	112⅞	137½
45	117½	141⅞		
46	120⅞	144½	117⅞	143¾
47	122¾	147⅞		
48	125½	150¾	123⅞	150
49	128⅞	153⅞		
50	130¾	157	128⅞	156¼
51	133⅞	160⅞		
52	136	163¼	133⅞	162½
53	138⅞	166⅞		
54	141¼	169½	139	168¾
55	143⅞	172⅞		
56	146½	175¾	144¼	175
57	149⅞	178⅞		
58	151¾	182	149½	181¼
59	154⅞	185⅞		
60	157	188¼	154¾	187½
61	159⅞	191		
62			157¼	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

18 | graberdirect.com

November 2019

General Information

Vertical Blinds: Vane Stacking Chart: One Touch® Control (all headrail styles)

G-71 Super-Vue®		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6⅞	9¾
4	8¾	12⅞
5	11½	16
6	14⅞	19¼
7	16¾	22⅞
8	19½	25½
9	22⅞	25⅞
10	24¾	31¾
11	27⅞	35
12	30	38⅞
13	32¾	41¼
14	35⅞	44⅞
15	38	47½
16	40⅞	50⅞
17	43⅞	53⅞
18	46	57
19	48⅞	60⅞
20	51⅞	63¼
21	54	66 ⅞
22	56⅞	69⅞
23	59⅞	73⅞
24	62¼	76¼
25	65	79⅞
26	67⅞	82½
27	70¼	85¼
28	73	88⅞
29	75⅞	92
30	78¼	95⅞
31	80⅞	98¼
32	83½	101⅞
33	86¼	104⅞
34	88⅞	107¼
35	91½	110⅞
36	94⅞	114
37	96¼	117⅞
38	99½	120⅞
39	102⅞	123½
40	104¼	126⅞
41	107½	129¼
42	110⅞	132⅞
43	112¼	136
44	115⅞	139¼
45	118	142⅞
46	120¼	145⅞
47	123⅞	148⅞
48	126	151¼
49	128¼	155
50	129¼	156

G-98 Ultra-Vue™		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6⅞	10
4	9	13⅞
5	11¼	16¼
6	14½	19⅞
7	17¼	22½
8	20⅞	25⅞
9	22¾	28⅞
10	25⅞	31¼
11	28⅞	34⅞
12	31⅞	38
13	33⅞	41⅞
14	36⅞	44¼
15	39½	47⅞
16	42¼	50½
17	45	53½
18	47¼	56⅞
19	50⅞	59¼
20	53⅞	62⅞
21	56⅞	66
22	58⅞	69⅞
23	62	72⅞
24	64¼	75¼
25	67½	78⅞
26	70⅞	81½
27	73	84⅞
28	75⅞	87¼
29	78⅞	90⅞
30	81⅞	94
31	84¼	97⅞
32	87	100⅞
33	89¼	103¼
34	92½	106⅞
35	95⅞	109½
36	98	112⅞
37	100⅞	115¼
38	103⅞	118⅞
39	106⅞	122
40	109⅞	125
41	111⅞	128⅞
42	114¼	131¼
43	117½	134⅞
44	120¼	137½
45	123⅞	140⅞
46	125¼	144
47	128⅞	147⅞
48	131¼	150¼
49	134⅞	153⅞
50	136¼	156

G-85 Dura-Vue®		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6¼	10⅞
4	8⅞	13¼
5	11½	16⅞
6	14⅞	19½
7	16¾	22⅞
8	19⅞	25¼
9	22	28⅞
10	24¾	32
11	27⅞	35⅞
12	30	38¼
13	32⅞	41⅞
14	35¼	44½
15	37⅞	47⅞
16	40½	50¼
17	43⅞	53⅞
18	45¼	57
19	48⅞	60⅞
20	51	63¼
21	53⅞	66⅞
22	56¼	69½
23	59¼	72⅞
24	61¼	75¼
25	64½	78⅞
26	67⅞	82
27	69¼	85⅞
28	72⅞	88¼
29	75	91⅞
30	77⅞	94½
31	80¼	97⅞
32	82⅞	100¼
33	85½	103⅞
34	88⅞	107
35	90¼	110⅞
36	93⅞	113¼
37	96⅞	116⅞
38	98¼	119½
39	101⅞	122⅞
40	104	125¼
41	106⅞	128⅞
42	109¼	132
43	111⅞	135⅞
44	114½	138¼
45	117⅞	141⅞
46	119¼	144½
47	122⅞	147⅞
48	125	150¼
49	127⅞	153⅞
50	129⅞	156

Split stack One Touch Control not available.

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

General Information

**Sheer Vertical Blinds: Vane Stacking Chart:
Outside Mount**

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
6	14 $\frac{1}{8}$	19 $\frac{1}{8}$	11 $\frac{1}{8}$	17
7	17 $\frac{1}{2}$	22 $\frac{3}{4}$		
8	20 $\frac{1}{8}$	25 $\frac{1}{8}$	16 $\frac{3}{8}$	23 $\frac{1}{4}$
9	22 $\frac{3}{4}$	29		
10	25 $\frac{1}{8}$	32 $\frac{1}{8}$	21 $\frac{1}{4}$	29 $\frac{1}{8}$
11	28 $\frac{1}{8}$	35 $\frac{1}{8}$		
12	30 $\frac{3}{4}$	38 $\frac{1}{2}$	27	35 $\frac{1}{8}$
13	33 $\frac{1}{8}$	41 $\frac{1}{8}$		
14	36 $\frac{1}{8}$	44 $\frac{3}{4}$	32 $\frac{3}{8}$	42 $\frac{1}{8}$
15	38 $\frac{3}{4}$	47 $\frac{1}{8}$		
16	41 $\frac{1}{8}$	51	37 $\frac{3}{4}$	48 $\frac{1}{2}$
17	44	54 $\frac{1}{4}$		
18	46 $\frac{3}{8}$	57 $\frac{3}{8}$	43	54 $\frac{3}{4}$
19	49 $\frac{1}{8}$	60 $\frac{1}{2}$		
20	52	63 $\frac{3}{8}$	48 $\frac{1}{4}$	61
21	54 $\frac{3}{8}$	66 $\frac{3}{4}$		
22	57 $\frac{3}{8}$	70	53 $\frac{3}{8}$	67 $\frac{3}{8}$
23	60	73 $\frac{1}{8}$		
24	62 $\frac{3}{8}$	76 $\frac{1}{4}$	58 $\frac{3}{8}$	73 $\frac{3}{8}$
25	65 $\frac{1}{4}$	79 $\frac{1}{8}$		
26	67 $\frac{1}{8}$	82 $\frac{1}{2}$	64 $\frac{1}{4}$	80
27	70 $\frac{3}{8}$	85 $\frac{3}{4}$		
28	73 $\frac{1}{4}$	88 $\frac{3}{8}$	69 $\frac{1}{2}$	86 $\frac{1}{4}$
29	75 $\frac{1}{8}$	92		
30	78 $\frac{3}{8}$	95 $\frac{1}{8}$	74 $\frac{3}{8}$	92 $\frac{1}{2}$
31	81 $\frac{1}{4}$	98 $\frac{1}{4}$		
32	83 $\frac{3}{8}$	101 $\frac{1}{8}$	80 $\frac{1}{4}$	98 $\frac{3}{8}$
33	86 $\frac{1}{2}$	104 $\frac{3}{8}$		
34	89 $\frac{1}{8}$	107 $\frac{3}{4}$	85 $\frac{1}{2}$	105 $\frac{1}{8}$
35	91 $\frac{1}{4}$	110 $\frac{1}{8}$		
36	94 $\frac{1}{2}$	114	90 $\frac{3}{4}$	111 $\frac{1}{8}$
37	97 $\frac{1}{8}$	117 $\frac{1}{8}$		
38	99 $\frac{1}{4}$	120 $\frac{3}{8}$	96 $\frac{1}{8}$	117 $\frac{3}{4}$
39	102 $\frac{3}{8}$	123 $\frac{1}{2}$		
40	105 $\frac{1}{8}$	126 $\frac{3}{8}$	101 $\frac{1}{8}$	124
41	107 $\frac{1}{4}$	129 $\frac{1}{8}$		
42	110 $\frac{1}{8}$	132 $\frac{3}{8}$	106 $\frac{3}{8}$	130 $\frac{1}{4}$
43	113	136		
44	115 $\frac{1}{4}$	139 $\frac{1}{4}$	112	136 $\frac{3}{8}$
45	118 $\frac{3}{8}$	142 $\frac{3}{8}$		
46	121	145 $\frac{1}{2}$	117 $\frac{3}{8}$	142 $\frac{3}{8}$
47	123 $\frac{1}{8}$	148 $\frac{1}{8}$		
48	126 $\frac{1}{4}$	151 $\frac{1}{4}$	122 $\frac{3}{4}$	149 $\frac{1}{4}$
49	129	155		
50	131 $\frac{1}{8}$	158 $\frac{1}{8}$	128	155 $\frac{1}{2}$
51	134 $\frac{1}{4}$	161 $\frac{1}{4}$		
52	137	164 $\frac{3}{8}$	133 $\frac{1}{4}$	161 $\frac{3}{4}$
53	139 $\frac{1}{8}$	167 $\frac{1}{2}$		
54	142 $\frac{1}{4}$	170 $\frac{1}{8}$	138 $\frac{3}{8}$	168 $\frac{1}{8}$
55	144 $\frac{1}{8}$	173 $\frac{3}{8}$		
56	147 $\frac{1}{8}$	177	143 $\frac{3}{8}$	174 $\frac{3}{8}$
57	150 $\frac{1}{4}$	180 $\frac{1}{8}$		
58	152 $\frac{1}{8}$	183 $\frac{1}{4}$	149 $\frac{1}{8}$	180 $\frac{5}{8}$
59	155 $\frac{1}{2}$	186 $\frac{3}{8}$		
60	158 $\frac{1}{4}$	189 $\frac{3}{8}$	154 $\frac{1}{2}$	187
61	159 $\frac{1}{8}$	191		
62			157 $\frac{1}{8}$	191

**Sheer Vertical Blinds: Vane Stacking Chart:
Inside Mount**

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
7	10 $\frac{1}{8}$	19 $\frac{1}{4}$		
8	13 $\frac{3}{4}$	22 $\frac{3}{8}$	11 $\frac{1}{8}$	19 $\frac{1}{4}$
9	15 $\frac{1}{8}$	25 $\frac{1}{2}$		
10	18 $\frac{1}{2}$	28 $\frac{3}{8}$	16 $\frac{3}{8}$	26
11	21 $\frac{1}{4}$	31 $\frac{1}{8}$		
12	24	35	21 $\frac{1}{4}$	32 $\frac{3}{8}$
13	26 $\frac{3}{8}$	38 $\frac{1}{8}$		
14	29 $\frac{1}{4}$	41 $\frac{1}{4}$	27	38 $\frac{3}{8}$
15	31 $\frac{1}{8}$	44 $\frac{3}{8}$		
16	34 $\frac{3}{8}$	47 $\frac{1}{8}$	32 $\frac{1}{4}$	44 $\frac{1}{8}$
17	37 $\frac{1}{4}$	50 $\frac{1}{8}$		
18	39 $\frac{3}{8}$	53 $\frac{1}{8}$	37 $\frac{3}{4}$	51 $\frac{1}{4}$
19	42 $\frac{1}{2}$	57		
20	45 $\frac{1}{8}$	60 $\frac{1}{8}$	43	57 $\frac{1}{2}$
21	47 $\frac{3}{4}$	63 $\frac{1}{4}$		
22	50 $\frac{1}{2}$	66 $\frac{1}{2}$	48 $\frac{1}{4}$	63 $\frac{3}{4}$
23	53 $\frac{1}{8}$	69 $\frac{1}{8}$		
24	55 $\frac{1}{8}$	72 $\frac{1}{8}$	53 $\frac{3}{8}$	70 $\frac{1}{8}$
25	58 $\frac{1}{2}$	76		
26	61 $\frac{1}{8}$	79 $\frac{1}{8}$	59	76 $\frac{1}{2}$
27	63 $\frac{3}{8}$	82 $\frac{1}{4}$		
28	66 $\frac{3}{8}$	85 $\frac{1}{2}$	64 $\frac{1}{4}$	82 $\frac{3}{4}$
29	69 $\frac{1}{4}$	88 $\frac{3}{8}$		
30	71 $\frac{1}{8}$	91 $\frac{1}{4}$	69 $\frac{3}{8}$	89 $\frac{1}{8}$
31	74 $\frac{1}{2}$	94 $\frac{1}{8}$		
32	77 $\frac{1}{8}$	98	74 $\frac{1}{8}$	95 $\frac{1}{8}$
33	80 $\frac{1}{4}$	101 $\frac{1}{8}$		
34	82 $\frac{3}{8}$	104 $\frac{1}{4}$	80 $\frac{3}{4}$	102 $\frac{1}{8}$
35	85 $\frac{1}{2}$	107 $\frac{1}{8}$		
36	88 $\frac{1}{4}$	111 $\frac{1}{8}$	86	108 $\frac{3}{8}$
37	90 $\frac{3}{8}$	114 $\frac{1}{4}$		
38	93 $\frac{1}{2}$	117 $\frac{3}{8}$	91 $\frac{1}{8}$	114 $\frac{1}{4}$
39	96 $\frac{1}{8}$	120 $\frac{1}{2}$		
40	98 $\frac{3}{4}$	123 $\frac{3}{8}$	96 $\frac{3}{8}$	121
41	101 $\frac{1}{2}$	126 $\frac{3}{8}$		
42	104 $\frac{1}{8}$	130	101 $\frac{1}{2}$	127 $\frac{1}{4}$
43	106 $\frac{1}{8}$	133 $\frac{1}{8}$		
44	109 $\frac{1}{2}$	136 $\frac{1}{4}$	106 $\frac{3}{8}$	133 $\frac{3}{8}$
45	112 $\frac{1}{8}$	139 $\frac{3}{8}$		
46	114 $\frac{3}{4}$	142 $\frac{1}{2}$	112 $\frac{1}{8}$	139 $\frac{1}{8}$
47	117 $\frac{1}{2}$	145 $\frac{3}{4}$		
48	120 $\frac{1}{8}$	148 $\frac{3}{8}$	117 $\frac{1}{2}$	146 $\frac{1}{4}$
49	122 $\frac{3}{4}$	152		
50	125 $\frac{3}{8}$	155 $\frac{1}{8}$	122 $\frac{3}{4}$	152 $\frac{1}{2}$
51	128 $\frac{1}{8}$	158 $\frac{3}{8}$		
52	130 $\frac{3}{4}$	161 $\frac{1}{2}$	128	158 $\frac{3}{4}$
53	133 $\frac{1}{2}$	164 $\frac{1}{4}$		
54	136 $\frac{1}{8}$	167 $\frac{1}{8}$	133 $\frac{3}{8}$	165 $\frac{1}{8}$
55	138 $\frac{3}{4}$	171		
56	141 $\frac{1}{8}$	174 $\frac{1}{8}$	138 $\frac{3}{8}$	171 $\frac{1}{8}$
57	144	177 $\frac{1}{4}$		
58	146 $\frac{3}{8}$	180 $\frac{1}{2}$	144	177 $\frac{3}{8}$
59	149 $\frac{1}{2}$	183 $\frac{3}{8}$		
60	152 $\frac{1}{8}$	186 $\frac{3}{8}$	149 $\frac{3}{8}$	184
61	154 $\frac{1}{4}$	189 $\frac{3}{8}$		
62	155 $\frac{1}{8}$	191	154 $\frac{3}{8}$	190 $\frac{1}{4}$
64			154 $\frac{1}{4}$	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW - CO


General Information

Sheer Vertical Blinds: Vane Color Coordination Chart


Fabric Name	Color Name	Color Number	Recommended Vane, Bead Chain, and Cord Weight Color
Bengali	Jute	2760	Ivory
Cascade	Champagne	2080	Ivory
Dijon	Downey	2221	White
	Extra White	2220	White
	Stucco	2222	Ivory
Gossamer	Champagne	1720	Ivory
	Parchment	1722	Ivory
	Snowstone	1724	White
	White	1725	White
Highlight	Champagne	1740	Ivory
	Snowstone	1741	White
	White	1742	White

General Information


G-71 Super-Vue® Product Detail



Exterior View



Interior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high-humidity applications
Rack and Pinion Gear System	Allows vanes to rotate smoothly and easily
Centrally Located Carrier Stems	Reversible headrail
Pantograph System	Requires very little draw force to open and close blinds; vanes stay proportionately spaced when opening the blind
One Touch® Control	Safety and convenience
Removable Stems	Ability to repair instead of remaking—less invasive for the customer
E-Z Open™	Automatically rotates the vanes when the cord is pulled to traverse the blind; not available with cord tension pulley, One Touch, and center, opposite, or uneven stack
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong

NOTE: Wand control is standard. See control options section for details.

General Information

G-98 Ultra-Vue™ Product Detail

Thin Profile Carrier System

- Narrow carrier width provides reduced vane stack
- Self-aligning carriers for trouble-free operation

Color Coordinated End Caps

- Provide a clean, finished look

Aluminum Headrail

- Will not rust
- Perfect for high-humidity applications

Traverse Cord

Rotation Chain with Tassels

Cord Safety Guide

Cord Tension Pulley

- Provides added safety and peace of mind


Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight


Inside Headrail View



Exterior View



Interior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high-humidity applications
Thin Profile Carriers	Reduced stack
Self-Aligning Carriers	Trouble-free operation
Fully Enclosed Drive and Flush End Caps	Provides a secure fit and clean finished appearance
Low-Friction Wheeled Carriers	Vaness traverse smoothly
One Touch® Control	Safety and convenience
Centrally Located Carrier Stems and Symmetrical Cord and Chain Control	Headrail reversible for right or left control installation
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Removable Stems	Ability to repair instead of remaking; less invasive for customer

NOTE: Wand control is standard. See control options section for details.

General Information

G-85 Dura-Vue® Product Detail

Thermolastic Carrier Linkage System

- Provides smooth traversing of vanes

Color Coordinated End Caps

- Provide a clean, finished look

Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight

Steel Headrail

Traverse Cord

Rotation Chain with Tassels

Cord Safety Guide


Cord Tension Pulley

- Provides added safety and peace of mind


Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Inside Headrail View



Exterior View



Interior View





Features	Benefits
Steel Headrail with Ivory Finish	Provides strength and durability
Wheeled Carriers	Vaness traverse smoothly and easily
Centrally Located Carrier Stems	Headrail is reversible for right or left control position
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Optional Stack and Control Positions	Single stack, split stack, opposite stack are available
One Touch® Control (standard)	Safety and convenience
Removable Stems	Ability to repair instead of remaking; less invasive for customer

NOTE: Wand control is standard. See control options section for details.

General Information

Sheer Vertical Blinds: G-71 Super-Vue® Product Detail



Features	Benefits
Easy Install Fabric	Install fabric after headrail installation; to clean, no need to take down entire blind
Skirt Only Option	Change fabric style or color when changing room décor
Washable Fabric	Remove fabric from blind to machine wash
Color Coordinated Thread	For finished appearance

NOTE: EZ Open™ feature is not available on sheer vertical blinds.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10003-110 (11/19)|S19-19701

GRABER.

Grabber Vertical Blinds Designer US List — Effective August 2021

Price Group A: Vinyl: Crown, Grotto

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	187	230	279	318	366	401	412	467	507	530	585	625	667	710	754	796	840	4
60 (152.4)	200	240	296	336	385	423	435	495	537	562	617	662	705	749	794	839	883	5
72 (182.9)	206	256	315	356	406	440	458	522	569	589	655	700	748	796	845	893	944	6
84 (213.4)	221	272	333	373	426	463	480	546	595	621	688	734	785	838	887	941	991	6
96 (243.9)	227	280	348	394	448	494	504	572	621	655	722	771	824	877	930	982	1035	8
108 (274.4)	235	294	364	412	471	513	529	600	654	685	754	809	860	916	971	1024	1080	8
120 (304.8)	249	311	381	435	498	543	559	635	685	711	792	842	903	962	1023	1084	1142	10
132 (335.3)	257	329	404	458	523	570	588	666	718	753	835	888	954	1019	1084	1149	1212	11
144 (365.8)	264	348	423	480	551	599	620	700	754	792	883	935	1003	1070	1137	1205	1273	12
156 (396.3)	271	365	441	502	574	628	651	732	792	831	927	982	1054	1127	1199	1268	1341	14
168 (426.8)	274	385	463	527	605	656	685	765	827	867	972	1027	1106	1179	1257	1334	1409	16
180 (457.2)	279	404	483	546	629	687	709	800	863	906	1017	1076	1156	1236	1317	1398	1477	17
192 (487.7)	287	422	504	570	656	711	740	831	902	947	1062	1127	1212	1298	1384	1470	1556	18

Add Surcharge to Blind Price

Square-Corner Valance	21	33	36	42	46	49	51	57	61	65	71	75	80	85	89	93	98
Round-Corner Valance*	23	36	41	49	52	56	57	65	70	74	84	89	94	100	105	110	
Double Round-Corner Valance*	46	72	82	98	104	112	114	130	140	148	168	178	188	200	210	220	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	145	174	204	229	257	276	280	321	345	359	396	420	447	478	504	534	4
60 (152.4)	154	190	218	242	273	295	301	342	375	382	427	452	485	516	549	582	5
72 (182.9)	166	201	235	258	290	316	321	368	397	412	457	486	518	552	587	618	6
84 (213.4)	172	209	250	275	312	333	338	389	423	438	486	516	551	587	621	655	6
96 (243.9)	179	222	261	291	328	357	363	412	445	465	510	546	584	621	657	695	8
108 (274.4)	190	234	276	310	345	376	380	437	470	491	544	575	613	654	694	733	8
120 (304.8)	202	248	295	328	371	400	405	465	497	517	574	608	650	693	734	777	10
132 (335.3)	206	261	315	349	393	428	433	492	532	552	612	652	698	743	789	835	11
144 (365.8)	210	277	330	368	416	452	459	520	566	588	655	695	743	793	841	888	12

Add Surcharge to Blind Price

Square-Corner Valance	21	33	36	42	46	49	51	57	61	65	71	75	80	85	89	93
Round-Corner Valance*	23	36	41	49	52	56	57	65	70	74	84	89	94	100	105	110
Double Round-Corner Valance*	46	72	82	98	104	112	114	130	140	148	168	178	188	200	210	220

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Vinyl: Crown*

Alabaster	9303	Ivory	9307	White	9306
Candelabra	9300	Misty Gray	9312		
Carob	9317	Tan	9308		

Vinyl: Grotto

Alabaster	6587	Stormcloud	6584	White	6585
Ivory	6586				

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group B: Vinyl: Cachet, Fiber, Quantum, Stowe, Window Weaves Channel Panel

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	224	276	335	385	440	482	498	567	613	645	705	753	805	856	905	959	1008	5
60 (152.4)	239	294	360	406	463	508	523	595	651	678	746	800	851	903	958	1008	1062	5
72 (182.9)	249	308	379	429	487	537	553	627	685	711	792	842	897	954	1008	1065	1118	6
84 (213.4)	265	323	400	450	516	562	575	662	715	749	826	887	949	1006	1068	1127	1184	8
96 (243.9)	274	337	420	471	540	588	607	691	749	788	867	931	993	1054	1117	1179	1244	8
108 (274.4)	282	356	437	498	569	616	636	723	786	822	906	971	1033	1098	1161	1227	1290	12
120 (304.8)	299	377	461	523	599	656	672	764	822	860	951	1016	1087	1155	1226	1294	1365	13
132 (335.3)	308	400	487	555	628	690	705	810	867	906	1008	1073	1145	1220	1292	1365	1435	14
144 (365.8)	312	418	516	583	662	722	739	846	916	959	1063	1135	1212	1288	1366	1441	1519	16
156 (396.3)	318	437	543	613	691	753	775	887	963	1008	1117	1191	1273	1353	1431	1513	1591	17
168 (426.8)	326	458	569	645	722	786	812	929	1009	1057	1173	1253	1337	1418	1505	1588	1672	18
180 (457.2)	332	479	595	672	752	820	845	971	1057	1107	1230	1311	1399	1485	1573	1658	1744	19
192 (487.7)	335	499	620	700	784	853	880	1009	1106	1154	1281	1371	1460	1551	1643	1731	1823	20

Add Surcharge to Blind Price

Square-Corner Valance	23	38	41	52	57	58	60	68	75	78	88	94	100	105	110	116	121	
Round-Corner Valance*	27	41	50	59	64	66	68	78	87	91	100	109	116	122	128	135		
Double Round-Corner Valance*	54	82	100	118	128	132	136	156	174	182	200	218	232	244	256	270		

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178½ (454.1)		
48 (122)	177	216	257	288	329	358	363	415	448	465	509	544	584	621	657	698		5
60 (152.4)	194	234	276	305	349	378	382	440	480	496	545	582	621	660	704	742		5
72 (182.9)	204	249	295	329	370	398	408	467	506	527	583	621	663	708	749	793		6
84 (213.4)	212	258	315	345	390	423	432	496	534	561	618	657	706	749	795	841		8
96 (243.9)	223	275	330	368	415	449	458	524	567	592	652	698	743	789	838	884		8
108 (274.4)	233	287	344	384	438	475	486	551	595	625	688	733	784	838	888	942		12
120 (304.8)	245	305	370	408	466	503	510	588	629	652	728	772	826	879	931	984		13
132 (335.3)	252	323	392	434	491	533	540	621	667	698	773	823	878	933	987	1043		14
144 (365.8)	257	340	415	459	517	563	572	657	710	739	822	875	933	989	1049	1106		16

Add Surcharge to Blind Price

Square-Corner Valance	23	38	41	52	57	58	60	68	75	78	88	94	100	105	110	116		
Round-Corner Valance*	27	41	50	59	64	66	68	78	87	91	100	109	116	122	128	135		
Double Round-Corner Valance*	54	82	100	118	128	132	136	156	174	182	200	218	232	244	256	270		

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Vinyl: Cachet*					
Ivory	6657	Shimmer Sage	6660	Tan	6654
Satin White	6651	Silver Dollar	6655	White	6650
Vinyl: Fiber*					
Bloodroot	3977	Midnight	3974	Shale	3090
Buttercream	3972	Pebble	3092	White	3973
Cinnamon	3976	Sandstone	3970		
Vinyl: Quantum*					
Chevre	6874	Model	6881	Shipwreck	6875
Cream	6879				
Vinyl: Stowe					
Bone	9014	Embankment	9022	Willow	9015
Cocoa	9011	Resort	9021	Yew	9020
Vinyl: Window Weaves					
Deep Walnut	3892	Melting Snow	3890	Pilaf	3896
Heath	3895	Millet	3897	Rice Paper	3893
Vinyl: Channel Panel					
Ivory	7137	White	7136		

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group C: Fabric: Baskerville, Brighton, Harmony, Sheffield
Vinyl: Homespun II, Lake Forest[®], Rapture, Satin Stripe
Vinyl S-Shaped: Linen S, Quantum S

G-71 Super-Vue[®] and G-98 Ultra-Vue[™]

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	251	319	389	425	492	538	554	628	683	712	784	839	897	958	1017	1076	1135	10
60 (152.4)	265	327	402	450	517	567	585	663	721	756	828	887	949	1012	1073	1137	1199	12
72 (182.9)	275	347	420	478	541	595	616	696	760	794	878	936	999	1064	1129	1193	1257	12
84 (213.4)	292	359	445	501	571	625	644	735	795	835	921	986	1053	1124	1191	1260	1329	13
96 (243.9)	301	373	467	529	605	655	678	768	835	878	965	1033	1107	1177	1248	1320	1393	13
108 (274.4)	318	394	487	554	630	688	710	811	872	916	1009	1080	1153	1227	1299	1371	1447	15
120 (304.8)	334	419	516	585	668	727	748	848	916	957	1058	1132	1209	1290	1366	1446	1521	15
132 (335.3)	342	445	543	616	706	768	788	893	965	1009	1120	1195	1278	1361	1445	1526	1609	16
144 (365.8)	351	469	571	645	742	805	828	936	1017	1065	1181	1260	1346	1432	1518	1603	1687	17
156 (396.3)	359	494	605	679	778	843	872	980	1068	1120	1242	1323	1412	1503	1593	1680	1768	19
168 (426.8)	366	522	630	710	818	884	912	1024	1115	1175	1302	1386	1477	1570	1664	1755	1848	20
180 (457.2)	372	546	662	740	853	923	952	1120	1169	1229	1362	1452	1547	1643	1738	1833	1928	21
192 (487.7)	384	570	688	772	889	960	993	1162	1219	1282	1422	1517	1614	1713	1813	1909	2008	22

Add Surcharge to Blind Price

Square-Corner Valance	27	40	45	54	59	61	63	69	77	82	90	96	103	109	116	122	129	
Round-Corner Valance*	30	45	51	61	65	68	70	82	90	93	104	112	118	126	136	144	153.00	
Double Round-Corner Valance*	60	90	102	122	130	136	140	164	180	186	208	221	236	252	272	288	306.00	
Stay Clear [™] Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch[®] Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue[®]

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	200	243	288	320	369	398	406	463	500	524	574	612	656	701	742	785	10
60 (152.4)	216	260	312	345	390	423	433	491	538	554	612	655	702	747	793	840	12
72 (182.9)	225	277	329	364	414	447	458	525	569	592	655	694	742	791	841	889	12
84 (213.4)	234	289	350	390	437	477	485	553	600	625	691	735	788	841	891	944	13
96 (243.9)	250	308	369	411	463	500	510	588	631	662	731	779	833	888	943	996	13
108 (274.4)	272	319	389	433	488	532	541	617	666	698	771	822	880	938	992	1049	15
120 (304.8)	276	341	411	458	521	563	574	657	706	731	812	862	923	985	1046	1107	15
132 (335.3)	281	364	435	487	551	596	609	691	749	779	862	920	983	1047	1110	1173	16
144 (365.8)	288	389	460	512	586	630	646	730	794	827	916	975	1040	1107	1172	1239	17

Add Surcharge to Blind Price

Square-Corner Valance	27	40	45	54	59	61	63	69	77	82	90	96	103	109	116	122	
Round-Corner Valance*	30	45	51	61	65	68	70	82	90	93	104	112	118	126	136	144	
Double Round-Corner Valance*	60	90	102	122	130	136	140	164	180	186	208	221	236	252	272	288	
Stay Clear [™] Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch[®] Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Baskerville					
Caffeine	0393	Havarti	0390	Provalone	0391
Gouda	0392				
Fabric: Brighton^ø					
Bark	4205	Platinum	4250	Tundra	4201
Bone	4222	Sugar Maple	4202	White	4219
Graham Cracker	4203	Toast	4282		
Fabric: Harmony^ø					
Cityscape	0232	Pebble	0230	Tassel	0231
Glacial	0233				
Fabric: Sheffield^ø					
Chelsea	0201	Meadow	0207	Windsor	0203
Eclipse	0205	Tuscon	0204		
Henley	0202	Weathered	0206		
Vinyl: Homespun II*					
Beach	9113	Chocolate	9114	Ivory	9111
Butterscotch	9112				
Vinyl: Lake Forest^Δ					
Cognac	3771	Natural	3773	Wheat	3770
Golden Oak	3772				
Vinyl: Rapture*					
Bleach	3612	Heather	3610	Steel	3614
Vinyl: Satin Stripe					
Imperial	9489	Sand	9481	Snow	9485
Ivory	9480	Silversmith	9488		
Vinyl S-Shaped: Linen S*					
Café	6263	Granite	6267	Snow	6260
Cream	6261	Lakebed	6266		
Ebony	6265	Lichen	6262		
Vinyl S-Shaped: Quantum S					
Chevre	3396	Model	3395	Shipwreck	3397
Cream	3391				

* Available in coordinating 2" (5 .1 cm) horizontal vinyl blinds.

Δ Available in coordinating Lake Forest® Faux Wood blinds.

ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group D: Fabric: Devon, Grasses, Tahiti Weave, Thatch
Vinyl: Chenille, Parallels, Safari
Vinyl S-Shaped: Homespun II S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	294	363	444	508	585	641	656	747	813	847	933	996	1066	1136	1205	1275	1342	12
60 (152.4)	312	391	476	537	613	674	696	788	856	895	989	1053	1129	1201	1276	1348	1424	14
72 (182.9)	332	407	501	569	643	706	728	831	904	942	1046	1115	1193	1273	1348	1429	1507	14
84 (213.4)	345	426	529	600	680	739	765	872	949	990	1096	1173	1251	1335	1414	1496	1577	14
96 (243.9)	363	448	553	628	718	779	805	915	994	1040	1151	1230	1316	1395	1482	1566	1652	17
108 (274.4)	375	470	581	656	750	821	841	960	1037	1089	1202	1285	1377	1467	1556	1643	1733	17
120 (304.8)	400	496	612	696	794	869	887	1012	1089	1137	1260	1342	1436	1529	1621	1717	1809	18
132 (335.3)	407	531	655	739	840	919	939	1068	1155	1209	1341	1435	1535	1633	1730	1831	1929	19
144 (365.8)	420	568	696	780	887	968	989	1124	1225	1281	1427	1524	1629	1731	1836	1945	2046	20
156 (396.3)	427	604	737	824	933	1019	1041	1181	1292	1355	1509	1614	1725	1834	1948	2058	2166	21
168 (426.8)	439	635	778	869	980	1068	1092	1237	1359	1424	1592	1704	1819	1935	2054	2167	2285	22
180 (457.2)	447	673	821	912	1025	1117	1142	1293	1429	1496	1674	1793	1914	2038	2160	2282	2406	23
192 (487.7)	458	706	861	957	1070	1167	1195	1348	1496	1569	1758	1881	2011	2139	2267	2394	2523	24

Add Surcharge to Blind Price

Square-Corner Valance	29	43	52	59	63	67	68	78	89	91	101	109	117	124	131	140	147	
Round-Corner Valance*	34	52	59	67	72	77	84	93	100	104	117	124	133	142	151	159	167.00	
Double Round-Corner Valance*	68	104	118	134	144	154	168	186	200	208	234	248	266	284	302	318	334.00	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	237	293	352	398	457	495	504	576	624	652	714	763	819	870	925	979	12
60 (152.4)	256	318	377	419	480	526	538	612	663	691	763	814	869	926	983	1040	14
72 (182.9)	269	333	400	446	504	552	568	646	704	730	812	864	924	984	1045	1104	14
84 (213.4)	282	345	421	475	538	586	596	685	741	771	853	912	977	1041	1104	1168	14
96 (243.9)	297	366	445	499	566	614	627	719	781	816	897	961	1026	1093	1160	1224	17
108 (274.4)	309	382	466	526	595	651	662	756	818	853	948	1008	1079	1149	1219	1290	17
120 (304.8)	327	406	495	555	630	690	702	800	860	895	996	1058	1131	1206	1280	1352	18
132 (335.3)	334	436	531	593	671	732	744	847	920	959	1067	1134	1214	1293	1372	1451	19
144 (365.8)	342	466	566	627	710	774	788	895	977	1019	1135	1210	1294	1378	1461	1547	20

Add Surcharge to Blind Price

Square-Corner Valance	29	43	52	59	63	67	68	78	89	91	101	109	117	124	131	140	
Round-Corner Valance*	34	52	59	67	72	77	84	93	100	104	117	124	133	142	151	159	
Double Round-Corner Valance*	68	104	118	134	144	154	168	186	200	208	234	248	266	284	302	318	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Devon					
Abbot	0032	Plymouth	0030	Torbay	0031
Newton	0033				
Fabric: Grasses					
Chestnut	1713	Maple	1710	Twig	1711
Hardwood	1712				
Fabric: Tahiti Weave					
Autumn	0455	Bourbon	0451	Tortoise Shell	0454
Basket Weave	0453	Hudson	0450		
Fabric: Thatch					
Coffee	1565	Natural	1560	Toffee	1563
Vinyl: Chenille					
Aluminum	6801	Cream	6791	Off White	6790
Chantarelle	6802	Filigree	6799	Syrah	6800
Vinyl: Parallels					
Amaretto	6952	Spice	6951	Waterloo	6953
Mesa	6950				
Vinyl: Safari*					
Buffalo	3640	Moccasin	3643	Stormy Sage	3646
Hearthstone	3648	Quarry	3647		
Vinyl S-Shaped: Homespun II S					
Beach	9683	Chocolate	9684	Ivory	9681
Butterscotch	9682				

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group E: Fabric: Allure, Royale, Strings, Tuvalu, Urban Loft
Vinyl: Acropolis, Coronation, Kensington
Vinyl S-Shaped: Georgetown S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm)																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	327	402	492	564	646	709	725	824	899	939	1033	1103	1181	1257	1336	1411	1486	14
60 (152.4)	344	433	525	592	679	747	769	872	948	989	1095	1167	1248	1329	1412	1492	1576	16
72 (182.9)	365	450	554	630	711	780	809	919	999	1042	1157	1235	1321	1408	1492	1581	1667	20
84 (213.4)	384	475	586	664	754	818	846	965	1050	1096	1212	1298	1385	1475	1566	1655	1745	20
96 (243.9)	402	498	612	694	794	863	891	1013	1099	1152	1272	1361	1453	1546	1639	1731	1824	25
108 (274.4)	416	520	643	725	828	907	930	1063	1149	1204	1334	1423	1521	1620	1723	1820	1923	28
120 (304.8)	440	548	678	769	880	962	981	1118	1204	1258	1394	1486	1591	1694	1798	1898	2002	29
132 (335.3)	450	588	723	818	929	1019	1040	1182	1278	1339	1485	1589	1698	1807	1916	2025	2136	30
144 (365.8)	464	628	769	865	981	1071	1095	1244	1355	1416	1577	1686	1802	1917	2035	2151	2267	31
156 (396.3)	476	666	816	914	1033	1128	1153	1305	1429	1500	1672	1787	1909	2029	2154	2277	2400	32
168 (426.8)	485	704	861	962	1086	1182	1208	1370	1505	1576	1762	1885	2015	2143	2273	2401	2527	33
180 (457.2)	497	746	907	1009	1135	1237	1265	1430	1581	1655	1854	1983	2118	2254	2390	2524	2661	34
192 (487.7)	506	780	954	1057	1187	1293	1322	1492	1655	1734	1947	2083	2226	2369	2510	2651	2794	35

Add Surcharge to Blind Price

Square-Corner Valance	32	49	58	67	70	76	81	87	98	102	114	120	129	138	146	155	164	
Round-Corner Valance*	36	56	67	76	81	87	90	102	113	116	131	140	149	159	170	179	189.00	
Double Round-Corner Valance*	72	112	134	152	162	174	180	204	226	232	262	280	298	318	340	358	378.00	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	263	323	386	438	500	545	554	633	686	716	785	839	899	959	1017	1075	14
60 (152.4)	280	350	415	460	527	579	592	673	729	760	839	893	958	1019	1080	1142	16
72 (182.9)	295	366	440	490	554	607	624	709	771	802	891	949	1015	1082	1147	1214	20
84 (213.4)	313	379	463	521	592	644	655	751	815	848	939	1004	1072	1143	1214	1284	20
96 (243.9)	328	400	489	549	622	676	690	790	859	897	985	1056	1129	1201	1275	1346	25
108 (274.4)	337	422	510	579	654	715	728	831	898	939	1042	1108	1187	1264	1340	1418	28
120 (304.8)	358	446	545	610	693	759	770	879	946	984	1094	1162	1243	1325	1406	1488	29
132 (335.3)	368	479	584	652	736	804	819	930	1009	1052	1170	1246	1334	1422	1508	1594	30
144 (365.8)	377	510	622	690	780	852	866	984	1072	1120	1247	1329	1423	1514	1607	1698	31

Add Surcharge to Blind Price

Square-Corner Valance	32	49	58	67	70	76	81	87	98	102	114	120	129	138	146	155	
Round-Corner Valance*	36	56	67	76	81	87	90	102	113	116	131	140	149	159	170	179	
Double Round-Corner Valance*	72	112	134	152	162	174	180	204	226	232	262	280	298	318	340	358	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Allure^ø					
Fog	0511	Latte	0513	Titanium	0510
Glimmer	0512	Still Water	0514		
Fabric: Royale^ø					
Granite	0431	Rapture	0434	Storm	0432
Ivory	0430	Saddle	0433		
Fabric: Strings					
Delicate	4750	Urban Mist	4753	Winsome	4752
Parfait	4751				
Fabric: Tuvalu^ø					
Cream Caramel	0440	Cream Silk	0441	French Silk	0442
Fabric: Urban Loft					
Ductwork	0380	Rooftop	0383	Skyline	0381
Exposed Brick	0382				
Vinyl: Acropolis					
Laurel Wreath	3134	Olympus	3130	Poseidon	3131
Olive Oil	3132	Parthenon	3133		
Vinyl: Coronation*					
Decree	3751	Proclamation	3752	Sceptre	3754
Princess	3750	Royal Coach	3753		
Vinyl: Kensington*					
Bellhop	3255	Passport	3252	Titanium	3254
Fresh Linens	3250	Room Key	3253		
Vinyl S-Shaped: Georgetown S*					
Capitol Hill	6698	National Mall	6699	Tawny	6693
Flax	6697	Smithsonian	6700	White	6691

* Available in coordinating 2" (5 .1 cm) horizontal vinyl blinds.

ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group F: Fabric: Compass, Crossweave, Network, Prescott

G-71 Super-Vue® and G-98 Ultra-Vue™

	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	364	456	552	635	725	795	816	927	1013	1052	1163	1242	1325	1412	1497	1582	1668	19
60 (152.4)	390	485	591	663	765	839	865	981	1065	1113	1230	1310	1402	1491	1583	1676	1767	21
72 (182.9)	410	507	621	705	802	880	905	1031	1124	1173	1302	1388	1484	1580	1676	1770	1868	23
84 (213.4)	431	531	655	747	846	922	949	1087	1179	1233	1366	1458	1559	1658	1759	1860	1959	24
96 (243.9)	456	559	688	779	891	970	1001	1137	1237	1294	1429	1527	1633	1740	1848	1952	2059	31
108 (274.4)	469	583	721	816	932	1023	1047	1193	1290	1353	1497	1602	1713	1823	1936	2049	2162	33
120 (304.8)	496	618	760	865	987	1083	1103	1260	1353	1415	1569	1672	1787	1906	2020	2137	2254	36
132 (335.3)	508	662	814	919	1045	1142	1172	1331	1435	1506	1672	1785	1909	2033	2157	2281	2406	37
144 (365.8)	523	705	863	972	1100	1206	1235	1402	1520	1593	1777	1897	2027	2160	2293	2423	2554	38
156 (396.3)	536	748	915	1025	1158	1268	1302	1472	1605	1680	1880	2014	2153	2294	2432	2573	2713	39
168 (426.8)	545	793	963	1083	1219	1334	1368	1544	1685	1769	1986	2128	2274	2422	2568	2716	2863	40
180 (457.2)	558	835	1016	1136	1275	1393	1433	1616	1769	1861	2090	2240	2392	2548	2704	2858	3011	41
192 (487.7)	570	878	1065	1189	1334	1458	1499	1685	1856	1950	2197	2350	2513	2674	2837	3000	3159	46

Add Surcharge to Blind Price

Square-Corner Valance	40	61	72	85	87	95	98	110	121	123	142	149	159	170	179	189	198	
Round-Corner Valance*	45	69	85	95	101	110	112	123	141	144	161	174	186	197	210	222	233.00	
Double Round-Corner Valance*	90	138	170	190	202	220	224	246	282	288	322	348	372	394	420	444	466.00	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	296	369	439	495	567	614	629	715	777	811	889	951	1019	1087	1155	1221	19
60 (152.4)	318	393	469	521	596	653	670	762	824	861	951	1011	1082	1153	1221	1293	21
72 (182.9)	336	414	497	555	629	688	707	803	874	909	1007	1075	1147	1221	1297	1371	23
84 (213.4)	352	432	526	588	670	726	743	852	923	962	1063	1135	1215	1294	1373	1452	24
96 (243.9)	371	454	553	623	706	764	783	894	970	1013	1120	1196	1279	1361	1444	1528	31
108 (274.4)	382	478	580	653	742	810	823	943	1015	1063	1179	1255	1341	1429	1513	1600	33
120 (304.8)	406	505	614	691	784	860	872	996	1072	1117	1238	1318	1409	1500	1594	1687	36
132 (335.3)	416	544	658	736	835	912	927	1057	1140	1193	1326	1413	1512	1613	1710	1809	37
144 (365.8)	427	582	705	783	882	966	985	1117	1213	1266	1415	1508	1614	1718	1824	1929	38

Add Surcharge to Blind Price

Square-Corner Valance	40	61	72	85	87	95	98	110	121	123	142	149	159	170	179	189	
Round-Corner Valance*	45	69	85	95	101	110	112	123	141	144	161	174	186	197	210	222	
Double Round-Corner Valance*	90	138	170	190	202	220	224	246	282	288	322	348	372	394	420	444	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Compass

Due North	0072	South Seas	0071	True West	0070
-----------	------	------------	------	-----------	------

Fabric: Crossweave^ø

Beechwood	2510	Tahiti	2512	Thatched Roof	2513
Brick	2504				

Fabric: Network

Medallion	0372	Quicksilver	0371	Seashell	0370
-----------	------	-------------	------	----------	------

Fabric: Prescott

Dune	0172	Fossil	0171	Mirage	0170
------	------	--------	------	--------	------

^ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group G: Sheer Vertical Blinds: Gossamer, Highlight

Height up to inches (cm) ↓	Width up to inches (cm) →													Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)	
48 (122)	886	1082	1321	1570	1763	2034	2067	2301	2559	2907	3806	4025	4317	2
60 (152.4)	963	1306	1481	1672	1902	2067	2105	2331	2744	3283	3948	4172	4455	5
72 (182.9)	1012	1321	1497	1687	1924	2084	2177	2440	2829	3374	3982	4206	4495	5
84 (213.4)	1028	1341	1519	1712	1940	2105	2193	2463	2883	3602	4017	4245	4541	5
96 (243.9)	1037	1366	1542	1736	1966	2129	2217	2485	2956	3659	4056	4282	4576	5
104 (264.2)	1054	1371	1557	1755	1985	2148	2237	2500	3029	3718	4085	4314	4605	7

Add Surcharge to Blind Price

Dauphine® Valance	No charge												
Round-Corner Valance	49	76	93	105	111	121	124	136	159	191	231	244	257
Double Round-Corner Valance	98	152	186	210	222	242	248	272	318	382	462	488	514

Sheer: Gossamer^S

Champagne	1720	Snowstone	1724	White	1725
Parchment	1722				

Sheer: Highlight^S

Champagne	1740	Snowstone	1742	White	1741
-----------	------	-----------	------	-------	------

^SAvailable in coordinating Graber® Artisan.

Price Group H: Sheer Vertical Blinds: Bengali, Cascade, Dijon

Height up to inches (cm) ↓	Width up to inches (cm) →													Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)	
48 (122)	1013	1233	1507	1792	2011	2318	2357	2621	2917	3310	4340	4589	4917	2
60 (152.4)	1100	1493	1693	1905	2169	2357	2396	2657	3127	3742	4503	4758	5078	5
72 (182.9)	1157	1510	1710	1924	2191	2377	2480	2781	3229	3845	4543	4796	5128	5
84 (213.4)	1175	1535	1735	1953	2216	2396	2502	2808	3289	4111	4581	4839	5178	5
96 (243.9)	1187	1560	1760	1977	2243	2432	2527	2835	3373	4174	4624	4885	5222	5
104 (264.2)	1210	1567	1780	2004	2265	2452	2552	2853	3460	4244	4655	4919	5252	7

Add Surcharge to Blind Price

Dauphine® Valance	No charge												
Round-Corner Valance	51	81	98	110	117	127	130	142	167	200	243	257	269
Double Round-Corner Valance	102	162	196	220	234	254	260	284	334	400	486	514	538

Bengali^S

Jute	2760
------	------

Cascade^S

Champagne	2080
-----------	------

Dijon

Downey	2221	Extra White	2220	Stucco	2222
--------	------	-------------	------	--------	------

^SAvailable in coordinating Graber® Artisan.

Options Pricing

Vertical Blind Options

Angled Window Blind	420 surcharge added to price from G-71 charts using angled width and longest height
Angled Window Headrail	420 surcharge added to price from G-71 replacement headrail chart using angled width
Bay and Corner Window Bottom Chain and Clips (fabric vanes)	No charge
Bottom Chain (vinyl vanes)	45
Cut-Outs	45
Double-Round Corner Valance	67
Headrail Pricing	See price charts for surcharge
One Touch™ Wand Control (standard)	See headrail pricing
Paired Blinds	No charge
Projection Brackets: 4 3/8" (11.2 cm)	Price as two blinds and add together; no surcharge
Replacement Valances	No charge
Round-Corner Valance	See price charts (same as valance surcharges)
Square-Corner Valance	See price charts for surcharge
Stacking Options	See price charts for surcharge
Stay Clear™ Channel Panels	42 per blind for center/uneven stack
Vane Replacements	42 per blind for opposite stack
Wood Cornices and Valances	See price charts for surcharge
	See price charts
	See cornices and valances product information guide

Sheer Vertical Blind Options

Bay and Corner Window Dauphine® Valance	No charge
Double Round-Corner Valance	No charge
Paired Blinds	See price charts for surcharge
Round-Corner Valance	Price as two separate blinds and add together
Vane Replacement	See price charts for surcharge
Wood Cornices and Valances	See price charts
	See cornices and valances product information guide

Vertical Blinds: Replacement Headrail Pricing

Width up to inches (cm) →																
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	158 (401.4)	170 (431.8)	177 (449.6)	191 (485.2)
G-71 Super-Vue and G-98 Ultra-Vue	79	123	162	204	241	276	284	323	362	390	427	464	504	546	563	615
G-85 Dura-Vue	68	105	132	165	192	219	223	256	287	311	338	370	396	432	444	

NOTE: Dura-Vue maximum size 178 3/4" (454.1 cm).

NOTE: Valance not included with replacement headrail. Must be ordered separately. See individual price chart for ordering.

NOTE: Replacement headrails include installation hardware.

Sheer Vertical Blinds: Replacement Headrail Pricing

Width up to inches (cm) →															
	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)		
Headrail	105	160	212	265	317	353	369	422	502	603	712	739	799		

Sheer Vertical Blinds: Replacement Valance Pricing

Round-Corner Valance

Width up to →		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Group G		52	80	98	111	117	128	131	144	168	202	244	258	272
Group H		54	86	104	116	124	134	137	150	176	211	257	272	284

Double Round-Corner Valance

Width up to →		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Group G		104	161	197	222	235	256	262	287	336	404	488	516	543
Group H		108	171	207	232	247	268	275	300	353	423	514	543	569

NOTE: Replacement valances include mounting hardware and returns.

Sheer Vertical Blinds: Replacement Fabric Pricing

Width up to inches (cm) →		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Chart G		781	1187	1270	1528	1691	1753	1854	2079	2449	2904	3427	3586	3852
Chart H		901	1374	1481	1775	1995	2059	2183	2451	2894	3436	4054	4241	4556

Sheer Vertical Blinds: Replacement Valance Fabric Only Pricing

Width up to inches (cm) →		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Valance Fabric Only		18	24	39	50	55	62	64	74	92	108	129	132	141

Replacement Dauphine® Valance with Shirred Fabric Pricing

Width up to inches (cm) →		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Chart G		94	138	186	236	284	330	335	394	452	557	657	690	737
Chart H		108	161	213	260	310	347	361	410	488	589	699	726	783