

GRABER® | DELIGHT IN
EVERY DETAIL



Graber Vertical Blinds English/US Price Guide

Features

Vertical Blinds: Vane Styles and Information	3
Sheer Vertical Blinds: Styles, Fabric Content, Light Control, Light Control Levels	4
Oeko-Tex® Standard 100 Certified Fabrics	4
NFPA 701	4
Vertical Blinds: Vane Features	5

Size Considerations

Vertical Blinds, Depth Requirements for Inside Mount	6
Sheer Vertical Blinds, Depth Requirements for Inside Mount	6

Options

Summary	7
Vertical Blinds: Control Options	8
Sheer Vertical Blinds: Control Options	8
Vertical Blinds: Headrail Systems	9
Vertical Blinds and Sheer Vertical Blinds: Stacking Options	10
Vertical Blinds and Sheer Vertical Blinds: Installation Types	10
Vertical Blinds: Cut-Out Blinds	11
Vertical Blinds: Bottom Chain	11
Vertical Blinds: Stay Clear™ Channel Panel for Fabric Vanes	12
Vertical Blinds and Sheer Vertical Blinds: Paired Blinds	12
Vertical Blinds and Sheer Vertical Blinds: Vane Replacement Ordering	12
Sheer Vertical Blinds: Hem Style	12
Vertical Blinds: Square-Corner Valance	13
Vertical Blinds and Sheer Vertical Blinds: Round-Corner	13
Vertical Blinds and Sheer Vertical Blinds: Double Round-Corner Valances	13
Sheer Vertical Blinds: Dauphine® Valance	13
Vertical Blinds and Sheer Vertical Blinds: Bay and Corner Windows	14
Vertical Blinds: Specialty Shapes: Angled Window Headrail	15

General Information

Vertical Blinds and Sheer Vertical Blinds: Installation Hardware	16
Vertical Blinds and Sheer Vertical Blinds: Number of Mounting Brackets	16
Vertical Blinds and Sheer Vertical Blinds: Clear Opening: How to Measure for Uncovered Window	17
Vertical Blinds: Vane Stacking Chart: G-71 Super-Vue® 3½"	17
Vertical Blinds: Vane Stacking Chart: G-98 Ultra-Vue™ 3½"	18
Vertical Blinds: Vane Stacking Chart: G-85 Dura-Vue® 3½"	18
Vertical Blinds: Vane Stacking Chart: One Touch® Control	19
Sheer Vertical Blinds: Vane Stacking Chart: Outside Mount	20

PLEASE NOTE:

Photos and illustrations are for inspiration only.

Not all product configurations are available in all countries.

Window blind cords are a strangulation hazard for young children.

Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

Table of Contents

General Information

Sheer Vertical Blinds: Vane Stacking Chart: Inside Mount	20
Sheer Vertical Blinds: Vane Color Coordination Chart	21
G-71 Super-Vue Product Detail	22
G-98 Ultra-Vue Product Detail	23
G-85 Dura-Vue Product Detail	24
Sheer Vertical Blinds: G-71 Super-Vue Product Detail	25

Features

- Choose from a variety of fabric, crown vinyl, or S-shaped vinyl vanes
- S-shaped vanes feature a rolling drapery look
- Fabric vanes can be free hanging or inserted into channel panel for more light control and privacy
- Many vinyl styles coordinate with Graber® 2" Horizontal Vinyl Blinds
- Several fabric styles coordinate with Graber FashionPleat®, EvenPleat®, or LightWeaves® Shades

Vertical Blinds: Vane Styles and Information

Collection Name	Material Content	Light Control	Vane Style	Street Side Appearance	Coordinates
Fabric					
Allure	Fabric	Light filtering/room darkening	FH or INS		LightWeaves Roller
Baskerville	Fabric	Light filtering/transparent	FH or INS		
Brighton FR	Fabric	Light filtering	FH or INS		FashionPleat and EvenPleat
Compass®	Fabric	Room darkening	FH		
Crossweave®	Fabric	Light filtering	FH or INS		LightWeaves Roller, FashionPleat, and EvenPleat
Devon	Fabric	Light filtering	FH or INS		
Grasses	Fabric	Light filtering	FH or INS		
Harmony®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Network	Fabric	Light filtering	FH or INS		
Prescott®	Fabric	Room darkening	FH		
Royale®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Sheffield®	Fabric	Light filtering/transparent	FH or INS		LightWeaves Roller
Strings	Fabric	Transparent	FH		
Tahiti Weave	Fabric	Light filtering	FH or INS		
Thatch	Fabric	Light filtering	FH or INS		
Tuvalu®	Fabric	Light filtering/transparent	FH or INS		EvenPleat
Urban Loft®	Fabric	Light filtering/transparent	FH or INS		
S-Shaped Vinyl					
Georgetown S	100% vinyl	Room darkening	S-shaped	Neutral	2" horizontal vinyl
Homespun II S	100% vinyl	Room darkening	S-shaped	Neutral	
Linen S	100% vinyl	Room darkening	S-shaped	Neutral	2" horizontal vinyl
Quantum S	100% vinyl	Room darkening	S-shaped	Neutral	
Crown Vinyl					
Acropolis	100% vinyl	Room darkening	Crown	Neutral	
Cachet	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Channel Panel	100% vinyl	Room darkening	Crown	Same front and back	
Chenille	100% vinyl	Room darkening	Crown	Neutral	
Coronation	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Crown	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Fiber	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Grotto	100% vinyl	Room darkening	Crown	Same front and back	
Homespun II	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Kensington	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Lake Forest®	100% vinyl	Room darkening	Crown	Same front and back	Lake Forest Faux Wood Blinds
Parallels	100% vinyl	Room darkening	Crown	Neutral	
Quantum	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Rapture	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Safari	100% vinyl	Room darkening	Crown	Neutral	2" horizontal vinyl
Satin Stripe	100% vinyl	Room darkening	Crown	Neutral	
Stowe	100% vinyl	Room darkening	Crown	Neutral	
Window Weaves	100% vinyl	Room darkening	Crown	Neutral	

®Oeko-Tex® fabric

FR = Flame resistant NFPA 701

FH = Free hanging fabric

INS = Fabric inserted into channel panel

Features

Sheer vertical blinds combine the soft look of sheer fabric draperies and the light control benefits of vinyl vertical blinds. When the vanes are open, softly diffused light streams into the room through sheer fabric for minimal privacy and light control; when closed, light is blocked from entering the room to provide maximum privacy and light control. Not only for patio doors, sheer vertical blinds also look beautiful on wider or uniquely shaped windows. Plus, sheer vertical fabrics are easily removed and machine washable.

- Fabric easily installed and removed—no need to take down entire blind
- Easily replace original fabric with different style or color when décor changes
- Fabric is machine washable
- Color coordinated thread for a finished appearance
- Heavy-duty aluminum headrail with steel pantograph system ensures smooth operation and proportional spacing of vanes
- Available as both inside and outside mount
- Cord and chain control only
- Stems are removable for easy replacement in the home

Sheer Vertical Blinds: Styles, Fabric Content, and Light Control

Collection Name	Material Content	Light Control	Vane Style	Street Side Appearance	Coordinates
Bengali	100% polyester	Sheer/room darkening	FH	Neutral	Graber® Artisan
Cascade	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan
Dijon	100% polyester	Sheer/room darkening	FH	Neutral	
Gossamer	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan
Highlight	100% polyester	Sheer/room darkening	FH	Neutral	Graber Artisan

Light Control Levels

Light Filtering: Light is filtered to varying degrees depending on fabric style and color; silhouettes of objects and people are visible through the blind.

Room Darkening: Light is substantially blocked; vague shadows of objects or people may be visible; maximum room darkening is achieved with darker colors.

Sheer: Allows light to enter the room where light control and privacy are not a concern. Objects in the room can be seen quite clearly through open blinds.

Oeko-Tex® Standard 100 Certified Fabrics

Oeko-Tex Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.




NFPA 701


NFPA 701 Flame resistance test is the standard method of fire tests for flame propagation of textiles and films by the National Fire Protection Agency.

Features


Vertical Blinds: Vane Features



Vane View: Side the color or texture is facing when vanes are rotated open so you can see through the vanes to the street.



Free Hanging Fabric with Optional Bottom Chain and Clips



Vane Material Inserted in Channel Panel

Vinyl Styles

- All vinyl vanes offer value, durability, easy cleaning, and superior light control
- Choose from embossed crown, smooth crown, or S-shaped embossed vinyl vanes
- Embossed textures offered in solids or prints with the look of jacquard or linen fabrics, wood, or stucco
- Coordinating 2" horizontal vinyl blinds available for many styles; for pricing on 2" horizontal vinyl blinds, see the Graber® 2" horizontal vinyl product information guide

Vinyl Crown Vanes

- Traditional curved vanes

Vinyl S-Shaped Vanes

- Provide a more drapery like look to your vertical blinds
- Provide better closure for more light control and privacy
- Valances are made with crown PVC of the same texture and color; dye lot cannot be guaranteed
- S-shaped vanes are NOT reversible; vane view shows which side the color/texture is facing when vanes are rotated open so you can see out the window
 - Right stack and split stack—left
 - Left stack—right
- You may choose a vane view other than the recommended if you are concerned about which side of the vane you will see when blinds are rotated open
- For paired, bay and corner blinds, the same vane view is recommended for all blinds

NOTE: See illustrations on how S-shaped vanes will hang.

Fabric Vanes

- Designer fabric vane styles range from sheer to room darkening in a variety of weaves and materials
- Free-hanging vanes come with sewn-in bottom weights and optional chain and clips
- For increased privacy and room darkening, fabric vanes can be inserted into channel panels; the clear edge channels hold fabric securely and will not yellow over time; the opaque vinyl vanes provide additional privacy and light control; see price charts for replacement pricing
- Coordinating Graber pleated, Roman, solar, and roller shade fabric and Graber sliding panels are available for selected styles
- Available in 3½" fabric styles

Additional Information

- Due to the nature of vane materials (both fabric and vinyl prints), colors may vary slightly from dye lot to dye lot; exact matches cannot be guaranteed
- Due to the random design of some vane patterns, exact alignment of the pattern across the blind is not possible

Size Considerations

Vertical Blinds

	Width			Height	
	Minimum Single Stack (inches)	Minimum Split Stack (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
G-71 Super-Vue®	9	12	191	12	192
G-98 Ultra-Vue™	9	17	191	12	192
G-85 Dura-Vue®	9	12	178¾	12	144
One Touch®	9	N/A	144	12	96


One Touch Control: 10,080 square inches maximum overall size. Minimum wand length is 33".

Factory Deductions

Mount	Mount Bracket Location	Valance	Height Deduction G-71 (inches)	Height Deduction G-98 (inches)	Height Deduction G-85 (inches)
Outside	All types	Yes/no	0	0	0
Inside	Ceiling or top	No	¾	½	½
Inside	Ceiling or top	Yes	¾	¾	½
Inside	Wall or back	No	1⅞	¾	¾
Inside	Wall or back	Yes	1⅞	1⅞	1⅞

Mount	Width Deductions (inches)
Outside	0
Inside	¼

Depth Requirements for Inside Mount

	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	Headrail Flush with Casing (vanes and/or valance not flush with casing) (inches)	Depth Needed for Flush Mount Vane (inches)	 Fully recessed valance in window casing/molding Depth Needed for Flush Mount Valance (inches)
G-71 Super-Vue	1⅞ x 1⅞	2⅞	3	3¼	4⅞
G-98 Ultra-Vue	1⅞ x 1⅞	2⅞	2⅞	3¼	4⅞
G-85 Dura-Vue	1⅞ x 1½	2⅞	2¾	3¼	4⅞

Sheer Vertical Blinds

	Width		Height	
	Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
Sheer Vertical Blinds	17	191	19	104

Depth Requirements for Inside Mount

 Partially recessed headrail in window casing/molding Minimum Depth Partially Recessed Mount (inches)	Depth Needed for Flush Mount Headrail (inches)	Depth Needed for Flush Mount Vane (inches)	 Fully recessed valance in window casing/molding Depth Needed for Flush Mount Valance (inches)
2⅞	3	5¼	6

Partially Recessed: A partially recessed window treatment is where the depth of the window casing is less than the space necessary for a flush mount.

Flush Mount: If the window casing is deep enough to mount the entire blind inside of it, this is called a flush mount.

Options

Summary

The following is a list of options for vertical and sheer vertical blinds. All options are available in all styles and colors. Limitations will be based on fabric width. See detailed descriptions on the following pages.

Vertical Blinds

Control Type Options—No Charge

- Cord and chain controls
- One Touch® Control (standard)

Options—No Charge

- Bay and corner windows
- Paired blinds
- Projection bracket: 4 $\frac{3}{8}$ "

Options—Surcharge (see price charts for pricing and/or surcharges)

- Bottom chain and clips (fabric)
- Bottom chain (vinyl)
- Cut-outs
- Round-corner valance
- Double round-corner valance
- Square-corner valance
- Stay Clear™ channel panels
- Wood cornices and valances (see cornices and valances product information guide)

Specialty Options (see price charts for pricing and/or surcharges)

- Angled top

Sheer Vertical Blinds

Control Type Options—No Charge

- Standard cord and chain controls

Options—No Charge


- Bay and corner windows
- Dauphine® valance
- Paired blinds

Options—Surcharge (see price charts for pricing and/or surcharges)

- Round-corner valance
- Double round-corner valance
- Wood cornices and valances (see cornices and valances product information guide)

Options

Vertical Blinds: Control Options



Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation

One Touch® Wand Control—Standard

- **No charge**
- A slender wand controls vane rotation and traversing
- Simple, convenient, safe (no cords and chains)
- Recommended for homes with children or pets
- Available with single stack only; no split stack or opposite stack
- Wand is always attached to leading vane


Width		Height	
Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
9	144	12*	96
Maximum overall size: 10,080 square inches (width x height)			

Wand Sizes


Keep in mind that the wand length is determined by the finished blind height. If the vertical blind covers a patio door or the bottom of the vertical blind reaches the floor, the following chart indicates wand length. If the headrail distance from the floor is greater than 77" or there is any furniture in front of the blind, specify a 48" or 60" wand for easy accessibility.

Blind Height (inches)	Wand Height (inches)
77 or less*	33
77½ to 92	48
92½ to 96	60

*If blind is less than 35", wand will be longer than vanes. The standard cord and chain control is recommended.



Sheer Vertical Blinds: Control Options




Cord and Chain

- **No charge**
- Cord controls vane traverse
- Chain controls vane rotation


Options

Vertical Blinds: Headrail Systems




G-71 Super-Vue®

The top-of-the-line G-71 Super-Vue features the patented pantograph traversing system to assure proportional spacing of vanes when closed. G-71 Super-Vue is available in a smooth, anodized aluminum channel. Ball bearing pulleys in the control mechanism and thermoplastic self-lubricating wheels on every carriage allow for smooth traversing vanes. Clear stems provide a sleek appearance with both fabrics and vinyl vanes. E-Z Open™, available only on the G-71 headrail, automatically rotates the vanes when the cord is pulled to traverse the blind.



G-98 Ultra-Vue™

The anodized aluminum G-98 Ultra-Vue headrail system traverses vanes smoothly through the consecutive action of stainless steel pick-up tails. Ultra-Vue carriers are wheeled for smooth traversing and are self-aligning.



G-85 Dura-Vue®

G-85 Dura-Vue headrails traverse vanes smoothly with a thermoplastic strap system. Dura-Vue steel headrail is offered in an ivory painted finish. Dura-Vue carriers are wheeled for smooth traversing.

The design of all Graber® headrails allows for reversible installation, providing versatile placement of controls on either the left or right.

Options

Vertical Blinds and Sheer Vertical Blinds: Stacking Options



Split Stack
Left Controls
(right controls available)



Left Stack
Same Side Stack
and Controls




Right Stack
Same Side Stack
and Controls




Opposite Stack
and Controls

VERTICALS ONLY: There is a surcharge for center/uneven stack and opposite stack.
Center/uneven stack available on G-71 Super-Vue® headrails for blinds with vanes only.

Vertical Blinds and Sheer Vertical Blinds: Installation Types



Inside/Ceiling Mount





Outside Mount

1. Inside Mount—Ceiling or Top of Window Frame (standard)
Manufacturing height deduction is taken for blinds being installed as inside, ceiling mount with or without a valance.
2. Inside Mount—Wall or Back of Window Frame
Manufacturing height deduction is taken for blinds being installed as inside mount using the L-bracket for a wall mount. An additional manufacturing height deduction is taken if a valance is included, to accommodate the height of the Dauphine® valance bracket.
3. Outside Mount—Wall or Back (standard)
No manufacturing height deduction is taken.
4. Outside Mount—Ceiling or Top (optional)
No manufacturing height deduction is taken.


Options

Vertical Blinds: Cut-Out Blinds



- **For surcharges, see price charts**
- Order when air conditioner, heating register, or other object would interfere with vanes
- Blind must stack away from cut-out area
- Specify size and base price by maximum width and height of blind
- Submit drawing to identify size and location of cut-out (see example)
- Minimum cut-out width 3½"
- Cut-out must be a full vane width (3½"); therefore may be wider than ordered
- Not available with bottom chain


Vertical Blinds: Bottom Chain



Bottom Chain
Vinyl Vanes
(Must be requested at time of order.)

- **For surcharges, see price charts**
- Optional, must be requested at time of order
- Not available with channel panel, S-shaped vanes, angle top, or cut-out blinds

Vane Style	Standard/Option	Description
Fabric	Standard	3-sided sewn-in weight
	Option	Single nickel-plated chain at back of vanes with clips
Vinyl	Standard	No bottom chain
	Option	Single nickel-plated chain in the middle of the vanes
Channel Panel	Standard	No bottom weights or chain




Back Side
of Vanes
Shown

Bottom Chain and Clip
Fabric Vanes
(Free hang only.)

Options

Vertical Blinds: Stay Clear™ Channel Panel for Fabric Vanes



- **See price charts for surcharges**
- For replacement channel panel pricing, see price charts
- Vane material inserted into extruded channel panel with clear edges; see blind features for fabric styles available
- Offers improved privacy, room darkening, and a neutral color appearance from exterior of window
- Channel panel colors are: Ivory (#7137) or White (#7136)
- Not available with bottom chain


Vertical Blinds and Sheer Vertical Blinds: Paired Blinds



- **Price as two separate blinds**
- The appearance of a split stack blind can be achieved by pairing blinds; the center opening point can be either on center or off center
- Paired blinds can also be used when the required width is larger than the maximum width available for a single blind
- Specify paired blinds on your order
- Control locations must be same as stack
- Recommend ordered as left/left and right/right
- Square-corner valance with dust cover only
- **Available with one-way cord and chain only**

Vertical Blinds and Sheer Vertical Blinds: Replacement Vane Ordering

See the column at the far right of each price chart, for individual vane pricing based on material desired.



How to Price a Replacement Vane

- Use the price charts for individual vane pricing
- Determine which chart based on material desired
- Locate height of your vane on the left side of the chart
- Use the price in the "Replmt Vanes" column in the price charts that coincides with the height of vane desired

How to Measure a Replacement Existing Vane, No Changes

- Measure the vane(s) from tip to tip to determine the exact finished vane length/height (FLL)
- No additional deductions will be taken by manufacturing; vanes will be manufactured to the exact size you provide
- Submit the measurement as exact height


How to Measure a Replacement Existing Vane, Changing the Height of the Vanes

- Measure from top of mounted headrail to bottom of location to be covered
- Record this measurement; this is the finished blind length/height (FBL)
- Manufacturing will take appropriate deduction so vanes will cover desired area

NOTE: Free hang fabric vanes include bottom weights.

Bottom chains for vinyl vanes are optional; must be specified at time of order


Sheer Vertical Blinds: Hem Style



- 4" drapery hem is standard


Options

Vertical Blinds: Square-Corner Valance



Square-Corner Valance
without Dust Cover

Square-Corner Valance
with Dust Cover




5 1/2" Returns

- **For surcharge, see price charts**
- The square-corner valance is an extruded vinyl, Stay-Clear™ channel panel, which is sized to hold 3 1/2" wide vane material; it includes two 5 1/2" returns
- Valances greater than 192" must have a dust cover
- Vinyl valance inserts are not available over 191" wide

Maximum Valance Size Limitations


	Valance		Returns	
	Maximum Vinyl (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Square-Corner Valance	191	191	3	8

Vertical Blinds and Sheer Vertical Blinds: Round-Corner and Double Round-Corner Valances



5" Return

Round-Corner
Valance




5" Return

4" Return

Double Round-Corner
Valance

Round-Corner Valance
with Dust Cover




Outside Mount Only

- **For surcharge, see price charts**
- The round-corner valance system features the Stay-Clear channel panel and is guaranteed not to yellow; accommodates vinyl and fabric vanes as inserts; S-shaped style vanes use matching crown profile for valance insert
- Create a layered look with a double round-corner valance
- Round and double round-corner valances include 5 1/2" returns
- Single round-corner valance: 3 3/4" high
- Double round-corner valance: 6 1/2" high

Maximum Valance Size Limitations

	Valance		Returns	
	Maximum Vinyl (inches)	Maximum Fabric (inches)	Minimum (inches)	Maximum (inches)
Round-Corner Valance	175	191	3	8
Double Round-Corner Valance	175	191	3	8

Sheer Vertical Blinds: Dauphine® Valance



4 1/2"

- **No charge**
- Fabric is Shirred for a soft look
- Snap-in brackets for easy installation
- Threader cap provides no-sag shirring of sheer fabric
- Notched for minimum 2 1/2" returns and will extend to 7 1/2" using the additional return slides which are included

NOTE: Top hem of blind will be visible below the Dauphine valance.

Also available are wood cornices and valances; see cornice and valance product information guide for more information.


Options

Vertical Blinds and Sheer Vertical Blinds: Bay and Corner Windows

- No charge
- Minimal corner gaps
- Square-corner valance with dust cover only
- Chain and cord only
- Each blind is controlled separately


- List each track width and height on separate lines
- Price as separate blinds
- If no deductions are required, do not order as bay or corner
- Sheer verticals—Dauphine® valance only

Measuring Information



Corner Window

Measure: Width of each window from corner to the point you would like to cover.




Three-Sided Bay Window

Measure:

- A and C: Width of side windows from the corners to the point you would like the blind to cover.
 B: Width of the center window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).

Measure bay angle using protractor or angle finder. Or use two business cards in bay corner as illustrated and fax to customer service.




Four-Sided Bay Window

Measure:

- A and D: Width of side windows from the corners to the point you would like the blind to cover.
 B and C: Width of each window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).
 Angle C-D: Angle between windows (C) and (D).

Measure bay angle using protractor or angle finder. Or use two business cards in bay corner as illustrated and fax to customer service.



Five-Sided Bay Window


Measure:

- A and E: Width of side windows from the corners to the point you would like the blind to cover.
 B, C, and D: Width of each center window from corner to corner.
 Angle A-B: Angle between windows (A) and (B).
 Angle B-C: Angle between windows (B) and (C).
 Angle C-D: Angle between windows (C) and (D).
 Angle D-E: Angle between windows (D) and (E).

Measure bay angle using protractor or angle finder. Or use two business cards as illustrated and fax to customer service.

Options

Vertical Blinds: Specialty Shapes: Angled Window Headrail

















- **For surcharges, see price charts**
- Ideal for sloping, cathedral-type windows
- Only available in single stack cord control vertical blinds
- Vane stack and cord control must be at the highest point of the window
- Exact dimensions must accompany orders to ensure proper fit
- Steepest slope possible is 55°
- Maximum size: 144" wide x 144" long, depending on angle
- Minimum low end is 6"
- Available on G71 Super-View® headrail only
- Square-corner valance with dust cover only; must be mitered at time of installation
- Bottom chains are not available

Measuring Outside Mount

1. Measure exact width and height of area to be covered. It is recommended that shades overlap window frame or opening by 1½" on each side.
2. Measure height of opening on left side and mark this dimension "left". Allow for overlap as desired: 1½" on top and bottom is recommended.
3. Measure height of opening on right side and mark this dimension "right". Allow for the same overlap as left side.
4. Factory will determine the angle from these three dimensions.

General Information

Vertical Blinds and Sheer Vertical Blinds: Installation Hardware

	G-71	G-98	G-85	Sheer Vertical Blinds	
Track Clip for Inside or Ceiling Mount					Dauphine® Valance Bracket 
L-Bracket for Outside or Wall Mount					Dauphine Valance Bracket 
Optional Flat Projection Bracket (NOTE: Attaches to angle bracket with nut/bolt pairs. Must be requested at time of order.)					

Vertical Blinds and Sheer Vertical Blinds: Number of Mounting Brackets

Sheer Vertical Blinds: Number of headrail and Dauphine valance mounting brackets

Blind Width (inches)	17 to 54	54 $\frac{1}{16}$ to 81	81 $\frac{1}{16}$ to 108	108 $\frac{1}{16}$ to 135	135 $\frac{1}{16}$ to 162	162 $\frac{1}{16}$ to 191
Number of Brackets	2	3	4	5	6	7

G-98 Headrail

Blind Width (inches)	9 to 50	50 to 90	91 to 130	131 to 170	171 to 191
Number of Brackets	2	3	4	5	6


G-71 and G-85 Headrail

Blind Width (inches)	9 to 62	63 to 98	99 to 134	135 to 170	171 to 191
Number of Brackets	2	3	4	5	6


General Information

Vertical Blinds and Sheer Vertical Blinds: Clear Opening: How to Measure for Uncovered Window

Stack Left Finished Blind Width (FBW)



Split Stack
(recommended for
balanced appearance)
Finished Blind Width (FBW)



1. Determine headrail type and the clear opening width for split stack, stack right or stack left (see diagrams)—the additional 3" shown for privacy is recommended if ordering a right or left stack.
2. Match the clear opening width with dimension found under "CO" column below. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even number of vanes.
3. Order the corresponding dimension found in the "FBW" (finished blind width) column below.

EXAMPLE: Stack Left

If determined width for clear opening window view is 54¼", order width needed to provide full unobstructed view is 66¾".

NOTE: For stack right or stack left blinds add an additional 3" to the clear opening before calculating the finished blind width.

For G-98 Ultra-Vue™ and G-85 Dura-Vue® headrails, and One Touch® Control, see appropriate stacking charts for single stack blinds only on the following pages.

Vertical Blinds: Vane Stacking Chart: G-71 Super-Vue® 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6⅞	10⅞		
4	9½	13¼	7¼	12½
5	12⅞	16⅞		
6	14⅞	19⅞	12½	18¾
7	17½	22¼		
8	20⅞	25⅞	17⅞	25⅞
9	22¾	29		
10	25⅞	32⅞	23¼	31⅞
11	28⅞	35⅞		
12	30¾	38½	28½	37¾
13	33⅞	41⅞		
14	36⅞	44¾	33¾	44
15	38¾	47⅞		
16	41⅞	51	39⅞	50¼
17	44	54¼		
18	46⅞	57⅞	44½	56⅞
19	49⅞	60½		
20	52	63⅞	49¾	62⅞
21	54⅞	66¾		
22	57⅞	70	55	69⅞
23	60	73⅞		
24	62⅞	76¼	60⅞	75½
25	65¼	79⅞		
26	67⅞	82½	65¾	81¾
27	70⅞	85¾		
28	73¼	88⅞	71	88
29	75⅞	92		
30	78⅞	95⅞	76¼	94⅞
31	81¼	98¼		
32	83⅞	101⅞	81½	100⅞

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
33	86½	104⅞		
34	89⅞	107¾	86⅞	107
35	91¼	110⅞		
36	94½	114	92⅞	113¾
37	97⅞	117⅞		
38	99¾	120⅞	97⅞	119½
39	102⅞	123½		
40	105⅞	126⅞	102¾	125⅞
41	107¾	129¾		
42	110⅞	132⅞	108⅞	132⅞
43	113	136		
44	115¾	139¾	113⅞	138⅞
45	118⅞	142⅞		
46	121	145½	118⅞	144¾
47	123⅞	148⅞		
48	126⅞	151¼	124	151
49	129	155		
50	131⅞	158⅞	129¼	157¼
51	134¼	161¼		
52	137	164⅞	134⅞	163⅞
53	139⅞	167½		
54	142¼	170⅞	139⅞	169⅞
55	144⅞	173⅞		
56	147⅞	177	145¼	176¼
57	150¼	180⅞		
58	152⅞	183¼	150½	182½
59	155½	186⅞		
60	158¼	189⅞	155⅞	188¾
61	159⅞	191		
62			157	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

For even spacing on outside mounts, round up width measurement to the next size in the stack chart. Split stack blinds must have an even number of vanes.

General Information

Vertical Blinds: Vane Stacking Chart: G-98 Ultra-Vue™ 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	7¼	10¼		
4	10	13¾	8½	13½
5	12⅞	16½		
6	15½	19 ⅝	14	19¾
7	18⅞	22¾		
8	21⅞	25⅞	19½	26
9	23 ⅞	29		
10	26¾	32¾	25⅞	32¼
11	29⅞	35⅞		
12	32¼	38¼	30⅞	38⅞
13	35	41⅞		
14	37¾	44½	36¼	44⅞
15	40½	47⅞		
16	43⅞	50¾	41¾	50⅞
17	46⅞	53⅞		
18	48⅞	57	47⅞	57⅞
19	51⅞	60		
20	54¾	63⅞	52⅞	63¼
21	57¼	66¼		
22	60	69⅞	58⅞	69½
23	62¾	72½		
24	65½	75⅞	64	75¾
25	68¼	78¾		
26	71⅞	80⅞	69½	82
27	73⅞	85		
28	76⅞	88	75	88⅞
29	79⅞	91⅞		
30	82¼	94¼	80⅞	94⅞
31	85	97⅞		
32	87¾	100½	86⅞	100⅞
33	90½	103⅞		
34	93¼	106¾	91¾	106⅞
35	96⅞	109⅞		
36	98¾	112⅞	97¼	113
37	101⅞	116		
38	104¾	119⅞	102⅞	119¼
39	107⅞	122¼		
40	109⅞	125⅞	108⅞	125½
41	112¾	128½		
42	115½	131 ⅝	113⅞	131¼
43	118¼	134¾		
44	121⅞	137⅞	119½	138
45	123¾	140⅞		
46	126⅞	144	125	144⅞
47	129⅞	147⅞		
48	132⅞	150¼	130⅞	150⅞
49	134⅞	153⅞		
50	137⅞	156½	136⅞	156⅞
51	140½	159⅞		
52	143¼	162¾	141¼	162⅞
53	146	165¾		
54	148¾	168⅞	147¼	169
55	151⅞	172		
56	154⅞	175⅞	152¾	175¼
57	157⅞	178¼		
58	159⅞	181⅞	158¼	181½
59	162⅞	184½		
60	165⅞	187⅞	163⅞	187¾
61	168⅞	190⅞		
62	168⅞	191	166½	191

Vertical Blinds: Vane Stacking Chart: G-85 Dura-Vue® 3½"

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	6⅞	10⅞		
4	9½	13¼	7¼	12½
5	12⅞	16⅞		
6	14¾	19½	12½	18¾
7	17⅞	22⅞		
8	20	25¾	17¾	25
9	22¾	28⅞		
10	25⅞	32	23	31¼
11	28	35 ⅞		
12	30⅞	38 ¼	28⅞	37½
13	33¼	41⅞		
14	35⅞	44½	33⅞	43¾
15	38½	47⅞		
16	41⅞	50 ¾	38⅞	50
17	43¾	53⅞		
18	46⅞	57	44⅞	56¼
19	49	60⅞		
20	51⅞	63¼	49⅞	62½
21	54⅞	66⅞		
22	57	69½	54⅞	68¾
23	59⅞	72⅞		
24	62¼	75¾	60	75
25	64⅞	78⅞		
26	67½	82	65¼	81¼
27	70⅞	85⅞		
28	72¾	88¼	70½	87½
29	75⅞	91⅞		
30	78	94½	75¾	93¾
31	80⅞	97⅞		
32	83¼	100¾	81	100
33	85⅞	103⅞		
34	88½	107	86¼	106 ¼
35	91⅞	110⅞		
36	93¾	113¼	91½	112½
37	96½	116⅞		
38	99⅞	119½	96¾	118¾
39	101¾	122⅞		
40	104⅞	125¾	102	125
41	107	128⅞		
42	109⅞	132	107⅞	131¼
43	112¼	135⅞		
44	114⅞	138¼	112⅞	137½
45	117½	141⅞		
46	120⅞	144½	117⅞	143¾
47	122¾	147⅞		
48	125½	150¾	123⅞	150
49	128⅞	153⅞		
50	130¾	157	128⅞	156¼
51	133⅞	160⅞		
52	136	163¼	133⅞	162½
53	138⅞	166⅞		
54	141¼	169½	139	168¾
55	143⅞	172⅞		
56	146½	175¾	144¼	175
57	149⅞	178⅞		
58	151¾	182	149½	181¼
59	154⅞	185⅞		
60	157	188¼	154¾	187½
61	159⅞	191		
62			157¼	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

18 | graberdirect.com

November 2019

General Information

Vertical Blinds: Vane Stacking Chart: One Touch® Control (all headrail styles)

G-71 Super-Vue®		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6½	9¾
4	8¾	12⅞
5	11½	16
6	14⅞	19¼
7	16¾	22⅞
8	19½	25½
9	22⅞	25⅞
10	24¾	31¾
11	27⅞	35
12	30	38⅞
13	32¾	41¼
14	35⅞	44⅞
15	38	47½
16	40⅞	50⅞
17	43⅞	53⅞
18	46	57
19	48⅞	60⅞
20	51⅞	63¼
21	54	66 ⅝
22	56⅞	69⅞
23	59⅞	73⅞
24	62¼	76¼
25	65	79⅞
26	67⅞	82½
27	70¼	85¼
28	73	88⅞
29	75⅞	92
30	78¼	95⅞
31	80⅞	98¼
32	83½	101⅞
33	86¼	104⅞
34	88⅞	107¼
35	91½	110⅞
36	94⅞	114
37	96¼	117⅞
38	99½	120⅞
39	102⅞	123½
40	104¼	126⅞
41	107½	129¼
42	110⅞	132⅞
43	112¼	136
44	115⅞	139¼
45	118	142⅞
46	120¼	145⅞
47	123⅞	148⅞
48	126	151¼
49	128¼	155
50	129¼	156

G-98 Ultra-Vue™		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6½	10
4	9	13⅞
5	11¼	16¼
6	14½	19⅞
7	17¼	22½
8	20⅞	25⅞
9	22¾	28⅞
10	25⅞	31¾
11	28⅞	34⅞
12	31⅞	38
13	33⅞	41⅞
14	36⅞	44¼
15	39½	47⅞
16	42¼	50½
17	45	53½
18	47¼	56⅞
19	50⅞	59¼
20	53⅞	62⅞
21	56⅞	66
22	58⅞	69⅞
23	62	72⅞
24	64¼	75¼
25	67½	78⅞
26	70⅞	81½
27	73	84⅞
28	75⅞	87¼
29	78⅞	90⅞
30	81⅞	94
31	84¼	97⅞
32	87	100⅞
33	89¼	103¼
34	92½	106⅞
35	95⅞	109½
36	98	112⅞
37	100⅞	115¼
38	103⅞	118⅞
39	106⅞	122
40	109⅞	125
41	111⅞	128⅞
42	114¼	131¼
43	117½	134⅞
44	120¼	137½
45	123⅞	140⅞
46	125¼	144
47	128⅞	147⅞
48	131¼	150¼
49	134⅞	153⅞
50	136¼	156

G-85 Dura-Vue®		
Number of Vanes	Single Stack	
	CO (inches)	FBW (inches)
3	6¼	10⅞
4	8⅞	13¼
5	11½	16⅞
6	14⅞	19½
7	16¾	22⅞
8	19⅞	25¼
9	22	28⅞
10	24¾	32
11	27⅞	35⅞
12	30	38¼
13	32⅞	41⅞
14	35¼	44½
15	37⅞	47⅞
16	40½	50¼
17	43⅞	53⅞
18	45¼	57
19	48⅞	60⅞
20	51	63¼
21	53⅞	66⅞
22	56¼	69½
23	59¼	72⅞
24	61⅞	75¼
25	64½	78⅞
26	67⅞	82
27	69¼	85⅞
28	72⅞	88¼
29	75	91⅞
30	77⅞	94½
31	80¼	97⅞
32	82⅞	100¼
33	85½	103⅞
34	88⅞	107
35	90¼	110⅞
36	93⅞	113¼
37	96⅞	116⅞
38	98¼	119½
39	101⅞	122⅞
40	104	125¼
41	106⅞	128⅞
42	109¼	132
43	111⅞	135⅞
44	114½	138¼
45	117⅞	141⅞
46	119¼	144½
47	122⅞	147⅞
48	125	150¼
49	127⅞	153⅞
50	129⅞	156

Split stack One Touch Control not available.

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW – CO

General Information

**Sheer Vertical Blinds: Vane Stacking Chart:
Outside Mount**

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
6	14 $\frac{1}{8}$	19 $\frac{1}{8}$	11 $\frac{1}{8}$	17
7	17 $\frac{1}{2}$	22 $\frac{3}{4}$		
8	20 $\frac{1}{8}$	25 $\frac{1}{8}$	16 $\frac{3}{8}$	23 $\frac{1}{4}$
9	22 $\frac{3}{4}$	29		
10	25 $\frac{1}{8}$	32 $\frac{1}{8}$	21 $\frac{1}{4}$	29 $\frac{1}{8}$
11	28 $\frac{1}{8}$	35 $\frac{1}{8}$		
12	30 $\frac{3}{4}$	38 $\frac{1}{2}$	27	35 $\frac{1}{8}$
13	33 $\frac{1}{8}$	41 $\frac{1}{8}$		
14	36 $\frac{1}{8}$	44 $\frac{3}{4}$	32 $\frac{3}{8}$	42 $\frac{1}{8}$
15	38 $\frac{3}{4}$	47 $\frac{1}{8}$		
16	41 $\frac{1}{8}$	51	37 $\frac{3}{4}$	48 $\frac{1}{2}$
17	44	54 $\frac{1}{4}$		
18	46 $\frac{3}{8}$	57 $\frac{3}{8}$	43	54 $\frac{3}{4}$
19	49 $\frac{1}{8}$	60 $\frac{1}{2}$		
20	52	63 $\frac{3}{8}$	48 $\frac{1}{4}$	61
21	54 $\frac{3}{8}$	66 $\frac{3}{4}$		
22	57 $\frac{3}{8}$	70	53 $\frac{3}{8}$	67 $\frac{3}{8}$
23	60	73 $\frac{1}{8}$		
24	62 $\frac{3}{8}$	76 $\frac{1}{4}$	58 $\frac{3}{8}$	73 $\frac{3}{8}$
25	65 $\frac{1}{4}$	79 $\frac{1}{8}$		
26	67 $\frac{1}{8}$	82 $\frac{1}{2}$	64 $\frac{1}{4}$	80
27	70 $\frac{3}{8}$	85 $\frac{3}{4}$		
28	73 $\frac{1}{4}$	88 $\frac{3}{8}$	69 $\frac{1}{2}$	86 $\frac{1}{4}$
29	75 $\frac{1}{8}$	92		
30	78 $\frac{3}{8}$	95 $\frac{1}{8}$	74 $\frac{3}{8}$	92 $\frac{1}{2}$
31	81 $\frac{1}{4}$	98 $\frac{1}{4}$		
32	83 $\frac{3}{8}$	101 $\frac{1}{8}$	80 $\frac{1}{4}$	98 $\frac{3}{8}$
33	86 $\frac{1}{2}$	104 $\frac{3}{8}$		
34	89 $\frac{1}{8}$	107 $\frac{3}{4}$	85 $\frac{1}{2}$	105 $\frac{1}{8}$
35	91 $\frac{1}{4}$	110 $\frac{1}{8}$		
36	94 $\frac{1}{2}$	114	90 $\frac{3}{4}$	111 $\frac{1}{8}$
37	97 $\frac{1}{8}$	117 $\frac{1}{8}$		
38	99 $\frac{1}{4}$	120 $\frac{3}{8}$	96 $\frac{1}{8}$	117 $\frac{3}{4}$
39	102 $\frac{3}{8}$	123 $\frac{1}{2}$		
40	105 $\frac{1}{8}$	126 $\frac{3}{8}$	101 $\frac{1}{8}$	124
41	107 $\frac{1}{4}$	129 $\frac{1}{8}$		
42	110 $\frac{1}{8}$	132 $\frac{3}{8}$	106 $\frac{3}{8}$	130 $\frac{1}{4}$
43	113	136		
44	115 $\frac{1}{4}$	139 $\frac{1}{4}$	112	136 $\frac{3}{8}$
45	118 $\frac{3}{8}$	142 $\frac{3}{8}$		
46	121	145 $\frac{1}{2}$	117 $\frac{3}{8}$	142 $\frac{3}{8}$
47	123 $\frac{1}{8}$	148 $\frac{1}{8}$		
48	126 $\frac{1}{4}$	151 $\frac{1}{4}$	122 $\frac{3}{4}$	149 $\frac{1}{4}$
49	129	155		
50	131 $\frac{1}{8}$	158 $\frac{1}{8}$	128	155 $\frac{1}{2}$
51	134 $\frac{1}{4}$	161 $\frac{1}{4}$		
52	137	164 $\frac{3}{8}$	133 $\frac{1}{4}$	161 $\frac{3}{4}$
53	139 $\frac{1}{8}$	167 $\frac{1}{2}$		
54	142 $\frac{1}{4}$	170 $\frac{1}{8}$	138 $\frac{3}{8}$	168 $\frac{1}{8}$
55	144 $\frac{1}{8}$	173 $\frac{3}{8}$		
56	147 $\frac{1}{8}$	177	143 $\frac{3}{8}$	174 $\frac{3}{8}$
57	150 $\frac{1}{4}$	180 $\frac{1}{8}$		
58	152 $\frac{1}{8}$	183 $\frac{1}{4}$	149 $\frac{1}{8}$	180 $\frac{5}{8}$
59	155 $\frac{1}{2}$	186 $\frac{3}{8}$		
60	158 $\frac{1}{4}$	189 $\frac{3}{8}$	154 $\frac{1}{2}$	187
61	159 $\frac{1}{8}$	191		
62			157 $\frac{1}{8}$	191

**Sheer Vertical Blinds: Vane Stacking Chart:
Inside Mount**

Number of Vanes	Single Stack		Split Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
7	10 $\frac{1}{8}$	19 $\frac{1}{4}$		
8	13 $\frac{3}{4}$	22 $\frac{3}{8}$	11 $\frac{1}{8}$	19 $\frac{1}{4}$
9	15 $\frac{1}{8}$	25 $\frac{1}{2}$		
10	18 $\frac{1}{2}$	28 $\frac{3}{8}$	16 $\frac{3}{8}$	26
11	21 $\frac{1}{4}$	31 $\frac{1}{8}$		
12	24	35	21 $\frac{1}{4}$	32 $\frac{3}{8}$
13	26 $\frac{3}{8}$	38 $\frac{1}{8}$		
14	29 $\frac{1}{4}$	41 $\frac{1}{4}$	27	38 $\frac{3}{8}$
15	31 $\frac{1}{8}$	44 $\frac{3}{8}$		
16	34 $\frac{3}{8}$	47 $\frac{1}{8}$	32 $\frac{1}{4}$	44 $\frac{1}{8}$
17	37 $\frac{1}{4}$	50 $\frac{1}{8}$		
18	39 $\frac{3}{8}$	53 $\frac{1}{8}$	37 $\frac{3}{4}$	51 $\frac{1}{4}$
19	42 $\frac{1}{2}$	57		
20	45 $\frac{1}{8}$	60 $\frac{1}{8}$	43	57 $\frac{1}{2}$
21	47 $\frac{3}{4}$	63 $\frac{1}{4}$		
22	50 $\frac{1}{2}$	66 $\frac{1}{2}$	48 $\frac{1}{4}$	63 $\frac{3}{4}$
23	53 $\frac{1}{8}$	69 $\frac{1}{8}$		
24	55 $\frac{1}{8}$	72 $\frac{1}{8}$	53 $\frac{3}{8}$	70 $\frac{1}{8}$
25	58 $\frac{1}{2}$	76		
26	61 $\frac{1}{8}$	79 $\frac{1}{8}$	59	76 $\frac{1}{2}$
27	63 $\frac{3}{8}$	82 $\frac{1}{4}$		
28	66 $\frac{3}{8}$	85 $\frac{1}{2}$	64 $\frac{1}{4}$	82 $\frac{3}{4}$
29	69 $\frac{1}{4}$	88 $\frac{3}{8}$		
30	71 $\frac{1}{8}$	91 $\frac{1}{4}$	69 $\frac{3}{8}$	89 $\frac{1}{8}$
31	74 $\frac{1}{2}$	94 $\frac{1}{8}$		
32	77 $\frac{1}{8}$	98	74 $\frac{1}{8}$	95 $\frac{1}{8}$
33	80 $\frac{1}{4}$	101 $\frac{1}{8}$		
34	82 $\frac{3}{8}$	104 $\frac{1}{4}$	80 $\frac{3}{4}$	102 $\frac{1}{8}$
35	85 $\frac{1}{2}$	107 $\frac{1}{8}$		
36	88 $\frac{1}{4}$	111 $\frac{1}{8}$	86	108 $\frac{3}{8}$
37	90 $\frac{3}{8}$	114 $\frac{1}{4}$		
38	93 $\frac{1}{2}$	117 $\frac{3}{8}$	91 $\frac{1}{8}$	114 $\frac{1}{4}$
39	96 $\frac{1}{8}$	120 $\frac{1}{2}$		
40	98 $\frac{3}{4}$	123 $\frac{3}{8}$	96 $\frac{3}{8}$	121
41	101 $\frac{1}{2}$	126 $\frac{3}{8}$		
42	104 $\frac{1}{8}$	130	101 $\frac{1}{2}$	127 $\frac{1}{4}$
43	106 $\frac{1}{8}$	133 $\frac{1}{8}$		
44	109 $\frac{1}{2}$	136 $\frac{1}{4}$	106 $\frac{3}{8}$	133 $\frac{3}{8}$
45	112 $\frac{1}{8}$	139 $\frac{3}{8}$		
46	114 $\frac{3}{4}$	142 $\frac{1}{2}$	112 $\frac{1}{8}$	139 $\frac{1}{8}$
47	117 $\frac{1}{2}$	145 $\frac{1}{4}$		
48	120 $\frac{1}{8}$	148 $\frac{3}{8}$	117 $\frac{1}{2}$	146 $\frac{1}{4}$
49	122 $\frac{3}{4}$	152		
50	125 $\frac{3}{8}$	155 $\frac{1}{8}$	122 $\frac{3}{4}$	152 $\frac{1}{2}$
51	128 $\frac{1}{8}$	158 $\frac{3}{8}$		
52	130 $\frac{3}{4}$	161 $\frac{1}{2}$	128	158 $\frac{3}{4}$
53	133 $\frac{1}{2}$	164 $\frac{1}{4}$		
54	136 $\frac{1}{8}$	167 $\frac{1}{8}$	133 $\frac{3}{8}$	165 $\frac{1}{8}$
55	138 $\frac{3}{4}$	171		
56	141 $\frac{1}{8}$	174 $\frac{1}{8}$	138 $\frac{3}{8}$	171 $\frac{1}{8}$
57	144	177 $\frac{1}{4}$		
58	146 $\frac{3}{8}$	180 $\frac{1}{2}$	144	177 $\frac{3}{8}$
59	149 $\frac{1}{2}$	183 $\frac{3}{8}$		
60	152 $\frac{1}{8}$	186 $\frac{3}{8}$	149 $\frac{3}{8}$	184
61	154 $\frac{1}{4}$	189 $\frac{3}{8}$		
62	155 $\frac{1}{8}$	191	154 $\frac{3}{8}$	190 $\frac{1}{4}$
64			154 $\frac{1}{4}$	191

FBW = Finished Blind Width

CO = Clear Opening

Stack = FBW - CO


General Information

Sheer Vertical Blinds: Vane Color Coordination Chart


Fabric Name	Color Name	Color Number	Recommended Vane, Bead Chain, and Cord Weight Color
Bengali	Jute	2760	Ivory
Cascade	Champagne	2080	Ivory
Dijon	Downey	2221	White
	Extra White	2220	White
	Stucco	2222	Ivory
Gossamer	Champagne	1720	Ivory
	Parchment	1722	Ivory
	Snowstone	1724	White
	White	1725	White
Highlight	Champagne	1740	Ivory
	Snowstone	1741	White
	White	1742	White

General Information


G-71 Super-Vue® Product Detail



Exterior View



Interior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high-humidity applications
Rack and Pinion Gear System	Allows vanes to rotate smoothly and easily
Centrally Located Carrier Stems	Reversible headrail
Pantograph System	Requires very little draw force to open and close blinds; vanes stay proportionately spaced when opening the blind
One Touch® Control	Safety and convenience
Removable Stems	Ability to repair instead of remaking—less invasive for the customer
E-Z Open™	Automatically rotates the vanes when the cord is pulled to traverse the blind; not available with cord tension pulley, One Touch, and center, opposite, or uneven stack
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong

NOTE: Wand control is standard. See control options section for details.

General Information

G-98 Ultra-Vue™ Product Detail

Thin Profile Carrier System

- Narrow carrier width provides reduced vane stack
- Self-aligning carriers for trouble-free operation

Color Coordinated End Caps

- Provide a clean, finished look

Aluminum Headrail

- Will not rust
- Perfect for high-humidity applications

Traverse Cord

Rotation Chain with Tassels

Cord Safety Guide

Cord Tension Pulley

- Provides added safety and peace of mind


Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight


Inside Headrail View



Exterior View



Interior View



Features	Benefits
Heavy-Duty Anodized Aluminum Headrail	Will not rust; ideal for high-humidity applications
Thin Profile Carriers	Reduced stack
Self-Aligning Carriers	Trouble-free operation
Fully Enclosed Drive and Flush End Caps	Provides a secure fit and clean finished appearance
Low-Friction Wheeled Carriers	Vaness traverse smoothly
One Touch® Control	Safety and convenience
Centrally Located Carrier Stems and Symmetrical Cord and Chain Control	Headrail reversible for right or left control installation
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Removable Stems	Ability to repair instead of remaking; less invasive for customer

NOTE: Wand control is standard. See control options section for details.

General Information

G-85 Dura-Vue® Product Detail

Thermolastic Carrier Linkage System

- Provides smooth traversing of vanes

Color Coordinated End Caps

- Provide a clean, finished look

Vane Weights

- Available on fabric vanes only
- Allow fabric to hang straight

Steel Headrail

Traverse Cord

Rotation Chain with Tassels

Cord Safety Guide


Cord Tension Pulley

- Provides added safety and peace of mind


Bottom Clip and Chain (optional for fabric vanes)

- Stabilizes vanes in a moving air environment (i.e. screen door, heat register)


Inside Headrail View



Exterior View



Interior View





Features	Benefits
Steel Headrail with Ivory Finish	Provides strength and durability
Wheeled Carriers	Vaness traverse smoothly and easily
Centrally Located Carrier Stems	Headrail is reversible for right or left control position
Clear Nylon Vane Stems	Nearly invisible, yet extremely strong
Optional Stack and Control Positions	Single stack, split stack, opposite stack are available
One Touch® Control (standard)	Safety and convenience
Removable Stems	Ability to repair instead of remaking; less invasive for customer

NOTE: Wand control is standard. See control options section for details.

General Information

Sheer Vertical Blinds: G-71 Super-Vue® Product Detail



Features	Benefits
Easy Install Fabric	Install fabric after headrail installation; to clean, no need to take down entire blind
Skirt Only Option	Change fabric style or color when changing room décor
Washable Fabric	Remove fabric from blind to machine wash
Color Coordinated Thread	For finished appearance

NOTE: EZ Open™ feature is not available on sheer vertical blinds.

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10003-110 (11/19)|S19-19701

GRABER.

Grabber Vertical Blinds Designer US List — Effective June 2023

Price Group A: Vinyl: Crown, Grotto

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	226	278	337	385	443	485	498	564	613	640	708	756	807	859	912	962	1015	4
60 (152.4)	242	290	358	407	465	512	526	599	650	681	746	800	852	906	960	1014	1068	5
72 (182.9)	249	310	382	431	491	532	553	632	688	712	793	847	905	962	1022	1080	1142	6
84 (213.4)	267	329	403	451	515	560	581	660	720	750	832	887	949	1013	1073	1137	1198	6
96 (243.9)	275	338	421	476	542	598	610	691	750	793	873	933	996	1060	1125	1187	1251	8
108 (274.4)	284	356	440	498	570	621	639	725	791	828	912	977	1040	1108	1174	1238	1306	8
120 (304.8)	301	376	461	526	602	657	676	769	828	860	958	1019	1093	1163	1237	1311	1381	10
132 (335.3)	311	398	489	553	633	689	711	806	869	911	1010	1074	1154	1233	1311	1389	1466	11
144 (365.8)	320	421	512	581	666	724	749	847	912	958	1068	1131	1213	1294	1375	1458	1539	12
156 (396.3)	328	441	533	607	694	760	788	885	958	1005	1121	1187	1274	1362	1450	1534	1622	15
168 (426.8)	332	465	560	637	732	794	828	925	1000	1048	1176	1242	1338	1426	1520	1613	1704	17
180 (457.2)	337	489	584	660	761	831	858	968	1044	1096	1231	1301	1398	1495	1593	1691	1786	18
192 (487.7)	348	511	610	689	794	860	895	1005	1091	1146	1285	1362	1466	1570	1674	1779	1882	19

Add Surcharge to Blind Price

Square-Corner Valance	22	34	37	44	48	51	53	59	63	68	74	78	83	88	93	97	102
Round-Corner Valance*	24	37	43	51	54	58	59	68	73	77	87	93	98	104	109	114	
Double Round-Corner Valance*	48	75	85	102	108	116	119	135	146	154	175	185	196	208	218	229	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (in) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178½ (454.1)		
48 (122)	166	199	233	262	294	316	321	367	395	411	454	481	512	549	578	612	4	
60 (152.4)	176	218	249	278	312	338	345	392	430	438	489	517	556	591	629	667	5	
72 (182.9)	190	230	270	296	333	362	367	421	455	472	524	557	593	633	673	707	6	
84 (213.4)	197	240	286	315	357	382	388	446	484	502	557	591	631	673	711	751	6	
96 (243.9)	205	254	299	334	376	409	416	472	510	532	584	625	670	711	753	796	8	
108 (274.4)	218	269	316	355	395	431	436	501	538	563	623	659	702	750	795	840	8	
120 (304.8)	231	284	338	376	424	458	464	532	569	592	657	697	745	794	841	891	10	
132 (335.3)	235	299	361	400	450	490	497	564	610	633	701	747	799	851	904	957	11	
144 (365.8)	241	318	378	421	476	517	526	595	648	674	751	796	851	908	963	1017	12	

Add Surcharge to Blind Price

Square-Corner Valance	22	34	37	44	48	51	53	59	63	68	74	78	83	88	93	97
Round-Corner Valance*	24	37	43	51	54	58	59	68	73	77	87	93	98	104	109	114
Double Round-Corner Valance*	48	75	85	102	108	116	119	135	146	154	175	185	196	208	218	229

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Vinyl: Crown*

Alabaster	9303	Ivory	9307	White	9306
Candelabra	9300	Misty Gray	9312		
Carob	9317	Tan	9308		

Vinyl: Grotto

Alabaster	6587	Stormcloud	6584	White	6585
Ivory	6586				

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group B: Vinyl: Cachet, Fiber, Quantum, Stowe, Window Weaves Channel Panel

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	271	334	405	465	532	583	602	686	741	780	852	911	973	1036	1095	1160	1219	5
60 (152.4)	288	356	436	491	560	614	633	720	788	820	902	968	1029	1093	1159	1219	1285	5
72 (182.9)	301	373	459	519	588	650	669	759	828	860	958	1019	1084	1154	1219	1288	1352	6
84 (213.4)	321	390	484	545	624	681	695	800	864	906	999	1073	1148	1217	1292	1362	1432	8
96 (243.9)	332	408	508	570	653	711	735	835	906	953	1048	1126	1201	1274	1350	1426	1505	8
108 (274.4)	340	431	528	602	688	745	770	875	950	994	1096	1174	1249	1328	1405	1484	1560	12
120 (304.8)	361	457	558	633	724	794	812	924	994	1040	1150	1230	1314	1397	1483	1566	1650	14
132 (335.3)	373	484	588	671	760	834	852	981	1048	1096	1219	1297	1384	1476	1562	1650	1735	15
144 (365.8)	377	506	624	706	800	873	894	1023	1108	1160	1286	1373	1466	1558	1653	1743	1837	17
156 (396.3)	385	528	657	741	835	911	937	1073	1164	1219	1350	1441	1539	1636	1731	1830	1924	18
168 (426.8)	394	553	688	780	873	950	983	1124	1220	1278	1418	1516	1618	1715	1820	1921	2021	19
180 (457.2)	402	579	720	812	909	992	1022	1174	1278	1339	1487	1586	1692	1796	1903	2006	2109	20
192 (487.7)	405	603	749	847	948	1031	1064	1220	1338	1396	1549	1658	1766	1875	1986	2094	2205	21

Add Surcharge to Blind Price

Square-Corner Valance	24	40	43	54	59	60	62	71	78	81	92	98	104	109	114	121	126	
Round-Corner Valance*	28	43	52	61	67	69	71	81	90	95	104	113	121	127	133	140		
Double Round-Corner Valance*	56	85	104	123	133	137	141	162	181	189	208	227	241	254	266	281		

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 1/4 (454.1)	
48 (122)	203	247	294	330	377	410	416	475	513	532	583	623	670	711	753	799	5
60 (152.4)	222	269	316	349	400	433	438	504	551	568	624	667	711	756	807	850	5
72 (182.9)	233	285	338	377	423	456	468	535	580	605	669	711	759	811	859	908	6
84 (213.4)	243	296	361	395	447	484	496	568	612	643	707	753	809	859	910	963	8
96 (243.9)	255	315	378	421	475	514	525	599	649	678	747	799	851	904	960	1013	8
108 (274.4)	268	329	394	441	502	544	557	631	681	717	788	840	899	960	1017	1079	12
120 (304.8)	281	349	423	468	534	577	584	674	721	747	835	883	947	1008	1067	1128	14
132 (335.3)	288	369	449	498	563	611	619	711	764	799	886	943	1007	1069	1131	1196	15
144 (365.8)	294	390	475	526	592	645	654	753	813	847	942	1003	1069	1133	1202	1267	17

Add Surcharge to Blind Price

Square-Corner Valance	24	40	43	54	59	60	62	71	78	81	92	98	104	109	114	121	
Round-Corner Valance*	28	43	52	61	67	69	71	81	90	95	104	113	121	127	133	140	
Double Round-Corner Valance*	56	85	104	123	133	137	141	162	181	189	208	227	241	254	266	281	

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Vinyl: Cachet*					
Ivory	6657	Shimmer Sage	6660	Tan	6654
Satin White	6651	Silver Dollar	6655	White	6650
Vinyl: Fiber*					
Bloodroot	3977	Midnight	3974	Shale	3090
Buttercream	3972	Pebble	3092	White	3973
Cinnamon	3976	Sandstone	3970		
Vinyl: Quantum*					
Chevre	6874	Model	6881	Shipwreck	6875
Cream	6879				
Vinyl: Stowe					
Bone	9014	Embankment	9022	Willow	9015
Cocoa	9011	Resort	9021	Yew	9020
Vinyl: Window Weaves					
Deep Walnut	3892	Melting Snow	3890	Pilaf	3896
Heath	3895	Millet	3897	Rice Paper	3893
Vinyl: Channel Panel					
Ivory	7137	White	7136		

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group C: Fabric: Baskerville, Brighton, Harmony, Sheffield
Vinyl: Homespun II, Lake Forest®, Rapture, Satin Stripe
Vinyl S-Shaped: Linen S, Quantum S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	303	386	471	514	596	651	670	760	826	861	948	1014	1084	1159	1231	1301	1373	10
60 (152.4)	321	395	487	545	625	686	708	801	872	914	1001	1073	1148	1223	1297	1375	1450	12
72 (182.9)	333	420	508	578	654	720	745	843	919	960	1062	1132	1208	1287	1366	1443	1520	12
84 (213.4)	353	435	538	606	690	756	778	888	961	1010	1113	1193	1273	1359	1441	1523	1607	14
96 (243.9)	364	451	564	639	732	793	820	929	1010	1062	1167	1249	1339	1424	1509	1596	1684	14
108 (274.4)	385	476	588	670	762	832	859	982	1055	1108	1220	1306	1395	1484	1571	1658	1749	16
120 (304.8)	404	507	624	708	808	880	905	1025	1108	1158	1279	1370	1462	1560	1653	1748	1840	16
132 (335.3)	413	538	657	745	853	929	953	1080	1167	1220	1355	1445	1545	1646	1747	1845	1946	17
144 (365.8)	424	567	690	780	898	973	1001	1132	1231	1288	1429	1523	1628	1732	1836	1938	2041	18
156 (396.3)	435	598	732	822	940	1020	1055	1185	1292	1355	1501	1600	1708	1818	1927	2032	2138	20
168 (426.8)	443	632	762	859	989	1070	1102	1238	1348	1421	1574	1676	1786	1898	2012	2122	2234	21
180 (457.2)	449	660	800	895	1031	1117	1151	1355	1413	1486	1647	1756	1871	1986	2102	2216	2332	22
192 (487.7)	464	689	832	934	1075	1161	1201	1406	1473	1550	1719	1835	1953	2071	2193	2309	2428	23

Add Surcharge to Blind Price

Square-Corner Valance	28	42	47	56	61	63	66	72	80	85	94	100	107	113	121	127	134	
Round-Corner Valance*	31	47	53	63	68	71	73	85	94	97	108	116	123	131	141	150	159	
Double Round-Corner Valance*	62	94	106	127	135	141	146	171	187	193	216	230	245	262	283	300	318	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	229	279	330	366	422	456	465	530	572	599	657	701	752	804	850	900	10
60 (152.4)	247	298	357	395	447	484	497	563	617	635	701	751	805	855	908	962	12
72 (182.9)	258	318	377	417	474	512	525	602	651	678	751	795	850	906	963	1018	12
84 (213.4)	269	332	401	447	501	546	556	634	687	717	792	842	903	963	1021	1082	14
96 (243.9)	286	353	422	471	530	572	584	674	724	758	838	893	955	1017	1080	1142	14
108 (274.4)	311	365	446	497	559	610	620	706	762	799	882	942	1009	1075	1136	1202	16
120 (304.8)	316	391	471	525	596	645	657	753	809	838	930	987	1057	1129	1199	1268	16
132 (335.3)	322	417	499	558	631	683	698	792	859	893	987	1054	1126	1200	1271	1344	17
144 (365.8)	330	446	527	586	672	723	740	837	909	948	1049	1118	1191	1268	1342	1420	18

Add Surcharge to Blind Price

Square-Corner Valance	28	42	47	56	61	63	66	72	80	85	94	100	107	113	121	127	
Round-Corner Valance*	31	47	53	63	68	71	73	85	94	97	108	116	123	131	141	150	
Double Round-Corner Valance*	62	94	106	127	135	141	146	171	187	193	216	230	245	262	283	300	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Baskerville					
Caffeine	0393	Havarti	0390	Provalone	0391
Gouda	0392				
Fabric: Brighton ^ø					
Bark	4205	Platinum	4250	Tundra	4201
Bone	4222	Sugar Maple	4202	White	4219
Graham Cracker	4203	Toast	4282		
Fabric: Harmony ^ø					
Cityscape	0232	Pebble	0230	Tassel	0231
Glacial	0233				
Fabric: Sheffield ^ø					
Chelsea	0201	Meadow	0207	Windsor	0203
Eclipse	0205	Tuscon	0204		
Henley	0202	Weathered	0206		
Vinyl: Homespun II*					
Beach	9113	Chocolate	9114	Ivory	9111
Butterscotch	9112				
Vinyl: Lake Forest ^Δ					
Cognac	3771	Natural	3773	Wheat	3770
Golden Oak	3772				
Vinyl: Rapture*					
Bleach	3612	Heather	3610	Steel	3614
Vinyl: Satin Stripe					
Imperial	9489	Sand	9481	Snow	9485
Ivory	9480	Silversmith	9488		
Vinyl S-Shaped: Linen S*					
Café	6263	Granite	6267	Snow	6260
Cream	6261	Lakebed	6266		
Ebony	6265	Lichen	6262		
Vinyl S-Shaped: Quantum S					
Chevre	3396	Model	3395	Shipwreck	3397
Cream	3391				

* Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Δ Available in coordinating Lake Forest® Faux Wood blinds.

ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group D: Fabric: Devon, Grasses, Tahiti Weave, Thatch
Vinyl: Chenille, Parallels, Safari
Vinyl S-Shaped: Homespun II S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	356	439	536	614	708	775	794	903	984	1024	1129	1205	1289	1374	1458	1542	1623	12
60 (152.4)	377	473	576	650	741	815	843	953	1036	1082	1196	1273	1366	1452	1543	1630	1721	15
72 (182.9)	402	492	606	688	777	853	881	1005	1094	1138	1265	1348	1443	1539	1630	1729	1822	15
84 (213.4)	417	515	639	725	823	894	925	1055	1148	1197	1325	1418	1513	1614	1710	1809	1907	15
96 (243.9)	439	542	669	760	869	942	973	1107	1202	1258	1393	1487	1592	1686	1792	1894	1997	18
108 (274.4)	453	569	702	794	907	993	1018	1161	1255	1318	1454	1554	1665	1773	1882	1986	2096	18
120 (304.8)	484	600	740	843	960	1050	1073	1223	1318	1375	1523	1623	1736	1849	1960	2077	2187	19
132 (335.3)	492	642	793	894	1015	1111	1135	1292	1397	1462	1622	1735	1856	1975	2092	2214	2333	20
144 (365.8)	508	687	843	943	1073	1170	1196	1359	1482	1549	1726	1843	1969	2094	2221	2352	2474	21
156 (396.3)	516	731	890	996	1129	1233	1259	1429	1562	1638	1824	1953	2086	2218	2355	2489	2619	22
168 (426.8)	531	769	940	1050	1185	1292	1321	1496	1644	1721	1925	2061	2200	2340	2484	2620	2763	23
180 (457.2)	541	814	993	1102	1239	1350	1381	1564	1729	1809	2024	2169	2315	2465	2613	2759	2910	24
192 (487.7)	553	853	1042	1158	1294	1411	1445	1630	1809	1897	2126	2275	2432	2586	2741	2895	3052	25

Add Surcharge to Blind Price

Square-Corner Valance	30	45	54	61	66	70	71	81	93	95	105	113	122	129	136	146	153	
Round-Corner Valance*	35	54	61	70	75	80	87	97	104	108	122	129	138	148	157	165	174	
Double Round-Corner Valance*	71	108	123	139	150	160	175	193	208	216	243	258	277	295	314	331	347	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	272	336	403	456	524	567	578	661	714	747	818	874	937	996	1061	1122	12
60 (152.4)	293	364	432	480	551	603	617	701	759	792	874	932	995	1062	1126	1191	15
72 (182.9)	308	382	458	511	578	633	650	740	807	837	930	989	1058	1128	1198	1265	15
84 (213.4)	324	395	482	544	617	672	683	785	849	882	977	1044	1120	1192	1265	1338	15
96 (243.9)	340	419	510	571	648	703	719	823	895	934	1028	1101	1176	1253	1328	1402	18
108 (274.4)	354	438	534	603	681	746	758	866	936	977	1086	1155	1237	1317	1396	1479	18
120 (304.8)	375	465	567	636	723	791	805	917	985	1026	1142	1212	1296	1381	1467	1549	19
132 (335.3)	383	500	609	679	768	839	852	971	1054	1098	1223	1299	1391	1482	1571	1662	20
144 (365.8)	392	534	648	719	813	887	903	1026	1120	1167	1300	1386	1483	1579	1674	1772	21

Add Surcharge to Blind Price

Square-Corner Valance	30	45	54	61	66	70	71	81	93	95	105	113	122	129	136	146	
Round-Corner Valance*	35	54	61	70	75	80	87	97	104	108	122	129	138	148	157	165	
Double Round-Corner Valance*	71	108	123	139	150	160	175	193	208	216	243	258	277	295	314	331	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Devon					
Abbot	0032	Plymouth	0030	Torbay	0031
Newton	0033				

Fabric: Grasses					
Chestnut	1713	Maple	1710	Twig	1711
Hardwood	1712				

Fabric: Tahiti Weave					
Autumn	0455	Bourbon	0451	Tortoise Shell	0454
Basket Weave	0453	Hudson	0450		

Fabric: Thatch					
Coffee	1565	Natural	1560	Toffee	1563

Vinyl: Chenille					
Aluminum	6801	Cream	6791	Off White	6790
Chantarelle	6802	Filigree	6799	Syrah	6800

Vinyl: Parallels					
Amaretto	6952	Spice	6951	Waterloo	6953
Mesa	6950				

Vinyl: Safari*					
Buffalo	3640	Moccasin	3643	Stormy Sage	3646
Hearthstone	3648	Quarry	3647		

Vinyl S-Shaped: Homespun II S					
Beach	9683	Chocolate	9684	Ivory	9681
Butterscotch	9682				

*Available in coordinating 2" (5.1 cm) horizontal vinyl blinds.

Price Group E: Fabric: Allure, Royale, Strings, Tuvalu, Urban Loft
Vinyl: Acropolis, Coronation, Kensington
Vinyl S-Shaped: Georgetown S

G-71 Super-Vue® and G-98 Ultra-Vue™

Height up to inches (cm) ↓	Width up to inches (cm) →																	Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)	
48 (122)	395	487	596	683	781	858	877	996	1087	1135	1249	1333	1429	1520	1617	1707	1797	15
60 (152.4)	416	524	635	716	822	903	931	1055	1147	1196	1324	1411	1509	1607	1708	1804	1906	17
72 (182.9)	441	545	670	762	860	943	977	1111	1208	1260	1399	1494	1597	1703	1804	1911	2016	21
84 (213.4)	464	575	709	802	912	989	1023	1167	1270	1325	1466	1570	1675	1784	1894	2002	2110	21
96 (243.9)	487	602	740	838	960	1044	1077	1224	1329	1394	1538	1646	1757	1870	1982	2094	2206	26
108 (274.4)	502	629	777	877	1001	1097	1125	1286	1389	1456	1613	1720	1840	1959	2084	2202	2326	29
120 (304.8)	532	663	820	931	1064	1163	1186	1352	1456	1521	1685	1797	1924	2048	2174	2295	2421	30
132 (335.3)	545	711	875	989	1124	1233	1258	1430	1545	1620	1796	1922	2054	2185	2317	2449	2583	31
144 (365.8)	561	760	931	1046	1186	1295	1324	1505	1638	1712	1907	2039	2179	2318	2460	2601	2741	32
156 (396.3)	576	806	987	1106	1249	1363	1395	1578	1729	1815	2021	2160	2309	2454	2605	2754	2902	33
168 (426.8)	586	851	1042	1163	1313	1430	1461	1657	1820	1906	2131	2280	2436	2592	2749	2903	3056	34
180 (457.2)	601	902	1097	1220	1373	1496	1531	1730	1911	2002	2242	2398	2561	2726	2891	3053	3218	35
192 (487.7)	612	943	1154	1278	1435	1564	1598	1804	2002	2097	2354	2519	2692	2865	3035	3205	3379	36

Add Surcharge to Blind Price

Square-Corner Valance	33	51	60	70	73	79	84	90	102	106	119	125	134	144	152	161	171	
Round-Corner Valance*	37	58	70	79	84	90	94	106	118	121	136	146	155	165	177	186	197	
Double Round-Corner Valance*	75	116	139	158	168	181	187	212	235	241	272	291	310	331	354	372	393	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 3/4 (454.1)	
48 (122)	301	369	443	502	572	624	635	726	786	820	900	961	1030	1098	1164	1232	15
60 (152.4)	321	401	475	527	605	664	678	770	836	870	961	1023	1097	1167	1238	1309	17
72 (182.9)	338	419	504	562	635	696	714	812	882	919	1021	1088	1162	1240	1314	1391	21
84 (213.4)	359	434	530	596	678	738	751	861	933	972	1076	1150	1228	1310	1391	1471	21
96 (243.9)	376	458	561	629	712	775	791	905	984	1028	1129	1210	1294	1376	1461	1542	26
108 (274.4)	387	483	584	664	750	819	835	953	1029	1076	1194	1269	1360	1448	1536	1624	29
120 (304.8)	410	511	624	699	794	869	881	1008	1084	1128	1254	1331	1425	1518	1610	1705	30
132 (335.3)	421	550	670	747	843	921	937	1066	1156	1205	1340	1428	1528	1629	1728	1826	31
144 (365.8)	432	584	712	791	894	976	991	1128	1228	1283	1429	1523	1630	1734	1841	1945	32

Add Surcharge to Blind Price

Square-Corner Valance	33	51	60	70	73	79	84	90	102	106	119	125	134	144	152	161	
Round-Corner Valance*	37	58	70	79	84	90	94	106	118	121	136	146	155	165	177	186	
Double Round-Corner Valance*	75	116	139	158	168	181	187	212	235	241	272	291	310	331	354	372	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Allure ^o					
Fog	0511	Latte	0513	Titanium	0510
Glimmer	0512	Still Water	0514		

Fabric: Royale ^o					
Granite	0431	Rapture	0434	Storm	0432
Ivory	0430	Saddle	0433		

Fabric: Strings					
Delicate	4750	Urban Mist	4753	Winsome	4752
Parfait	4751				

Fabric: Tuvalu ^o					
Cream Caramel	0440	Cream Silk	0441	French Silk	0442

Fabric: Urban Loft					
Ductwork	0380	Rooftop	0383	Skyline	0381
Exposed Brick	0382				

Vinyl: Acropolis					
Laurel Wreath	3134	Olympus	3130	Poseidon	3131
Olive Oil	3132	Parthenon	3133		

Vinyl: Coronation*					
Decree	3751	Proclamation	3752	Sceptre	3754
Princess	3750	Royal Coach	3753		

Vinyl: Kensington*					
Bellhop	3255	Passport	3252	Titanium	3254
Fresh Linens	3250	Room Key	3253		

Vinyl S-Shaped: Georgetown S*					
Capitol Hill	6698	National Mall	6699	Tawny	6693
Flax	6697	Smithsonian	6700	White	6691

* Available in coordinating 2" (5 .1 cm) horizontal vinyl blinds.

o Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group F: Fabric: Compass, Crossweave, Network, Prescott

G-71 Super-Vue® and G-98 Ultra-Vue™

Width up to inches (cm) →																			Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	184 (467.4)	191 (485.2)		
48 (122)	440	551	668	769	877	961	987	1121	1224	1272	1407	1501	1603	1708	1810	1912	2017	20	
60 (152.4)	472	586	714	801	925	1014	1046	1186	1288	1346	1487	1584	1696	1803	1914	2028	2137	22	
72 (182.9)	496	613	750	852	970	1064	1095	1247	1359	1418	1574	1679	1795	1910	2028	2141	2259	24	
84 (213.4)	522	642	793	903	1023	1114	1148	1314	1426	1491	1653	1763	1885	2006	2127	2249	2369	25	
96 (243.9)	551	676	832	942	1077	1173	1211	1375	1496	1566	1729	1847	1975	2104	2234	2361	2490	32	
108 (274.4)	567	706	872	987	1127	1237	1267	1443	1560	1636	1810	1937	2071	2205	2342	2478	2615	34	
120 (304.8)	600	747	919	1046	1194	1310	1333	1523	1636	1711	1897	2021	2160	2306	2443	2584	2726	37	
132 (335.3)	614	800	985	1111	1264	1381	1417	1609	1735	1821	2021	2158	2309	2458	2609	2758	2910	38	
144 (365.8)	633	852	1044	1176	1330	1459	1494	1696	1838	1927	2149	2294	2452	2613	2773	2930	3089	40	
156 (396.3)	649	905	1107	1239	1400	1534	1574	1781	1941	2032	2273	2435	2603	2775	2942	3112	3281	41	
168 (426.8)	659	959	1164	1310	1473	1613	1655	1868	2037	2140	2402	2573	2751	2929	3106	3284	3463	42	
180 (457.2)	674	1010	1230	1374	1542	1684	1733	1955	2140	2251	2528	2708	2893	3081	3270	3456	3641	43	
192 (487.7)	689	1062	1288	1437	1613	1763	1813	2037	2244	2359	2656	2842	3039	3233	3430	3628	3820	48	

Add Surcharge to Blind Price

Square-Corner Valance	42	63	75	88	90	99	102	114	126	128	148	155	165	177	186	197	206	
Round-Corner Valance*	47	72	88	99	105	114	116	128	147	150	167	181	193	205	218	231	242	
Double Round-Corner Valance*	94	144	177	198	210	229	233	256	293	300	335	362	387	410	437	462	485	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	433	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

G-85 Dura-Vue®

Height up to inches (cm) ↓	Width up to inches (cm) →																Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	154 (391.2)	164 (416.6)	174 (442)	178 1/2 (454.1)	
48 (122)	339	422	503	567	649	703	721	819	891	929	1018	1090	1167	1245	1323	1399	20
60 (152.4)	364	450	537	596	683	748	767	873	944	986	1090	1158	1240	1321	1399	1482	22
72 (182.9)	386	474	569	636	721	788	810	920	1001	1041	1153	1232	1314	1399	1486	1570	24
84 (213.4)	403	496	603	674	767	833	851	976	1057	1102	1217	1300	1392	1483	1572	1663	25
96 (243.9)	424	521	634	713	809	875	897	1024	1111	1160	1283	1371	1466	1560	1655	1751	32
108 (274.4)	438	549	665	748	850	928	943	1080	1162	1217	1351	1437	1537	1637	1733	1833	34
120 (304.8)	465	579	703	792	899	985	999	1142	1228	1280	1419	1510	1614	1718	1826	1933	37
132 (335.3)	476	623	754	843	957	1044	1063	1211	1307	1367	1520	1619	1732	1848	1959	2073	38
144 (365.8)	489	667	808	897	1011	1106	1129	1280	1389	1450	1621	1728	1849	1968	2089	2211	40

Add Surcharge to Blind Price

Square-Corner Valance	42	63	75	88	90	99	102	114	126	128	148	155	165	177	186	197	
Round-Corner Valance*	47	72	88	99	105	114	116	128	147	150	167	181	193	205	218	231	
Double Round-Corner Valance*	94	144	177	198	210	229	233	256	293	300	335	362	387	410	437	462	
Stay Clear™ Channel Panel	41	67	117	150	167	191	219	233	255	272	305	325	347	368	389	411	6

*Round-corner valances available up to 175" (144.5 cm) only on vinyl vertical blinds.

NOTE: One Touch® Control outlined in the chart above. Maximum overall blind size is 10,080 square inches (6.5 m²). Available at no charge.

Fabric: Compass				
Due North	0072	South Seas	0071	True West
				0070
Fabric: Crossweave®				
Beechwood	2510	Tahiti	2512	Thatched Roof
Brick	2504			2513
Fabric: Network				
Medallion	0372	Quicksilver	0371	Seashell
				0370
Fabric: Prescott				
Dune	0172	Fossil	0171	Mirage
				0170

ø Some selections are available in coordinating LightWeaves® Roller, FashionPleat®, and EvenPleat® Shades.

Price Group G: Sheer Vertical Blinds: Gossamer, Highlight

Height up to inches (cm) ↓	Width up to inches (cm) →													Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)	
48 (122)	967	1181	1443	1715	1926	2221	2258	2513	2794	3174	4156	4395	4715	2
60 (152.4)	1052	1426	1617	1826	2077	2258	2298	2545	2997	3585	4311	4556	4865	5
72 (182.9)	1105	1443	1635	1842	2101	2275	2377	2665	3089	3684	4348	4593	4909	5
84 (213.4)	1122	1465	1659	1869	2119	2298	2395	2690	3148	3933	4387	4636	4959	5
96 (243.9)	1132	1492	1684	1895	2147	2325	2421	2713	3228	3995	4429	4676	4997	5
104 (264.2)	1151	1497	1700	1916	2167	2346	2442	2730	3308	4060	4460	4711	5028	7

Add Surcharge to Blind Price

Dauphine® Valance	No charge												
Round-Corner Valance	51	79	97	109	115	126	129	141	165	199	240	254	267
Double Round-Corner Valance	102	158	193	218	231	252	258	283	331	397	480	508	535

Sheer: Gossamer [§]				
Champagne	1720	Snowstone	1724	White
Parchment	1722			1725

Sheer: Highlight [§]				
Champagne	1740	Snowstone	1742	White
				1741

§Available in coordinating Graber® Artisan.

Price Group H: Sheer Vertical Blinds: Bengali, Cascade, Dijon

Height up to inches (cm) ↓	Width up to inches (cm) →													Vanes Only
	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)	
48 (122)	1107	1346	1645	1957	2196	2532	2574	2862	3186	3614	4740	5012	5370	2
60 (152.4)	1201	1631	1849	2080	2369	2574	2617	2901	3415	4087	4917	5195	5545	5
72 (182.9)	1263	1649	1867	2101	2393	2596	2708	3037	3526	4199	4961	5237	5600	5
84 (213.4)	1283	1676	1894	2133	2420	2617	2732	3066	3592	4489	5002	5285	5654	5
96 (243.9)	1296	1703	1922	2159	2450	2655	2759	3095	3683	4558	5049	5334	5703	5
104 (264.2)	1321	1712	1944	2188	2474	2678	2787	3115	3778	4635	5083	5372	5735	7

Add Surcharge to Blind Price

Dauphine® Valance	No charge												
Round-Corner Valance	53	84	102	114	122	132	135	148	174	208	253	267	280
Double Round-Corner Valance	106	168	204	229	243	264	270	295	347	416	505	535	560

Bengali [§]	
Jute	2760

Cascade [§]	
Champagne	2080

Dijon	
Downey	2221
Extra White	2220
Stucco	2222

§Available in coordinating Graber® Artisan.

Options Pricing

Vertical Blind Options

Angled Window Blind	420 surcharge added to price from G-71 charts using angled width and longest height
Angled Window Headrail	420 surcharge added to price from G-71 replacement headrail chart using angled width
Bay and Corner Window	No charge
Bottom Chain and Clips (fabric vanes)	45
Bottom Chain (vinyl vanes)	45
Cut-Outs	67
Double-Round Corner Valance	See price charts for surcharge
Headrail Pricing	See headrail pricing
One Touch® Wand Control (standard)	No charge
Paired Blinds	Price as two blinds and add together; no surcharge
Projection Brackets: 4 3/8" (11.2 cm)	No charge
Replacement Valances	See price charts (same as valance surcharges)
Round-Corner Valance	See price charts for surcharge
Square-Corner Valance	See price charts for surcharge
Stacking Options	42 per blind for center/uneven stack 42 per blind for opposite stack
Stay Clear™	See price charts for surcharge
Channel Panels	See price charts for surcharge
Vane Replacements	See price charts
Wood Cornices and Valances	See cornices and valances product information guide

Sheer Vertical Blind Options

Bay and Corner Window	No charge
Dauphine® Valance	No charge
Double Round-Corner Valance	See price charts for surcharge
Paired Blinds	Price as two separate blinds and add together
Round-Corner Valance	See price charts for surcharge
Vane Replacement	See price charts
Wood Cornices and Valances	See cornices and valances product information guide

Vertical Blinds: Replacement Headrail Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	50 (127)	63 (160.1)	75 (190.5)	85 (215.9)	88 (223.6)	100 (254)	113 (287.1)	120 (304.8)	132 (335.3)	144 (365.8)	158 (401.4)	170 (431.8)	177 (449.6)	191 (485.2)
G-71 Super-Vue and G-98 Ultra-Vue	82	128	168	212	251	287	295	336	376	406	444	483	524	568	586	640
G-85 Dura-Vue	71	109	137	172	200	228	232	266	298	323	352	385	412	449	462	

NOTE: Dura-Vue maximum size 178 3/4" (454.1 cm).

NOTE: Valance not included with replacement headrail. Must be ordered separately. See individual price chart for ordering.

NOTE: Replacement headrails include installation hardware.

Sheer Vertical Blinds: Replacement Headrail Pricing

Width up to inches (cm) →

	25 (63.5)	38 (96.6)	51 (129.6)	63 (160.1)	76 (193.1)	85 (215.9)	88 (223.6)	101 (256.6)	120 (304.8)	144 (365.8)	170 (431.8)	178 (452.2)	191 (485.2)
Headrail	109	166	220	276	330	367	384	439	522	627	740	769	831

Sheer Vertical Blinds: Replacement Valance Pricing

Round-Corner Valance

		Width up to →												
		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Group G		54	83	102	115	122	133	136	150	175	210	254	268	283
Group H		56	89	108	121	129	139	142	156	183	219	267	283	295

Double Round-Corner Valance

		Width up to →												
		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Group G		108	167	205	231	244	266	272	298	349	420	508	537	565
Group H		112	178	215	241	257	279	286	312	367	440	535	565	592

NOTE: Replacement valances include mounting hardware and returns.

Sheer Vertical Blinds: Replacement Fabric Pricing

		Width up to inches (cm) →												
		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Chart G		812	1234	1321	1589	1759	1823	1928	2162	2547	3020	3564	3729	4006
Chart H		937	1429	1540	1846	2075	2141	2270	2549	3010	3573	4216	4411	4738

Sheer Vertical Blinds: Replacement Valance Fabric Only Pricing

		Width up to inches (cm) →												
		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Valance Fabric Only		19	25	41	52	57	64	67	77	96	112	134	137	147

Replacement Dauphine® Valance with Shirred Fabric Pricing

		Width up to inches (cm) →												
		25	38	51	63	76	85	88	101	120	144	170	178	191
		(63.5)	(96.6)	(129.6)	(160.1)	(193.1)	(215.9)	(223.6)	(256.6)	(304.8)	(365.8)	(431.8)	(452.2)	(485.2)
Chart G		98	144	193	245	295	343	348	410	470	579	683	718	766
Chart H		112	167	222	270	322	361	375	426	508	613	727	755	814