



GRABER®

Graber Horizontal Vinyl Blinds English US Price Guide

2" HORIZONTAL VINYL BLINDS

Product Information Guide

Features and Size Considerations

2" Horizontal Vinyl Blinds: Slat Styles and Information	2
Size Considerations	2
Depth Requirements for Inside Mount	2

Options

Summary	3
Control Options	4
Motorized Tilt Control	5
Multiple Blinds on One Headrail	6
Cloth Tapes	7
Cut-Out Blinds	7
NoHoles™ Option	7
Control Length Chart for Cords and Wands	7
Bay and Corner Windows	8
Valance Styles	9
How to Measure and Order Valances	9
How to Order Valance Returns	9

General Information

Slat Count Table	10
Ladder Count Table	10
2" Horizontal Vinyl Product Detail	11

GRABER®

NOVEMBER 2019

Features and Size Considerations

- SureClose™ headrail 1½" x 2¼" with premium lightblocking features
- Non-lead vinyl slats offer superior privacy and room darkening
- Neutral street side appearance
- White vinyl bottomrail
- Color coordinated components
- All styles coordinate with Graber® Vinyl Vertical Blinds
- Wand tilt standard, cord tilt optional
- 2" single slat valance standard (other options available)
- Decorative cloth tapes or NoHoles™ available
- Limited lifetime warranty on headrail and components; three year warranty on slats

2" Horizontal Vinyl Blinds: Slat Styles and Information

Collection Name	Coordinates with Vertical Blinds	Neutral to Street Side	Light Control	Flame Retardant NFPA 701
Cachet	•	•	Roomdarkening	Yes
Coronation	•	•	Room darkening	Yes
Crown	•	•	Room darkening	Yes
Fiber	•	•	Room darkening	Yes
Georgetown	•	•	Room darkening	Yes
Homespun II	•	•	Room darkening	Yes
Kensington	•	•	Room darkening	Yes
Linen	•	•	Room darkening	Yes
Quantum	•	•	Room darkening	Yes
Rapture	•	•	Room darkening	Yes
Safari	•	•	Room darkening	Yes

Size Considerations

Minimum Blind Width	9" outside mount 9½" inside mount
Minimum Blind Width (exceptions)	9" to 11½" are center tilt only 16½" minimum for same side controls
Maximum Single Blind Width	84"
Maximum Width (multiple blinds on one headrail)	120"
Minimum Blind Height	12"
Maximum Blind Height	108"

Depth Requirements for Inside Mount

Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/molding Flush with Casing (inches)
1½ x 2¼	¾	Without valance: 2⅝ With standard valance: 3⅝ With double valance: 4

Options

Summary

The following is a list of options for 2" horizontal vinyl blinds. All options are available in all styles and colors. See detailed descriptions on the following pages.

Control Type Options:

(see price charts for pricing and/or surcharges)

- Wand tilt (standard): no charge
- Cord tilt (optional): no charge
- Ring tilt and ring lift: no charge
- Motorized tilt: surcharge

Blind Options—No Charge

- Bay or corner window
- Standard clear cord cleats
- Controls:
 - Standard control location (tilt left, lift right)
 - Same side control location (tilt right, lift right or tilt left, lift left)
 - Reverse control location (tilt right, lift left)
- Hold down brackets
- Projection brackets (not available on inside mount)
 - 2¾"
 - 4¾"
- Shims
- Special control length

Blind Options—Surcharge

(see price charts for pricing and/or surcharges)

- Cloth tapes:
 - 1"
 - 1½"
- Cut-outs
- Double valance
- Multiple blinds on one headrail less than 84"
- Sky pole
 - 3 feet to 6½ feet
 - 5 feet to 9½ feet
- Wood cornice (see cornice and valance product information guide)
- Decorative cord cleats
- NoHoles™

Options

Control Options



Cord Tilt

- No charge
- Optional



Wand Tilt

- No charge
- Standard



Ring Tilt

- No charge
- Optional
- Sky pole available for a surcharge for operation of the ring tilt



Sky Pole

Options

Motorized Tilt Control



Refer to motorization product information guide for additional options, sizing, and pricing


Features

- Motorization will only tilt slats; raising or lowering the blind is manual with cord lift
- Provides easy operation of hard-to-reach or large window coverings
- A safer alternative to accessible cords that are traditionally used to operate window coverings; ideal for homes with children and pets
- Efficiently manages energy (heat gain and loss)
- Operate multiple window treatments simultaneously or individually
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hard-wiring
- Motor located on the left side within the headrail; lift is on the right side
- Not available with specialty shapes or hold down brackets
- Not available as multiple blinds on one headrail
- Available with multiple power and control options

NOTE: Refer to the motorization product information guide for control and power options.

Options


Multiple Blinds on One Headrail



- **Surcharge:** blinds less than or equal to 84"
 - Two blinds on one headrail
 - See price charts
- **No charge:** blinds 84 $\frac{1}{16}$ " to 120"
- Two blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, blinds over 84" must be manufactured as two blinds on one headrail.

Multiple Blinds	Maximum Overall Size for Multiple Blinds (inches)	Standard Control Locations	Gap (inches)
Two-On-One Headrail	120 x 108	Left panel (tilt and lift left) Right panel (tilt and lift right)	$\frac{1}{4}$ $\frac{1}{2}$ on NoHoles™

NOTE: Optional control positions may be requested. Lift position cannot be located in the center of the blind for two-on-one headrail.



Two Blinds on One Headrail

Measuring:


1. Measure overall width of the area to be covered. If space permits, an overlap of 1 $\frac{1}{2}$ " per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of $\frac{1}{4}$ " between blinds for operating clearance.
3. Total width of all blinds, plus clearance(s) must equal overall width.
4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within $\frac{3}{4}$ " of floor, either from ceiling or a point at least 6 $\frac{1}{2}$ " above the door frame. Check slat count table if blind is to completely clear the doorway.

Ordering:

1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions, if other than standard.
5. Add appropriate surcharge (if less than 84").

Options

Cloth Tapes




- For surcharge, see price charts
- Not available with NoHoles™
- Colors available:

1" Solid Tapes		1½" Solid Tapes	
Beige	1011	Beige	2011
Black	1033	Black	2033
Cocoa	1297	Chocolate	2353
Duck White	1136	Cocoa	2297
Toffee	1296	Dark Grey	2857
		Duck White	2136
		Light Grey	2861
		Moss	2500
		Navy	2369
		Taupe	2659
		Toffee	2296
		White	2005
		White Smoke	2617


Cut-Out Blinds




- For surcharge, see price charts
- Bottom corner and side cut-outs only
- Maximum cut-out is 1" before route hole or NoHoles notch (corner and side cut-outs only)
- Cut-outs are created with slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the blind up to the desired location



NoHoles Option



- For surcharge, see price charts
- Provides maximum privacy and light control
- The design of the NoHoles option eliminates route holes, providing additional privacy and the best available light control
- Cleaning is simplified by sliding the NoHoles slats out and wiping clean, or keep the slats in place and vacuuming using a soft brush attachment
- Not available on blinds with cloth tape option



Control Length Chart for Cords and Wands

Finished Blind Height (inches)	Wand Length (inches)	Cord Length
FBL LT/= 36	12	⅓ of blind height
36⅞ to 60	20	
60⅞ to 70	30	
70⅞ to 80	40	
80⅞ to 90	50	
90⅞ to 100	60	
100⅞ to 120	72	

NOTE: Above control lengths may not fit your control needs based on window location or operator. Special cords and wands may be requested at the time of ordering.





Options

Bay and Corner Windows

- Made as individual blinds to fit in bay or corner windows
- Each section will have its own control, we recommend opposite corners
- Indicate each blind with “bypass” or “butt”; bypass means the blind is mounted into the corner; butt means the blind is butted up to the other blind

- Must provide blind location (left and right blind)
- Slat alignment cannot be guaranteed on side by side blinds
- Manufacturer will take appropriate deductions for proper fit
- No additional charge
- Cornices are not available

NOTE: If you do not want manufacturer to take deductions, DO NOT order as bay or corner.



Measuring Information

Corner Window

Measure:

Width of each window from corner to the point you would like to cover.

Three-Sided Bay Window

Measure:

A and C: Width of side windows from the corners to the point you would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Four-Sided Bay Window

Measure:

A and D: Width of side windows from the corners to the point you would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you would like the blind to cover.

B, C and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).


Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above trace angle onto paper and fax to customer service.

Options

Valance Styles



Standard Valance


- No charge
- 2" single slat valance is standard and provides a finished look

Double Valance

- Surcharge option
- Provides better headrail coverage for a more upscale look
- Height of double valance is 3"

Valance Type	Tilt Type	Return Length (inches)	Full Recess Depth (inches)	Inside Mount (inches)	Outside Mount (inches)
Standard	All	3 ⁵ / ₁₆	3 ⁵ / ₁₆	120 FBW	120 FBW
Double	All	3 ¹ / ₁₆	4	120 FBW	120 FBW

How to Measure and Order Valances



The appropriate valance (inside or outside mount) will be supplied with your blind order. For a more custom look, valance and returns may be special ordered.

NOTE: Valances with returns are measured and cut from the **INSIDE (BACKSIDE)** of the valance to ensure the most accurate fit when installed over the headrail or window frame.

Outside Mount Valance

It is typically required that the valance is entered into the system and manufactured **WITH** returns. However, outside mount valances are available **WITHOUT** returns if needed.

NOTE: **FAXED** orders for outside mount valances will **AUTOMATICALLY** be entered with returns unless otherwise specified. Certain accounts that enter orders electronically **WILL BE REQUIRED TO SELECT WITH OR WITHOUT RETURNS** in their system during entry.

Inside Mount Valance


It is typically required for the valance to be entered in the system and manufactured **WITHOUT** returns.

NOTE: Valance without returns have ends that are cut straight and look best when the blind and valance are fully recessed into the window casing. However, inside mount valances are available **WITH** returns for blinds that are unable to be fully recessed into the window casing.

Additional ordering information:

- If projection brackets are requested at the time of order for a valance with returns, longer returns will be automatically sent
- Please state at the time of order if the valance and return measurements are for the **EXACT** size required so that no additions or deductions are made

How to Order Valance Returns



1. Full recess is from front of valance to wall.
2. Return length is from back of the valance corner to wall.

Determining a special return length for **INSIDE MOUNT** blinds not fully recessed:

1. Using the chart above, locate the standard return length by selecting your valance type.
2. Measure the recessed space (depth) of your window casing.
3. Subtract the recessed space measurement from the standard return length.
4. The difference will be the special return length you will need to order for your **INSIDE MOUNT** valances.

NOTE: Minimum return length is 1".

General Information

Slat Count Table

Finished Blind Height (inches)	Number of Slats	Finished Stack Height (inches)	Finished Blind Height (inches)	Number of Slats	Finished Stack Height (inches)	Finished Blind Height (inches)	Number of Slats	Finished Stack Height (inches)
12	7		45	26	5 ⁵ / ₁₆	78	45	
13	7		46	26		79	45	
14	8		47	27		80	46	8
15	8	4 ¹ / ₁₆	48	27		81	46	
16	9		49	28		82	47	
17	10		50	29	6 ³ / ₁₆	83	48	
18	10		51	29		84	48	
19	11		52	30		85	49	8 ¹ / ₄
20	11	4 ³ / ₁₆	53	30		86	49	
21	12		54	31		87	50	
22	12		55	31	6 ¹ / ₂	88	51	
23	13		56	32		89	51	
24	14		57	33		90	52	8 ⁹ / ₁₆
25	14	4 ¹¹ / ₁₆	58	33		91	52	
26	15		59	34		92	53	
27	15		60	34	6 ³ / ₄	93	53	
28	16		61	35		94	54	
29	16		62	36		95	55	8 ⁷ / ₁₆
30	17	5	63	36		96	55	
31	18		64	37		97	56	
32	18		65	37	7 ¹ / ₁₆	98	56	
33	19		66	38		99	57	
34	19		67	38		100	57	9 ³ / ₁₆
35	20	5 ¹ / ₄	68	39		101	58	
36	21		69	40		102	59	
37	21		70	40	7 ⁷ / ₁₆	103	59	
38	22		71	41		104	60	
39	22		72	41		105	60	9 ¹ / ₂
40	23	5 ⁹ / ₁₆	73	42		106	61	
41	23		74	42		107	62	
42	24		75	43	7 ¹¹ / ₁₆	108	62	
43	25		76	44				
44	25		77	44				

NOTE: Finished heights include headrail and bottomrail.

Ladder Count Table

Standard or Reversed Controls

Finished Blind Width (inches)	Number of Ladders	Number of Lifts	Number of NoHoles™ Lifts
9 to 26	2	2	4
26 ¹ / ₁₆ to 44	3	3	6
44 ¹ / ₁₆ to 62	4	4	8
62 ¹ / ₁₆ to 84	5	5	10

Same Side Controls

Finished Blind Width (inches)	Number of Ladders	Number of Lifts	Number of NoHoles Lifts
16 ¹ / ₁₆ to 30	2	2	4
30 ¹ / ₁₆ to 48	3	3	6
48 ¹ / ₁₆ to 66	4	4	8
66 ¹ / ₁₆ to 84	5	5	10

Motorized Tilt

Finished Blind Width (inches)	Number of Ladders	Number of Lifts
19 to 30	2	2
30 ¹ / ₁₆ to 48	3	3
48 ¹ / ₁₆ to 66	4	4
66 ¹ / ₁₆ to 84	5	5

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity. Cloth ladder quantity is the same as number of ladders listed above.

Inside Mount:

Order width minus 1/2"

EXAMPLE:


30" width inside mount blind minus 1/2" deduction equals 29 1/2" finished blind width

Outside Mount: No deduction


NOTE: Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down each ending in a tassel.

General Information


2" Horizontal Vinyl Product Detail



Cord Management Options

Decorative Cord Cleats		Standard Cleat
		
Solid Brass	Antique Brass	Clear Cord Cleat

NoHoles™



GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10004-111 (11/19)|S19-20109

GRABER.

Graber 2" Horizontal Vinyl Blinds Designer US Price List — Effective August 2021

Price Group A: 2" (5.1 cm) Horizontal Vinyl Blinds: Crown

Height up to inches (cm) ↓	Width up to inches (cm) →															
	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	144	123	152	172	204	212	224	270	291	303	322	345	382	407	458	519
48 (122)	151	132	170	190	217	233	250	298	319	338	356	382	424	452	501	567
54 (137.2)	164	141	176	206	238	251	270	329	345	365	386	415	459	491	546	615
60 (152.4)	177	155	191	217	254	270	291	352	375	396	413	444	492	524	593	669
66 (167.7)	188	165	208	233	270	294	314	378	402	428	449	485	530	566	636	721
72 (182.9)	198	174	219	251	291	314	334	408	428	459	479	519	568	606	683	771
78 (198.2)	207	187	238	268	314	334	360	428	459	485	511	550	608	648	718	813
84 (213.4)	218	198	251	280	334	357	378	457	485	519	542	583	647	691	764	863
90 (228.6)	231	208	268	294	345	375	396	485	511	550	575	618	680	725	815	921
96 (243.9)	239	217	280	314	365	393	424	506	541	575	607	652	721	771	855	964
102 (259.1)	251	230	291	329	382	415	442	531	568	608	640	688	762	814	898	1014
108 (274.4)	260	238	303	341	408	438	465	563	604	631	670	721	799	852	947	1066

Surcharge: Valance Option

Double Valance	3	3	3	3	4	4	4	6	6	6	6	6	6	6	6	10
----------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

With Cloth Tapes or NoHoles™

Height up to inches (cm) ↓	Width up to inches (cm) →															
	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	173	148	182	206	245	254	269	324	349	364	386	414	458	488	550	623
48 (122)	181	158	204	228	260	280	300	358	383	406	427	458	509	542	601	680
54 (137.2)	197	169	211	247	286	301	324	395	414	438	463	498	551	589	655	738
60 (152.4)	212	186	229	260	305	324	349	422	450	475	496	533	590	629	712	803
66 (167.7)	226	198	250	280	324	353	377	454	482	514	539	582	636	679	763	865
72 (182.9)	238	209	263	301	349	377	401	490	514	551	575	623	682	727	820	925
78 (198.2)	248	224	286	322	377	401	432	514	551	582	613	660	730	778	862	976
84 (213.4)	262	238	301	336	401	428	454	548	582	623	650	700	776	829	917	1036
90 (228.6)	277	250	322	353	414	450	475	582	613	660	690	742	816	870	978	1105
96 (243.9)	287	260	336	377	438	472	509	607	649	690	728	782	865	925	1026	1157
102 (259.1)	301	276	349	395	458	498	530	637	682	730	768	826	914	977	1078	1217
108 (274.4)	312	286	364	409	490	526	558	676	725	757	804	865	959	1022	1136	1279

Surcharge: Valance Option

Double Valance	3	3	3	3	4	4	4	6	6	6	6	6	6	6	6	10
----------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

Surcharge: Multiple Blinds on One Headrail

Blinds less than or equal to 84" (213.3 cm) wide	44 Two-on-one Headrail
Blinds 84 1/16" (213.6 cm) to 120" (304.8 cm) wide	No charge

Crown					
Alabaster	3112	Ivory	3325	Tan	3093
Candelabra	3051	Misty Gray	3050	White	3205
Carob	3005	Satin White	3075		

Price Group B: 2" (5.1 cm) Horizontal Vinyl Blinds: Cachet, Fiber, Linen, Quantum, Rapture

Height up to inches (cm) ↓	Width up to inches (cm) →															
	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	183	155	192	216	256	269	282	338	367	382	406	438	479	512	576	652
48 (122)	191	167	212	240	275	293	313	375	401	426	447	479	534	569	632	714
54 (137.2)	205	180	223	259	300	314	338	414	438	462	487	524	578	617	688	776
60 (152.4)	224	194	243	275	319	338	367	442	472	500	521	562	618	659	749	842
66 (167.7)	238	206	261	293	338	370	395	474	508	541	567	610	669	713	801	909
72 (182.9)	250	218	277	314	367	395	421	513	541	578	606	652	717	762	861	969
78 (198.2)	260	236	300	336	395	421	454	541	578	610	645	694	766	817	904	1024
84 (213.4)	276	250	314	356	421	448	474	575	610	652	683	735	816	867	965	1088
90 (228.6)	291	261	336	370	438	472	500	610	645	694	723	780	857	914	1026	1162
96 (243.9)	301	275	356	395	462	496	534	638	681	723	763	824	909	969	1076	1214
102 (259.1)	314	288	367	414	479	524	557	670	717	766	806	866	962	1025	1132	1279
108 (274.4)	330	300	382	430	513	550	586	708	761	795	844	909	1007	1074	1193	1343

Surcharge: Valance Option

Double Valance	4	4	4	4	6	6	6	8	8	10	10	14	14	16	19	20
----------------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

With Cloth Tapes or NoHoles™

Height up to inches (cm) ↓	Width up to inches (cm) →															
	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	220	186	230	259	307	323	338	406	440	458	487	526	575	614	691	782
48 (122)	229	200	254	288	330	352	376	450	481	511	536	575	641	683	758	857
54 (137.2)	246	216	268	311	360	377	406	497	526	554	584	629	694	740	826	931
60 (152.4)	269	233	292	330	383	406	440	530	566	600	625	674	742	791	899	1010
66 (167.7)	286	247	313	352	406	444	474	569	610	649	680	732	803	856	961	1091
72 (182.9)	300	262	332	377	440	474	505	616	649	694	727	782	860	914	1033	1163
78 (198.2)	312	283	360	403	474	505	545	649	694	732	774	833	919	980	1085	1229
84 (213.4)	331	300	377	427	505	538	569	690	732	782	820	882	979	1040	1158	1306
90 (228.6)	349	313	403	444	526	566	600	732	774	833	868	936	1028	1097	1231	1394
96 (243.9)	361	330	427	474	554	595	641	766	817	868	916	989	1091	1163	1291	1457
102 (259.1)	377	346	440	497	575	629	668	804	860	919	967	1039	1154	1230	1358	1535
108 (274.4)	396	360	458	516	616	660	703	850	913	954	1013	1091	1208	1289	1432	1612

Surcharge: Valance Option

Double Valance	4	4	4	4	6	6	6	8	8	10	10	14	14	16	19	20
----------------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

Surcharge: Multiple Blinds on One Headrail

Blinds less than or equal to 84" (213.3 cm) wide	44 Two-on-one Headrail
Blinds 84 1/16" (213.6 cm) to 120" (304.8 cm) wide	No charge

Cachet					
Ivory	3146	Shimmer Sage	3272	Tan	3280
Satin White	3275	Silver Dollar	3270	White	3274
Fiber					
Bloodroot	3014	Midnight	3125	Shale	3055
Buttercream	3122	Pebble	3056	White	3124
Cinnamon	3127	Sandstone	3120		
Linen					
Café	3022	Granite	3098	Snow	3028
Cream	3023	Lakebed	3096		
Ebony	3024	Lichen	3025		
Quantum					
Chevre	3099	Model	3068	Shipwreck	3100
Cream	3715				
Rapture					
Bleach	3034	Heather	3027	Steel	3039

Price Group C: 2" (5.1 cm) Horizontal Vinyl Blinds: Coronation, Georgetown, Homespun II, Kensington, Safari

Height up to inches (cm) ↓	Width up to inches (cm) →															
	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	212	184	227	254	301	313	330	396	428	445	475	511	563	601	674	763
48 (122)	224	193	250	280	321	342	365	439	470	499	524	563	628	667	737	835
54 (137.2)	240	210	259	305	350	367	396	485	511	540	568	613	677	721	806	906
60 (152.4)	261	230	283	321	373	396	428	517	552	584	608	656	723	773	876	986
66 (167.7)	277	241	309	342	396	434	463	556	594	633	665	716	782	834	939	1066
72 (182.9)	291	256	324	367	428	463	492	602	633	677	709	763	838	892	1008	1136
78 (198.2)	308	276	350	393	463	492	530	633	677	716	754	812	898	956	1058	1198
84 (213.4)	322	291	367	415	492	525	556	672	716	763	799	861	955	1018	1129	1273
90 (228.6)	340	309	393	434	511	552	584	716	754	812	848	913	1004	1070	1200	1359
96 (243.9)	353	321	415	463	540	578	628	747	798	848	894	965	1066	1136	1259	1419
102 (259.1)	367	337	428	485	563	613	650	783	838	898	942	1014	1123	1199	1324	1497
108 (274.4)	387	350	445	504	602	645	686	828	890	929	987	1066	1177	1257	1395	1569

Surcharge: Valance Option

Double Valance	8	8	8	8	10	10	14	19	19	19	21	21	21	22	22	24
----------------	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

With Cloth Tapes or NoHoles™

Height up to inches (cm) ↓	Width up to inches (cm) →															
	18 (96)	24 (61)	31 (78.8)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	108 (274.4)	120 (304.8)
42 (106.7)	254	221	272	305	361	376	396	475	514	534	570	613	676	721	809	916
48 (122)	269	232	300	336	385	410	438	527	564	599	629	676	754	800	884	1002
54 (137.2)	288	252	311	366	420	440	475	582	613	648	682	736	812	865	967	1087
60 (152.4)	313	276	340	385	448	475	514	620	662	701	730	787	868	928	1051	1183
66 (167.7)	332	289	371	410	475	521	556	667	713	760	798	859	938	1001	1127	1279
72 (182.9)	349	307	389	440	514	556	590	722	760	812	851	916	1006	1070	1210	1363
78 (198.2)	370	331	420	472	556	590	636	760	812	859	905	974	1078	1147	1270	1438
84 (213.4)	386	349	440	498	590	630	667	806	859	916	959	1033	1146	1222	1355	1528
90 (228.6)	408	371	472	521	613	662	701	859	905	974	1018	1096	1205	1284	1440	1631
96 (243.9)	424	385	498	556	648	694	754	896	958	1018	1073	1158	1279	1363	1511	1703
102 (259.1)	440	404	514	582	676	736	780	940	1006	1078	1130	1217	1348	1439	1589	1796
108 (274.4)	464	420	534	605	722	774	823	994	1068	1115	1184	1279	1412	1508	1674	1883

Surcharge: Valance Option

Double Valance	8	8	8	8	10	10	14	19	19	19	21	21	21	22	22	24
----------------	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----

NOTE: Smallest width available 9" (22.9 cm) exact. Widths from 9" (22.9 cm) to 11 15/16" (30.4 cm) are center tilt only.

NOTE: Maximum single blind width indicated by dotted line.

Surcharge: Multiple Blinds on One Headrail

Blinds less than or equal to 84" (213.3 cm) wide	44 Two-on-one Headrail
Blinds 84 1/16" (213.6 cm) to 120" (304.8 cm) wide	No charge

Coronation					
Decree	3045	Proclamation	3043	Sceptre	3049
Princess	3046	Royal Coach	3047		
Georgetown					
Capitol Hill	3072	National Mall	3078	Tawny	3070
Flax	3071	Smithsonian	3073	White	3065
Homespun II					
Beach	3008	Chocolate	3011	Ivory	3006
Butterscotch	3007				
Kensington					
Bellhop	3041	Passport	3037	Titanium	3040
Fresh Linens	3042	Room Key	3038		
Safari					
Buffalo	3105	Moccasin	3106	Stormy Sage	3104
Hearthstone	3103	Quarry	3102		

Valance Replacement Pricing

Width up to inches (cm) →

18 (96) 24 (61) 31 (78.8) 36 (91.5) 42 (106.7) 48 (122) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 108 (274.4) 120 (304.8)

Price Group A: Crown

Standard	20	20	20	22	22	22	26	26	32	32	33	35	38	43	47	47
Double	20	20	22	22	25	25	32	32	35	35	36	38	39	50	50	54

Price Group B: Cachet, Fiber, Linen, Quantum, Rapture

Standard	20	20	22	22	22	22	26	26	32	32	33	35	38	43	47	50
Double	20	20	22	22	25	25	32	32	35	35	36	39	39	50	54	57

Price Group C: Coronation, Georgetown, Homespun II, Kensington, Safari

Standard	22	22	25	25	26	26	35	35	39	39	39	42	47	59	59	61
Double	25	25	26	32	32	35	42	42	47	47	50	54	59	66	72	75

Options Pricing

Cloth Tapes	See price charts
Decorative Cord Cleats	10 Solid brass cleat 5 Antique brass cleat
Corner or Bay Window	No charge
Cut-outs	67
Double Valance	See price charts for ordering with blinds and previous chart for replacement pricing.
Hold Down Brackets	No charge
Motorized Tilt	See motorization product information guide
Multiple Blinds on One Headrail	No charge: Blinds 84 1/16" to 120" (213.6 cm to 304.8 cm) wide 44 for blinds less than or equal to 84" (213.4 cm) wide
NoHoles™	See price charts
Projection Brackets (2 3/4" and 4 3/4") (7.0 cm and 12.1 cm)	No charge (outside mount only)
Shims (3/16") (0.5 cm)	No charge
Sky Poles	46 3 to 6 1/2 feet (91.5 cm to 198.2 cm) 70 5 to 9 1/2 feet (152.4 cm to 289.6 cm)
Wood Cornices	See cornices and valances product information guide