

Graber Traditions® Wood, Composite, and Faux Wood Blinds English US Price Guide

TRADITIONS® WOOD, ELITE WOOD, COMPOSITE, AND LAKE FOREST® FAUX WOOD BLINDS

Product Information Guide

Features	
The Graber® Wood Story	
Graber Wood Characteristics	
Traditions Wood Blinds	4
Elite Wood Blinds	4
Elite Wood Blinds—Authentic Hardwoods	4
Traditions Composite Blinds	4
Lake Forest Premium Faux Wood and Faux Wood Blinds	4
Size Considerations	
Cord Lift, Depth Requirements for Inside Mount	5-6
Cordless Lift, Depth Requirements for Inside Mount	
Options	
Blind Options	
Cordless Lift	9
Motorized Tilt	9
Multiple Blinds on One Headrail	
NoHoles™	
Cut-Out Blinds	
Control Lengths for Cords and Wands	
Bay and Corner Windows	12
Cloth Tapes	13
Decorative Tassels	14
Accent Color	14
Custom Color	14
Why Elite Wood for Your Client's Home	14
How to Order Elite Wood: Special Ordering Instructions	14
Valance Options	15-16
How to Measure for Valance Returns	
How to Measure and Order Valances	
Valance Keystones	
Splicing Requirements	
How to Measure a Special Splice Location	
Wood Specialty Shapes: Incline Wire Blinds	19
Wood Specialty Shapes: Angle Top or Bottom	20
Wood Specialty Shapes: Trapezoid, Triangle, and Octagon	21
Wood Specialty Shapes: Arched Blinds	
Wood Specialty Shapes: Ovals and Circles	
Making a Template for Specialty Blinds	24
Lising the Graher Template Service	2/



General Information
Slat Count Table: 1" Wood Blinds
Slat Count Table: 2" Wood Blinds
Slat Count Table: 2%" Wood Blinds
Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds
Slat Count Table: 21/2" Composite, Premium Faux Wood, and Faux Wood Blinds
Slat Route and Ladder Count Charts: Traditions® 1" Wood Blinds, Traditions 2" and 2%" Wood Blinds,
Traditions 2" and 2%" Wood Blinds with Cordless Lift
Slat Route and Ladder Count Charts: 2" and 2% " Elite Wood Blinds, 2" and 2% " Elite Wood Blinds with Cordless Lift31
Slat Route and Ladder Count Charts: Traditions 2" and 21/2" Composite Blinds, Traditions 2" and
$2\frac{1}{2}$ " Composite Blinds with Cordless Lift
Slat Route and Ladder Count Charts: Premium Faux Wood and Faux Wood Blinds, Lake Forest 2" and
2% " Premium Faux Wood and Faux Wood Blinds with Cordless Lift
$ Traditions \ 1", \ 2", \ and \ 2\%" \ Wood \ and \ 2" \ and \ 2\%" \ Elite \ Wood \ Blinds \ Product \ Detail \ \dots \ 34 $
Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood
Traditions 2" and $2\frac{1}{2}$ " Composite Blinds Product Detail
Lake Forest 2" and 2½" Premium Faux Wood and Faux Wood Blinds Product Detail
Wood Vertical Blinds
Features
Size Considerations
Depth Requirements for Inside Mount
Options: Cord and Chain Control
Paired Blinds
Replacement Vane Ordering
Stacking Chart and How to Measure for an Uncovered Window
Product Detail

Features

The Graber® Wood Story

Quality of Wood Defines a Blind's Quality

We use only 100% North American hardwood in the construction of our wood blinds because of its light weight, consistent color, hardness, structural stability, and attractive grain.

Sound Forestry Techniques

We work only with foresters who practice "sustained yield forest management"—nearly twice as much hardwood grows as is harvested in the U.S. each year. The volume of hardwoods in American forests today is greater than it was 50 years ago.

Preserving Our Natural Resources

Our Springs Window Fashions (SWF) wood products facility consumes recycled sawdust and wood shavings, generating the heat required to dry lumber for a completely self-sufficient manufacturing process. Our Reynosa, Mexico fabrication and finishing facility is 99.7% pollution free, above any U.S. standard.

SWF Wood Products, Grayling, Michigan

We have control over the quality of wood used—we control the process from green lumber to finished blinds. Hardwoods used in crafting Graber Wood Blinds are kiln dried and molded at our SWF wood products facility in Grayling, Michigan. The wood is dried slowly to strict wood blind specifications because structural change can occur when moisture is removed. Molding and sanding operations provide the highest quality surface, free of defects.

Springs Window Fashions, Reynosa, Mexico

At our state-of-the-art finishing plant in Reynosa, Mexico, components are carefully sorted prior to fabrication for color uniformity and wood characteristics. We sort wood as an end user, rather than a finishing vendor, taking out defects in a climate-controlled building. To finish the blind, we use only high quality paints and stains; on-site certified color technicians provide both application and quality control.

What Makes Graber Traditions® Blinds Different from the Rest?

- Painted and stained wood blinds are made from 100% North American hardwoods, the premier wood used in the construction of blinds
- SWF wood products and finishing facilities provide state-of-the-art technologies and processes
- Expanded choice of finishes with PureGrain™ Finish—vibrant stains that showcase the natural grain of the wood
- Unique valance choices, cloth tapes, specialty shapes, and more
- Traditions composite blinds have superior strength and moisture resistance
- The best customer service team in the industry—trained to answer any question about Graber Traditions Blinds
- · Limited lifetime warranty

Graber Wood Characteristics


Wood used to manufacture Graber Wood Blinds has many natural characteristics that make it truly unique. The following are all natural characteristics of wood, and we do not consider them to be defects:

- Grain—The direction, size, and appearance of wood fibers vary greatly depending on where the wood is cut from within the tree
- Tiger Striping—Occurs when a tree develops wavy grain, due to genetics, soil content, or other natural scenarios
- Burl-Formed from an irregular growth on the outer edge of the tree
- Bird's Eye—Small area on the surface of the board where fibers are contorted to form circular figures that resemble birds' eyes
- Pin Knots-Vary in size, shape, structure, and color
- Mineral Marks—Dark or discolored areas caused by minerals which the tree extracts from the water or soil; can be either a streak or a stain, usually blackish blue
- Knotty Pine/Rustic—Material contains markings that are more extreme than in standard products; the number and degree of marking will vary throughout the blind

Please be assured that these markings in no way affect the durability or the structural integrity of the blind.

Natural variations in color and grain are inherent in the beauty of wood. These variations are within established industry guidelines and should be expected. In addition, blinds may stain slightly darker or lighter than the swatches shown in the sampling.

NOTE: Elite Walnut, Maple, and Cherry will have the unique natural variations of these beautiful hardwoods—these variations are to be expected. Blinds made from these materials will undergo a degree of color change over time, further enhancing the beauty of the wood.



Features

Traditions® Wood Blinds

- Stained and painted blinds crafted from North American hardwoods
- · Finish highlights the natural characteristics of wood
- 1", 2", and 2%" slat sizes available
- · Sandblast is not available on keystones
- Cordless lift option; not available on 1"
- NoHoles™ option available for maximum privacy; not available on 1" or with cordless lift
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier; not available on 1"
- Decorative cloth tape option; not available with 1", cordless lift or NoHoles
- · Decorative tassel selection

Elite Wood Blinds

- Available in all Graber® wood paints and stains
- 2" and 2%" slat sizes available
- Sandblast finish available on any 2" paint or stain
- · Custom color available; not available in unique finishes
- · Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier
- Decorative cloth tape option; not available with cordless lift or NoHoles
- Decorative tassel selection
- Specialty shapes
- Accent valance and bottomrail: complement the window and décor of the room by specifying a different color valance and bottomrail

Elite Wood Blinds—Authentic Hardwoods

- 2" wood blinds made from premier North American hardwoods—Walnut, Maple, and Cherry with a clear coat finish that further enhances the wood's beauty
- Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier
- Decorative cloth tape option; not available with cordless lift or NoHoles
- · Decorative tassel selection

Traditions Composite Blinds


- Moisture-resistant multiple polymer composite slats
- 2" and 21/2" slat sizes available
- · Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Trapezoid bottomrail for superior closure
- Decorative cloth tape option; not available with cordless lift or NoHoles

Lake Forest® Premium Faux Wood and Faux Wood Blinds


- Solid or woodgrain moisture-resistant engineered polymer slats
- 2" and 2½" slat sizes available in both premium faux wood and faux wood
- Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Trapezoid bottomrail for superior closure; available on premium faux wood blinds only
- Rectangular bottomrail; available on faux wood blinds only
- Decorative cloth tape option; not available with cordless lift or NoHoles

Size Considerations

Cord Lift







Cord Lift Blinds Multiple Blinds on One Headrail

	Width		Height		Width			Height	
Styles	Minimum (exact) (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)			Maximum Blind (inches)	Minimum Blind (inches)	Maximum Blind (inches)
Traditions® Wood Blinds									
Traditions 1" Wood Blinds	7	96	12	120	7	96	120	12	120
Traditions 2" Wood Blinds	7	96	12	120	7	96	120	12	120
Traditions 2" Barnwood and Distressed Wood Blinds	7	96	12	120	7	96	120	12	120
Traditions 2%" Wood Blinds	7	96	12	120	7	96	120	12	120

Exceptions: 1" blinds 7" to $8^{1}\%_{\rm e}$ " center tilt only; no lift $13^{1}\%_{\rm e}$ " minimum for same side controls

Exceptions: 2" and 2%" blinds 7" to $11^1\%$ 6" center tilt only; no lift 7" to $8^1\%$ 6" not available with cloth tapes

Elite Wood Blinds									
Elite 2" Wood Blinds	7	96	12	120	7	96	120	12	120
Elite 2" Authentic Hardwood Blinds	7	96	12	120	7	96	120	12	120
Elite 2%" Wood Blinds	7	96	12	120	7	96	120	12	120

Exceptions: 2" and 2%" blinds 7" to 11^{15} /s" center tilt only 161/s" minimum for same side controls 7" to 815/s" not available with cloth tapes

Traditions Composite Blinds									
Traditions 2" Composite Blinds	7	96	12	120	7	96	120	12	120
Traditions 21/2" Composite Blinds	7	96	12	120	7	96	120	12	120

Exceptions: 2" and $2\frac{1}{2}$ " blinds 7" to $11^{\frac{15}{16}}$ " center tilt only; no lift $16\frac{1}{16}$ " minimum for same side controls 7" to $8^{\frac{15}{16}}$ " not available with cloth tapes

Lake Forest® Premium Faux Wood and Faux Wood Blinds										
Lake Forest 2" Premium Faux Wood Blinds	7	96	12	120	7	96	120	12	120	
Lake Forest 2" Faux Wood Blinds	7	96	12	120	7	96	120	12	120	
Lake Forest 21/2" Premium Faux Wood Blinds	7	96	12	120	7	96	120	12	120	
Lake Forest 21/2" Faux Wood Blinds	7	96	12	120	7	96	120	12	120	

Exceptions: 2" and $2!/_2"$ blinds 7" to $11^{15}/_6"$ center tilt only; no lift 7" to $8^{15}/_6"$ not available with cloth tapes Same side controls not available with any size

Size Considerations

Cord Lift


Depth Requirements for Inside Mount								
		Partially recessed headrail in window casing/molding		Fully recessed headrail in window casing/molding				
	Headrail Dimensions	Minimum Depth Mount	Cord Tilt	(without valance)* Wand Tilt				
Blind Type	(inches)	(inches)	(inches)	(inches)				
Traditions® 1" Wood	1 x 1½	3/4	N/A	1%				
Traditions 2" Wood	1% x 21/4	3⁄4	25/8	3¾				
Traditions 2%" Wood^	15% x 21/4	3/4	25⁄⁄8	3%				
Elite Wood 2" Wood 2" Authentic Hardwood	15% x 21/4	3/4	2%	3%				
Elite Wood 2%" Wood^	15% x 21/4	3/4	2%	3%				
Traditions 2" Composite	1% x 2¼	3/4	2%	3%				
Traditions 2½" Composite^	15% x 21/4	3/4	2%	3%				
Lake Forest® 2" Premium Faux Wood 2" Faux Wood	15% x 21/4	3/4	2%	3%				
Lake Forest 2½" Premium Faux Wood^ 2½" Faux Wood^	1% x 21/4	3/4	25⁄8	3%				

^{*}For measurements of fully recessed headrails with a valance, see valance options.


[^]Additional clearance may be required for larger slat sizes.

Size Considerations

Cordless Lift



^{**}Walnut maximum height 68".



^{*}For measurements of fully recessed headrails with a valance, see valance options.

Blind Options (for surcharges and pricing refer to price charts)

Blind Options	Traditions® 1" Wood	Traditions 2" Wood and 2" Elite Wood	Traditions 2%" Wood and 2%" Elite Wood	Traditions 2" and 2½" Composite	Lake Forest® 2" Premium Faux Wood and 2" Faux Wood	Lake Forest 2½" Premium Faux Wood and 2½" Faux Wood	Details
Accent Color (valance/bottomrail)		•^	•^				See the accent color section
Bay and Corner Windows	•	•	•	•	•	•	See the options section for measuring and ordering information
Cloth Tapes		●\$1	●\$1	●\$1	●\$1	●\$1	See the options section
Control Locations Tilt Left, Lift Right (standard) Tilt Right, Lift Left All Controls Right/ All Controls Left	•	•	•	•	•	•	Must be requested at time of order
Cord Tilt		•	•	•	•	•	Color coordinated
Cordless Lift		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Custom Color		•\$∧	•\$∧				See price charts
Cut-Outs1	•\$	•\$	•\$	•\$	•\$	•\$	See the options section
Decorative Tassels	•\$	● \$\$	● \$\$				See the options section
Hold Down Brackets	•	•	•	•	•	•	Must be requested at time of order
Motorized Tilt		•\$	•\$	•\$			See the motorization product information guide
Multiple Blinds on One Headrail: 2 or 3 on 1 to left of solid line*	•\$	•\$	•\$	•\$	•\$	•\$	See the options section
NoHoles™ 1		•	•	•	•	•	No charge option
Projection Brackets • 2¾" and 4¾" Projection Brackets • ¾6" Shims	•	•	•	•	•	•	Projection brackets not available for inside mount; must be requested at time of order; shims are standard on 2%" and 2½" blinds (outside mount)
Ring Pull	•	•	•	•	•	•	
Ring Tilt	•	•		•^^	•		
Sky Pole ¹ • 6 foot pole • 9 foot pole	•\$	•\$	•\$	•\$	•\$	•\$	Available with ring tilt/ring pull only; must be requested at time of order
Wand Tilt	•	•	•	•	•	•	Color coordinated
Wood Cornices	•\$	•\$	•\$	•\$	•\$	•\$	See cornices and valances product information guide

^{*}See solid line on appropriate price grid.

¹Not available with cordless lift option.

^{+3/8&}quot; projection block available.

^{*}Option available with surcharge.

^{\$\$}Option available with surcharge for wood; no charge for elite wood.

[^]Available with elite wood only.

^{^^}Not available with $2 \frac{1}{2} \!\!\!\! ''$ composite.

Cordless Lift



- For surcharge, see price charts
- Available on wood, composite, and faux wood blinds (not available on 1" wood)
- Cordless lift blinds offer a safer alternative for homes with children and pets
- Tilt options available: Wand tilt eliminates dangling cords and is the safest option (maximum wand length is 48"); cord tilt is also available
- Easy to use: to lower blind, pull down; to raise, simply guide the blind into the desired location by gently lifting the bottomrail
- Not available with cloth tapes, NoHoles[™], cut-outs, or specialty shapes
- Legacy, craftsman, or symphony valances recommended with cordless lift blinds for better headrail coverage

	Wood	Composite	Faux Wood
Minimum Width (inches)	12	12	12
Maximum Single Blind Width (inches)	84	66	63
Maximum Multiple Blinds on One Headrail (inches)	120	120	120
Minimum Height (inches)	12	12	12
Maximum Height (inches)	86*	72	72
Maximum Square Footage (square feet)	50	29	31.5

^{*78&}quot; for authentic hardwood Cherry and Maple, 68" for Walnut.

Motorized Tilt




See motorization product information guide for size specifications, options, and surcharges

- Available on 2" and 2%" wood blinds and 2" and 2½" composite blinds
- Motorization will only tilt slats; raising or lowering blind is manual lift
- Blinds can be operated from virtually anywhere in the home
- Provides easy operation of hard-to-reach or large blinds
- Efficiently manages energy (heat gain and loss)
- Tilt slats on groups of multiple blinds simultaneously or individually
- Easily integrated with home automation systems
- Low voltage motorization requires no costly electrical hardwiring
- Motor located on the left side within the headrail; lift is on the right side
- Not available with multiple blinds on one headrail, specialty shapes, or hold down brackets
- · Available with multiple power and control options

NOTE: Motorization components and accessories have a five-year limited warranty; excludes batteries.

Multiple Blinds on One Headrail



- . Surcharge: blinds to the left of the solid line on the price charts
- No charge: blinds to the right of the solid line on the price charts
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

Multiple Blinds	Control Cord Locations	Gap (inches)
Cord Lift		
Two-On-One Headrail	Left panel: Left lift only and tilt left or tilt right* Right panel: Right lift only and tilt left or tilt right*	¹¼ (½ on NoHoles™)
Cordless Lift		
Two-On-One Headrail	Left panel (tilt left) Right panel (tilt right)	1/4
Three-On-One Headrail	Left panel (tilt left) Right panel (tilt right) Center panel (tilt left)	1/4

^{*2&}quot; and 2½" premium faux wood and faux wood cannot have same side controls. **NOTE:** Optional control locations may be requested.

Measuring

- 1. Measure overall width of the area to be covered. If space permits, an overlap of 1½" per side is recommended for outside mounts.
- 2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of 1/4" between blinds (1/2" for NoHoles) for operating clearance.
- 3. Total width of all blinds, plus clearance(s), must equal overall width.
- 4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within ¾" of floor, either from ceiling or a point at least 6½" above the door frame. Check slat count table to see if blind will completely clear the doorway.


Ordering

- 1. Indicate whether two or three blinds are to be mounted on one headrail.
- 2. Specify total width of headrail.
- 3. Indicate each panel width separately, specify left blind first, continuing to the right.
- 4. Specify control positions.
- 5. Add appropriate surcharge, if to the left of the solid line on the price chart.


NoHoles™



- No charge
- The design of the NoHoles option eliminates route holes, providing maximum privacy and the best available light control
- Cleaning is simplified by sliding the NoHoles slats out and wiping clean, or keeping the slats in place and vacuuming using a soft brush attachment
- Not available on 1" wood, blinds with cloth tapes, cordless lift, or specialty shapes
- Best suited for inside mount applications due to the slight shifting of slats during operation




Cut-Out Blinds



- For surcharge, see price charts
- Maximum cut-out is 1" before route hole or NoHoles notch (corner and side cut-outs only)
- Cut-outs are measured with the slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the window up to the desired location
- Not available with cordless lift and wood vertical blinds

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.



Control Lengths for Cords and Wands

Finished Blind Height (inches)	Wand Length* (inches)	Cord Length		
up to 36	12			
36½ to 60	20			
60½ to 70	30			
70½ to 80	40	⅓ of blind height		
80½ to 90	48			
90½ to 100	60			
100½ to 120	72			

*Wands over 48" long are a clear plastic.

NOTE: Above control lengths may not fit your control needs based on window location or operator. Special length cords and wands may be requested at the time of ordering.

Bay and Corner Windows


Measuring Information

- Made as individual blinds to fit in bay or corner windows
- Each blind is on an individual headrail and has its own control
- Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind; must provide blind location (left and right blind)
- Control locations can be on the right or left side of each blind; placing controls opposite the corner is recommended
- Depending on the angle, some corner blinds cannot be raised to the same height

Manufacturer will take appropriate deductions for proper fit

- · No additional charge
- Valances will be mitered in the corner for finished look
- Cornices and wood verticals are not available on bay or corner windows
- Slat alignment cannot be guaranteed on side by side blinds
- If you do not want manufacturer to take deductions DO NOT order as bay or corner


NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.



Corner Window

Measure:

Width of each window from corner to the point you would like to cover.



Center Blind

Three-Sided Bay Window


Measure:

A and C: Width of side windows from the corners to the point you

would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B). Angle B-C: Angle between windows (B) and (C).



Four-Sided Bay Window


Measure:

A and D: Width of side windows from the corners to the point you

would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).
Angle B-C: Angle between windows (B) and (C).
Angle C-D: Angle between windows (C) and (D).



Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you

would like the blind to cover.


B, C, and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B). Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace onto paper and fax to customer service.



Cloth Tapes



- For surcharge, see price charts
- Decorative option to add to wood, composite, or faux wood blinds
- Decorative tapes will have pattern visible to room side only
- Not available with 1" wood, cordless lift, NoHoles™ option, or specialty shapes
- See chart below for availability of colors

Color Name	Color Number	Backer Tape Color	Traditions® 2" Wood Elite 2" Wood Traditions 2" Composite Lake Forest® 2" Premium Faux Wood Lake Forest 2" Faux Wood	Traditions® 2%" Wood Elite 2%" Wood Traditions 2½" Composite Lake Forest® 2½" Premium Faux Wood Lake Forest 2½" Faux Wood
1" Solid Tape	s		Cloth Tapes (available as marked)	
Beige	1011		•	
Black	1033		•	
Cocoa	1297		•	
Duck White	1136		•	
Toffee	1296		•	
White Smoke	1617		•	
1½" Solid Tap	oes			
Aztec Amber	2177		•	•
Beige	2011		•	•
Black	2033		•	•
Chocolate	2353		•	•
Cocoa	2297		•	•
Dark Grey	2857		•	•
Duck White	2136		•	•
Golden Honey	2176		•	•
Light Grey	2861		•	•
Moss	2500		•	•
Navy	2369		•	•
Shadow Grey	2178		•	•
Taupe	2659		•	•
Toffee	2296		•	•
White	2005		•	•
White Smoke	2617		•	•
1½" Decorati	ve Tapes			
Arctic Sky	S164	Duck White	•	
Belgian Cream	Q164	Duck White	•	
Coastal Fog	C159	Duck White	•	
Creamy Taupe	D147	Duck White	•	
Dew Alabaster	N112	Duck White	•	
Fairweather Blue	D155	Duck White	•	
Fresh Sage	B160	Duck White	•	
Medallion Flax	F541	Light Beige	•	
Medallion Taupe	F659	Taupe	•	
Medallion Toffee	F296	Black	•	
Modern Taupe	C157	Duck White	•	
Natural Linen	S166	Taupe	•	
Neutral Intrigue	B161	Duck White	•	
Palm Beach	P179	White Smoke	•	
Variegated Taupe	Q659	Taupe	•	

Decorative Tassels (wood blinds only)



Standard Tassel

1" wood tassel stained or painted to coordinate with your wood blinds.



Brass Tassel

1" antique brass tassel ideal for medium and dark stains and paints.

No charge for elite blinds.



Nickel Tassel

1" nickel tassel ideal for light stains and paints.

No charge for elite blinds.



Carved Tassel

1" carved wood tassel stained or painted to coordinate with your wood blinds.

No charge for elite blinds (not available on authentic hardwoods).



Flared Tassel

21/4" long, genuine hardwood tassel stained or painted to coordinate with your wood blinds.

No charge for elite blinds (not available on authentic hardwoods).



Ovate Tassel

2½" long, genuine hardwood tassel stained or painted to coordinate with your wood blinds.

No charge for elite blinds (not available on authentic hardwoods).

NOTE: For surcharges see price charts.

Accent Color (elite wood blinds only)

For surcharge, see price charts.

Complement the window and décor of the room by specifying a different color valance and bottomrail. Single color only.

Custom Color

For surcharge, see price charts.

Graber® offers the unique option of custom color either paint or stain. Use the following guidelines when placing your order:

- 1. Complete the custom color match request form. Forms can be found on graberdirect.com.
- 2. Supply Springs Window Fashions with a color sample labeled with the color name and purchase order number. The sample needs to be at least 2" x 2". For best results, submit a 3" x 3" color sample.
- 3. Send the order, along with the request form and color sample to: Springs Window Fashions, LLC

ATTN: Graber Custom Color 1500 Sycamore Road-G5 Montoursville, PA 17754

- 4. Approval of the custom color sample is required on orders of six or more blinds. A sample of the custom color will be sent upon request for orders of less than six blinds. If a custom color sample is not requested, the sample provided will be used to manufacture the wood blinds. If the color sample is to be returned, please note this on your order.
- 5. Custom color samples will be sent for approval approximately two weeks after receiving the original color sample.
- 6. Once approval is received, fabrication of the custom color blinds will begin.

Why Elite Wood for Your Client's Home

Elite wood blinds are individually hand finished using a wiping technique to enhance the beauty of the wood and create a truly beautiful blind as unique as your client.

Additional benefits of elite wood blinds include:

- Each wood component is finished after being cut and routed for the client's individual blind—creating wood components that are completely sealed from the environment
- Elite wood finish is applied using a wiping process rather than flow coating the finish; the end result is a finish that further enhances the beautiful characteristics of the wood
- All Graber Traditions® paints and stains are available using this unique finishing style, or create a completely customized blind using the custom color option

How to Order Elite Wood: Special Ordering Instructions

On graberdirect.com

- · Select the description elite wood
- Select the finish choice
 - Elite finish
 - Elite high gloss
 - Sandblast finish (2" only)
- Follow the remaining ordering instructions to complete the order

NOTE: Due to the nature of the elite process, blinds and specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

Valance Options

		Maximum (Continuous dth*				
Valance Type	Blind Type	Inside Mount No Returns (inches)	Inside Mount with Returns (inches)	Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)	
2½" Classic Valance				Cord tilt	27/8	31/4	
	Oli D	1001/	002/	Wand tilt	3%16	37//8	
Valance Returns ½" to 1": glued	2" Barnwood^	1001/4	98%	Cordless wand tilt	3%	3¾	
1/16" to 4%": optional glued 411/16" and greater: not glued				Cordless cord tilt	23/4	31/16	
5 5	1" Wood	1001/4	98%	Wand tilt	21/16	23/8	
				Cord tilt	27/8	31/4	
	2" Wood		000/	Wand tilt	3%16	31//8	
	2" Elite Wood	1001/4	98%	Cordless wand tilt	3%	3¾	
				Cordless cord tilt	2¾	31/16	
				Cord tilt	3¾	41/16	
	2¾" Wood	1001/	002/	Wand tilt	3¾	41/16	
	23/8" Elite Wood	1001/4	98%	Cordless wand tilt	3%16	315/16	
				Cordless cord tilt	3%16	315/16	
3" Classic Valance	Wood Verticals	1001/4	98%	N/A	5½	5 ¹³ / ₁₆	
				Cord tilt	27/8	31/4	
				Wand tilt	3%16	37/8	
	2" Composite^	106%	105%	Cordless wand tilt	3%	3¾	
				Cordless cord tilt	2¾	31/16	
Valance Returns				Cord tilt	315/16	41/4	
½" to 1": glued 11/₁6" to 45/8": optional glued				Wand tilt	3 ¹⁵ / ₁₆	41/4	
411/16" and greater: not glued	2½" Composite^	106%	105%	Cordless wand tilt	3¾	41/8	
				Cordless cord tilt	3¾	41/8	
				Cord tilt	27/8	31/4	
	2" Premium Faux Wood^			Wand tilt	3%16	31//8	
	2" Faux Wood [^]	106%	105%	Cordless wand tilt	3%	3¾	
				Cordless cord tilt	23/4	31/16	
				Cord tilt	315/16	41/4	
	2½" Premium Faux Wood [^]			Wand tilt	315/16	41/4	
	2½" Faux Wood^	106%	105%	Cordless wand tilt	3¾	41/8	
				Cordless cord tilt	33/4	41/8	
				Cord tilt	27/8	3%	
				Wand tilt	3%16	41/16	
	2" Composite^	106%	105%	Cordless wand tilt	3%	31//8	
				Cordless cord tilt	23/4	33/16	
3" Majestic Valance				Cord tilt	315/16	47/16	
	2//11 0	10	40==4	Wand tilt	315/16	47/16	
	2½" Composite^	2½" Composite [^] 106% 105%	105%	Cordless wand tilt	3¾	41/4	
				Cordless cord tilt	33/4	41/4	
				Cord tilt	27/8	3%	
Valance Poturne	2" Premium Faux Wood^		106% 105%	Wand tilt	3%16	41/16	
Valance Returns ½" to 1": glued 1½" to 4%": optional glued	2" Premium Faux Wood^ 2" Faux Wood^			106% 105%	105%	Cordless wand tilt	3¾
11/16" to 45/6": optional glued 411/16" and greater: not glued				Cordless cord tilt	2¾	33/16	
				Cord tilt	315/16	47/16	
	2½" Premium Faux Wood^			Wand tilt	315/16	47/16	
	2½" Faux Wood^	106%	105%	Cordless wand tilt	33/4	41/4	
				Cordless cord tilt	33/4	41/4	

^{*}Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300%".

[^]Keystones not available.

NOTE: For replacement valances see cornices and valances product information guide.

Valance Options

			Continuous hth*			
Valance Type	Blind Type	Inside Mount No Returns (inches)	Inside Mount with Returns (inches)	Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
	1" Wood	1001/4	98%	Wand tilt	21/16	2%
3½" Craftsman Valance				Cord tilt	21//8	31/4
	2" Wood	1001/4	98%	Wand tilt	3%16	37//8
	2" Elite Wood	10074	3078	Cordless wand tilt	3¾	3¾
				Cordless cord tilt	23/4	31/16
				Cord tilt	3¾	41/16
Valance Returns	2%" Wood	1001/	003/	Wand tilt	3¾	41/16
½" to 1": glued 1½" to 45%": optional glued	2%" Elite Wood	1001/4	98%	Cordless wand tilt	3%16	315/16
411/16" and greater: not glued				Cordless cord tilt	3%16	315/16
	Wood Verticals	1001/4	98%	N/A	5½	5¹¾16
	1" Wood	1001/4	98¾	Wand tilt	21/16	27/16
				Cord tilt	27//8	35/16
	2" Wood			Wand tilt	3%16	4
3½" Legacy Valance	2" Elite Wood	1001/4	98%	Cordless wand tilt	3%	313/16
				Cordless cord tilt	2¾	31//8
				Cord tilt	27/8	35/16
	2" Distressed Wood [^]			Wand tilt	39/16	4
	2" Elite Authentic Hardwood^	1001/4	98%	Cordless wand tilt	3%	313/16
				Cordless cord tilt	23/4	31//8
Valance Returns ½" to 1": glued				Cord tilt	3¾	43/16
11/16" to 456": optional glued 411/16" and greater: not glued	2¾" Wood			Wand tilt	3¾	43/16
4 716 and greater. Not glace	2%" Elite Wood	1001/4	98%	Cordless wand tilt	3%16	41/16
				Cordless cord tilt	3%16	41/16
	Wood Verticals	1001/4	98%	N/A	5½	51//8
	1" Wood	1001/4	98%	Wand tilt	21/16	2 ¹³ / ₁₆
4½" Symphony Valance				Cord tilt	27//8	35//8
	2" Wood			Wand tilt	3%16	45/16
	2" Elite Wood	1001/4	98%	Cordless wand tilt	3%	41//8
				Cordless cord tilt	23/4	3½
				Cord tilt	3¾	4½
Valance Returns	2%" Wood			Wand tilt	33/4	4½
1/2" to 1": glued 1/16" to 45%": optional glued	2¾" Elite Wood	1001/4	98%	Cordless wand tilt	3%16	45/16
411/16" and greater: not glued				Cordless cord tilt	39/16	45/16
	Wood Verticals	1001/4	98%	N/A	5½	61/4
5" Flat Valance	2" Wood Specialty Shapes	N/A	N/A	Wand tilt	N/A	37/8
	2 Trood oppositing onlines	TVA IVA		Cord tilt	N/A	37/8
	2%" Wood Specialty Shapes	N/A	N/A	Wand tilt	N/A	37/8
				Cord tilt	N/A	37/8

^{*}Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300%".

NOTE: For replacement valances see cornices and valances product information guide.

[^]Keystones not available.

How to Measure for Valance Returns

Window depths vary considerably depending on the age and style of the window. **Always** measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.


Please use our valance return cards to assist in correctly calculating valance return sizes.

To calculate the return width, use this formula:

(standard return width) minus (client window depth) = special return width to order for inside mount blind

REMEMBER:

- $\bullet\,$ Smallest return width is $1\!\!/\!_2$ " (inside measurement), maximum return width is 8"
- Returns up to 1" (inside measurement) will be glued; 11/16" to 45%" optional glued
- The width of a return and the width of a valance are measured on the inside (back side) of the valance, not the outside (face) of the valance (see diagram at right)
- Standard return size for 2%" blinds—subtract 3/6" prior to determining special return width
- Standard return size for 2½" blinds—subtract %" prior to determining special return width




A: Inside Measurement B: Outside Measurement


How to Measure and Order Valances

If a valance is ordered, it is supplied in one of the following styles, depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.


NOTE: Valances with returns are measured and cut from the INSIDE of the miter to ensure the most accurate fit when installed over the headrail or window frame.

Blinds ordered as an OUTSIDE MOUNT with requested returns will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, longer returns will be sent automatically. Outside mount blinds are available without returns upon request.





A: Inside Measurement B: Outside Measurement




NOTE: Minimum return width is ½", maximum return width is 8".

Additional Ordering Information:

- Please state at the time of order if the valance and return measurements are for the **EXACT** size required so that no additions or deductions are made
- Different return sizes can be ordered for the same valance; always provide LEFT return INSIDE measurement first when ordering
- Valance projection is different if the blind has a wand tilt or cord tilt; please refer to the previous specifications chart for more information
- Returns up to 1" will be glued; 11/16" to 45/16" optional glued; 411/16" and greater will not be glued
- Bay and corner blinds must specify return width on inside mount at time of order
- Single side returns are available—opposite end will be cut straight

Valance Keystones

- Decorative keystones are required on wood valances that require splicing
- Keystones will be equally spaced unless special splice locations are requested at time of order
- Optional keystones can be ordered with single piece valances, or in addition to required keystones at the time of order only
 - Minimum width with a keystone: 12"
 - Maximum number of keystones: 3
- Keystones will be stained or painted to match the valance ordered as standard; optional different color selection available
- Keystones not available on elite authentic hardwood, distressed wood, barnwood, in sandblast finish, composite, or faux wood valances
- · Keystones cannot be ordered for existing valances, attachment will not work
- All inside mount applications will have a slight light gap at the top of valance when installed




Splicing Requirements

	No Returns With Retu		No Returns			
Profile	Number of Sections	Number of Keystones	Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
2½" Classic Barnwood Valance* 3" Classic Wood Valance	1	0	8	1001/4	8	98%
3½" Craftsman Wood Valance	2	1	1005⁄16	200½	987/16	198%
3½" Legacy Wood Valance 4½" Symphony Wood Valance	3	2	200%	300¾	19811/16	298%

^{*}Keystones not available.


Outside Mount

 Wood valances requiring a splice will include a keystone (see chart above for details)




Inside Mount

• Wood valances 1001/4" or wider will require a keystone



How to Measure a Special Splice Location

A keystone is supplied for valance widths that require a splice. Keystones will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an **INSIDE** measurement from the mitered corner to the location specified on the order.



Each splice location should be recorded starting from the **LEFT BACKSIDE** corner.

These formulas are used to calculate BACKSIDE valance measurements.


Inside Mount with No Returns	Ordered width -1/16"
Inside Mount with Returns	Ordered width +1/4"
Outside Mount with No Returns	Ordered width +1/2"
Outside Mount with Returns	Ordered width +3/4"

Example: Overall valance width = 80" backside measurement First splice from left = 30" backside measurement Second splice from left = 50" backside measurement

For surcharge, see price charts.

NOTE: All measurements need to be from BACKSIDE.

Wood Specialty Shapes: Incline Wire Blinds



NOTE: Maximum degree from vertical is 45°. Blinds over 30° will have marginal tilt. Blinds over 40° will have marginal lowering.

- Blinds up to 60" will have 2 wires
- Blinds over 60" will have 4 wires

Options Available:

- Decorative tassels
- Ring tilt (2" only)
- Custom color
- High gloss finish
- · Accent color

NOTE: Due to the nature of the elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

Features

- · For pricing, see price charts
- Cord, wand, and ring tilt options available
- · Wand control is the universal joint attachment
- There is a turn buckle in the headrail for adjusting the tension in the wires
- At the bottomrail, there are sill plates that are used to attach the wires to the sill
- · Color coordinated box style bracket

Incline (tension) Wire Blinds

- Rectangular blinds will tilt only; may be used in windows installed vertically to 45 degrees from vertically (maximum)
- Ideal for applications that require stabilized blinds, such as boats
- A. Rise—The vertical measurement from the top of a window to the RUN to form a 90 degree angle.
- B. Run—The horizontal measurement from the bottom of a window to the RISE to form a 90 degree angle.
- C. Angle—The degree the window is slanted perpendicular (at a right angle) to the floor.
- D. Catenary—The degree a blind may possibly bow. No measurement needed. Must give measurements for width and height. A and B are used to calculate the angle (must be less than 45°).

Measuring Information

Use regular measuring instructions; see measuring instructions tab. Available on elite wood blinds.

Size Considerations	Incline Wire (inches)		
Minimum Width	16		
Maximum Width	9	6	
Minimum Height	12		
Size Considerations	Blind Width (inches)	Maximum Height (inches)	
	16 to 32	120	
Maximuma Haisaht	321/8 to 57	108	
Maximum Height	571/8 to 92	102	
	92½ to 96	90	

Depth Requirements	2" (inches)	2 %" (inches)
Minimum	3/4	3/4
Flush with Casing	23/8	2%

NOTE: Not available with cloth tapes, cordless lift, cut-outs, multiple blinds on one headrail, NoHoles™, or valances.

Slat alignment cannot be guaranteed on side by side blinds.

Wood Specialty Shapes: Angle Top or Bottom

Features

- For pricing, see price charts
- Available in 2" and 2%" slats
- Extruded aluminum headrail
 - 21/4" depth x 2" height

Controls

- Cord, ring, and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- · Universal joint attachments for wand control
- Wand and cord tilt controls will be approximately one third the length of the blind; controls on angle top or angle bottom blinds will be located on the short side of the blind
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- Maximum angle is 45°
- Blinds have tilt function only

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cloth tapes, cordless lift, cut-outs, motorized tilt, NoHoles™, or unique finishes

Size Considerations	2" (inches)	2 %" (inches)
Minimum Width	15	15
Minimum Height*	12	12
Maximum Width	96	96
Maximum Height	120	120

^{*}Long side.

Depth Requirements	2" (inches)	2 %" (inches)
Minimum	3/4	3/4
Flush with Casing	31//8	31//8

Mounting Options

 Blinds under 24" must use hold down brackets to ensure level installation


NOTE: Due to the nature of the elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.


Valance



- 5" Flat Valance
- · Valance returns are not available

Angle Top or Bottom: Measuring Guidelines





Refer to diagrams for illustrations of measurements to include when ordering an angle top or angle bottom blind.

W: Straight width

B: Length of short side

H: Length of long side

A: Angle width

Also specify/include:

Inside or outside mount

Wood Specialty Shapes: Trapezoid, Triangle, and Octagon

Features

- For pricing, see price charts
- Available in 2" and 2%" slats
- Extruded aluminum headrail
 - 21/4" depth x 2" height

Controls

- Cord, ring, and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand and cord tilt controls will be approximately one third the length of the blind
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- · Blinds have tilt function only

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cloth tapes, cordless lift, cut-outs, motorized tilt, NoHoles[™], or unique finishes

Size Considerations	2" (inches)	2 %" (inches)
Minimum Width**	15	15
Minimum Height	12	12
Maximum Width	96	96
Maximum Height	120	120

^{**}Octagon and trapezoid: 71/2" exact minimum for top headrail.

Depth Requirements	2" (inches)	2 %" (inches)
Minimum	21/4	23/8
Flush with Casing	37/8	37/8

Mounting Options

- All shapes receive predrilled openings and fasteners for direct mounting
 - Inside mounts: predrilled openings are located on the underside of the headrail
 - Outside mounts: predrilled openings are located on the front and back face of the headrail


NOTE: Due to the nature of the elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

Valance



- 5" Flat Valance
- · Valance returns are not available

Trapezoid, Triangle, or Octagon: Measuring Guidelines




Refer to diagrams for illustrations of measurements to include when ordering a trapezoid, triangle, or octagon blind.

W: Bottom width

H: Length of long side

A: Top width



- †Verify each section width.
- ††Depending on sizes, octagon may be framed on all sides. Contact customer service.

Also specify/include:

- Inside or outside mount
- Control location

Wood Specialty Shapes: Arched Blinds

Features

- · For pricing, see price charts
- Available in 2" and 2%" slats
- Extruded aluminum headrail
 - 21/4" depth x 2" height

Controls

- · Cord, ring, and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- · Arched blinds will fully tilt but will not lift
- · Universal joint attachments for wand control
- Wand and cord tilt controls will be approximately one third the length of the blind; controls on arched blinds will be located on the low side of the guarter arch
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- · Blinds have tilt function only

Mounting Options

- We recommend hold down brackets for quarter arches less than 24" in width to ensure level installation
- · Arches will receive predrilled openings and fasteners
 - Inside mounts: predrilled openings are located on the underside of the headrail
 - Outside mounts: predrilled openings are located on the front and back face of the headrail

NOTE: Due to the nature of the elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

- Lightblocking headrail is not available
- · See below for measuring guidelines
- Not available with cloth tapes, cordless lift, cut-outs, motorized tilt, NoHoles™, or unique finishes

	2" (inches)	2 %" (inches)
Minimum Arch Width: Full Arch	24	24
Minimum Arch Width: Quarter Arch	15	15
Minimum Arch Height: Full Arch	12	12
Minimum Arch Height: Quarter Arch	12	12
Maximum Arch Width	96	96
Maximum Height of Extended Arches, Quarter Arches	120	120


Depth Requirements	2" (inches)	2 %" (inches)
Minimum	21/4	23/8
Flush with Casing	31//8	31//8

Valance



- 5" Flat Valance
- · Valance returns are not available

Arched Blinds: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering an arched blind.

W: Straight width

B*: Length to springline (point where arch begins)
Template needs to extend 6" past the springline.

H*:Overall height

A: Arch height

Also specify/include:

- · Inside or outside mount
- · Control location

*A + B = H

†Perfect arch: height = ½ of width;

Perfect 1/4" = width and height are the same

^Customer must provide template

Wood Specialty Shapes: Ovals and Circles

Features

- For pricing, see price charts
- Available in 2" and 2%" slats
- Extruded aluminum headrail
 - 21/4" depth x 2" height

Controls

- Cord, ring, and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand and cord tilt controls will be approximately one third the length of the blind
- Blinds have tilt function only


Mounting Options


- All shapes receive predrilled openings and fasteners for direct mounting
 - Inside mounts: predrilled openings are located on the underside of the headrail
 - Outside mounts: predrilled openings are located on the front and back face of the headrail

NOTES:

- 1. For blinds less than 16 square feet, valance may appear disproportionate in scale.
- Due to the nature of the elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

Circles and Ovals: Measuring Guidelines





Refer to diagrams for illustrations of measurements to include when ordering a circle or oval blind.

W and H: Provide width and height.

Template required if width and height are not the same.

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cloth tapes, cordless lift, cut-outs, motorized tilt, NoHoles™, or unique finishes

Size Considerations	2" (inches)	2 %" (inches)
Size Considerations	(Inches)	(inches)
Minimum Diameter Width or Height	24	24
Maximum Diameter Width or Height	72	72

Depth Requirements	2" (inches)	2 %" (inches)
Minimum	21/4	23//8
Flush with Casing	37//8	31/8

Valance



- 5" Flat Valance
- · Valance returns are not available

NOTES:

- 1. Maximum spacing between ladders is 24".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to 815/16" not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

Also specify/include:

- Inside or outside mount
- Control location


Making a Template for Specialty Blinds

- 1. Tape butcher paper, kraft, or construction paper over the window opening allowing plenty of overlap.
- Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
- Remove the paper from the window opening. If the shade
 is an outside mount, add the desired amount of overlap to
 the window outline and draw a second outline around it to
 match the shape of the finished shade. Be sure to erase the
 inside line.
- Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

NOTE: Make sure the template is of the window opening, not the glass only measurement.

- 5. Cut the shape from the paper.
- PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT COMPLETELY AROUND.
- 7. Indicate on the template
 - "Room side" and "top" on the template
 - Purchase order number
 - · Customer's name
 - Your store name and account number
- Roll up template and place in a mailing tube. DO NOT FOLD TEMPLATE.

NOTE: Template of arch top plus 6" beyond springline (point where arch begins). Required for elongated arch.



NOTE: This is just a sample for illustration purposes only—other information may be needed for your order.

Mail to: Springs Window Fashions, LLC 1500 Sycamore Road-G5 Montoursville, PA 17754 ATTN: Specialty Dept.

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES:

- Kraft paper
- Butcher paper
- Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS:

- Newspaper
- Plastic
- Wax paper
- Fabric
- Tissue paper
- Roofing paper
- Existing arch shades
- Wrapping paper
- Cardboard
- Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, or will mark the fabric—IT WILL NOT BE USED.

Using the Graber® Template Service

To use the template service:

- 1. Select template service when entering your order online.
- 2. Use the template worksheet (located on graberdirect.com) to determine what measurements you need to supply for each shape.
- 3. Enter the lettered measurements using line item comments.

For surcharge, see price charts.

How to measure for the template service:

- Measure the interior of the specialty application to the nearest 1/8" using a metal tape measure
- Document each measurement as outlined in "Wood Specialty Shapes: Arched Blinds" section
- Not available with gothic arch

Slat Count Table: 1" Wood Blinds

	1" Woo	d Blinds		1" Woo	d Blinds
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)
11	12	3¾	76	665/16	
12	12	41/16	77	67¾6	
13	12 ¹⁵ / ₁₆		78	68	
14	13 ¹³ ⁄ ₁₆		79	68 ⁷ / ₈	
15	145/8		80	6911/16	1315/16
16	15½		81	70%	
17	16¾		82	71 %	
18	17 %6		83	721/4	
19	181/16		84	73 1/ ₈	
20	187/s	51/4	85	73 ¹⁵ ⁄ ₁₆	
21	19¾		86	74 ¹³ / ₁₆	
22	20%6		87	75 5⁄8	
23	217/16		88	76½	
24	221/4		89	775/16	
25	231/8		90	783/16	15%
26	24		91	79	
27	24 ¹³ / ₁₆		92	791/8	
28	2511/16		93	80¾	
29	26½		94	81%	
30	27%	611/16	95	827/16	
31	283/16		96	831/4	
32	291/16		97	841//8	
33	297/8		98	8415/16	
34	30¾		99	85 ¹³ / ₁₆	
35	31%		100	865%	16%
36	327/16		101	87½	1070
37	335/16		102	883/8	
38	341/8		103	893/16	
39	35		104	901/16	
40	3513/16	81/8	105	90%	
41	3611/16	578	106	91¾	
42	37½		107	92%16	
43	38%		108	937/16	
44	393/16		109	941/4	
45	401/16		110	951/4	181/4
46	4015/16		111	95 ¹⁵ / ₁₆	10/4
47	41¾		112	9613/16	
48	425%		113	9711/16	
49	437/16		114	98½	
50	445/16	9%6	115	99%	
51	451/8	3716	116	1003/16	
52	46		117	1011/16	
53	4613/16		118	101%	
54	4711/16		119	1023/4	
54 55	48%16		120	103%	19¾
56	49%		120	103%	1974
56 57	49% 50¼		121	104½ 105½	
	501/4 511/ ₁₆		122		
58 59			123	106⅓ 107	
60	51¹⁵⁄₁₅ 52³⁄₄	11			
		11	125	10713/16	
61	53%		126	10811/16	
62	54 ⁷ / ₁₆		127	109½	
63	55 ⁵ ⁄ ₁₆		128	110%	
64	56¾6		129	111¼	0.101
65	57		130	1121/16	21¾6
66	57%		131	11215/16	
67	58 ¹ 1/ ₁₆		132	113¾	
68	59%6		133	114%	
69	60%		134	1157/16	
70	611/4	12½	135	1165/16	
71	621/16		136	117%	
72	6215/16		137	118	
73	63 ¹³ / ₁₆		138	118 ¹³ / ₁₆	
74	645%		139	11911/16	
75	65½		140	120½	225/8

NOTE: Finished height includes headrail and bottomrail.

Slat Count Table: 2" Wood Blinds

	Elite Woo	od and od Blinds Holes™	Elite Woo	od and od Blinds dless Lift		Elite Wo	od and od Blinds oHoles	2" Wood and Elite Wood Blinds with Cordless Lift	
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
7	12	43/8	12	41//8	39	67%		681/16	
8	13¹³⁄₁ ₆		145/16		40	691/4	95/8	69¾	101// ₈
9	15%		16½		41	71		71½	
10	175⁄16	41//8	17 ¹³ ⁄₁6	5%	42	72¾		731/4	
11	191/16		19%		43	747/16		74 ¹⁵ / ₁₆	
12	20¾		211/4		44	76¾6		76¹¹⁄₁₅	
13	22½		23		45	77 ¹⁵ / ₁₆		787/16	
14	241/4		24¾		46	7911/16		80¾6	
15	2515/16		267/16		47	81%		81%	
16	2711/16		28¾6		48	831//8		83%	11 ½6
17	297/16		2915/16		49	847/8		85%	
18	31¾6		3111/16		50	86%	1111/4	86	
19	321//8		33%		51	885/16			
20	345%	6½	351/8	7	52	901/16			
21	36%		367/8		53	9113/16			
22	381/16		38%		54	93½			
23	3913/16		405/16		55	951/4			
24	41%6		421/16		56	97			
25	435/16		4313/16		57	9811/16			
26	45		45½		58	1007/16			
27	46¾		471/4		59	102¾6			
28	481/2		49		60	103%	12¹¾16		
29	50¾6		5011/16		61	105%			
30	51 ¹⁵ ⁄16	81/16	52¾6	8%16	62	107%			
31	5311/16		54¾6		63	1091//			
32	557/16		55 ¹⁵ ⁄ ₁₆		64	11013/16			
33	571//8		57%		65	1121/16			
34	581//8		59%		66	1145/16			
35	60%		611//8		67	116			
36	625/16		6213/16		68	117¾			
37	641/16		64%		69	119½	141/4		
38	65 ¹³ ⁄ ₁₆		665/16		70	120			

NOTE: Finished height includes headrail and bottomrail. Excludes specialty shapes.

Slat Count Table: 2%" Wood Blinds

	2%" Wood and Elite Wood Blinds and NoHoles™		2%" Wood and Elite Wood Blinds with Cordless Lift				nd Elite Wood d NoHoles	Elite Wo	ood and od Blinds dless Lift
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
6			12	415/16	32	671//8		67¾	
7	12	43/8	14 ⁵ / ₈		33	691/4		697/8	
8	161/16		16¾		34	71%		72	
9	183/16		181//8		35	73½		74½	
10	205/16	47/8	21	5%16	36	75%		761/4	
11	227/16		231//8		37	77¾		78%	
12	24%		251/4		38	797/8		80½	
13	2611/16		27%		39	82		82%	
14	2813/16		29½		40	841/8	95/8	84¾	105/16
15	3015/16		31%		41	861/4		86	
16	331//8		33¾		42	88%			•
17	351/4		351/8		43	90½			
18	37%		38		44	92%			
19	39½		401/8		45	94¾			
20	41%	6½	421/4	71//8	46	96¾			
21	43¾		44%		47	99			
22	457//8		46½		48	1011//			
23	48		48%		49	1031/4			
24	50½		50¾		50	105%	1111/4		
25	521/4		521/8		51	107½			
26	54%		55		52	109%			
27	56½		57½		53	111¾			
28	58%		591/4		54	113%			
29	60¾		61%		55	116			
30	627//8	81/16	63½	8¾	56	1181//8	12¾6		
31	65		65%		57	120			

NOTE: Finished height includes headrail and bottomrail. Excludes specialty shapes.

Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds

		nposite s and oles™	Wood a Wood Bl	2" Premium Faux Wood and Faux Wood Blinds and NoHoles 2" Composite, Premium Faux Wood, and Faux Wood Blinds with Cordless Lift		Premium Faux Wood, and Faux Wood Blinds with		Premium Faux Wood, and Faux Wood Blinds with			Blind	nposite s and loles	Wood a Wood Bl	ium Faux nd Faux inds and loles	Premiu Wood, a Wood Bl	iposite, m Faux ind Faux inds with ess Lift
Number of Slats	Blind	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)		Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)		
5	12	41/4	12	41/4	12	4%16	П	37	67%16		67%		665/16			
6	1313/16		13 ¹³ ⁄ ₁₆		12%		$ \ $	38	691/4		691/4		681/16			
7	151/16		15%		145/16		Ш	39	71		71		69¾			
8	175/16		17 5⁄ ₁₆		161/16		$ \ $	40	72¾	913/16	72¾	913/16	71½	101//8		
9	191/16		191/16		17 ¹³ / ₁₆		Ш	41	747/16		747/16		72			
10	20¾	51/16	20¾	51/16	19%16	5%	$ \ $	42	76¾6		76¾16					
11	22½		22½		21¼		Ш	43	77¹⁵⁄₁6		7715/16					
12	241/4		241/4		23		$ \ $	44	7911/16		7911/16					
13	2515/16		2515/16		24¾		Ш	45	81%		81%					
14	2711/16		2711/16		267/16		$ \ $	46	831//8		831/8					
15	297/16		297/16		28¾16		Ш	47	841//8		84%					
16	31¾16		31¾16		2915/16		Ш	48	86%16		86%16					
17	321/8		32%		3111/16		Ш	49	885/16		885/16					
18	34%		34%		33%		П	50	901/16	11%	901/16	11%				
19	36%		36%		351/8		$ \ $	51	9113/16		91 ¹³ / ₁₆					
20	381/16	65%	381/16	65/8	367/8	7	П	52	93½		93½					
21	39¹¾16		39¹¾16		38%16		$ \ $	53	951/4		95¼					
22	41%16		41%		405/16		$ \ $	54	97		97					
23	435/16		435/16		421/16		$ \ $	55	9811/16		9811/16					
24	45		45		4313/16		П	56	1007/16		1007/16					
25	46¾		46¾		45½		П	57	1023/16		102¾6					
26	48½		48½		471/4		П	58	103%		103%					
27	503/16		503/16		49		П	59	105%		105%					
28	51 ¹⁵ ⁄ ₁₆		51 ¹⁵ / ₁₆		50 ¹ 1⁄ ₁₆		$ \ $	60	107%	13	107%	13				
29	5311/16		5311/16		527/16		П	61	1091//8		1091/8					
30	557/16	81/4	557/16	81/4	54¾6	8%16	П	62	110¹¾16		110¹¾16					
31	571//8		571//8		55 ¹⁵ / ₁₆			63	112%6		112%16					
32	58%		58%		57%			64	1145/16		1145/16					
33	60%		60%		59%			65	116		116					
34	625/16		625/16		611//8		П	66	117¾		117¾					
35	641/16		641/16		6213/16			67	119½		119½					
36	65 ¹³ ⁄ ₁₆		6513/16		64%			68	1211/4	14¼	1211/4	14¼				

NOTE: Finished height includes headrail and bottomrail.

Slat Count Table: 21/2" Composite, Premium Faux Wood, and Faux Wood Blinds

	2½" Composite Blinds and NoHoles™		Wood a	ium Faux nd Faux inds and oles	2½" Composite, Premium Faux Wood, and Faux Wood Blinds with Cordless Lift		
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	
5	12	41/4	12	41/4	12	43/4	
6	163/16		163/16		145/8		
7	185/16		185/16		16¾		
8	207/16		207/16		18%		
9	229/16		229/16		21		
10	2411/16	51/16	2411/16	51/16	231//8	5%16	
11	2613/16		2613/16		251/4		
12	2815/16		2815/16		27%		
13	311/16		311/16		29½		
14	33¾6		33¾6		31%		
15	355/16		355/16		33¾		
16	371/16		371/16		35%		
17	391/16		39%16		38		
18	41 ¹¹ / ₁₆		41 ¹¹ / ₁₆		401//8		
19	437//8		437//8		421/4		
20	46	65%	46	65%	44%	71//8	
21	481//8		481//8		46½		
22	501/4		501/4		48%		
23	52%		52%		50¾		
24	54½		54½		521/8		
25	56%		56%		55		
26	58¾		58¾		571/8		
27	60%		60%		591/4		
28	63		63		61%		
29	651//8		651//8		63½		
30	67¼	81/4	671/4	81/4	65%	8¾	

	2½" Composite Blinds and NoHoles		Blinds and Wood Blinds and			nposite, m Faux ind Faux Blinds dless Lift
Number of Slats	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
31	69%		69%		67¾	
32	71½		71½		69%	
33	73%		73%		72	
34	75¾		75¾			
35	77½		777//8			
36	80		80			
37	821/8		821//8			
38	841/4		841/4			
39	86%		86%			
40	88½	913/16	88½	913/16		
41	90%		90%			
42	92¾		92¾			
43	94%		94%			
44	97		97			
45	991//8		991//8			
46	1011/4		1011/4			
47	103%		103%			
48	105½		105½			
49	107%		107%			
50	109¾	11%	109¾	11%		
51	1117/8		11111//8			
52	114		114			
53	1161//8		116⅓			
54	118¼		1181/4			
55	120%	123/16	120%	123/16		

NOTE: Finished height includes headrail and bottomrail.

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount – ½"; outside mount – no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

Traditions® 1" Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
7 to 8 ¹⁵ ⁄ ₁₆	1¾	2	2	0
9 to 13¾	31/4	2	2	0
13 ¹³ / ₁₆ to 20 ³ / ₄	4	2	2	0
20 ¹³ / ₁₆ to 35	6	2	2	0
35½ to 58	6	3	2	1 over 48" FBW
58½ to 81	6	4	4	2 over 78" FBW
81½ to 96	6	5	4	2

For Same Side Controls

13 ¹³ / ₁₆ to 20 ³ / ₄	47/8	As stated above
20¹¾₁6 to 96	6	As stated above

NOTES:

- 1. Maximum spacing between ladders is 23".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.

Traditions 2" and 2%" Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders		NoHoles™ # of Cords	# of Center Brackets
7 to 8 ¹⁵ / ₁₆	1%	2	2	4	0
9 to 11 ¹⁵ /16	23/8	2	2	4	0
12 to 24	4	2	2	4	0
24½ to 36	6	2	2	4	0
36½ to 60	6	3	2	3	1 over 48" FBW
601/16 to 84	6	4	4	4	2 over 72" FBW
84½ to 96	6	5	4	4	2

For Same Side Controls

161/16 to 96	6	As stated above
--------------	---	-----------------

NOTES:

- 1. Maximum spacing between ladders is 24".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to $8^{15}/_{16}$ " not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

Traditions 2" and 2%" Wood Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 24	4	2	2	0
24½ to 36½	6½	2	2	0
36% to 50	6½	3	2	1 over 48" FBW
50½ to 60	6½	3	3	1
60½ to 84	6½	4	4	2 over 72" FBW

NOTES

- 1. Maximum spacing between ladders is 231/2".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 84". Wider blinds must be multiple blinds on one headrail.

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction). Excludes specialty shapes.

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

2" and 2%" Elite Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders		NoHoles™ # of Cords	# of Center Brackets
7 to 8 ¹⁵ / ₁₆	1%	2	2	4	0
9 to 11 ¹⁵ /16	23/8	2	2	4	0
12 to 24	4	2	2	4	0
24½ to 36	6	2	2	4	0
36½ to 60	6	3	2	3	1 over 48" FBW
601/16 to 84	6	4	4	4	2 over 72" FBW
84½ to 96	6	5	4	4	2

For Same Side Controls

NOTES:

- 1. Maximum spacing between ladders is 24".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to $8^{15}/_{16}"$ not available with cloth tapes.
- 5. Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2%" Elite Wood Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 24	4	2	2	0
241/16 to 361/2	6½	2	2	0
36 ⁹ / ₁₆ to 50	6½	3	2	1 over 48" FBW
501/16 to 60	6½	3	3	1
60½ to 84	6½	4	4	2 over 72" FBW

NOTES:

- 1. Maximum spacing between ladders is 231/2".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 84". Wider blinds must be multiple blinds on one headrail.

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount – ½"; outside mount – no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

Traditions® 2" and 21/2" Composite Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	NoHoles™ # of Cords	# of Center Brackets
7 to 8 ¹⁵ ⁄ ₁₆	1%	2	2	4	0
9 to 11 ¹⁵ / ₁₆	2%	2	2	4	0
12 to 22	4	2	2	4	0
221/16 to 38	5	3	2	3	0
38½ to 52	5	4	4	4	1 over 48" FBW
52½ to 66	5	5	3	4	1
66½ to 80	5	6	4	4	2 over 72" FBW
80½ to 94	5	7	4	5	2
94½ to 96	5	8	4	6	2

For Same Side Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	NoHoles # of Cords	# of Center Brackets
6½ to 26	6	2	2	4	0
26½ to 40	6	3	2	3	0
401/16 to 54	6	4	4	4	1 over 48" FBW
54½ to 68	6	5	3	4	1
68½ to 80	6	6	4	4	2 over 72" FBW
801/16 to 94	6	7	4	5	2
941/16 to 96	6	8	4	6	2

NOTES:

- 1. Maximum spacing between ladders is 14".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to $8^{15}/_{16}$ " not available with cloth tapes.
- 5. Cloth tape ladder quantity is the same as number of ladders listed above.

Traditions 2" and 2½" Composite Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 22	4	2	2	0
22½ to 38	5	3	3	0
38½ to 52	5	4	4	1 over 48" FBW
52½ to 66	5	5	5	1

NOTES:

- 1. Maximum spacing between ladders is 14".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 66". Wider blinds must be multiple blinds on one headrail.

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount—½"; outside mount—no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

Lake Forest® 2" and 2½" Premium Faux Wood and Faux Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	NoHoles™ # of Cords	# of Center Brackets
7 to 8 ¹⁵ / ₁₆	1%	2	2	4	0
9 to 11 ¹⁵ / ₁₆	2%	2	2	4	0
12 to 19	4	2	2	4	0
19½ to 30	4	3	2	3	0
301/16 to 41	4	4	4	4	0
41½ to 52	4	5	3	4	1 over 48" FBW
521/16 to 63	4	6	4	4	1
631/16 to 74	4	7	4	5	1
74½ to 85	4	8	4	6	2
851/16 to 96	4	9	4	5	2

NOTES:

- 1. Maximum spacing between ladders is 11".
- 2. Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 4. 7" to $8^{15}/_{16}$ " not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

Lake Forest 2" and 2½" Premium Faux Wood and Faux Wood Blinds with Cordless Lift

For Standard or Reverse Controls


Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 19	4	2	2	0
191/16 to 30	4	3	2	0
301/16 to 41	4	4	4	0
411/16 to 52	4	5	3	1 over 48" FBW
521/16 to 63	4	6	6	1

NOTES:

- 1. Maximum spacing between ladders is 11".
- 2. Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 63". Wider blinds must be multiple blinds on one headrail.


Traditions® 1", 2", and 2%" Wood and 2" and 2%" Elite Wood Blinds Product Detail


2" and 2%" Blinds




NoHoles™

Available with 2" and 2%"






Cord Management Options



Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood






Pair cordless lift with wand tilt for a blind that eliminates operating cords and is safer for homes with children and pets, or pair it with cord tilt for fast, simple control.

To lower blind, simply pull down on the bottomrail. To raise the blind, simply guide the blind into the desired location by gently lifting the bottomrail.


Not available with sky pole option.



General Information


Traditions® 2" and 2½" Composite Blinds Product Detail


2" Slat Shown




NoHoles™

Available with 2" and 2½"





Cord Management Options




36 | graberdirect.com November 2019

General Information


Lake Forest® 2" and 2½" Premium Faux Wood and Faux Wood Blinds Product Detail


2" Slat Shown




NoHoles™

• Available with 2" and 21/2"





Cord Management Options




November 2019 Graber | 37

Features

- Available in all Graber® Traditions® wood paints and stains
- Custom color available
- G-71 headrail features the patented pantograph traversing system to assure proportional spacing of vanes
- Unique design features multiple hinges on each vane to ensure they hang straight—without warping or twisting
- One-way or split stack available

Size Considerations Width Height Minimum Blind **Maximum Blind** Minimum Blind (exact) **Maximum Blind Blind Type** (inches) (inches) (inches) (inches) Elite Wood Vertical Blinds 144* 6 120

^{*}Blinds over 96" wide: must be a split stack due to the weight of wood vane.




38 | graberdirect.com November 2019

Options: Cord and Chain Control




Cord and chain control standard

Opening	Standard Controls	Optional Controls
Split Stack	Right	Left
One-Way Stack Right	Right	Left
One-Way Stack Left	Left	Right
Opposite Stack and Control	Left stack/right control	Right stack/left control




Chain and traversing cord must be at the same end of the track.

Paired Blinds



- Price as two separate blinds
- The appearance of a split stack blind can be achieved by pairing two individual one-way stack blinds; the center opening point can be either on center or off center
- Paired blinds can also be used when the required width is larger than the maximum width available for a single blind
- Specify paired blinds on your order
- Control locations must be same as stack
- Cut-outs not available
- Warranty will be voided if one-way stack is wider than 96"
- Available with one-way cord and chain only

Replacement Vane Ordering



- FLL = Finished vane length/height—the measurement from the top of the vane to the bottom of the vane. This measurement is approximately 21/4" less than the FBL.
- FBL = Finished blind length/height—the measurement from the top of the headrail to the bottom of the vane.

For surcharge, see price charts


How to Measure a Replacement Existing Vane, No Changes

- Measure the vane(s) from tip to tip to determine the exact length/height (FLL)
- Finished vane length (FLL) is measured from top of metal vane clip to the bottom of the vane
- No additional deductions will be taken by manufacturing; vanes will be manufactured to the exact size provided
- · Submit the measurement as exact height

How to Measure a Replacement Existing Vane, Changing the Height of the Vanes

- Measure from top of mounted headrail to bottom of location to be covered
- Record this measurement; this is the finished blind length/height (FBL)
- Manufacturing will take appropriate deduction so vanes will cover desired area

NOTE: When ordering replacement vanes only, hinge direction must be indicated (up or down).



November 2019 Graber | 39

Stacking Chart and How to Measure for an Uncovered Window


	Vertical	Vane Stackir	ng Chart	
	One	-Way	Split-	Stack
Number of Vanes	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	7 1// ₈	10½		
4	9¾	13%	77/8	131/4
5	12¾	16¾		
6	151/8	197/8	131//8	19½
7	17¾	23		
8	20%	261//8	18%	25¾
9	23	291/4		
10	25%	32%	23%	32
11	281/4	35½		
12	30%	385%	29	381/4
13	33½	41¾		
14	361/8	447/8	341/4	44½
15	38¾	48		
16	41¾	511//8	39½	50¾
17	44	541/4		
18	46⅓	57%	44¾	57
19	491/4	60½		
20	51%	635%	50	631/4
21	54½	66¾		
22	57¼	697/8	551/4	69½
23	59%	73		
24	62½	761//	60½	75¾
25	651/8	791/4		
26	67¾	82%	65¾	82
27	70%	85½		
28	73	885%	711/8	881/4
29	75%	91¾		
30	78¼	947/8	76%	94½
31	80%	98		
32	83½	1011/8	81½	100¾
33	86½	1041/4		
34	88¾	107%	867/8	107
35	91%	110½	001/	4401/
36	94	113%	921//8	1131/4
37	96%	116¾	073/	4401/
38	991/4	119%	97%	119½
39	101%	123	1005/	1053/
40	104%	1261/8	102%	125¾
41	1071/4	1291/4	1077/	120
42	109%	132%	107%	132
43 44	112½	135½	1101/	1201/
	1151/4	138%	1131/4	138¼
45 46	117¾ 119½	141¾ 144	117%	144
40	11972	144	117/8	144

- 1. Determine the clear opening width for one-way stack or split stack (see diagrams)—the additional 3" shown for privacy is recommended if ordering one-way stack.
- Match the clear opening width dimension found under CO column. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even numbers of vanes.
- 3. Order the corresponding dimension found in the FBW (finished blind width) column.


EXAMPLE: One-way stack if determined width for clear opening window view is $54\frac{1}{2}$ ", order width needed to provide full unobstructed view is $66\frac{3}{4}$ ".

NOTE: For one-way stack blinds add an additional 3" to the clear opening before calculating the finished blind width.

One-Way Stack Finished Blind Width (FBW)




Split-Stack (recommended for balanced appearance) finished blind width (FBW)



40 | graberdirect.com November 2019

Product Detail



Installation Hardware for Wood Vertical Blinds



Track Clip for Inside or Ceiling Mount



Angle Bracket for Outside or Wall Mount



Optional 4"
Angle Bracket

NOTE: Must be requested at time of order.

Mount	Standard/ Optional	Hardware
Inside	Standard	Track clip
Outside	Standard	31/4" angle bracket with track clip
Outside	Optional	4" angle bracket with track clip

November 2019 Graber | 41



Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

10009-110 (11/19)|S19-19704

42 | graberdirect.com November 2019

GRABER.

Graber Traditions[®] Wood, Elite Wood, Composite, and Lake Forest[®] Faux Wood Blinds Designer US Price List — Effective August 2021

Price Group A:	Trad	ition	s [®] 1	" (2 F	(cm	Wo	od R	linds	:								
•	Width up			•	, (111)	110		illias	,								
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	188	168	203	237	259	279	317	369	384	395	477	506	541	568	626	683	742
36 (91.5)	213	192	227	264	288	312	364	420	437	450	543	566	602	633	697	761	827
42 (106.7)	232	212	252	290	320	345	405	466	478	505	590	638	681	714	788	863	938
48 (122)	252	230	276	318	349	384	444	511	541	568	655	716	765	805	890	973	1058
54 (137.2)	275	255	303	344	388	420	492	553	602	638	734	791	844	887	980	1072	1164
60 (152.4)	301	278	326	373	416	456	540	601	655	693	796	861	918	965	1067	1165	1266
66 (167.7)	323	304	350	399	444	502	589	659	717	763	869	936	1033	1086	1199	1311	1425
72 (182.9)	349	329	373	431	486	543	639	718	761	808	922	995	1069	1120	1238	1354	1472
78 (198.2)	363	341	388	442	497	565	656	738	784	863	985	1069	1140	1197	1322	1442	1566
84 (213.4)	388	367	409	468	534	603	693	754	843	932	1051	1139	1219	1279	1412	1543	1676
90 (228.6)	414	393	436	500	566	639	732	796	893	982	1107	1213	1296	1361	1504	1646	1788
96 (243.9)	430	408	450	512	590	667	769	849	960	1047	1187	1285	1373	1445	1594	1743	1893
102 (259.1)	445	428	476	543	627	713	821	902	1011	1115	1258	1361	1461	1534	1694	1855	2016
108 (274.4)	468	449	495	569	658	748	858	944	1067	1170	1316	1427	1531	1609	1777	1945	2114
114 (289.6)	488	467	519	602	695	788	903	1000	1118	1236	1395	1504	1613	1689	1864	2039	2214
120 (304.8)	512	492	542	627	724	827	945	1030	1176	1289	1453	1575	1687	1773	1955	2138	2320
Add Surcharge to BI	ind Pr	ice															
Legacy Valance	6	6	9	11	13	16	20	22	25	27	29	32	34	35	38	42	45
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							
Symphony Valance	9	9	11	17	20	25	27	29	32	35	39	42	43	47	51	57	61

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

1" (2.6 cm) Paint	Colors				
Angora	0052	Base White	0051	Dovetail	0839
Antique White	0026	Dover White	0683	Snowflake	0603
1" (2.6 cm) Stain	Colors				
, , , , , , , , , , , , , , , , , , , ,					
Allspice	0821	Natural	0007	Walnut	0012
Allspice Golden Oak	0821 0030	Natural Roasted Chestnut	0007 0849	Walnut Wheat	0012 0710

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group B: Traditions[®] 2" (5.1 cm) Wood Blinds Height up to (30.5)(61) (81.3) (91.5) (106.7) (122)(137.2) (152.4)(167.7) (182.9)(198.2 (213.4)(228.6)(243.9) (269.3)(294.7)(304.8)30 (76.2) 36 (91.5) 42 (106.7) 48 (122) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 102 (259.1) 108 (274.4) 114 (289.6) 1080 1166 120 (304.8) Add Surcharge to Blind Price **Cloth Tapes** 20% Cordless Lift* Legacy Valance** Multiple Blinds on One Headrail (no charge to right of heavy line) Symphony Valance

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with cordless lift for better headrail coverage.

Angora	1052	Dovetail	1839	Snow White	1850
Antique White	1026	Grey Beige	1817	Snowflake	1603
Base White	1051	Medium Grey	1841	Snowflake Sandblast	SB603
Crisp White	1712	Medium Grey Sandblast	SB841	Stepping Stone	1889
Dover White	1683	Pearl	1840	Stucco	1963

2" (5.1 cm) Stain Colo	rs				
Allspice	1821	Harbor Grey	1761	Sienna	1685
Cappuccino	1546	Henna	1949	Timeless Grey	1847
Cherry Wood	1014	Homestead Oak	1943	True Taupe	1848
Cognac	1465	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		
Golden Oak	1030	Saddle Brown	1694		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

^{**} No charge on cordless lift.

Price Group C: Traditions® 2 3/8" (6.1 cm) Wood Blinds Height up to (91.5) (106.7)(122)(137.2) (152.4)(167.7) (182.9) (198.2 (213.4) (228.6)(243.9) (269.3)(294.7)(304.8)(30.5)(61)(81.3) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 102 (259.1) 108 (274.4) 114 (289.6) 1241 1341 120 (304.8) Add Surcharge to Blind Price **Cloth Tapes** 20% Cordless Lift* Multiple Blinds on One Headrail (no charge to right of heavy line)

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

Symphony Valance

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with with 2 3/8" (6.1 cm) blinds or cordless lift for better headrail coverage.

2 3/8" (6.1 cm) Pain	t Colors				
Antique White	3026	Dovetail	3839	Snowflake	3603
Base White	3051	Medium Grey	3841	Stepping Stone	3889
Dover White	3683				

2 3/8" (6.1 cm) Stain (Colors				
Golden Oak	3030	Saddle Brown	3694	Walnut	3012
Honey Maple	3013	Timeless Grey	3847	Wheat	3710
Natural	3007	True Taupe	3848		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See product information guide for more information. If the stained or painted color is not listed above, please enter order as elite wood in the color and slat size needed. Order does not need to be processed as custom color.

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

Price Group D: Traditions® 2" (5.1 cm) Wood Blinds—Unique Finishes: Barnwood, **Distressed**

	Width up	to inche	s (cm) ⊣														
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	193	173	208	244	265	288	324	380	392	408	492	522	557	583	643	704	764
36 (91.5)	219	199	234	269	298	321	372	430	446	462	561	579	620	648	718	785	855
42 (106.7)	238	217	256	301	329	358	417	480	492	521	607	655	699	735	810	887	963
48 (122)	258	236	280	328	361	392	459	524	557	583	674	736	787	828	916	1005	1091
54 (137.2)	282	260	309	355	394	430	504	569	620	654	754	812	868	925	1019	1117	1213
60 (152.4)	309	288	333	384	428	471	555	617	674	711	817	887	944	1006	1110	1213	1316
66 (167.7)	332	311	364	415	459	517	605	679	737	784	893	961	1063	1118	1234	1350	1466
72 (182.9)	362	337	384	441	496	561	655	739	782	833	951	1023	1098	1156	1275	1396	1514
78 (198.2)	373	353	394	456	514	576	677	759	808	889	1013	1096	1173	1229	1356	1486	1614
84 (213.4)	398	378	421	485	550	621	711	772	866	958	1084	1172	1252	1316	1455	1591	1730
90 (228.6)	422	400	445	514	579	655	752	817	919	1009	1137	1246	1335	1400	1545	1694	1840
96 (243.9)	441	420	463	527	607	685	788	873	984	1077	1221	1320	1414	1484	1638	1794	1950
102 (259.1)	461	440	489	561	645	733	841	927	1039	1142	1294	1399	1502	1577	1742	1906	2071
108 (274.4)	483	461	510	587	678	768	883	972	1093	1204	1353	1467	1575	1655	1826	1999	2170
114 (289.6)	502	483	532	620	716	810	929	1028	1147	1270	1433	1545	1657	1741	1920	2102	2284
120 (304.8)	527	504	558	645	747	850	973	1057	1210	1326	1492	1618	1733	1822	2012	2203	2393

120 (304.8)	521	504	220	040	141	000	913	1057	1210	1320	1492	1010	1733	1022	2012	2203	2393
Add Surcharge to Bl	ind P	rice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

2" (5.1 cm) Barnwood	d Colors			
Medium Pewter Barnwood	1049	Windswept Barnwood	1072	
2" (5.1 cm) Distresse	d Colors			
Distressed Smoky Coal	1572	Distressed Twia	1070	

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group E: 2" (5.1 cm) Elite Wood Blinds Height up to (91.5) (106.7)(122)(137.2) (152.4)(167.7) (182.9) (198.2)(213.4)(228.6)(243.9) (294.7)(304.8)(30.5)(61)(81.3) (269.3)30 (76.2) 36 (91.5) 42 (106.7) 48 (122) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 1649 1762 102 (259.1) 108 (274.4) 114 (289.6) 1699 1829 120 (304.8) Add Surcharge to Blind Price Cloth Tapes 20% Cordless Lift* **Custom Color** (net per color) Multiple Blinds on One Headrail (no charge to right of heavy line)

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Paint C	colors				
Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Crisp White	1712	Medium Grey	1841	Stucco	1963
Custom Color Paint	CUSP	Pearl	1840		

2" (5.1 cm) Stain Colors											
Allspice	1821	Golden Oak	1030	Saddle Brown	1694						
Cappuccino	1546	Harbor Grey	1761	Sienna	1685						
Cherry Wood	1014	Henna	1949	Timeless Grey	1847						
Cognac	1465	Homestead Oak	1943	True Taupe	1848						
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054						
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012						
Dark Walnut	1641	Natural	1007	Wheat	1710						
Espresso	1716	Roasted Chestnut	1849								

2" (5.1 cm) Rusti	c Stain Colors				
Rustic Cognac	R1465	Rustic Golden Oak	R1030	Rustic Harbor Grey	R1761

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

Price Group F: 2 3/8" (6.1 cm) Elite Wood Blinds Height up to nches (cm) (91.5) (106.7)(122)(137.2) (152.4)(167.7)(182.9) (198.2)(213.4) (228.6)(243.9) (269.3)(294.7)(304.8)(30.5)(61)(81.3) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 1898 2026 1882 2018 102 (259.1) 108 (274.4) 114 (289.6) 1953 2104 2252 120 (304.8) Add Surcharge to Blind Price Cloth Tapes 20% Cordless Lift* **Custom Color** (net per color) Multiple Blinds on One Headrail (no charge to right of heavy line)

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with with 2 3/8" (6.1 cm) blinds or cordless lift for better headrail coverage.

2 3/8" (6.1 cm) Paint Colors											
Angora	3052	Dover White	3683	Snow White	3850						
Antique White	3026	Dovetail	3839	Snowflake	3603						
Base White	3051	Grey Beige	3817	Stepping Stone	3889						
Crisp White	3712	Medium Grey	3841	Stucco	3963						
Custom Color Paint	CUSP	Pearl	3840								

2 3/8" (6.1 cm) Stain Colors											
Allspice	3821	Golden Oak	3030	Saddle Brown	3694						
Cappuccino	3546	Harbor Grey	3761	Sienna	3685						
Cherry Wood	3014	Henna	3949	Timeless Grey	3847						
Cognac	3465	Homestead Oak	3943	True Taupe	3848						
Custom Color Stain	CUSS	Honey Maple	3013	Truffle	3054						
Dark Cherry	3316	Knotty Pine	3515	Walnut	3012						
Dark Walnut	3641	Natural	3007	Wheat	3710						
Espresso	3716	Roasted Chestnut	3849								

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

Price Group G:	2" (5	5.1 cr	n) El	ite V	l ood	Blin	ıds—	-Auth	nenti	c Ha	rdwo	ods					
	Width up	to inche	s (cm) →														
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)		(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	467	444	534	590	642	695	786	921	952	983	1187	1265	1336	1411	1557	1701	1847
36 (91.5)	528	504	599	653	717	776	900	1043	1088	1116	1304	1403	1488	1571	1735	1902	2066
42 (106.7)	576	554	657	724	795	863	1009	1158	1191	1260	1465	1582	1678	1770	1956	2141	2326
48 (122)	619	599	717	790	873	959	1113	1269	1346	1411	1622	1775	1887	2000	2208	2419	2627
54 (137.2)	681	659	785	860	959	1043	1222	1377	1497	1579	1822	1960	2081	2202	2429	2658	2886
60 (152.4)	746	725	859	936	1033	1140	1338	1497	1622	1720	1979	2134	2265	2395	2646	2895	3146
66 (167.7)	802	780	916	1002	1113	1247	1462	1636	1780	1895	2159	2323	2510	2694	2972	3253	3534
72 (182.9)	874	853	989	1072	1203	1355	1585	1785	1890	2010	2291	2474	2628	2785	3076	3369	3661
78 (198.2)	898	875	1018	1101	1238	1399	1630	1834	1955	2148	2446	2645	2808	2969	3278	3587	3896
84 (213.4)	962	938	1084	1167	1328	1499	1718	1873	2087	2309	2617	2820	2997	3174	3504	3834	4166
90 (228.6)	1026	1004	1152	1238	1403	1586	1817	1979	2220	2445	2749	3006	3194	3383	3736	4088	4439
96 (243.9)	1061	1042	1187	1274	1465	1658	1908	2106	2368	2599	2946	3188	3415	3642	4023	4403	4784
102 (259.1)	1111	1088	1251	1348	1562	1768	2030	2236	2507	2766	3123	3363	3605	3845	4244	4647	5047
108 (274.4)	1164	1141	1311	1414	1635	1853	2134	2348	2641	2908	3150	3391	3635	3875	4282	4687	5092
114 (289.6)	1210	1187	1385	1497	1723	1956	2245	2481	2775	3064		3574	3830	4086	4508	4936	5360
120 (304.8)	1269	1244	1447	1562	1806	2050	2352	2552	2908	3174	3438	3725	4009	4298	4744	5192	5638
Add Surcharge to BI	ind Pr	ice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 78" (198.2 cm); 68" (172.8 cm) for Walnut.

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

2" (5.1 cm) Authentic	Hardwood	Colors			
Cherry	C007	Maple	M007	Walnut	W007

NOTE: Premier Walnut, Maple, and Cherry will have the unique natural variations of these beautiful hardwoods—these variations are to be expected. Blinds made from these materials will undergo a degree of color change over time, further enhancing the beauty of the wood.

Price Group H: Angle Top or Bottom, Trapezoid, Triangle, Octagon, and Arched Blinds

	vviatn up	to inche	s (cm) —										
Height up to	24	32	36	42	48	54	60	66	72	78	84	90	96
inches (cm) ↓	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)
30 (76.2)	2069	2100	2137	2166	2199	2230	2265	2295	2328	2359	2394	2425	2458
36 (91.5)	2087	2121	2162	2199	2233	2269	2310	2344	2382	2418	2458	2492	2527
42 (106.7)	2104	2144	2190	2230	2270	2310	2356	2394	2434	2473	2519	2558	2599
48 (122)	2123	2166	2218	2262	2307	2351	2400	2443	2490	2533	2582	2627	2670
54 (137.2)	2143	2191	2246	2295	2344	2394	2449	2497	2549	2598	2652	2701	2750
60 (152.4)	2160	2214	2274	2328	2382	2434	2494	2547	2601	2656	2715	2818	2936
66 (167.7)	2179	2237	2300	2359	2418	2475	2539	2596	2656	2734	2864	2998	3130
72 (182.9)	2196	2262	2328	2389	2452	2515	2583	2646	2709	2891	3033	3175	3314
78 (198.2)	2213	2283	2356	2421	2489	2556	2629	2695	2764	3050	3198	3354	3555
84 (213.4)	2233	2303	2382	2452	2525	2596	2674	2745	2817	3198	3361	3578	3746
90 (228.6)	2251	2328	2410	2484	2559	2637	2716	2793	2872	3354	3578	3758	3938
96 (243.9)	2269	2348	2434	2515	2596	2677	2763	2841	2924	3555	3746	3937	4136
102 (259.1)	2286	2372	2463	2547	2633	2716	2808	2894	2980	3712	3915	4124	4327
108 (274.4)	2303	2394	2490	2578	2669	2756	2853	2943	3100	3867	4082	4301	4521
114 (289.6)	2323	2418	2517	2608	2703	2797	2897	3014	3244	4024	4253	4483	4714
120 (304.8)	2340	2439	2543	2641	2738	2838	2943	3147	3390	4180	4421	4661	4906
d Surcharge to B	lind Pr	ice											
Custom Color (net per color)							149						
emplate Service Fee (net per order)							25						

2" (5.1 cm) Paint Colors											
Angora	1052	Dover White	1683	Snow White	1850						
Antique White	1026	Dovetail	1839	Snowflake	1603						
Base White	1051	Grey Beige	1817	Stepping Stone	1889						
Crisp White	1712	Medium Grey	1841	Stucco	1963						
Custom Color Paint	CUSP	Pearl	1840								

2" (5.1 cm) Stain Colors											
Allspice	1821	Golden Oak	1030	Saddle Brown	1694						
Cappuccino	1546	Harbor Grey	1761	Sienna	1685						
Cherry Wood	1014	Henna	1949	Timeless Grey	1847						
Cognac	1465	Homestead Oak	1943	True Taupe	1848						
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054						
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012						
Dark Walnut	1641	Natural	1007	Wheat	1710						
Espresso	1716	Roasted Chestnut	1849								

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. Use appropriate wood color numbers for 2 3/8" slats, see price chart for this product.

Diameter up to	24	32	36	42	48	54	60	66	72
inches (cm) ↓	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)
72 (182.9)	4774	4831	4932	5068	5178	5353	5485	5626	5852
Add Surcharge to Bl	ind Pı	rice							
Custom Color (net per color)					149				
Template Service Fee (net per order)					25				

2" (5.1 cm) Paint Colors										
Angora	1052	Dover White	1683	Snow White	1850					
Antique White	1026	Dovetail	1839	Snowflake	1603					
Base White	1051	Grey Beige	1817	Stepping Stone	1889					
Crisp White	1712	Medium Grey	1841	Stucco	1963					
Custom Color Paint	CUSP	Pearl	1840							

2" (5.1 cm) Stain Cole	2" (5.1 cm) Stain Colors												
Allspice	1821	Golden Oak	1030	Saddle Brown	1694								
Cappuccino	1546	Harbor Grey	1761	Sienna	1685								
Cherry Wood	1014	Henna	1949	Timeless Grey	1847								
Cognac	1465	Homestead Oak	1943	True Taupe	1848								
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054								
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012								
Dark Walnut	1641	Natural	1007	Wheat	1710								
Espresso	1716	Roasted Chestnut	1849										

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. Use appropriate wood color numbers for 2 3/8" slats, see price chart for this product.

Price Group J: Elite Wood Vertical Blinds

		Width up	to inche	s (cm) -							
	Height up to	27	39	52	66	78	96	108	120	132	144
	inches (cm) ↓	(68.6)	(99.1)	(132.1)	(167.7)	(198.2)	(243.9)	(274.4)	(304.8)	(335.3)	(365.8)
	36 (91.5)	590	848	1120	1442	1578	1822	2136	2324	2416	2589
	48 (122)	720	1023	1362	1710	1780	2176	2418	2685	2927	3195
	60 (152.4)	843	1213	1600	2083	2104	2580	2880	3193	3485	3798
	72 (182.9)	958	1384	1840	2192	2461	3020	3333	3700	4047	4415
	84 (213.4)	1090	1568	2083	2490	2757	3427	3791	4217	4600	5023
	96 (243.9)	1210	1745	2121	2782	3120	3836	4248	4722	5162	5633
	108 (274.4)	1360	1968	2385	3130	3476	4280	4782	5308	5803	
	120 (304.8)	1515	2138	2657	3478	3866	4756	5313	5902		
Add Surd	charge to Bl	ind Pr	ice								
Custo	om Color					14	10				
(net p	er color)					1-	+3				
Sympho	ny Valance	11	20	27	32	39	47	51	61	65	69

NOTE: Legacy, craftsman, or symphony valances are recommended with wood vertical blinds for better headrail coverage.

Vertical Paint Colors					
Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Crisp White	1712	Medium Grey	1841	Stucco	1963
Custom Color Paint	CUSP	Pearl	1840		

Vertical Stain Colors	S				
Allspice	1821	Golden Oak	1030	Saddle Brown	1694
Cappuccino	1546	Harbor Grey	1761	Sienna	1685
Cherry Wood	1014	Henna	1949	Timeless Grey	1847
Cognac	1465	Homestead Oak	1943	True Taupe	1848
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group K	: Trad	litior	ıs [®] 2	" (5.′	(cm)	Cor	npos	site E	Blind	s							
	Width up			-	,												
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	151	129	153	181	199	214	239	282	293	304	366	388	414	433	478	524	572
36 (91.5)	172	149	174	203	219	238	276	317	336	343	415	431	459	485	536	588	641
42 (106.7)	185	160	193	221	244	265	308	353	366	386	452	488	520	545	600	658	716
48 (122)	200	176	211	240	268	293	342	391	414	433	500	546	585	618	680	745	809
54 (137.2)	216	195	226	264	294	317	375	423	459	488	561	602	644	677	748	817	889
60 (152.4)	238	214	250	284	315	348	413	457	500	530	609	656	701	734	813	891	968
66 (167.7)	255	228	269	306	342	382	450	505	546	581	663	713	792	827	914	996	1082
72 (182.9)	280	258	284	331	369	415	488	547	580	620	705	760	815	856	943	1035	1126
78 (198.2)	284	262	294	340	377	430	500	564	596	658	753	813	869	915	1009	1104	1202
84 (213.4)	304	281	311	354	409	461	528	577	644	712	803	869	928	976	1079	1183	1288
90 (228.6)	324	301	333	381	431	488	557	609	683	750	845	926	992	1039	1148	1259	1368
96 (243.9)	336	309	344	392	452	509	586	647	729	798	905	983	1048	1101	1217	1336	1451
102 (259.1)	349	329	364	415	482	544	623	688	769	850	959	1039	1115	1171	1294	1415	1539
108 (274.4)	366	343	376	434	501	572	656	721	812	893	1004	1090	1169	1225	1354	1482	1610
114 (289.6)	380	354	394	459	530	599	689	762	852	942	1063	1146	1227	1291	1424	1558	1693
120 (304.8)	401	375	414	482	554	631	722	786	895	986	1105	1202	1290	1353	1492	1636	1776
Add Surcharge to E	Blind Pr	ice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" (167.7 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Compo	site Colors				
Antique White	2026	Creamy White	2729	Silk White	2922
Base White	2051	Seattle Grey	2174		

Price Group L:	Trad	ition	s [®] 2	1/2"	(6.4	cm)	Com	posi	te Bl	inds							
	Width up		, ,														
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	172	147	174	206	226	243	272	321	332	345	415	440	471	491	544	595	650
36 (91.5)	195	170	198	231	250	271	314	361	380	389	472	489	521	552	610	668	726
42 (106.7)	210 228	181 199	219 238	252 273	277 303	301 332	349 388	403 444	415 471	439 491	513 568	555 621	590 665	619 700	682 773	750 847	814 918
48 (122) 54 (137.2)	245	222	256	300	333	361	426	480	521	555	637	684	730	769	849	928	1008
, ,	245	243	283	323	357	394	470	520	568	603	690	747	797	834	923	1011	1006
60 (152.4) 66 (167.7)	289	258	304	347	388	434	511	574	621	660	753	809	898	939	1037	1131	1228
72 (182.9)	318	293	323	376	417	472	555	622	658	705	800	863	925	970	1037	1175	1279
72 (182.9) 78 (198.2)	323	299	333	386	431	488	568	641	677	750	856	923	988	1038	1146	1252	1364
84 (213.4)	345	320	353	404	466	524	602	654	730	808	913	988	1054	1108	1227	1343	1461
90 (228.6)	369	340	379	433	489	555	632	690	775	851	959	1052	1127	1180	1303	1430	1553
96 (243.9)	380	350	391	445	513	578	666	734	827	905	1028	1117	1189	1250	1383	1517	1648
102 (259.1)	397	373	413	472	546	618	708	781	872	967	1090	1180	1264	1329	1470	1608	1748
108 (274.4)	415	389	427	492	569	650	747	819	922	1015	1141	1239	1328	1391	1537	1683	1829
114 (289.6)	432	404	448	521	603	680	782	866	968	1071	1207	1302	1393	1466	1618	1771	1922
120 (304.8)	454	426	471	546	628	717	820	893	1017	1119	1254	1364	1464	1536	1694	1856	2017
Add Surcharge to BI	ind Pr	ice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" (167.7 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with 2 1/2" (6.4 cm) blinds or cordless lift for better headrail coverage.

2 1/2" (6.4 cm) Composite Colors											
Antique White	7026	Creamy White	7729	Silk White	7922						
Base White	7051	Seattle Grey	7174								

Price Group M:	: Lake	e Fo	rest®	2" (5.1 cr	n) P	remi	um F	aux	Woo	d Bli	nds					
	Width up	to inche	s (cm) -	·													
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	144	124	144	171	190	201	228	269	276	284	345	368	390	410	455	499	544
36 (91.5)	164	142	163	192	208	225	260	298	317	328	391	408	434	455	502	550	600
42 (106.7)	175	151	182	208	231	252	293	336	345	366	424	459	488	511	565	623	677
48 (122)	190	164	201	229	254	276	321	369	390	410	473	515	552	579	641	700	761
54 (137.2)	208	187	213	250	277	298	353	399	434	459	527	569	608	640	707	775	842
60 (152.4)	224	201	232	272	297	332	387	433	473	499	572	620	662	693	766	840	915
66 (167.7)	239	216	256	288	321	365	422	474	515	547	625	674	743	779	861	943	1024
72 (182.9)	263	237	272	307	348	392	459	517	547	582	664	715	769	806	891	975	1060
78 (198.2)	271	245	277	319	355	405	473	533	564	624	711	766	818	871	964	1054	1146
84 (213.4)	290	269	295	341	385	434	496	543	608	670	759	818	880	943	1041	1139	1238
90 (228.6)	305	282	316	355	408	461	526	572	643	710	794	884	973	1062	1173	1283	1394
96 (243.9)	319	295	328	370	424	482	552	611	689	755	853	955	1056	1154	1275	1398	1519
102 (259.1)	330	305	343	391	448	511	585	648	725	802	877	987	1098	1207	1336	1465	1593
108 (274.4)	349	328	354	413	474	537	620	680	766	853	942	1028	1111	1218	1348	1478	1609
114 (289.6)	361	340	373	434	500	565	650	717	787	866	948	1048	1148	1249	1380	1513	1645
120 (304.8)	373	352	391	448	523	595	683	739	798	889	982	1073	1168	1259	1392	1525	1658
Add Surcharge to Bl	ind Pr	ice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Woodgrai	n Colors				
Cognac	2465	Moonshine	2738	Sienna	2685
Dark Cherry	2316	Morel	2706	Walnut	2012
Golden Oak	2030	Natural	2007	Wheat	2710
Honey Maple	2013	Phantom	2707		
Misty Grey	2230	Saddle Brown	2694		

Price Group N	: Lake	For	est®	2 1/2	2" (6.4	4 cm	n) Pre	emiu	m Fa	ux V	/ood	Blin	ds				
•	Width up				_ `		<i>'</i>										
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)	(304.8)
30 (76.2)	164	139	164	194	214	228	256	305	312	322	391	416	441	466	516	564	617
36 (91.5)	185	161	184	217	236	254	297	339	359	372	444	461	492	516	570	625	680
42 (106.7)	199	173	208	236	263	285	331	380	391	414	481	522	555	579	643	706	768
48 (122)	214	185	228	260	287	312	366	417	441	466	537	583	626	656	726	795	864
54 (137.2)	236	212	242	284	315	339	401	453	492	522	599	645	688	725	801	880	955
60 (152.4)	253	228	264	308	338	376	439	490	537	564	650	701	750	787	869	954	1036
66 (167.7)	272	246	290	327	366	413	479	538	583	620	708	763	843	884	976	1069	1162
72 (182.9)	298	267	308	348	393	445	522	585	620	658	754	813	871	915	1009	1106	1202
78 (198.2)	306	279	315	363	404	459	537	604	641	707	804	869	927	989	1093	1195	1300
84 (213.4)	329	305	336	387	438	492	562	615	688	759	862	927	997	1069	1181	1294	1405
90 (228.6)	346	321	357	404	461	523	598	650	728	803	902	1003	1105	1204	1333	1457	1582
96 (243.9)	363	336	372	418	481	547	626	694	781	857	967	1083	1197	1310	1446	1584	1724
102 (259.1)	374	346	389	444	510	579	664	736	821	909	994	1120	1244	1367	1513	1661	1808
108 (274.4)	397	372	403	469	538	608	701	770	869	967	1068	1164	1261	1383	1530	1677	1825
114 (289.6)	410	386	424	492	565	643	739	816	892	983	1076	1190	1303	1418	1567	1715	1865
120 (304.8)	424	399	444	510	595	676	775	839	905	1007	1114	1218	1324	1428	1580	1729	1881
Add Surcharge to B	lind Pr	ice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with 2 1/2" (6.4 cm) blinds or cordless lift for better headrail coverage.

2 1/2" (6.4 cm) Wood	2 1/2" (6.4 cm) Woodgrain Colors												
Cognac	7465	Moonshine	7738	Sienna	7685								
Dark Cherry	7316	Morel	7706	Walnut	7012								
Golden Oak	7030	Natural	7007	Wheat	7710								
Honey Maple	7013	Phantom	7707										
Misty Grey	7230	Saddle Brown	7694										

Price Group O: Lake Forest® 2" (5.1 cm) Faux Wood Blinds Height up to (81.3) (91.5) (106.7) (122)(137.2) (152.4 167.7) (182.9) (198.2)(213.4)(228.6)(243.9 (269.3)(294.7)(304.8)(30.5)(61)30 (76.2) 36 (91.5) 42 (106.7) 48 (122) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 102 (259.1) 108 (274.4) 114 (289.6) 120 (304.8) Add Surcharge to Blind Price **Cloth Tapes** 20% Cordless Lift* Multiple Blinds on One Headrail (no charge to right of heavy line)

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Smooth and Textured Colors								
Almond	5724	Coconut Textured*	5299	Seattle Grey	5174			
Buttermilk	5078	Marshmallow	5742	White	5035			
Buttermilk Textured*	5953	Milky Way	5058	White Textured*	5951			
Coconut	5630	Milky Way Textured*	5304					

^{*}Classic valance will be textured to coordinate with textured slats. Majestic valance will be color coordinated in a smooth finish.

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

Price Group P:	Lake	For	est®	2 1/2	2" (6.4	4 cm	ı) Faı	ıx W	ood	Blind	ds						
	Width up		, ,														
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116	120
inches (cm) ↓ 30 (76.2)	(30.5)	(61) 126	(81.3) 147	(91.5) 172	(106.7) 191	(122) 206	(137.2) 232	(1 52.4) 268	(1 67.7) 283	(182.9) 288	(198.2) 348	(213.4) 373	(228.6) 393	(243.9) 411	(269.3) 456	(294.7) 501	(304.8) 544
36 (91.5)	168	143	166	196	210	228	260	304	320	325	396	409	441	460	512	560	610
42 (106.7)	177	155	180	210	235	254	296	338	348	372	432	466	494	520	576	628	683
48 (122)	193	168	206	234	255	283	324	374	393	411	477	522	556	585	650	711	774
54 (137.2)	210	181	217	250	284	304	361	404	441	466	535	577	615	644	711	777	843
60 (152.4)	230	206	236	275	300	333	390	437	477	505	581	627	671	700	776	850	924
66 (167.7)	245	221	256	295	324	369	428	479	522	553	631	682	753	788	871	953	1036
72 (182.9)	267	241	275	314	352	398	466	525	553	592	674	723	779	819	904	991	1077
78 (198.2)	275	249	284	322	366	408	477	540	572	630	717	777	830	881	971	1061	1152
84 (213.4)	296	268	298	344	389	441	504	546	615	677	765	830	891	954	1053	1151	1250
90 (228.6)	312	287	319	366	409	467	534	581	651	715	804	893	987	1075	1187	1297	1407
96 (243.9)	322	298	325	375	432	485	556	620	695	763	864	967	1069	1168	1290	1413	1536
102 (259.1)	333	309	346	396	456	520	595	657	736	813	887	998	1110	1223	1350	1482	1607
108 (274.4)	353	325	363	414	479	544	627	690	777	864	953	1038	1127	1235	1367	1496	1626
114 (289.6)	368	339	379	441	506	574	662	726	795	879	959	1060	1163	1263	1396	1526	1659
120 (304.8)	383	359	396	456	533	604	692	751	808	901	996	1087	1181	1277	1410	1543	1677
Add Surcharge to Bl	ind Pr	ice															
Cloth Tapes										20%							
Cordless Lift*										119							
Multiple Blinds on One Headrail (no charge to right of heavy line)										44							

^{*} Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with 2 1/2" (6.4 cm) blinds or cordless lift for better headrail coverage.

2 1/2" (6.4 cm) Sm	ooth and Te	extured Colors			
Buttermilk	7078	Marshmallow	7742	White	7035
Coconut	7630	Milky Way	7058		
Coconut Textured*	7299	Seattle Grey	7774		

^{*}Classic valance will be textured to coordinate with textured slats. Majestic valance will be color coordinated in a smooth finish.

Options Pricing

Accent Color (Elite blinds only)	51 per blind								
Bay and Corner Window	No charge								
Cloth Tapes									
(Not available with cordless lift)	20%								
Cord Cleats	No charge: Clear								
	8 Cord winder								
	10 Solid brass cleat								
Cordless Lift	5 Antique brass cleat								
Custom Color	119 per blind 149 net per color								
Cut-Outs	149 Het per Color								
(not available with	67								
cordless lift or	67								
wood verticals)									
Decorative Tassels High Gloss Finish	35 per blind panel (standard on elite blinds and specialty shapes)								
(Elite blinds only)	No charge								
Hold Down Brackets	No charge								
Incline Wire Blind	Double the action of the BPs d								
(Elite blinds only)	Double the price of the blind								
Motorized Tilt	See motorization product information guide								
Multiple Blinds on One Headrail	No charge: Right of the heavy line on the price charts								
NoHoles™	44 Left of the heavy line on the price charts								
(not available with cordless lift)	No charge								
oor alcoo liity									
Projection Brackets	No charge (outside mount only)								
(2 3/4" and 4 3/4" (7.0 cm and 12.1 cm)									
Sandblast Finish									
(2" (5.1 cm) Elite blinds	No charge								
only)									
Shims (3/16") (0.5 cm)	Standard on all outside mount 2 3/8" (6.1 cm) and 2 1/2" (6.4 cm) slat blinds								
Sky Poles	46 3 to 6 1/2 feet (1.0 to 2.0 m) 70 5 to 9 1/2 feet (1.6 to 2.9 m)								
Specialty Shapes									
(Elite blinds only)	See price charts								
Template Service Fee	25 net								
Valance Keystones	22 each when requested without a splice								
Wood Cornices and Valances	See cornices and valances product information guide								
Wood Vertical Vanes									
Only	21 per linear foor								