

SIMPLE SELECTIONS™

BY  GRABER.



Simple Selections by Graber offers your customers an uncomplicated mix of products, colors, and options, all at a value-right price. The popular blinds and shades featured in Simple Selections are affordable, easy to clean, easy to customize to fit any window, and manufactured in 72 hours or less so you can serve your customers better.

UNITED STATES
FEBRUARY 2018

NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.

Table of Contents

2" (5.1 cm) Wood Blinds	3
2" (5.1 cm) Premium Faux Wood Blinds.	4-5
2" (5.1 cm) Faux Wood Blinds	6-7
Light Filtering Cellular Shades	8
Blackout Cellular Shades	9
Roller and Solar Measurement Guide	10
Vinyl Roller Shades	11
Fabric and Natural Roller Shades.	11
Solar Roller Shades	12
Solar Roller Premium Shades.	12
1" (2.5 cm) Aluminum Blinds	13
1" (2.5 cm) Vinyl Blinds	13
3½" (8.9 cm) Vertical Blinds	14-15
General Information	16-17

2" (5.1 cm) Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	\$110	95	112	134	147	157	176	207	213	222	270	287	306	320	353	385	419
36 (91.5)	125	108	128	149	163	175	204	235	246	253	307	318	339	355	391	428	466
42 (106.7)	137	121	140	164	179	196	229	262	270	286	334	359	382	402	442	484	525
48 (122.0)	147	130	155	178	197	213	252	289	306	320	369	403	432	453	501	547	594
54 (137.2)	159	143	169	195	217	235	277	312	339	358	413	444	476	507	560	613	666
60 (152.4)	172	157	181	210	233	256	303	337	369	391	449	486	518	550	609	665	722
66 (167.7)	187	170	198	227	252	284	333	372	403	430	488	526	582	611	675	737	801
72 (182.9)	203	187	210	242	272	308	363	404	428	457	521	561	600	632	697	764	829
78 (198.2)	208	194	217	249	279	317	370	416	441	487	557	600	641	674	743	815	885
84 (213.4)	222	206	232	266	299	339	391	423	474	524	592	640	686	722	797	872	948
90 (228.6)	237	220	245	280	318	363	412	449	502	555	624	684	731	768	848	928	1007
96 (243.9)	246	231	254	289	334	375	433	478	538	591	667	724	775	813	898	983	1067
102 (259.1)	256	241	269	307	353	401	460	508	569	628	710	767	823	863	953	1043	1132
108 (274.4)	270	252	277	321	371	421	484	534	599	660	742	804	863	904	999	1094	1189
114 (289.6)	279	263	291	339	392	442	510	563	629	695	784	847	906	953	1053	1152	1251
120 (304.8)	293	276	306	353	409	467	535	579	663	726	818	886	951	999	1103	1207	1311
Decorative Valance	\$5	5	7	8	10	13	16	18	20	22	23	25	27	28	31	33	36

NOTE: Due to weight limitations, blinds to the right of the heavy line will be automatically manufactured as two blinds on one headrail at no charge.

Product Specifications

- 2" (5.1 cm) slats crafted of the finest North American hardwood
 - Cord tilt left or right, cord lift left or right
 - Heavy duty steel headrail
 - Rectangular bottomrail
 - Standard route holes
- Minimum depth required for inside mount: ¾" (1.9 cm)

Size Specifications

Minimum blind width: 7" (17.8 cm) outside mount
7½" (19.1 cm) inside mount
Maximum blind width (single blind): 96" (243.9 cm)
Maximum blind width (multiple blinds): 120" (304.8 cm)
Minimum blind height: 10" (25.4 cm)
Maximum blind height:
Width: 7" to 72" (17.8 to 182.9 cm): 120" (304.8 cm)
Width: 72½" to 78" (183.1 to 198.2 cm): 108" (274.4 cm)
Width: 78½" to 84" (198.3 to 213.4 cm): 102" (259.1 cm)
Width: 84½" to 90" (213.6 to 228.6 cm): 96" (243.9 cm)
Width: 90½" to 96" (228.8 to 243.9 cm): 90" (228.6 cm)
Exceptions:
7" (17.8 cm) to 11½" (30.4 cm) center tilt only; no lift
12" (30.5 cm) to 16" (40.7 cm) standard or reverse standard controls only
16½" (40.8 cm) minimum for same side controls
Factory deduction for inside mount: ½" (1.3 cm)
Maximum single valance width: 100¼" (254.7 cm) inside mount; 98⅜" (249.9 cm) outside mount (continuous valances wider than listed dimensions will be two or more sections spliced together).

Options

Multiple Blinds on One Headrail:


Two on one headrail (left of the heavy line): \$33 surcharge
Three on one headrail (left of the heavy line): \$46 surcharge
Blind panels will have ¼" (0.7 cm) gap between them.

Valances:

3" (7.7 cm) standard valance: no charge
3½" (8.9 cm) decorative valance: see price chart above for surcharge

Valance returns: standard valance return sizes available
½" to 8" (1.3 to 20.4 cm) (2⅞" (7.3 cm) default);
full recess depth 3¼" (8.3 cm)
decorative valance return sizes available
½" to 8" (1.3 to 20.4 cm) (2⅞" (7.4 cm) default);
full recess depth 3½" (8.9 cm)

3" (7.7 cm) Standard Valance 3½" (8.9 cm) Decorative Valance



Colors

Acorn..... 1849 Snowstorm 1318 Winter 1837
Fig 1851 Wheatfields 1850

Replacement Valance Pricing

Replacement standard and decorative valance

Width up to inches (cm) →																	
	12 (30.5)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
	\$33	33	41	47	52	56	58	66	71	75	79	86	89	93	104	114	122

2" (5.1 cm) Premium Faux Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →				
	24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	71½ (181.7)
42 (106.7)	\$121	146	203	216	256
54 (137.2)	128	153	213	229	270
66 (167.7)	138	171	229	254	300
78 (198.2)	142	179	244	268	316
96 (243.9)	N/A	207			

78⅞" to 96" (198.4 to 243.8 cm) height available in the following sizes:

Inside Mount: 30⅞" to 36" (76.4 to 91.4 cm) wide

Outside Mount: 29⅞" to 35½" (75.1 to 90.2 cm) wide

Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) default); optional ½" to 1¾" (1.3 to 1.4 cm) returns available on inside mount (1" (2.5 cm) default)

Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount
13" (33.0 cm) inside mount

Maximum blind width: 71½" (181.6 cm)

Minimum blind height: 18" (45.7 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)

Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)

Full recess depth (headrail and brackets)

Headrail only: 2⅝" (6.7 cm)

Headrail with standard valance: 3⅞" (7.9 cm)

Headrail with decorative valance: 3⅞" (8.7 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Colors

Coconut C630

Options

2½" (6.4 cm) Standard Valance

3½" (8.9 cm) Decorative Valance



Replacement Valance Pricing

Replacement standard and decorative valance

Width up to inches (cm) →							
24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$34	37	42	46	53	56	61	67

2" (5.1 cm) Premium Faux Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →				
	24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	71½ (181.7)
42 (106.7)	\$128	153	213	226	270
54 (137.2)	136	160	225	240	282
66 (167.7)	144	179	240	268	314
78 (198.2)	148	190	254	280	332
96 (243.9)	N/A	217			

78⅞" to 96" (198.4 to 243.8 cm) height available in the following sizes:

Inside Mount: 30⅞" to 36" (76.4 to 91.4 cm) wide

Outside Mount: 29⅞" to 35½" (75.1 to 90.2 cm) wide

Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) default); optional ½" to 1¾" (1.3 to 1.4 cm) returns available on inside mount (1" (2.5 cm) default)

Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount

13" (33.0 cm) inside mount

Maximum blind width: 71½" (181.6 cm)

Minimum blind height: 18" (45.7 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)

Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)

Full recess depth (headrail and brackets)

Headrail only: 2⅝" (6.7 cm)

Headrail with standard valance: 3⅞" (7.9 cm)

Headrail with decorative valance: 3⅞" (8.7 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Colors

Barley C912 Honey C307 Mahogany C536 Natural C007

Replacement Valance Pricing

Replacement standard and decorative valance

Width up to inches (cm) →							
24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$34	37	42	46	53	56	61	67

2" (5.1 cm) Faux Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →									
	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	77½ (196.9)
30 (76.2)	\$57	67	71	82	88	94	104	111	132	135
36 (91.5)	62	73	79	87	95	102	116	123	139	152
42 (106.7)	66	76	81	92	98	113	125	135	143	166
48 (122.0)	70	80	90	98	107	125	135	150	159	184
54 (137.2)	74	87	97	108	116	135	144	163	178	207
60 (152.4)	79	94	106	115	128	144	153	173	195	222
66 (167.7)	84	99	112	125	142	153	165	185	212	244
72 (182.9)	94	106	121	136	153	165	176	198	222	260
78 (198.2)	97	108	124	140	158	173	188	211	233	277
84 (213.4)	104	114	133	149	169					
90 (228.6)	111	123	140	158	179					
96 (243.9)	114	127	145	166	187					

*78½" to 96" (198.4 to 243.8 cm) height available on Coconut and White Silk in the following sizes:

Inside Mount: 15½" to 49" (38.4 to 124.5 cm) wide (pricing good on 96" (243.8 cm) height up to 49" (124.5 cm) wide)

Outside Mount: 14½" to 48½" (37.1 to 123.2 cm) wide

Product Specifications

- 500 hours UV-A light fastness
- Steel headrail (1½" x 2¼" (3.8 x 5.7 cm))
- Rectangular bottomrail
- Cord tilt left, cord lift right
- Standard route holes
- Valance options: 2½" (6.4 cm) standard or 3¼" (8.3 cm) decorative valance included in the blind price

Minimum depth required for inside mount: 1" (2.5 cm)

Depth requirements for flush mounting:

No valance: 2⅝" (6.7 cm)

Standard valance: 3⅜" (7.9 cm)

Decorative valance: 3¼" (8.3 cm)

Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount

12" (30.5 cm) inside mount

Maximum blind width: 77½" (196.9 cm)

Minimum blind height: 14" (35.6 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) available on select widths)

Factory deduction for inside mount: ½" (1.3 cm)

Valance width: up to 108" (274.3 cm) without returns; 106½" (270.5 cm) with returns; splicing is not available.

Valance returns: ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" to 1¾" (1.3 to 4.4 cm) returns available on inside mount (1" (1.3 cm) standard).

Colors

Coconut. C630

White Silk. C803

Replacement Valance Pricing

Replacement standard and decorative valance

Width up to inches (cm) →											
24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$16	19	22	23	24	28	30	32	33	38	58	79

2" (5.1 cm) Faux Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →									
	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	77½ (196.9)
30 (76.2)	\$60	70	74	87	93	98	109	116	138	141
36 (91.5)	65	76	83	92	99	107	122	130	145	160
42 (106.7)	69	81	85	96	103	118	133	141	150	174
48 (122.0)	73	84	95	103	112	133	141	158	167	194
54 (137.2)	77	92	101	113	122	141	151	171	187	217
60 (152.4)	83	98	111	121	135	151	161	181	205	233
66 (167.7)	89	104	117	133	149	161	173	195	222	255
72 (182.9)	98	111	128	142	161	173	185	208	233	273
78 (198.2)	101	113	132	146	166	181	198	221	246	291

Product Specifications

- 500 hours UV-A light fastness
- Steel headrail (1½" x 2¼" (3.8 x 5.7 cm))
- Rectangular bottomrail
- Cord tilt left, cord lift right
- Standard route holes
- Valance options: 2½" (6.4 cm) standard or 3¼" (8.3 cm) decorative valance included in the blind price

Minimum depth required for inside mount: 1" (2.5 cm)

Depth requirements for flush mounting:

No valance: 2⅝" (6.7 cm)

Standard valance: 3⅛" (7.9 cm)

Decorative valance: 3¼" (8.3 cm)

Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount
12" (30.5 cm) inside mount

Maximum blind width: 77½" (196.9 cm)

Minimum blind height: 14" (35.6 cm)

Maximum blind height: 78" (198.1 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Valance width: Up to 108" (274.3 cm) without returns;
106½" (270.5 cm) with returns.
Splicing is not available.

Valance returns: ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" to 1¾" (1.3 to 4.4 cm) returns available on inside mount (1" (1.3 cm) standard).

Colors

MapleC013

WalnutC012

Options

2½" (6.4 cm) Standard Valance

3¼" (8.3 cm) Decorative Valance



Replacement Valance Pricing

Replacement standard and decorative valance

Width up to inches (cm) →											
24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$17	19	22	23	24	28	30	33	34	39	59	81

Light Filtering Cellular Shades

Height up to inches (cm) ↓	Width up to inches (cm) →							
	24 (61.0)	31 (78.8)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
36 (91.5)	\$104	116	129	165	197	226	252	296
48 (122.0)	116	136	156	200	234	272	305	355
60 (152.4)	129	159	177	226	273	317	362	416
72 (182.9)	149	174	201	258	312	366	416	482
84 (213.4)	165	197	226	291	355	413	473	540
96 (243.9)	180	215	247	317	389	458	526	599
Add Surcharge to Shade								
Cordless Lift*	\$71			94				

Product Specifications

- 3/8" (1.0 cm) single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail (1 1/16" x 1 5/8" (4.3 x 4.2 cm))
- Soft fabric shades filter light
- Cord controls on right or left side
- Same fabric color on front and back of shade
- Installation hardware included

Size Specifications

Corded Shade

Minimum blind width: 9" (22.9 cm) outside mount
9 1/2" (24.1 cm) inside mount

Maximum blind width: 96" (243.8 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 96" (243.8 cm)

Cordless Shade

Minimum blind width: 12" (30.5 cm) outside mount
12 1/2" (31.8 cm) inside mount

Maximum blind width: 84" (213.4 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 72" (182.9 cm)

Colors

Alabaster 1402 Truffle 1403
Latte 1404 White 1401

Blackout Cellular Shade

Height up to inches (cm) ↓	Width up to inches (cm) →							
	24 (61.0)	31 (78.8)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
36 (91.5)	\$126	139	153	197	231	269	298	351
48 (122.0)	139	161	186	237	279	322	363	420
60 (152.4)	153	190	211	269	328	378	428	493
72 (182.9)	178	209	239	308	373	433	493	575
84 (213.4)	197	231	269	345	420	490	561	645
96 (243.9)	214	258	293	378	464	544	625	715
Add Surcharge to Shade								
Cordless Lift*	\$71			94				

Product Specifications

- $\frac{9}{16}$ " (1.4 cm) single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail (1 $\frac{1}{16}$ " x 1 $\frac{5}{8}$ " (4.3 x 4.2 cm))
- Blackout fabrics; perfect for bedrooms or media rooms
- Cord controls on right or left side
- Neutral to the street side
- Installation hardware included

Size Specifications

Corded Shade

Minimum blind width: 9" (22.9 cm) outside mount
9 $\frac{1}{2}$ " (24.1 cm) inside mount

Maximum blind width: 96" (243.8 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 96" (243.8 cm)

Cordless Shade

Minimum blind width: 12" (30.5 cm) outside mount
12 $\frac{1}{2}$ " (31.8 cm) inside mount

Maximum blind width: 84" (213.4 cm)


Minimum blind height: 9" (22.9 cm)

Maximum blind height: 72" (182.9 cm)

Colors

Cocoa 2802
Sandstone 2801
White Dove 2800

Roller and Solar Measurement Guide



TIP: If ordering as **inside mount**, measure the window opening width from left to right, in 3 different places. Choose the narrowest measurement and deduct $\frac{1}{8}$ " (0.4 cm) from that measurement for size to order. The size you receive will be the size ordered as the bracket to bracket measurement.

If ordering as **outside mount**, you will receive the size ordered as the fabric measurement to assure your window opening is fully covered when installed. You may want to add $1\frac{1}{2}$ " (3.9 cm) to each side (total 3" (7.7 cm)) to the width for additional privacy and light control.

Vinyl Roller Shades

Height up to inches (cm) ↓	Width up to inches (cm) →			
	30 (76.2)	45 (114.3)	60 (152.4)	72 (182.9)
54 (137.2)	\$89	117	144	167
78 (198.2)	110	149	182	214
96 (243.9)	125	172	238	250

NOTE: Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Durable 12 mil blackout vinyl shade
- Cordless design for easy operation and safety
- Lightweight vinyl shade can be cleaned for easy maintenance
- Installation hardware included

Size Specifications

Minimum width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 72" (182.9 cm) inside mount
 70¾" (179.7 cm) outside mount
 Flush mount requirements: 2" (5.1 cm)
 Minimum recess space: 1" (2.5 cm)

Fabric and Natural Roller Shades

Height up to inches (cm) ↓	Width up to inches (cm) →		
	30 (76.2)	45 (114.3)	60 (152.4)
54 (137.2)	\$104	140	170
78 (198.2)	130	176	216
96 (243.9)	148	204	280

NOTE: Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Roller shade in fabric and natural material to enhance any décor
- Natural and fabric roller come with a color coordinated continuous chain loop on right side
- Installation hardware included

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 60" (152.4 cm) inside mount
 58¾" (149.2 cm) outside mount
 Flush mount requirements: 2⅝" (6.0 cm)
 Minimum recess space: 1½" (3.8 cm)
 Continuous chain loop: 40" (101.6 cm)

Colors

Vinyl Roller	Fabric Roller	Natural Roller
Cream 0002V	Java 0011F	Bermuda 0009N
Gray 0008V	Oatmeal 0010F	Havana 0005N
White 0001V		Panama 0004N

Solar Roller Shades

Height up to inches (cm) ↓	Width up to inches (cm) →			
	30 (76.2)	45 (114.3)	60 (152.4)	72 (182.9)
54 (137.2)	\$108	146	178	206
78 (198.2)	136	185	226	265
96 (243.9)	155	213	265	309

NOTE: Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Durable mesh shade blocks 85% to 90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Installation hardware included
- Same color on front and street side

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 72" (182.9 cm) inside mount
 70¾" (179.7 cm) outside mount
 Flush mount requirements: 2½" (6.4 cm)
 Minimum recess space: 1½" (3.8 cm)
 Continuous chain loop: 44" (111.8 cm)

Solar Roller Premium Shades

Height up to inches (cm) ↓	Width up to inches (cm) →			
	30 (76.2)	45 (114.3)	60 (152.4)	72 (182.9)
54 (137.2)	\$126	170	207	239
78 (198.2)	158	214	263	308

NOTE: Only 54" (137.2 cm) and 78" (198.1 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

Product Specifications

- Durable mesh shade blocks 85% to 90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Installation hardware included
- Same color on front and street side

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
 13¾" (34.9 cm) outside mount
 Maximum blind width: 72" (182.9 cm) inside mount
 70¾" (179.7 cm) outside mount
 Flush mount requirements: 2½" (6.4 cm)
 Minimum recess space: 1½" (3.8 cm)
 Continuous chain loop: 44" (111.8 cm)

Colors

Solar Shades	Premium Solar Shades
Chocolate 0003S	Charcoal 0004S
Cream 0002S	Espresso 0007S
	Pebble 0006S

1" (2.5 cm) Aluminum Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →						
	24 (61.0)	30 (76.2)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	86 (218.5)
54 (137.2)	\$67	82	94	117	142	172	212
72 (182.9)	82	98	117	147	175	212	264
84 (213.4)	94	111	133	166	202	240	298

Product Specifications

- 1" (2.5 cm) 6-gauge (0.006" (0.02 mm)) room darkening slats
- Premium, color coordinated steel headrail (1" x 1½" (2.5 x 3.8 cm)) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right

Size Specifications

Minimum blind width: 14" (35.6 cm) outside mount
14½" (36.8 cm) inside mount
Maximum blind width: 86" (218.4 cm)
Minimum blind height: 6" (15.2 cm)
Maximum blind height: 84" (213.4 cm)
Factory deduction for inside mount: ½" (1.3 cm)
Minimum depth requirement:
Inside mount: ¾" (1.9 cm)
Flush mount: 1¾" (4.4 cm)

Colors

Alabaster 112	Char Brown 062
Beige Pearl 328	Wheat 710
Black 156	White 205
Brushed Aluminum 121	

1" (2.5 cm) Vinyl Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →						
	24 (61.0)	30 (76.2)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	86 (218.5)
54 (137.2)	\$54	62	74	93	115	135	160
72 (182.9)	63	77	93	116	141	168	193
84 (213.4)	74	88	104	132	160	180	213

Product Specifications

- Premium, color coordinated steel headrail (1" x 1½" (2.5 x 3.8 cm)) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right

Size Specifications

Minimum blind width: 17" (43.2 cm) outside mount
17½" (44.5 cm) inside mount
Maximum blind width: 86" (218.4 cm)
Minimum blind height: 6" (15.2 cm)
Maximum blind height: 84" (213.4 cm)
Factory deduction for inside mount: ½" (1.3 cm)
Minimum depth requirement:
Inside mount: ¾" (1.9 cm)
Flush mount: 1¾" (4.4 cm)

Colors

Alabaster 112	Cornflower Blue 882	Mauve 123
Black 156	Hunter Green 184	Wheat 710
Bronze 748	Light Gray 193	White 205

3½" (8.9 cm) Vertical Blinds

Product Specifications

- Reversible white painted steel headrail (1½" x 1¼" (3.8 x 3.2 cm))
- One way draw right or left
- Wand control only—wand length 27½" (69.9 cm)
- Channel panel valance with 5½" (14.0 cm) returns included

Size Specifications

Minimum blind width: 13" (33.0 cm)
 Maximum blind width: 120" (304.8 cm)
 Minimum blind height: 6" (15.2 cm)
 Maximum blind height: 104" (264.2 cm)
 Minimum depth requirements for flush mount:
 Flush mount track: 2¾" (7.0 cm)
 Louvers: 3¾" (9.5 cm)
 Valance: 4⅝" (11.7 cm)

Chart 1: Crown

Height up to inches (cm) ↓	Width up to inches (cm) →					Vanes
	38½ (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)	
48 (122.0)	\$122	151	197	297	339	2
60 (152.4)	127	164	211	320	365	3
72 (182.9)	136	172	224	339	392	3
84 (213.4)	144	184	238	362	417	3
104 (264.2)	151	193	256	388	447	3
Valance Only	\$14	17	23	36	41	

Colors

Alabaster 3073 Pearl White 3075
 Beige 3076 White 3056

Chart 2: Chams, Dune, Maui

Height up to inches (cm) ↓	Width up to inches (cm) →					Vanes
	38½ (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)	
48 (122.0)	\$155	188	247	375	465	3
60 (152.4)	163	203	266	400	491	5
72 (182.9)	172	212	283	428	516	6
84 (213.4)	178	226	301	453	546	6
104 (264.2)	190	235	318	482	571	6
Valance Only	\$17	19	32	39	47	

Colors

Chams	Dune	Maui
White 9090	Cocoa 3473	Basil 3177
	Toasty Grey 3472	Shell 3171
		Tan 3173
		White Silk 3170

3 1/2" (8.9 cm) Vertical Blinds

Chart 3: Curved*, Mont Blanc, Rustic, Suede

Height up to inches (cm) ↓	Width up to inches (cm) →					Vanes
	38 1/2 (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)	
48 (122.0)	\$174	215	289	433	522	5
60 (152.4)	188	232	315	475	564	6
72 (182.9)	203	252	343	513	605	6
84 (213.4)	217	271	372	555	647	6
104 (264.2)	231	289	396	597	687	8
Valance Only	\$19	23	34	44	52	

Colors

Curved*	Mont Blanc	Rustic	Suede
Fontana Crème 9076	Bark 6776	Coffee 6910	Cocoa 6443
Sculptured Beige 9071		Cream 6915	

*Curved vanes are always high side right.

Standard Track Replacement Pricing

Width up to inches (cm) →				
38 1/2 (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)
\$61	69	93	160	198

General Information

Ladder Count Tables

Aluminum Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
14 to 20 ¹ / ₁₆ (35.6 to 53.2)	2	2
21 to 37 (53.4 to 94.0)	2	2
37 ¹ / ₁₆ to 61 (94.2 to 155.0)	3	2
61 ¹ / ₁₆ to 85 (155.1 to 215.9)	4	4
85 ¹ / ₁₆ to 86 (216.1 to 218.5)	5	4

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Premium Vinyl Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
17 to 23 (43.2 to 58.5)	2	2
23 ¹ / ₁₆ to 30 (58.6 to 76.2)	2	2
30 ¹ / ₁₆ to 37 (76.4 to 94.0)	3	2
37 ¹ / ₁₆ to 45 1/2 (94.2 to 115.6)	3	3
45 ¹ / ₁₆ to 51 (115.8 to 129.6)	5	3
51 ¹ / ₁₆ to 58 (129.7 to 147.4)	5	3
58 ¹ / ₁₆ to 65 (147.5 to 165.1)	5	3
65 ¹ / ₁₆ to 72 (165.3 to 182.9)	5	3
72 ¹ / ₁₆ to 79 (183.1 to 200.7)	6	4
79 ¹ / ₁₆ to 86 (200.9 to 218.5)	6	4

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Faux Wood Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
11 1/2 to 14 1/2 (29.3 to 36.9)	2	2
14 1/2 to 18 1/2 (37.2 to 47.0)	2	2
18 1/2 to 23 1/2 (47.4 to 59.7)	2	2
23 1/2 to 28 1/2 (60.1 to 72.4)	3	2
28 1/2 to 33 1/2 (72.8 to 85.1)	3	2
33 1/2 to 38 1/2 (85.5 to 97.8)	4	4
38 1/2 to 43 1/2 (98.2 to 110.5)	4	4
43 1/2 to 48 1/2 (110.9 to 123.2)	5	3
48 1/2 to 52 1/2 (123.6 to 133.4)	5	3
52 1/2 to 57 1/2 (133.7 to 146.1)	5	3
57 1/2 to 62 1/2 (146.4 to 158.8)	6	4
62 1/2 to 67 1/2 (159.1 to 171.5)	6	4
67 1/2 to 72 1/2 (171.8 to 184.2)	7	5
72 1/2 to 77 1/2 (184.5 to 196.9)	7	5

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Wood Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
9 to 11 ¹ / ₁₆ (22.9 to 30.4)	2	2
12 to 24 (30.5 to 61.0)	2	2
24 ¹ / ₁₆ to 36 (61.2 to 91.5)	2	2
36 ¹ / ₁₆ to 60 (91.6 to 152.4)	3	2
60 ¹ / ₁₆ to 78 (152.6 to 198.2)	4	4

NOTE: Maximum spacing between ladders is 24" (61.0 cm).
Standard control positions: lift right and tilt left.

Lightblocker Vinyl Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
18 to 24 (45.8 to 61.0)	2	2
24 ¹ / ₁₆ to 30 (61.2 to 76.2)	3	2
30 ¹ / ₁₆ to 36 (76.4 to 91.5)	3	2
36 ¹ / ₁₆ to 42 (91.6 to 106.7)	3	3
42 ¹ / ₁₆ to 48 (106.9 to 122.0)	5	3
48 ¹ / ₁₆ to 54 (122.1 to 137.2)	5	3
54 ¹ / ₁₆ to 60 (137.4 to 152.4)	5	3
60 ¹ / ₁₆ to 66 (152.6 to 167.7)	5	3
66 ¹ / ₁₆ to 72 (167.8 to 182.9)	5	3

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 3/8" (1.0 cm) deduction equals 29 3/8" (75.3 cm) finished blind width.

Privacy Faux Wood Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
12 1/2 to 18 1/2 (31.8 to 47.0)	2	4
18 1/2 to 23 1/2 (47.4 to 59.7)	2	4
23 1/2 to 29 1/2 (60.1 to 75.0)	3	4
29 1/2 to 35 1/2 (75.3 to 90.2)	3	4
35 1/2 to 41 1/2 (90.5 to 105.5)	4	4
41 1/2 to 47 1/2 (105.8 to 120.7)	4	4
47 1/2 to 53 1/2 (121.0 to 135.9)	5	6
53 1/2 to 59 1/2 (136.3 to 151.2)	5	6
59 1/2 to 65 1/2 (151.5 to 166.4)	6	6
65 1/2 to 71 1/2 (166.7 to 181.7)	6	6

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

General Information

3½" (8.9 cm) Vane Stacking Chart

Number of Vanes	C.O. inches (cm)	F.B.W. inches (cm)
5	12 (30.5)	16 (40.6)
6	14¼ (37.5)	19½ (48.6)
7	17¾ (44.1)	22¼ (56.5)
8	20 (50.8)	25¾ (64.5)
9	22¾ (57.5)	28½ (72.4)
10	25¼ (64.1)	31¾ (79.7)
11	28¼ (71.8)	34¾ (88.6)
12	30¾ (77.8)	38 (96.5)
13	33¼ (84.5)	41½ (104.5)
14	35¾ (89.9)	44¼ (112.4)
15	38½ (97.8)	47¾ (120.3)
16	41¼ (104.5)	50½ (128.3)

Number of Vanes	C.O. inches (cm)	F.B.W. inches (cm)
17	43¾ (111.1)	53¾ (136.2)
18	46¾ (117.8)	56¾ (144.1)
19	49 (124.5)	59¾ (152.1)
20	51¼ (131.4)	63 (160.0)
21	54¾ (138.1)	66¾ (168.0)
22	57 (144.8)	69¾ (175.9)
23	59¾ (151.4)	72¾ (184.5)
24	62¼ (158.1)	75¾ (192.4)
25	65¼ (165.7)	79 (200.7)
26	68 (172.7)	82¼ (208.9)
27	69¾ (177.2)	85¼ (216.5)

Number of Vanes	C.O. inches (cm)	F.B.W. inches (cm)
28	72¾ (183.8)	88¾ (225.1)
29	74¾ (189.9)	92 (233.7)
30	77¼ (196.2)	94¼ (239.4)
31	79¾ (202.6)	98½ (250.2)
32	82¼ (208.9)	101¼ (258.4)
33	85 (215.9)	104¾ (266.4)
34	89¾ (227.0)	108 (274.3)
35	92¾ (234.0)	111¼ (282.6)
36	95¾ (242.3)	114½ (290.8)
37	98¾ (249.2)	117¾ (299.1)
38	99¾ (253.7)	120 (304.8)

SIMPLE
SELECTIONS™
BY GRABER

For orders of 50 blinds or more, please call
customer service for estimated delivery time.

19-0401-09 (02/18) 17-7666|S17-5079