



Graber Wood/Faux  
Wood Blinds

US Price Guide

May 2026

# TRADITIONS® WOOD, ELITE WOOD, COMPOSITE, AND LAKE FOREST® FAUX WOOD BLINDS

## Product Information Guide

### Features

The Graber® Wood Story . . . . .	3
Graber Wood Characteristics . . . . .	3
Traditions Wood Blinds . . . . .	4
Elite Wood Blinds . . . . .	4
Elite Wood Blinds—Authentic Hardwoods . . . . .	4
Traditions Composite Blinds . . . . .	4
Lake Forest Premium Faux Wood and Faux Wood Blinds . . . . .	4

### Size Considerations

Cordless Lift, Depth Requirements for Inside Mount . . . . .	5
--	---

### Options

Blind Options . . . . .	6
Cordless Lift . . . . .	7
Control Lengths for Wands . . . . .	7
Multiple Blinds on One Headrail . . . . .	8
Accent Color . . . . .	9
Custom Color . . . . .	9
Why Elite Wood for Your Client's Home . . . . .	9
How to Order Elite Wood: Special Ordering Instructions . . . . .	9
Valance Options . . . . .	10–11
How to Measure for Valance Returns . . . . .	12
How to Measure and Order Valances . . . . .	12
Valance Keystones . . . . .	13
Splicing Requirements . . . . .	13
How to Measure a Special Splice Location . . . . .	13
Bay and Corner Windows . . . . .	14

### PLEASE NOTE:

Photos and illustrations are for inspiration only.

Not all product configurations are available in all countries.

Window blind cords are a strangulation hazard for young children. Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

### VEUILLEZ NOTER :

Les photos et les illustrations ne sont offertes qu'à titre d'inspiration. Toutes les configurations de produits ne sont pas disponibles dans tous les pays.

Les cordons pour store de fenêtre représentent un risque d'étranglement pour les jeunes enfants. Consultez votre dépositaire ou un associé de magasin pour des produits sans cordon ou des produits dont les cordons ne sont pas accessibles.

Retirez ce produit immédiatement si un cordon mesurant plus de 22 cm de longueur ou une boucle dépassant 44 cm deviennent accessibles.

# GRABER®

MAY 2026

## Options (continued)

Wood Specialty Shapes: Incline Wire Blinds . . . . .	15
Cut-Outs . . . . .	16
Wood Specialty Shapes: Angle Top or Bottom . . . . .	17
Wood Specialty Shapes: Trapezoid, Triangle, and Octagon . . . . .	18
Wood Specialty Shapes: Arched Blinds . . . . .	19
Wood Specialty Shapes: Ovals and Circles . . . . .	20
Making a Template for Specialty Blinds . . . . .	21
Using the Graber Template Service . . . . .	21

## General Information

Slat Count Table: 2" Wood Blinds . . . . .	22
Slat Count Table: 2 $\frac{3}{8}$ " Wood Blinds . . . . .	23
Slat Count Table: 2" Composite Blinds . . . . .	24
Slat Count Table: 2" Premium Faux Wood and Faux Wood Blinds . . . . .	25
Slat Count Table: 2 $\frac{1}{2}$ " Premium Faux Wood and Faux Wood Blinds . . . . .	26
Slat Route and Ladder Count Charts: Traditions® 2" and 2 $\frac{3}{8}$ " Wood Blinds . . . . .	27
Slat Route and Ladder Count Charts: 2" and 2 $\frac{3}{8}$ " Elite Wood Blinds . . . . .	27
Slat Route and Ladder Count Charts: Traditions 2" Composite Blinds . . . . .	28
Slat Route and Ladder Count Charts: Lake Forest 2" and 2 $\frac{1}{2}$ " Premium Faux Wood and Faux Wood Blinds with Cordless Lift . . . . .	28
Cordless Lift Blinds Product Detail: 2" and 2 $\frac{1}{2}$ " Premium Faux Wood and Faux Wood . . . . .	29
Cordless Lift Blinds Product Detail: 2" and 2 $\frac{3}{8}$ " Wood, 2" Composite . . . . .	30

# Features

## The Graber® Wood Story

### Quality of Wood Defines a Blind's Quality

We use only 100% North American hardwood in the construction of our wood blinds because of its light weight, consistent color, hardness, structural stability, and attractive grain.

### Sound Forestry Techniques

We work only with foresters who practice “sustained yield forest management”—nearly twice as much hardwood grows as is harvested in the U.S. each year. The volume of hardwoods in American forests today is greater than it was 50 years ago.

### Preserving Our Natural Resources

Our Springs Window Fashions (SWF) wood products facility consumes recycled sawdust and wood shavings, generating the heat required to dry lumber for a completely self-sufficient manufacturing process. Our Reynosa, Mexico fabrication and finishing facility is 99.7% pollution free, above any U.S. standard.

### SWF Wood Products, Grayling, Michigan

We have control over the quality of wood used—we control the process from green lumber to finished blinds. Hardwoods used in crafting Graber Wood Blinds are kiln dried and molded at our SWF wood products facility in Grayling, Michigan. The wood is dried slowly to strict wood blind specifications because structural change can occur when moisture is removed. Molding and sanding operations provide the highest quality surface, free of defects.

### Springs Window Fashions, Reynosa, Mexico

At our state-of-the-art finishing plant in Reynosa, Mexico, components are carefully sorted prior to fabrication for color uniformity and wood characteristics. We sort wood as an end user, rather than a finishing vendor, taking out defects in a climate-controlled building. To finish the blind, we use only high quality paints and stains; on-site certified color technicians provide both application and quality control.

### What Makes Graber Traditions® Blinds Different from the Rest?

- Painted and stained wood blinds are made from 100% North American hardwoods, the premier wood used in the construction of blinds
- SWF wood products and finishing facilities provide state-of-the-art technologies and processes
- Expanded choice of finishes with PureGrain™ Finish—vibrant stains that showcase the natural grain of the wood
- Unique valance choices, specialty shapes, and more
- Traditions composite blinds have superior strength and moisture resistance
- The best customer service team in the industry—trained to answer any question about Graber Traditions Blinds
- Limited lifetime warranty

## Graber Wood Characteristics


Wood used to manufacture Graber Wood Blinds has many natural characteristics that make it truly unique. The following are all natural characteristics of wood, and we do not consider them to be defects:

- Grain—The direction, size, and appearance of wood fibers vary greatly depending on where the wood is cut from within the tree
- Tiger Striping—Occurs when a tree develops wavy grain, due to genetics, soil content, or other natural scenarios
- Burl—Formed from an irregular growth on the outer edge of the tree
- Bird's Eye—Small area on the surface of the board where fibers are contorted to form circular figures that resemble birds' eyes
- Pin Knots—Vary in size, shape, structure, and color
- Mineral Marks—Dark or discolored areas caused by minerals which the tree extracts from the water or soil; can be either a streak or a stain, usually blackish blue
- Knotty Pine/Rustic—Material contains markings that are more extreme than in standard products; the number and degree of marking will vary throughout the blind

Please be assured that these markings in no way affect the durability or the structural integrity of the blind.

Natural variations in color and grain are inherent in the beauty of wood. These variations are within established industry guidelines and should be expected. In addition, blinds may stain slightly darker or lighter than the swatches shown in the sampling.

**NOTE:** Elite Walnut, Maple, and Cherry will have the unique natural variations of these beautiful hardwoods—these variations are to be expected. Blinds made from these materials will undergo a degree of color change over time, further enhancing the beauty of the wood.



## Features

### Traditions® Wood Blinds

- Stained and painted blinds crafted from North American hardwoods
- Finish highlights the natural characteristics of wood
- 2" and 2½" slat sizes available
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier

### Elite Wood Blinds

- Available in all Graber® wood paints and stains
- 2" and 2½" slat sizes available
- Sandblast finish available on any 2" paint or stain
- Custom color available; not available in unique finishes
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier
- Specialty shapes
- Accent valance and bottomrail: complement the window and décor of the room by specifying a different color valance and bottomrail

### Elite Wood Blinds—Authentic Hardwoods

- 2" wood blinds made from premier North American hardwoods—Walnut, Maple, and Cherry with a clear coat finish that further enhances the wood's beauty
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier

### Traditions Composite Blinds



- Moisture-resistant multiple polymer composite slats
- 2" slat size available
- Trapezoid bottomrail makes lifting and lowering cordless lift blinds easier

### Lake Forest® Premium Faux Wood and Faux Wood Blinds

- Solid or woodgrain moisture-resistant engineered polymer slats
- 2" and 2½" slat sizes available in both premium faux wood and faux wood
- Trapezoid bottomrail makes lifting and lowering cordless lift blinds easier

## Size Considerations

### Cordless Lift



										
	<b>Cordless Lift Blinds</b>				<b>Cordless Lift Blinds Multiple Blinds on One Headrail</b>					
	<b>Width</b>		<b>Height</b>		<b>Width</b>			<b>Height</b>		
<b>Styles</b>	<b>Minimum (exact) (inches)</b>	<b>Maximum (inches)</b>	<b>Minimum (inches)</b>	<b>Maximum (inches)</b>	<b>Minimum Panel (exact) (inches)</b>	<b>Maximum Panel (inches)</b>	<b>Maximum Blind (inches)</b>	<b>Minimum Blind (inches)</b>	<b>Maximum Blind (inches)</b>	
<b>Traditions® Wood Blinds</b>										
Traditions 2" Wood Blinds	12	84	12	86	12	84	120	12	86	
Traditions 2" Barnwood and Distressed Wood Blinds	12	84	12	86	12	84	120	12	86	
Traditions 2½" Wood Blinds	12	84	12	86	12	84	120	12	86	
<b>Elite Wood Blinds</b>										
Elite 2" Wood Blinds	12	84	12	86	12	84	120	12	86	
Elite 2" Authentic Hardwood Blinds**	12	84	12	78	12	84	120	12	78	
Elite 2½" Wood Blinds	12	84	12	86	12	84	120	12	86	
<b>Traditions Composite Blinds</b>										
Traditions 2" Composite Blinds	12	66	12	72	12	66	120	12	72	
<b>Lake Forest® Premium Faux Wood and Faux Wood Blinds</b>										
Lake Forest 2" Premium Faux Wood Blinds	17	96	12	96	17	96	120	12	96	
Lake Forest 2" Faux Wood Blinds	17	96	12	96	17	96	120	12	96	
Lake Forest 2½" Premium Faux Wood Blinds	17½	96	12	96	17½	96	120	12	96	
Lake Forest 2½" Faux Wood Blinds	17½	96	12	96	17½	96	120	12	96	

\*\*Walnut maximum height 68".

**NOTE:** 2" and 2½" Max Blind Coverage Area= 49 sq. ft.

No lift blind option is available down to 7" (exact) min width for specific applications. Please see pricing chart for width and length specifics.

### Depth Requirements for Inside Mount

			
	<b>Headrail Dimensions (inches)</b>	<b>Minimum Depth Mount (inches)</b>	<b>Flush with Casing (without valance)*</b>
<b>Blind Type</b>			<b>Wand Tilt (inches)</b>
Traditions 2" and 2½" Wood Blinds	2 x 2¼	¾	2¼
Elite 2" and 2½" Wood Blinds	2 x 2¼	¾	2¼
Traditions 2" Composite Blinds	2 x 2¼	¾	2¼
Lake Forest 2" and 2½" Premium Faux Wood and Faux Wood Blinds	1½ x 2¼	¾	2¼

\*For measurements of fully recessed headrails with a valance, see valance options.

# Options

## Blind Options (for surcharges and pricing refer to price charts)

Blind Options	Traditions 2" Wood and 2" Elite Wood	Traditions 2 <sup>3</sup> / <sub>8</sub> " Wood and 2 <sup>3</sup> / <sub>8</sub> " Elite Wood	Traditions 2" Composite	Lake Forest® 2" Premium Faux Wood and 2" Faux Wood	Lake Forest 2 <sup>1</sup> / <sub>2</sub> " Premium Faux Wood and 2 <sup>1</sup> / <sub>2</sub> " Faux Wood	Details
Accent Color (valance/bottomrail)	● <sup>^</sup>	● <sup>^</sup>				See the "Accent Color" section
Bay and Corner Windows	●	●	●	●	●	See the "Options" section for measuring and ordering information
Wand Tilt Locations:						
• Tilt Left	●	●	●	●	●	Must be requested at time of order
• Tilt Right	●	●	●	●	●	
Custom Color	● <sup>^</sup>	● <sup>^</sup>				See price charts
Cut-Outs <sup>1</sup>	●	●	●	●	●	Maximum width for cut-out is 1" before route hole
Hold Down Brackets	●	●	●	●	●	Must be requested at time of order
Multiple Blinds on One Headrail: 2 or 3 on 1 to left of solid line*	● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	See the "Options" section
Projection Brackets						
• 2 <sup>3</sup> / <sub>4</sub> " and 4 <sup>3</sup> / <sub>4</sub> " Projection Brackets	●	●	●	●	●	Projection brackets not available for inside mount; must be requested at time of order; shims are standard on 2 <sup>3</sup> / <sub>8</sub> " and 2 <sup>1</sup> / <sub>2</sub> " blinds (outside mount)
• 3 <sup>1</sup> / <sub>16</sub> " Shims	●	●	●	●	●	
• Ring Tilt				●	●	Available control option
Sky Pole <sup>1</sup>						
• 6 foot pole				● <sup>§</sup>	● <sup>§</sup>	Available with ring tilt only; must be requested at time of order
• 9 foot pole						
Wood Cornices	● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	See cornices and valances product information guide
Wood Valances: Additional Designs			● <sup>§</sup>	● <sup>§</sup>	● <sup>§</sup>	See cornices and valances product information guide

<sup>1</sup>Not available with cordless

\*See solid line on appropriate price grid.

<sup>§</sup>Option available with surcharge.

<sup>^</sup>Available with Elite wood only.

## Options

### Cordless Lift



- Available on wood, composite, and faux wood blinds
- Cordless lift blinds offer a safer alternative for homes with children and pets
- Easy to use: to lower blind, pull down; to raise, simply guide the blind into the desired location by gently lifting the bottomrail
- Legacy, Craftsman, or Symphony valances recommended with wood cordless lift blinds for better headrail coverage

	Wood	Composite	Faux Wood
Minimum Width (inches)	12	12	17
Maximum Single Blind Width (inches)	84	66	96
Maximum Multiple Blinds on One Headrail (inches)	120	120	120
Minimum Height (inches)	12	12	12
Maximum Height (inches)	86	72	96

\*78" for authentic hardwood Cherry and Maple, 68" for Walnut.

### Control Lengths for Wands

Finished Blind Height (inches)	Wand Length* (inches)
up to 36	12
36 <sup>1</sup> / <sub>16</sub> to 60	20
60 <sup>1</sup> / <sub>16</sub> to 70	30
70 <sup>1</sup> / <sub>16</sub> to 80	40
80 <sup>1</sup> / <sub>16</sub> to 90	48
86 <sup>1</sup> / <sub>16</sub> to 96	60*

\*Wands over 48" long are a clear plastic and are only available with Cordless 2" and 2<sup>1</sup>/<sub>2</sub>" Faux Wood and No Lift /Tilt Only blinds.

**NOTE:** Special length wands may be requested at the time of ordering.

# Options

## Multiple Blinds on One Headrail



Gap 1/4"

- **Surcharge:** blinds to the left of the solid line on the price charts
- **No charge:** blinds to the right of the solid line on the price charts
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

### Cordless Lift

Multiple Blinds	Control Cord Locations	Gap (inches)
Two-On-One Headrail	Left panel (tilt left) Right panel (tilt right)	1/4
Three-On-One Headrail	Left panel (tilt left) Right panel (tilt right) Center panel (tilt left)	1/4

**NOTE:** Optional control locations may be requested.

### Measuring

1. Measure overall width of the area to be covered. If space permits, an overlap of 1 1/2" per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of 1/4" between blinds for operating clearance.
3. Total width of all blinds, plus clearance(s), must equal overall width.
4. Measure height as follows:
  - a. For windows, use standard inside or outside measuring procedures.
  - b. For patio doors, measure height within 3/4" of floor, either from ceiling or a point at least 6 1/2" above the door frame. Check slat count table to see if blind will completely clear the doorway.

### Ordering

1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions.
5. Add appropriate surcharge, if to the left of the solid line on the price chart.

# Options

## Accent Color (Elite Wood Blinds only)

For surcharge, see price charts.

Complement the window and décor of the room by specifying a different color valance and bottomrail. Single color only.

## Custom Color

For surcharge, see price charts.

Graber® offers the unique option of custom color either paint or stain. Use the following guidelines when placing your order:

1. Complete the custom color match request form. Forms can be found on [graberdirect.com](http://graberdirect.com).
2. Supply Springs Window Fashions with a color sample labeled with the color name and purchase order number. The sample needs to be at least 2" x 2". For best results, submit a 3" x 3" color sample.
3. Send the order, along with the request form and color sample to: Please send all color chips to:  
Springs Window Fashions, LLC  
Attention: Custom Color  
8467 Route 405 Hwy South  
P.O. Box 500  
Montgomery, PA 17752
4. Approval of the custom color sample is required on orders of six or more blinds. A sample of the custom color will be sent upon request for orders of less than six blinds. If a custom color sample is not requested, the sample provided will be used to manufacture the wood blinds. If the color sample is to be returned, please note this on your order.
5. Custom color samples will be sent for approval approximately two weeks after receiving the original color sample.
6. Once approval is received, fabrication of the custom color blinds will begin.

## Why Elite Wood for Your Client's Home

Elite wood blinds are individually hand finished using a wiping technique to enhance the beauty of the wood and create a truly beautiful blind as unique as your client.

Additional benefits of Elite wood blinds include:

- Each wood component is finished after being cut and routed for the client's individual blind—creating wood components that are completely sealed from the environment
- Elite wood finish is applied using a wiping process rather than flow coating the finish; the end result is a finish that further enhances the beautiful characteristics of the wood
- All Graber Traditions® paints and stains are available using this unique finishing style, or create a completely customized blind using the custom color option

## How to Order Elite Wood: Special Ordering Instructions




On [graberdirect.com](http://graberdirect.com)

- Select the description Elite wood
- Select the finish choice
  - Elite finish
  - Elite high gloss
  - Sandblast finish (2" only)
- Follow the remaining ordering instructions to complete the order

**NOTE:** Due to the nature of the Elite process, blinds and specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

# Options

## Valance Options

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)			
2½" Classic Valance  Valance Returns ½" to 1": glued 1⅙" to 4⅝": optional glued 4⅞" and greater: not glued	2" Barnwood <sup>^</sup>	100%	98%	Wand tilt	3⅙"	3⅞"
				Cordless wand tilt		
3" Classic Valance  Valance Returns ½" to 1": glued 1⅙" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100%	98%	Wand tilt	3⅙"	3⅞"
	Cordless wand tilt					
	2⅝" Wood 2⅝" Elite Wood	100%	98%	Wand tilt	3⅞"	4⅞"
	Cordless wand tilt					
	2" Composite <sup>^</sup>	106%	105%	Wand tilt	3⅙"	3⅞"
Cordless wand tilt						
2" Premium Faux Wood <sup>^</sup> 2" Faux Wood <sup>^</sup>	106%	105%	Wand tilt	3⅙"	3⅞"	
Cordless wand tilt						
2½" Premium Faux Wood <sup>^</sup> 2½" Faux Wood <sup>^</sup>	106%	105%	Wand tilt	3⅞"	4⅞"	
Cordless wand tilt						
3" Majestic Valance  Valance Returns ½" to 1": glued 1⅙" to 4⅝": optional glued 4⅞" and greater: not glued	2" Composite <sup>^</sup>	106%	105%	Wand tilt	3⅙"	4⅞"
	Cordless wand tilt					
	2" Premium Faux Wood <sup>^</sup> 2" Faux Wood <sup>^</sup>	106%	105%	Wand tilt	3⅙"	4⅞"
Cordless wand tilt						
2½" Premium Faux Wood <sup>^</sup> 2½" Faux Wood <sup>^</sup>	106%	105%	Wand tilt	3⅞"	4⅞"	
Cordless wand tilt						






\*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300¾".

<sup>^</sup>Keystones not available.

**NOTE:** For replacement valances see cornices and valances product information guide.

# Options

## Valance Options

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)			
<b>3½" Craftsman Valance</b>  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3⅝	3⅝
	2⅝" Wood 2⅞" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3¼	4⅞
<b>3½" Legacy Valance</b>  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3⅝	4
	2" Distressed Wood^ 2" Elite Authentic Hardwood^	100¼	98⅝	Wand tilt Cordless wand tilt	3⅝	4
	2⅝" Wood 2⅞" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3¼	4⅞
<b>4½" Symphony Valance</b>  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3⅝	4⅞
	2⅝" Wood 2⅞" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3¼	4½
<b>5½" Craftsman Valance</b>  Valance Returns ½" to 4⅝": glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3⅝	3⅝
	2⅝" Wood 2⅞" Elite Wood	100¼	98⅝	Wand tilt Cordless wand tilt	3¼	4⅞
<b>5" Flat Valance</b> 	2" Wood Specialty Shapes	N/A	N/A	Wand tilt	N/A	3⅝
	2⅝" Wood Specialty Shapes	N/A	N/A	Wand tilt	N/A	3⅝

\*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone.

Maximum width for spliced valances is 300¾".

^Keystones not available.

**NOTE:** For replacement valances see cornices and valances product information guide.

# Options

## How to Measure for Valance Returns

Window depths vary considerably depending on the age and style of the window. **Always** measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.


Please use our valance return cards to assist in correctly calculating valance return sizes.

To calculate the return width, use this formula:

(standard return width) minus (client window depth) = special return width to order for inside mount blind

### REMEMBER:

- Smallest return width is ½" (inside measurement), maximum return width is 8"
- Returns up to 1" (inside measurement) will be glued; 1¼" to 4⅝" optional glued
- The width of a return and the width of a valance are measured on the inside (back side) of the valance, not the outside (face) of the valance (see diagram at right)
- Standard return size for 2⅝" blinds and 2½" blinds—subtract ⅜" prior to determining special return width



A: Inside Measurement  
B: Outside Measurement



## How to Measure and Order Valances

If a valance is ordered, it is supplied in one of the following styles, depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.


**NOTE:** Valances with returns are measured and cut from the **INSIDE** of the miter to ensure the most accurate fit when installed over the headrail or window frame.

### Blinds ordered as an OUTSIDE MOUNT

**with requested returns** will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, longer returns will be sent automatically. Outside mount blinds are available without returns upon request.



A: Inside Measurement  
B: Outside Measurement



**NOTE:** Minimum return width is ½", maximum return width is 8".


### Additional Ordering Information:

- Please state at the time of order if the valance and return measurements are for the **EXACT** size required so that no additions or deductions are made
- Different return sizes can be ordered for the same valance; always provide **LEFT** return **INSIDE** measurement first when ordering
- Returns up to 1" will be glued; 1¼" to 4⅝" optional glued; 4⅞" and greater will not be glued
- Bay and corner blinds—must specify return width on inside mount at time of order
- Single side returns are available—opposite end will be cut straight

# Options

## Valance Keystones

- Decorative keystones are required on wood valances that require splicing
- Keystones will be equally spaced unless special splice locations are requested at time of order
- Optional keystones can be ordered with single piece valances, or in addition to required keystones at the time of order only
  - Minimum width with a keystone: 12"
  - Maximum number of keystones: 3
- Keystones will be stained or painted to match the valance ordered as standard; optional different color selection available
- Keystones not available on premier authentic hardwood, distressed wood, coastal wood, in sandblast finish, composite, or faux wood valances
- Keystones cannot be ordered for existing valances, attachment will not work
- All inside mount applications will have a slight light gap at the top of valance when installed




## Splicing Requirements

Profile	Number of Sections	Number of Keystones	No Returns		With Returns (inside dimensions)	
			Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
2½" Classic Barnwood Valance*	1	0	8	100¼	8	98¾
3" Classic Wood Valance	2	1	100⅙	200½	98⅞	198¾
3½" Craftsman Wood Valance						
3½" Legacy Wood Valance	3	2	200⅙	300¾	198⅞	298¾
4½" Symphony Wood Valance						
5½" Craftsman Valance						

\*Keystones not available.


### Outside Mount

- Wood valances requiring a splice will include a keystone (see chart above for details)




### Inside Mount

- Wood valances 100¼" or wider will require a keystone



## How to Measure a Special Splice Location

A keystone is supplied for valance widths that require a splice. Keystones will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an **INSIDE** measurement from the mitered corner to the location specified on the order.



**NOTE:** All measurements need to be from BACKSIDE.

Each splice location should be recorded starting from the **LEFT BACKSIDE** corner.

These formulas are used to calculate BACKSIDE valance measurements.

Inside Mount with No Returns	Ordered width - ⅙"
Inside Mount with Returns	Ordered width + ¼"
Outside Mount with No Returns	Ordered width + ½"
Outside Mount with Returns	Ordered width + ¾"

Example:

Overall valance width = 80" backside measurement

First splice from left = 30" backside measurement

Second splice from left = 50" backside measurement



For surcharge, see price charts.

# Options

## Bay and Corner Windows


- Made as individual blinds to fit in bay or corner windows
  - Each blind is on an individual headrail and has its own control
  - Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind; must provide blind location (left and right blind)
  - Tilt locations can be on the right or left side of each blind; placing controls opposite the corner is recommended
  - Depending on the angle, some corner blinds cannot be raised to the same height
  - Manufacturer will take appropriate deductions for proper fit
  - No additional charge
  - Valances will be mitered in the corner for finished look
  - Cornices and wood verticals are not available on bay or corner windows
  - Slat alignment cannot be guaranteed on side by side blinds
  - If you do not want manufacturer to take deductions DO NOT order as bay or corner
- NOTE:** Standard lead time does not apply for this feature. Additional manufacturing time is required.

### Measuring Information




### Corner Window

Measure:  
Width of each window from corner to the point you would like to cover.




### Three-Sided Bay Window

Measure:  
A and C: Width of side windows from the corners to the point you would like the blind to cover.  
B: Width of the center window from corner to corner.  
Angle A-B: Angle between windows (A) and (B).  
Angle B-C: Angle between windows (B) and (C).



### Four-Sided Bay Window

Measure:  
A and D: Width of side windows from the corners to the point you would like the blind to cover.  
B and C: Width of each window from corner to corner.  
Angle A-B: Angle between windows (A) and (B).  
Angle B-C: Angle between windows (B) and (C).  
Angle C-D: Angle between windows (C) and (D).




### Five-Sided Bay Window

Measure:  
A and E: Width of side windows from the corners to the point you would like the blind to cover.  
B, C, and D: Width of each center window from corner to corner.  
Angle A-B: Angle between windows (A) and (B).  
Angle B-C: Angle between windows (B) and (C).  
Angle C-D: Angle between windows (C) and (D).  
Angle D-E: Angle between windows (D) and (E).

**NOTE:** Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace onto paper and fax to customer service.

# Options

## Wood Specialty Shapes: Incline Wire Blinds



**NOTE:** Maximum degree from vertical is 45°. Blinds over 30° will have marginal tilt.

- Blinds up to 60" will have 2 wires
- Blinds over 60" will have 4 wires

**Options Available:**

- Decorative tassels
- Ring tilt (2" only)
- Custom color
- High gloss finish
- Accent color

**NOTE:** Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

**Features**

- For pricing, see price charts
- Wand tilt options available
- Wand control is the universal joint attachment
- There is a turn buckle in the headrail for adjusting the tension in the wires
- At the bottomrail, there are sill plates that are used to attach the wires to the sill
- Color coordinated box style bracket

**Incline (tension) Wire Blinds**

- Rectangular blinds will tilt only; may be used in windows installed vertically to 45 degrees from vertically (maximum)
- Ideal for applications that require stabilized blinds, such as boats

- A. Rise—The vertical measurement from the top of a window to the RUN to form a 90 degree angle.
- B. Run—The horizontal measurement from the bottom of a window to the RISE to form a 90 degree angle.
- C. Angle—The degree the window is slanted perpendicular (at a right angle) to the floor.
- D. Catenary—The degree a blind may possibly bow. No measurement needed. Must give measurements for width and height. A and B are used to calculate the angle (must be less than 45°).

**Measuring Information**

Use regular measuring instructions; see measuring instructions tab. Available on Elite wood blinds.


Size Considerations	Incline Wire (inches)	
Minimum Width	16	
Maximum Width	96	
Minimum Height	12	
Size Considerations	Blind Width (inches)	Maximum Height (inches)
Maximum Height	16 to 32	120
	32½ to 57	108
	57½ to 92	102
	92½ to 96	90

Depth Requirements	2" (inches)	2⅝" (inches)
Minimum	¾	¾
Flush with Casing	2⅝	2⅝

**NOTE:** Slat alignment cannot be guaranteed on side by side blinds.

## Options

### Cut-Out Blinds



- **For surcharge, see price charts**
- Maximum cut-out is 1" before route hole (corner and side cut-outs only)
- Cut-outs are measured with the slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the window up to the desired location
- Blinds will be tilt only, no lift

**NOTE:** Standard lead time does not apply for this feature. Additional manufacturing time is required.

# Options

## Wood Specialty Shapes: Angle Top or Bottom

### Features

- For pricing, see price charts
- Available in 2" and 2 $\frac{3}{8}$ " slats
- Extruded aluminum headrail
  - 2 $\frac{1}{4}$ " depth x 2" height

### Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand controls will be approximately one third the length of the blind; controls on angle top or angle bottom blinds will be located on the short side of the blind
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- Maximum angle is 45°
- Blinds have tilt function only

### Mounting Options

- Blinds under 24" must use hold down brackets to ensure level installation

**NOTE:** Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.


- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

Size Considerations	2" (inches)	2 $\frac{3}{8}$ " (inches)
Minimum Width	15	15
Minimum Height*	12	12
Maximum Width	96	96
Maximum Height	120	120

\*Long side.

Depth Requirements	2" (inches)	2 $\frac{3}{8}$ " (inches)
Minimum	$\frac{3}{4}$	$\frac{3}{4}$
Flush with Casing	3 $\frac{3}{8}$	3 $\frac{3}{8}$


### Valance



5" Flat Valance

- Valance returns are not available

### Angle Top or Bottom: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering an angle top or angle bottom blind.

W: Straight width

B: Length of short side

H: Length of long side

A: Angle width

# Options

## Wood Specialty Shapes: Trapezoid, Triangle, and Octagon

### Features

- For pricing, see price charts
- Available in 2" and 2½" slats
- Extruded aluminum headrail
  - 2¼" depth x 2" height

### Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand tilt controls will be approximately one third the length of the blind
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- Blinds have tilt function only

### Mounting Options

- All shapes receive predrilled openings and fasteners for direct mounting
  - Inside mounts: predrilled openings are located on the underside of the headrail
  - Outside mounts: predrilled openings are located on the front and back face of the headrail

**NOTE:** Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.


- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

Size Considerations	2" (inches)	2½" (inches)
Minimum Width**	15	15
Minimum Height	12	12
Maximum Width	96	96
Maximum Height	120	120

\*\*Octagon and trapezoid: 7½" exact minimum for top headrail.

Depth Requirements	2" (inches)	2½" (inches)
Minimum	2¼	2½
Flush with Casing	3⅞	3⅞


### Valance



5" Craftsman Valance

- Valance returns are not available

### Trapezoid, Triangle, or Octagon: Measuring Guidelines



†Verify each section width.

††Depending on sizes, octagon may be framed on all sides. Contact customer service to verify if framed or not.

Refer to diagrams for illustrations of measurements to include when ordering a trapezoid, triangle, or octagon blind.

W: Bottom width

H: Length of long side

A: Top width

Also specify/include:

- Inside or outside mount
- Control location

**NOTE:** Non-perfect octagons will require additional measurements. Please refer to the specialty shapes reference guide.

# Options

## Wood Specialty Shapes: Arched Blinds

### Features

- For pricing, see price charts
- Available in 2" and 2 3/8" slats
- Extruded aluminum headrail
  - 2 1/4" depth x 2" height

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

### Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Blinds have tilt function only
- Universal joint attachments for wand control
- Wand tilt controls will be approximately one third the length of the blind; quarter arch controls will be on the low side
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind

	2" (inches)	2 3/8" (inches)
Minimum Arch Width: Full Arch	24	24
Minimum Arch Width: Quarter Arch	15	15
Minimum Arch Height: Full Arch	12	12
Minimum Arch Height: Quarter Arch	12	12
Maximum Arch Width	96	96
Maximum Height of Extended Arches, Quarter Arches	120	120


### Mounting Options

- We recommend hold down brackets for quarter arches less than 24" in width to ensure level installation
- Arches will receive predrilled openings and fasteners
  - Inside mounts: predrilled openings are located on the underside of the headrail
  - Outside mounts: predrilled openings are located on the front and back face of the headrail

Depth Requirements	2" (inches)	2 3/8" (inches)
Minimum	2 1/4	2 3/8
Flush with Casing	3 3/8	3 3/8

**NOTE:** Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.


### Valance



5" Craftsman Valance

- Valance returns are not available

### Arched Blinds: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering an arched blind.

W: Straight width

B\*: Length to springline (point where arch begins)

Template needs to extend 6" past the springline.

H\*: Overall height

A: Arch height

Also specify/include:

- Inside or outside mount
- Control location

\*A + B = H

†Perfect arch: height = 1/2 of width;

Perfect 1/4" = width and height are the same

**NOTE:** Customer required to send template or use SWF template service on all non perfect arches

# Options

## Wood Specialty Shapes: Ovals and Circles

### Features

- For pricing, see price charts
- Available in 2" and 2 3/8" slats
- Extruded aluminum headrail
  - 2 1/4" depth x 2" height

### Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand tilt controls will be approximately one third the length of the blind
- Blinds have tilt function only

### Mounting Options

- All shapes receive predrilled openings and fasteners for direct mounting
  - Inside mounts: predrilled openings are located on the underside of the headrail
  - Outside mounts: predrilled openings are located on the front and back face of the headrail

### NOTES:

1. For blinds less than 16 square feet, valance may appear disproportionate in scale.
2. Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

Size Considerations	2" (inches)	2 3/8" (inches)
Minimum Diameter Width or Height	24	24
Maximum Diameter Width or Height	72	72

Depth Requirements	2" (inches)	2 3/8" (inches)
Minimum	2 1/4	2 3/8
Flush with Casing	3 7/8	3 7/8

### Valance




5" Craftsman Valance

- Valance returns are not available

### NOTES:

1. Maximum spacing between ladders is 24"
2. Standard control positions: lift right/tilt left
3. Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.

### Circles and Ovals: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering a circle or oval blind.

W and H: Provide width and height.

Template required if width and height are not the same.


Also specify/include:

- Inside or outside mount
- Control location

## Options

### Making a Template for Specialty Blinds

1. Tape butcher paper, kraft, or construction paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the shade is an outside mount, add the desired amount of overlap to the window outline and draw a second outline around it to match the shape of the finished shade. Be sure to erase the inside line.
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.  
**NOTE:** Make sure the template is of the window opening, not the glass only measurement.
5. Cut the shape from the paper.
6. **PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT COMPLETELY AROUND.**
7. Indicate on the template
  - “Room side” and “top” on the template
  - Purchase order number
  - Customer’s name
  - Your store name and account number
8. Roll up template and place in a mailing tube. **DO NOT FOLD TEMPLATE.**  
**NOTE:** If extended arch; only 6" past the springline (point where arch portion begins) is required on the template.



**NOTE:** This is just a sample for illustration purposes only—other information may be needed for your order.

Mail to: Springs Window Fashions LLC  
8467 Route 405 Highway South  
PO Box 500  
Montgomery, PA 17752  
ATTN: Specialty Department

**NOTE:** When mailing, make sure to get a tracking number and note your return address on the mailing tube.

#### ACCEPTABLE MATERIALS FOR MAKING TEMPLATES:

- Kraft paper
- Butcher paper
- Construction paper

#### WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS:

- Newspaper
- Plastic
- Wax paper
- Fabric
- Tissue paper
- Roofing paper
- Existing arch shades
- Wrapping paper
- Cardboard
- Poster board

**NOTE:** If the material used to make a template stretches, tears easily, will not lay flat, will mark the fabric, or is not pre-cut from paper—IT WILL NOT BE USED.

### Using Graber® Template Service

Template service is used when a customer is unable to make or supply a template.

To use the template service:

1. Select template service when entering your order online.
2. Use the specialty shapes reference guide (located on graberdirect.com) to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments.

For surcharge, see price charts.

How to measure for the template service:

- Measure the interior of the specialty application to the nearest 1/8" using a metal tape measure
- Document each measurement as outlined in “Wood Specialty Shapes: Arched Blinds” section
- Not available with gothic arch

## General Information

### Slat Count Table: 2" Wood Blinds

Number of Slats	2" Wood and Elite Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)
7	12	4 <sup>7</sup> / <sub>8</sub>
8	14 <sup>5</sup> / <sub>8</sub>	
9	16 <sup>1</sup> / <sub>8</sub>	
10	17 <sup>13</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>8</sub>
11	19 <sup>9</sup> / <sub>16</sub>	
12	21 <sup>1</sup> / <sub>4</sub>	
13	23	
14	24 <sup>3</sup> / <sub>4</sub>	
15	26 <sup>7</sup> / <sub>16</sub>	
16	28 <sup>3</sup> / <sub>16</sub>	
17	29 <sup>15</sup> / <sub>16</sub>	
18	31 <sup>11</sup> / <sub>16</sub>	
19	33 <sup>3</sup> / <sub>8</sub>	
20	35 <sup>5</sup> / <sub>8</sub>	7
21	36 <sup>7</sup> / <sub>8</sub>	
22	38 <sup>9</sup> / <sub>16</sub>	
23	40 <sup>1</sup> / <sub>8</sub>	
24	42 <sup>1</sup> / <sub>16</sub>	
25	43 <sup>13</sup> / <sub>16</sub>	
26	45 <sup>1</sup> / <sub>2</sub>	
27	47 <sup>1</sup> / <sub>4</sub>	
28	49	
29	50 <sup>1</sup> / <sub>16</sub>	
30	52 <sup>7</sup> / <sub>16</sub>	8 <sup>3</sup> / <sub>16</sub>
31	54 <sup>1</sup> / <sub>16</sub>	
32	55 <sup>15</sup> / <sub>16</sub>	
33	57 <sup>3</sup> / <sub>8</sub>	
34	59 <sup>3</sup> / <sub>8</sub>	
35	61 <sup>1</sup> / <sub>8</sub>	
36	62 <sup>13</sup> / <sub>16</sub>	
37	64 <sup>1</sup> / <sub>16</sub>	
38	66 <sup>3</sup> / <sub>16</sub>	
39	68 <sup>1</sup> / <sub>16</sub>	
40	69 <sup>3</sup> / <sub>4</sub>	10 <sup>1</sup> / <sub>8</sub>
41	71 <sup>1</sup> / <sub>2</sub>	
42	73 <sup>1</sup> / <sub>4</sub>	
43	74 <sup>15</sup> / <sub>16</sub>	
44	76 <sup>11</sup> / <sub>16</sub>	
45	78 <sup>3</sup> / <sub>16</sub>	
46	80 <sup>3</sup> / <sub>16</sub>	
47	81 <sup>7</sup> / <sub>8</sub>	
48	83 <sup>3</sup> / <sub>8</sub>	11 <sup>7</sup> / <sub>16</sub>
49	85 <sup>3</sup> / <sub>8</sub>	
50	86	

**NOTE:** Finished height includes headrail and bottomrail. Excludes specialty shapes.

## General Information

### Slat Count Table: 2<sup>3</sup>/<sub>8</sub>" Wood Blinds

Number of Slats	2 <sup>3</sup> / <sub>8</sub> " Wood and Elite Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)
6	12	4 <sup>15</sup> / <sub>16</sub>
7	14 <sup>5</sup> / <sub>8</sub>	
8	16 <sup>3</sup> / <sub>4</sub>	
9	18 <sup>7</sup> / <sub>8</sub>	
10	21	5 <sup>9</sup> / <sub>16</sub>
11	23 <sup>1</sup> / <sub>8</sub>	
12	25 <sup>1</sup> / <sub>4</sub>	
13	27 <sup>5</sup> / <sub>8</sub>	
14	29 <sup>1</sup> / <sub>2</sub>	
15	31 <sup>5</sup> / <sub>8</sub>	
16	33 <sup>3</sup> / <sub>4</sub>	
17	35 <sup>7</sup> / <sub>8</sub>	
18	38	
19	40 <sup>1</sup> / <sub>8</sub>	
20	42 <sup>1</sup> / <sub>4</sub>	7 <sup>1</sup> / <sub>8</sub>
21	44 <sup>5</sup> / <sub>8</sub>	
22	46 <sup>1</sup> / <sub>2</sub>	
23	48 <sup>5</sup> / <sub>8</sub>	
24	50 <sup>3</sup> / <sub>4</sub>	
25	52 <sup>7</sup> / <sub>8</sub>	
26	55	
27	57 <sup>1</sup> / <sub>8</sub>	
28	59 <sup>1</sup> / <sub>4</sub>	
29	61 <sup>5</sup> / <sub>8</sub>	
30	63 <sup>1</sup> / <sub>2</sub>	8 <sup>3</sup> / <sub>4</sub>
31	65 <sup>5</sup> / <sub>8</sub>	
32	67 <sup>3</sup> / <sub>4</sub>	
33	69 <sup>7</sup> / <sub>8</sub>	
34	72	
35	74 <sup>1</sup> / <sub>8</sub>	
36	76 <sup>1</sup> / <sub>4</sub>	
37	78 <sup>5</sup> / <sub>8</sub>	
38	80 <sup>1</sup> / <sub>2</sub>	
39	82 <sup>5</sup> / <sub>8</sub>	
40	84 <sup>3</sup> / <sub>4</sub>	10 <sup>5</sup> / <sub>16</sub>
41	86	

**NOTE:** Finished height includes headrail and bottomrail. Excludes specialty shapes.

## General Information

### Slat Count Table: 2" Composite Blinds

Number of Slats	2" Composite Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)
5	12	4 <sup>1</sup> / <sub>16</sub>
6	12 <sup>2</sup> / <sub>16</sub>	
7	14 <sup>4</sup> / <sub>16</sub>	
8	16 <sup>1</sup> / <sub>16</sub>	
9	17 <sup>13</sup> / <sub>16</sub>	
10	19 <sup>9</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>8</sub>
11	21 <sup>1</sup> / <sub>4</sub>	
12	23	
13	24 <sup>3</sup> / <sub>4</sub>	
14	26 <sup>7</sup> / <sub>16</sub>	
15	28 <sup>3</sup> / <sub>16</sub>	
16	29 <sup>15</sup> / <sub>16</sub>	
17	31 <sup>11</sup> / <sub>16</sub>	
18	33 <sup>3</sup> / <sub>8</sub>	
19	35 <sup>1</sup> / <sub>8</sub>	
20	36 <sup>7</sup> / <sub>8</sub>	7
21	38 <sup>9</sup> / <sub>16</sub>	
22	40 <sup>1</sup> / <sub>16</sub>	
23	42 <sup>1</sup> / <sub>16</sub>	
24	43 <sup>13</sup> / <sub>16</sub>	
25	45 <sup>1</sup> / <sub>2</sub>	
26	47 <sup>1</sup> / <sub>4</sub>	
27	49	
28	50 <sup>11</sup> / <sub>16</sub>	
29	52 <sup>7</sup> / <sub>16</sub>	
30	54 <sup>1</sup> / <sub>16</sub>	8 <sup>1</sup> / <sub>16</sub>
31	55 <sup>15</sup> / <sub>16</sub>	
32	57 <sup>3</sup> / <sub>8</sub>	
33	59 <sup>3</sup> / <sub>8</sub>	
34	61 <sup>1</sup> / <sub>8</sub>	
35	62 <sup>13</sup> / <sub>16</sub>	
36	64 <sup>1</sup> / <sub>16</sub>	
37	66 <sup>1</sup> / <sub>16</sub>	
38	68 <sup>1</sup> / <sub>16</sub>	
39	69 <sup>3</sup> / <sub>4</sub>	
40	71 <sup>1</sup> / <sub>2</sub>	10 <sup>1</sup> / <sub>8</sub>
41	72	

**NOTE:** Finished height includes headrail and bottomrail.

## General Information

### Slat Count Table: 2" Premium Faux Wood and Faux Wood Blinds

Number of Slats	2" Premium Faux Wood and Faux Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)
8	12	2 <sup>15</sup> / <sub>16</sub>
9	13	
10	14 <sup>3</sup> / <sub>4</sub>	3 <sup>7</sup> / <sub>16</sub>
11	16 <sup>1</sup> / <sub>2</sub>	
12	18 <sup>1</sup> / <sub>4</sub>	
13	20	
14	21 <sup>3</sup> / <sub>4</sub>	
15	23 <sup>3</sup> / <sub>8</sub>	
16	25 <sup>1</sup> / <sub>8</sub>	
17	26 <sup>7</sup> / <sub>8</sub>	
18	28 <sup>3</sup> / <sub>8</sub>	
19	30 <sup>3</sup> / <sub>8</sub>	
20	32 <sup>1</sup> / <sub>8</sub>	4 <sup>1</sup> / <sub>4</sub>
21	33 <sup>7</sup> / <sub>8</sub>	
22	35 <sup>1</sup> / <sub>2</sub>	
23	37 <sup>1</sup> / <sub>4</sub>	
24	39	
25	40 <sup>3</sup> / <sub>4</sub>	
26	42 <sup>1</sup> / <sub>2</sub>	
27	44 <sup>1</sup> / <sub>4</sub>	
28	46	
29	47 <sup>5</sup> / <sub>8</sub>	
30	49 <sup>3</sup> / <sub>8</sub>	5 <sup>7</sup> / <sub>16</sub>
31	51 <sup>1</sup> / <sub>8</sub>	
32	52 <sup>7</sup> / <sub>8</sub>	
33	54 <sup>5</sup> / <sub>8</sub>	
34	56 <sup>3</sup> / <sub>8</sub>	
35	58 <sup>1</sup> / <sub>8</sub>	
36	59 <sup>3</sup> / <sub>4</sub>	
37	61 <sup>1</sup> / <sub>2</sub>	
38	63 <sup>1</sup> / <sub>4</sub>	
39	65	

Number of Slats	2" Premium Faux Wood and Faux Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)
40	66 <sup>3</sup> / <sub>4</sub>	6 <sup>9</sup> / <sub>16</sub>
41	68 <sup>1</sup> / <sub>2</sub>	
42	70 <sup>1</sup> / <sub>4</sub>	
43	71 <sup>1</sup> / <sub>8</sub>	
44	73 <sup>3</sup> / <sub>8</sub>	
45	75 <sup>3</sup> / <sub>8</sub>	
46	77 <sup>1</sup> / <sub>8</sub>	
47	78 <sup>7</sup> / <sub>8</sub>	
48	80 <sup>3</sup> / <sub>8</sub>	
49	82 <sup>3</sup> / <sub>8</sub>	
50	84	7 <sup>11</sup> / <sub>16</sub>
51	85 <sup>3</sup> / <sub>4</sub>	
52	87 <sup>1</sup> / <sub>2</sub>	
53	89 <sup>1</sup> / <sub>4</sub>	
54	91	
55	92 <sup>3</sup> / <sub>4</sub>	
56	96	8 <sup>9</sup> / <sub>16</sub>

## General Information

### Slat Count Table: 2½" Premium Faux Wood and Faux Wood Blinds

Number of Slats	2½" Faux Wood and Premium Faux Wood	
	Finished Blind Height (inches)	Stack Height (inches)
7	12	2 <sup>13</sup> / <sub>16</sub>
8	13 <sup>1</sup> / <sub>8</sub>	
9	15 <sup>1</sup> / <sub>4</sub>	
10	17 <sup>3</sup> / <sub>8</sub>	3 <sup>1</sup> / <sub>8</sub>
11	19 <sup>1</sup> / <sub>2</sub>	
12	21 <sup>5</sup> / <sub>8</sub>	
13	23 <sup>3</sup> / <sub>4</sub>	
14	25 <sup>7</sup> / <sub>8</sub>	
15	28	
16	30 <sup>1</sup> / <sub>8</sub>	
17	32 <sup>1</sup> / <sub>4</sub>	
18	34 <sup>3</sup> / <sub>8</sub>	
19	36 <sup>1</sup> / <sub>2</sub>	
20	38 <sup>5</sup> / <sub>8</sub>	4 <sup>1</sup> / <sub>4</sub>
21	40 <sup>3</sup> / <sub>4</sub>	
22	42 <sup>7</sup> / <sub>8</sub>	
23	45	
24	47 <sup>1</sup> / <sub>8</sub>	
25	49 <sup>1</sup> / <sub>4</sub>	
26	51 <sup>3</sup> / <sub>8</sub>	
27	53 <sup>1</sup> / <sub>2</sub>	
28	55 <sup>5</sup> / <sub>8</sub>	
29	57 <sup>3</sup> / <sub>4</sub>	
30	59 <sup>7</sup> / <sub>8</sub>	5 <sup>7</sup> / <sub>16</sub>
31	62	
32	64 <sup>1</sup> / <sub>8</sub>	
33	66 <sup>1</sup> / <sub>4</sub>	
34	68 <sup>3</sup> / <sub>8</sub>	
35	70 <sup>1</sup> / <sub>2</sub>	
36	72 <sup>5</sup> / <sub>8</sub>	
37	74 <sup>3</sup> / <sub>4</sub>	
38	76 <sup>7</sup> / <sub>8</sub>	
39	79	
40	81 <sup>1</sup> / <sub>8</sub>	6 <sup>9</sup> / <sub>16</sub>
41	83 <sup>1</sup> / <sub>4</sub>	
42	85 <sup>3</sup> / <sub>8</sub>	
43	87 <sup>1</sup> / <sub>2</sub>	
44	89 <sup>5</sup> / <sub>8</sub>	
45	91 <sup>3</sup> / <sub>4</sub>	
46	93 <sup>7</sup> / <sub>8</sub>	
47	96	7 <sup>9</sup> / <sub>16</sub>

**NOTE:** Finished height includes headrail and bottomrail.

## General Information

### Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction). Excludes specialty shapes.

### Traditions 2" and 2 $\frac{3}{8}$ " Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Center Brackets
12 to 24	4	2	Refer to Installation Guide
24 $\frac{1}{16}$ to 36 $\frac{1}{2}$	6 $\frac{1}{2}$	2	
36 $\frac{3}{16}$ to 50	6 $\frac{1}{2}$	3	
50 $\frac{1}{16}$ to 60	6 $\frac{1}{2}$	3	
60 $\frac{1}{16}$ to 84	6 $\frac{1}{2}$	4	

**NOTES:**

1. Maximum spacing between ladders is 23 $\frac{1}{2}$ ".
2. Standard control positions: tilt left; tilt right is optional.
3. Maximum width is 84". Wider blinds must be multiple blinds on one headrail.

### 2" and 2 $\frac{3}{8}$ " Elite Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Center Brackets
12 to 24	4	2	Refer to Installation Guide
24 $\frac{1}{16}$ to 36 $\frac{1}{2}$	6 $\frac{1}{2}$	2	
36 $\frac{3}{16}$ to 50	6 $\frac{1}{2}$	3	
50 $\frac{1}{16}$ to 60	6 $\frac{1}{2}$	3	
60 $\frac{1}{16}$ to 84	6 $\frac{1}{2}$	4	

**NOTES:**

1. Maximum spacing between ladders is 23 $\frac{1}{2}$ ".
2. Standard control positions: tilt left; tilt right is optional.
3. Maximum width is 84". Wider blinds must be multiple blinds on one headrail.

## General Information

### Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction).

### Traditions 2" Composite Blinds

#### For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Center Brackets
12 to 22	4	2	Refer to Installation Guide
22 $\frac{1}{16}$ to 38	5	3	
38 $\frac{1}{16}$ to 52	5	4	
52 $\frac{1}{16}$ to 66	5	5	

**NOTES:**

- Maximum spacing between ladders is 14".
- Standard control positions: tilt left; tilt right is optional.
- Maximum width is 66". Wider blinds must be multiple blinds on one headrail.

### Lake Forest 2" and 2½" Premium Faux Wood and Faux Wood Blinds with Cordless Lift

#### For Standard or Reverse Controls

Finished Blind Width (inches)	# of Ladders	# of Center Brackets
17* to 27 $\frac{1}{4}$	2	Refer to Installation Guide
27 $\frac{9}{16}$ to 38	3	
38 $\frac{1}{16}$ to 48	4	
48 $\frac{1}{16}$ to 58 $\frac{1}{2}$	5	
58 $\frac{1}{16}$ to 59 $\frac{1}{2}$	6	
69 $\frac{1}{16}$ to 79	7	
79 $\frac{1}{16}$ to 90	8	
90 $\frac{1}{16}$ to 96	9	


**NOTES:**

- Standard control positions: tilt left; tilt right is optional.
- Maximum width is 96". Wider blinds must be multiple blinds on one headrail.

\*17 $\frac{1}{2}$ " is the minimum width for 2½" Faux Wood Cordless Lift blinds.


# General Information

## Cordless Lift Blinds Product Detail: 2" and 2½" Premium Faux Wood and Faux Wood




To lower blind, simply pull down on the bottomrail. To raise the blind, simply guide the blind into the desired location by gently lifting the bottomrail.

### Slat Comparison




# General Information

## Cordless Lift Blinds Product Detail: 2" and 2⅜" Wood, 2" Composite



To lower blind, simply pull down on the bottomrail. To raise the blind, simply guide the blind into the desired location by gently lifting the bottomrail.

### Slat Comparison



Graber Traditions® Wood, Elite Wood, Composite,  
and Lake Forest® Faux Wood Blinds

Designer US List — Effective May 2026

### PRICE GROUP B: Traditions® 2" (5.1 cm) Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	271	314	356	398	441	483	526	568	610	653	695	738	780	851	921	950
36" (91.5)	292	340	387	435	483	530	578	625	673	721	768	816	864	943	1022	1054
42" (106.7)	313	366	419	472	524	577	630	683	736	789	841	894	947	1035	1123	1159
48" (122)	334	392	450	508	566	624	682	740	798	857	915	973	1031	1127	1224	1263
54" (137.2)	355	418	481	545	608	671	735	798	861	924	988	1051	1114	1220	1325	1367
60" (152.4)	376	444	513	581	650	718	787	855	924	992	1061	1129	1198	1312	1426	1472
66" (167.7)	397	470	544	618	692	765	839	913	986	1060	1134	1208	1281	1404	1527	1576
72" (182.9)	417	496	575	654	733	812	891	970	1049	1128	1207	1286	1365	1497	1628	1681
78" (198.2)	438	523	607	691	775	859	943	1028	1112	1196	1280	1364	1449	1589	1729	1785
84" (213.4)	459	549	638	727	817	906	996	1085	1175	1264	1353	1443	1532	1681	1830	1890
90" (228.6)	480	575	669	764	859	953	1048	1143	1237	1332	1427	1521	1616	1774	1931	1994
96" (243.9)	501	601	701	801	900	1000	1100	1200	1300	1400	1500	1600	1699	1866	2032	2099
102" (259.1)	522	627	732	837	942	1047	1152	1258	1363	1468	1573	1678	1783	1958	2133	2203
108" (274.4)	543	653	763	874	984	1094	1205	1315	1425	1536	1646	1756	1867	2050	2234	2308
114" (289.6)	564	679	795	910	1026	1141	1257	1372	1488	1604	1719	1835	1950	2143	2335	2412
120" (304.8)	585	705	826	947	1068	1188	1309	1430	1551	1671	1792	1913	2034	2235	2436	2517

Add to Surcharge To Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47															
	Symphony Valance															
	10	12	18	21	27	29	31	34	37	41	45	46	50	54	60	65
5 1/2" Craftsman Valance																
	20	24	36	42	54	58	62	68	74	82	90	92	100	108	120	130

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with cordless lift for better headrail coverage.

### PRICE GROUP C: Traditions® 2 3/8" (6.1 cm) Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	292	339	387	435	482	530	577	625	672	720	767	815	863	942	1021	1053
36" (91.5)	317	371	425	478	532	586	640	694	747	801	855	909	963	1052	1142	1178
42" (106.7)	342	402	462	522	582	642	702	762	823	883	943	1003	1063	1163	1263	1303
48" (122)	367	433	500	566	632	699	765	831	898	964	1030	1097	1163	1274	1384	1428
54" (137.2)	392	465	537	610	682	755	828	900	973	1045	1118	1190	1263	1384	1505	1553
60" (152.4)	417	496	575	654	732	811	890	969	1048	1127	1205	1284	1363	1495	1626	1679
66" (167.7)	442	527	612	697	782	868	953	1038	1123	1208	1293	1378	1463	1605	1747	1804
72" (182.9)	467	558	650	741	833	924	1015	1107	1198	1289	1381	1472	1563	1716	1868	1929
78" (198.2)	492	590	687	785	883	980	1078	1175	1273	1371	1468	1566	1664	1826	1989	2054
84" (213.4)	517	621	725	829	933	1037	1140	1244	1348	1452	1556	1660	1764	1937	2110	2179
90" (228.6)	542	652	762	873	983	1093	1203	1313	1423	1533	1643	1754	1864	2047	2231	2304
96" (243.9)	567	684	800	916	1033	1149	1266	1382	1498	1615	1731	1847	1964	2158	2352	2429
102" (259.1)	592	715	837	960	1083	1205	1328	1451	1573	1696	1819	1941	2064	2268	2473	2555
108" (274.4)	617	746	875	1004	1133	1262	1391	1520	1648	1777	1906	2035	2164	2379	2594	2680
114" (289.6)	642	777	913	1048	1183	1318	1453	1588	1724	1859	1994	2129	2264	2489	2715	2805
120" (304.8)	667	809	950	1092	1233	1374	1516	1657	1799	1940	2081	2223	2364	2600	2836	2930

Add to Surcharge To Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47															
	Symphony Valance															
	10	12	18	21	27	29	31	34	37	41	45	46	50	54	60	65
5 1/2" Craftsman Valance																
	20	24	36	42	54	58	62	68	74	82	90	92	100	108	120	130

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with with 2 3/8" (6.1 cm) blinds or cordless lift for better headrail coverage.

### PRICE GROUP D: Traditions® 2" (5.1 cm) Wood Blinds—Unique Finishes: Barnwood, Distress

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	315	368	421	474	528	581	634	688	741	794	847	901	954	1043	1131	1167
36" (91.5)	344	405	466	526	587	648	708	769	830	890	951	1012	1072	1173	1274	1315
42" (106.7)	374	442	510	578	646	714	782	850	918	986	1055	1123	1191	1304	1418	1463
48" (122)	403	479	554	630	705	781	856	932	1007	1083	1158	1234	1309	1435	1561	1611
54" (137.2)	433	516	599	682	764	847	930	1013	1096	1179	1262	1345	1427	1565	1704	1759
60" (152.4)	463	553	643	733	824	914	1004	1094	1185	1275	1365	1455	1546	1696	1847	1907
66" (167.7)	492	590	688	785	883	981	1078	1176	1273	1371	1469	1566	1664	1827	1990	2055
72" (182.9)	522	627	732	837	942	1047	1152	1257	1362	1467	1572	1677	1782	1958	2133	2203
78" (198.2)	551	664	776	889	1001	1114	1226	1339	1451	1563	1676	1788	1901	2088	2276	2351
84" (213.4)	581	701	821	941	1060	1180	1300	1420	1540	1660	1780	1899	2019	2219	2419	2499
90" (228.6)	611	738	865	992	1120	1247	1374	1501	1629	1756	1883	2010	2138	2350	2562	2647
96" (243.9)	640	775	909	1044	1179	1313	1448	1583	1717	1852	1987	2121	2256	2480	2705	2795
102" (259.1)	670	812	954	1096	1238	1380	1522	1664	1806	1948	2090	2232	2374	2611	2848	2943
108" (274.4)	699	849	998	1148	1297	1447	1596	1745	1895	2044	2194	2343	2493	2742	2991	3090
114" (289.6)	729	886	1043	1199	1356	1513	1670	1827	1984	2141	2297	2454	2611	2872	3134	3238
120" (304.8)	759	923	1087	1251	1416	1580	1744	1908	2072	2237	2401	2565	2729	3003	3277	3386

Add to Surcharge To Blind Price

<b>Multiple Blinds on One Headrail (no charge to right of heavy line)</b>	47
---	----

**NOTE:** Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

**NOTE:** Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

**NOTE:** Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

**PRICE GROUP E: 2" (5.1 cm) Elite Wood Blinds**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	336	395	454	512	571	630	689	747	806	865	923	982	1041	1138	1236	1275
36" (91.5)	370	437	505	572	639	706	773	841	908	975	1042	1109	1176	1288	1400	1445
42" (106.7)	404	480	556	631	707	783	858	934	1009	1085	1161	1236	1312	1438	1564	1615
48" (122)	438	522	606	691	775	859	943	1027	1111	1195	1280	1364	1448	1588	1728	1784
54" (137.2)	472	565	657	750	843	935	1028	1120	1213	1306	1398	1491	1584	1738	1892	1954
60" (152.4)	506	607	708	809	910	1012	1113	1214	1315	1416	1517	1618	1719	1888	2056	2124
66" (167.7)	540	650	759	869	978	1088	1197	1307	1417	1526	1636	1745	1855	2038	2220	2293
72" (182.9)	574	692	810	928	1046	1164	1282	1400	1518	1637	1755	1873	1991	2188	2384	2463
78" (198.2)	608	734	861	987	1114	1241	1367	1494	1620	1747	1873	2000	2126	2337	2548	2633
84" (213.4)	642	777	912	1047	1182	1317	1452	1587	1722	1857	1992	2127	2262	2487	2712	2802
90" (228.6)	676	819	963	1106	1250	1393	1537	1680	1824	1967	2111	2254	2398	2637	2876	2972
96" (243.9)	710	862	1014	1166	1318	1470	1622	1774	1926	2078	2230	2382	2534	2787	3040	3142
102" (259.1)	744	904	1065	1225	1385	1546	1706	1867	2027	2188	2348	2509	2669	2937	3204	3311
108" (274.4)	777	946	1115	1284	1453	1622	1791	1960	2129	2298	2467	2636	2805	3087	3368	3481
114" (289.6)	811	989	1166	1344	1521	1699	1876	2054	2231	2408	2586	2763	2941	3237	3532	3651
120" (304.8)	845	1031	1217	1403	1589	1775	1961	2147	2333	2519	2705	2891	3077	3386	3696	3820

*Add to Surcharge To Blind Price*

Custom Color (net per color)	199
------------------------------	-----

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

**NOTE:** Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).  
**NOTE:** Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
**NOTE:** Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.  
**NOTE:** Legacy, craftsman, or symphony valances are recommended with cordless lift for better headrail coverage.

**PRICE GROUP F: 2 3/8" (6.1 cm) Elite Wood Blinds**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	365	431	497	562	628	694	760	826	892	957	1023	1089	1155	1265	1374	1418
36" (91.5)	405	480	556	632	708	783	859	935	1011	1086	1162	1238	1313	1440	1566	1616
42" (106.7)	444	530	616	701	787	872	958	1044	1129	1215	1301	1386	1472	1615	1758	1815
48" (122)	484	579	675	771	866	962	1057	1153	1248	1344	1439	1535	1631	1790	1949	2013
54" (137.2)	523	629	734	840	945	1051	1156	1262	1367	1473	1578	1684	1789	1965	2141	2211
60" (152.4)	563	679	794	909	1025	1140	1255	1371	1486	1602	1717	1832	1948	2140	2332	2409
66" (167.7)	603	728	853	979	1104	1229	1355	1480	1605	1730	1856	1981	2106	2315	2524	2608
72" (182.9)	642	778	913	1048	1183	1318	1454	1589	1724	1859	1994	2130	2265	2490	2716	2806
78" (198.2)	682	827	972	1117	1263	1408	1553	1698	1843	1988	2133	2278	2423	2665	2907	3004
84" (213.4)	722	877	1032	1187	1342	1497	1652	1807	1962	2117	2272	2427	2582	2840	3099	3202
90" (228.6)	761	926	1091	1256	1421	1586	1751	1916	2081	2246	2411	2576	2741	3015	3290	3400
96" (243.9)	801	976	1151	1326	1500	1675	1850	2025	2200	2375	2549	2724	2899	3191	3482	3599
102" (259.1)	841	1025	1210	1395	1580	1764	1949	2134	2319	2503	2688	2873	3058	3366	3674	3797
108" (274.4)	880	1075	1270	1464	1659	1854	2048	2243	2438	2632	2827	3022	3216	3541	3865	3995
114" (289.6)	920	1124	1329	1534	1738	1943	2147	2352	2557	2761	2966	3170	3375	3716	4057	4193
120" (304.8)	960	1174	1389	1603	1818	2032	2247	2461	2675	2890	3104	3319	3533	3891	4248	4391

*Add to Surcharge To Blind Price*

Custom Color (net per color)	199
------------------------------	-----

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

**NOTE:** Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).  
**NOTE:** Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
**NOTE:** Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.  
**NOTE:** Legacy, craftsman, or symphony valances are recommended with with 2 3/8" (6.1 cm) blinds or cordless lift for better headrail coverage.

**PRICE GROUP G: 2" (5.1 cm) Elite Wood Blinds—Authentic Hardwoods**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	559	673	788	902	1016	1130	1245	1359	1473	1588	1702	1816	1931	2121	2312	2388
36" (91.5)	637	771	905	1039	1173	1307	1441	1575	1709	1843	1977	2111	2244	2468	2691	2780
42" (106.7)	716	869	1023	1176	1330	1483	1637	1791	1944	2098	2251	2405	2558	2814	3070	3172
48" (122)	794	967	1140	1314	1487	1660	1833	2006	2179	2353	2526	2699	2872	3161	3449	3565
54" (137.2)	873	1065	1258	1451	1644	1836	2029	2222	2415	2607	2800	2993	3186	3507	3828	3957
60" (152.4)	951	1163	1376	1588	1801	2013	2225	2438	2650	2862	3075	3287	3499	3853	4207	4349
66" (167.7)	1029	1261	1493	1725	1957	2189	2421	2653	2885	3117	3349	3581	3813	4200	4586	4741
72" (182.9)	1108	1360	1611	1863	2114	2366	2617	2869	3121	3372	3624	3875	4127	4546	4966	5133
78" (198.2)	1186	1458	1729	2000	2271	2542	2814	3085	3356	3627	3898	4169	4441	4893	5345	5525
84" (213.4)	1265	1556	1846	2137	2428	2719	3010	3300	3591	3882	4173	4464	4754	5239	5724	5918
90" (228.6)	1343	1654	1964	2274	2585	2895	3206	3516	3827	4137	4447	4758	5068	5586	6103	6310
96" (243.9)	1422	1752	2082	2412	2742	3072	3402	3732	4062	4392	4722	5052	5382	5932	6482	6702
102" (259.1)	1500	1850	2199	2549	2899	3248	3598	3948	4297	4647	4996	5346	5696	6278	6861	7094
108" (274.4)	1579	1948	2317	2686	3055	3425	3794	4163	4532	4902	5271	5640	6009	6625	7240	7486
114" (289.6)	1657	2046	2435	2824	3212	3601	3990	4379	4768	5157	5545	5934	6323	6971	7619	7879
120" (304.8)	1735	2144	2552	2961	3369	3778	4186	4595	5003	5412	5820	6228	6637	7318	7998	8271

*Add to Surcharge To Blind Price*

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

**NOTE:** Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 78" (198.2 cm); 68" (172.8 cm) for Walnut.  
**NOTE:** Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
**NOTE:** Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

**PRICE GROUP H: Angle Top or Bottom, Trapezoid, Triangle, Octagon, and Arched Blinds**

Width up to inches (cm) →

Height up to inches (cm) ↓	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)
30" (76.2)	2738	2780	2830	2867	2910	2953	2998	3037	3081	3123	3170	3210	3253
36" (91.5)	2763	2808	2862	2910	2957	3003	3058	3102	3153	3201	3253	3300	3345
42" (106.7)	2785	2838	2900	2953	3005	3058	3119	3170	3222	3274	3335	3386	3440
48" (122)	2810	2867	2936	2995	3054	3113	3177	3234	3297	3353	3417	3476	3535
54" (137.2)	2837	2901	2973	3037	3102	3170	3242	3305	3373	3439	3511	3574	3641
60" (152.4)	2860	2931	3011	3081	3153	3222	3302	3371	3443	3517	3594	3730	3886
66" (167.7)	2885	2961	3046	3123	3201	3276	3362	3437	3517	3619	3790	3969	4144
72" (182.9)	2907	2995	3081	3161	3246	3330	3418	3502	3586	3827	4015	4202	4387
78" (198.2)	2930	3022	3119	3205	3295	3384	3480	3567	3659	4038	4234	4440	4706
84" (213.4)	2957	3049	3153	3246	3342	3437	3540	3633	3729	4234	4449	4736	4959
90" (228.6)	2981	3081	3191	3288	3387	3491	3595	3698	3803	4440	4736	4975	5213
96" (243.9)	3003	3108	3222	3330	3437	3543	3657	3760	3871	4706	4959	5211	5476
102" (259.1)	3026	3141	3259	3371	3487	3595	3716	3832	3945	4915	5183	5458	5727
108" (274.4)	3049	3170	3297	3413	3533	3649	3778	3896	4103	5118	5403	5694	5985
114" (289.6)	3076	3201	3332	3452	3579	3702	3835	3991	4294	5327	5630	5934	6240
120" (304.8)	3098	3228	3367	3496	3625	3757	3896	4165	4488	5534	5852	6171	6494

*Add to Surcharge To Blind Price*

<b>Custom Color (net per color)</b>	199
<b>Template Service Fee (net per order)</b>	27

**PRICE GROUP I: Circle and Oval Blinds**

Width up to inches (cm) →

Diameter up to inches (cm) ↓	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)
72" (182.9)	5475	5540	5655	5811	5937	6138	6288	6450	6711

*Add Surcharge to Blind Price*

<b>Custom Color (net per color)</b>	199
<b>Template Service Fee (net per order)</b>	27

**PRICE GROUP K: Traditions® 2" (5.1 cm) Composite Blinds**

Width up to inches (cm) →

Height up to inches (cm) ↓	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	236	273	310	347	384	421	458	495	532	569	605	642	679	741	803	827
36" (91.5)	254	296	337	379	420	462	503	545	586	628	670	711	753	822	891	919
42" (106.7)	272	319	365	411	457	503	549	595	641	687	734	780	826	903	979	1010
48" (122)	291	341	392	443	493	544	595	646	696	747	798	848	899	983	1068	1102
54" (137.2)	309	364	420	475	530	585	641	696	751	806	862	917	972	1064	1156	1193
60" (152.4)	327	387	447	507	567	626	686	746	806	866	926	985	1045	1145	1245	1285
66" (167.7)	346	410	474	539	603	668	732	796	861	925	990	1054	1118	1226	1333	1376
72" (182.9)	364	433	502	571	640	709	778	847	916	985	1054	1123	1192	1307	1421	1467
78" (198.2)	382	456	529	603	676	750	823	897	971	1044	1118	1191	1265	1387	1510	1559
84" (213.4)	400	479	557	635	713	791	869	947	1025	1104	1182	1260	1338	1468	1598	1650
90" (228.6)	419	501	584	667	750	832	915	998	1080	1163	1246	1328	1411	1549	1687	1742
96" (243.9)	437	524	612	699	786	873	961	1048	1135	1222	1310	1397	1484	1630	1775	1833
102" (259.1)	455	547	639	731	823	915	1006	1098	1190	1282	1374	1466	1557	1710	1864	1925
108" (274.4)	474	570	666	763	859	956	1052	1149	1245	1341	1438	1534	1631	1791	1952	2016
114" (289.6)	492	593	694	795	896	997	1098	1199	1300	1401	1502	1603	1704	1872	2040	2108
120" (304.8)	510	616	721	827	932	1038	1144	1249	1355	1460	1566	1671	1777	1953	2129	2199

*Add to Surcharge To Blind Price*

<b>Multiple Blinds on One Headrail (no charge to right of heavy line)</b>	47
---	----

**NOTE:** Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" (167.7 cm) wide. Cordless lift maximum height is 72" (182.9 cm).  
**NOTE:** Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
**NOTE:** Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.  
**NOTE:** Majestic valance is recommended with cordless lift for better headrail coverage.

**PRICE GROUP M:**

**Lake Forest® 2" (5.1 cm) Premium Faux Wood Blinds**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	216	249	282	316	349	382	415	449	482	515	549	582	615	671	726	748
36" (91.5)	232	269	306	344	381	418	456	493	530	567	605	642	679	741	804	829
42" (106.7)	248	289	330	372	413	454	496	537	578	620	661	702	744	812	881	909
48" (122)	264	309	354	400	445	490	536	581	626	672	717	762	808	883	959	989
54" (137.2)	280	329	379	428	477	527	576	625	675	724	773	823	872	954	1036	1069
60" (152.4)	296	349	403	456	509	563	616	669	723	776	829	883	936	1025	1114	1149
66" (167.7)	312	369	427	484	541	599	656	713	771	828	886	943	1000	1096	1191	1230
72" (182.9)	328	389	451	512	574	635	696	758	819	880	942	1003	1064	1167	1269	1310
78" (198.2)	344	409	475	540	606	671	736	802	867	933	998	1063	1129	1238	1347	1390
84" (213.4)	360	430	499	568	638	707	777	846	915	985	1054	1123	1193	1309	1424	1470
90" (228.6)	376	450	523	596	670	743	817	890	963	1037	1110	1184	1257	1379	1502	1551
96" (243.9)	392	470	547	624	702	779	857	934	1012	1089	1166	1244	1321	1450	1579	1631
102" (259.1)	408	490	571	653	734	815	897	978	1060	1141	1223	1304	1385	1521	1657	1711
108" (274.4)	424	510	595	681	766	852	937	1022	1108	1193	1279	1364	1450	1592	1734	1791
114" (289.6)	440	530	619	709	798	888	977	1067	1156	1245	1335	1424	1514	1663	1812	1872
120" (304.8)	456	550	643	737	830	924	1017	1111	1204	1298	1391	1485	1578	1734	1890	1952

Add to Surcharge To Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
---	----

NOTE: Cordless lift maximum width x height is 96" x 96" (Max area = 49 sq ft.) - Thin line.  
 NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.  
 NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
 NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

**PRICE GROUP N:**

**Lake Forest® 2 1/2" (6.4 cm) Premium Faux Wood Blinds**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	222	257	292	327	362	397	432	467	502	537	571	606	641	699	758	781
36" (91.5)	240	279	318	357	397	436	475	514	554	593	632	671	711	776	842	868
42" (106.7)	257	301	344	388	431	475	519	562	606	649	693	737	780	853	925	955
48" (122)	274	322	370	418	466	514	562	610	658	706	754	802	850	929	1009	1041
54" (137.2)	292	344	396	448	501	553	605	658	710	762	814	867	919	1006	1093	1128
60" (152.4)	309	366	422	479	535	592	649	705	762	819	875	932	988	1083	1177	1215
66" (167.7)	326	387	448	509	570	631	692	753	814	875	936	997	1058	1159	1261	1302
72" (182.9)	344	409	474	540	605	670	735	801	866	931	997	1062	1127	1236	1345	1388
78" (198.2)	361	431	500	570	640	709	779	848	918	988	1057	1127	1197	1313	1429	1475
84" (213.4)	378	452	526	600	674	748	822	896	970	1044	1118	1192	1266	1389	1513	1562
90" (228.6)	396	474	552	631	709	787	866	944	1022	1101	1179	1257	1336	1466	1597	1649
96" (243.9)	413	496	578	661	744	826	909	992	1074	1157	1240	1322	1405	1543	1680	1736
102" (259.1)	430	517	604	691	778	865	952	1039	1126	1213	1300	1387	1474	1619	1764	1822
108" (274.4)	448	539	631	722	813	904	996	1087	1178	1270	1361	1452	1544	1696	1848	1909
114" (289.6)	465	561	657	752	848	944	1039	1135	1231	1326	1422	1518	1613	1773	1932	1996
120" (304.8)	483	583	683	783	883	983	1083	1183	1283	1383	1483	1583	1683	1849	2016	2083

Add to Surcharge To Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
---	----

NOTE: Cordless lift maximum width x height is 96" x 96" (Max area = 49 sq ft.) - Thin line.  
 NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.  
 NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
 NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

**PRICE GROUP O:**

**Lake Forest® 2" (5.1 cm) Faux Wood Blinds**

Height up to inches (cm) ↓	Width up to inches (cm) →															
	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	205	236	267	298	328	359	390	421	451	482	513	543	574	625	677	697
36" (91.5)	219	254	288	322	356	391	425	459	493	528	562	596	630	687	744	767
42" (106.7)	233	271	309	347	384	422	460	498	535	573	611	649	686	749	812	837
48" (122)	247	289	330	371	412	454	495	536	577	619	660	701	742	811	880	907
54" (137.2)	261	306	351	396	440	485	530	575	619	664	709	754	798	873	947	977
60" (152.4)	275	324	372	420	468	517	565	613	661	710	758	806	854	935	1015	1047
66" (167.7)	289	341	393	445	496	548	600	652	703	755	807	859	910	997	1083	1117
72" (182.9)	303	359	414	469	524	580	635	690	745	801	856	911	966	1058	1150	1187
78" (198.2)	317	376	435	494	552	611	670	729	787	846	905	964	1022	1120	1218	1257
84" (213.4)	331	394	456	518	580	643	705	767	829	892	954	1016	1078	1182	1286	1327
90" (228.6)	345	411	477	543	608	674	740	806	871	937	1003	1069	1134	1244	1353	1397
96" (243.9)	360	429	498	567	636	706	775	844	913	983	1052	1121	1190	1306	1421	1467
102" (259.1)	374	446	519	592	664	737	810	883	955	1028	1101	1174	1246	1368	1489	1537
108" (274.4)	388	464	540	616	692	769	845	921	997	1074	1150	1226	1302	1429	1557	1607
114" (289.6)	402	481	561	641	720	800	880	960	1039	1119	1199	1279	1358	1491	1624	1677
120" (304.8)	416	499	582	665	748	832	915	998	1081	1165	1248	1331	1414	1553	1692	1747

Add to Surcharge To Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
---	----

NOTE: Cordless lift maximum width x height is 96" x 96" (Max area = 49 sq ft.).  
 NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.  
 NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.  
 NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

**PRICE GROUP P:**

**Lake Forest® 2 1/2" (6.4 cm) Faux Wood Blinds**

Width up to inches (cm) →

Height up to inches (cm) ↓	24" (61)	30" (76.2)	36" (91.5)	42" (106.7)	48" (122)	54" (137.2)	60" (152.4)	66" (167.7)	72" (182.9)	78" (198.2)	84" (213.4)	90" (228.6)	96" (243.9)	106" (269.3)	116" (294.7)	120" (304.8)
30" (76.2)	211	243	275	307	339	371	403	435	467	499	532	564	596	649	703	724
36" (91.5)	226	262	298	333	369	405	441	477	513	548	584	620	656	716	775	799
42" (106.7)	241	281	320	360	399	439	479	518	558	597	637	677	716	782	848	875
48" (122)	256	299	343	386	430	473	516	560	603	646	690	733	777	849	921	950
54" (137.2)	271	318	365	413	460	507	554	601	648	695	743	790	837	915	994	1025
60" (152.4)	286	337	388	439	490	541	592	643	693	744	795	846	897	982	1067	1101
66" (167.7)	301	356	411	465	520	575	629	684	739	793	848	903	957	1049	1140	1176
72" (182.9)	316	375	433	492	550	609	667	725	784	842	901	959	1018	1115	1213	1252
78" (198.2)	331	394	456	518	580	642	705	767	829	891	954	1016	1078	1182	1285	1327
84" (213.4)	346	412	478	544	610	676	742	808	874	940	1006	1072	1138	1248	1358	1402
90" (228.6)	362	431	501	571	641	710	780	850	920	989	1059	1129	1199	1315	1431	1478
96" (243.9)	377	450	524	597	671	744	818	891	965	1038	1112	1185	1259	1381	1504	1553
102" (259.1)	392	469	546	624	701	778	855	933	1010	1087	1165	1242	1319	1448	1577	1628
108" (274.4)	407	488	569	650	731	812	893	974	1055	1136	1217	1298	1379	1515	1650	1704
114" (289.6)	422	507	592	676	761	846	931	1016	1100	1185	1270	1355	1440	1581	1723	1779
120" (304.8)	437	526	614	703	791	880	969	1057	1146	1234	1323	1411	1500	1648	1795	1854

Add to Surcharge To Blind Price

<b>Multiple Blinds on One Headrail (no charge to right of heavy line)</b>	47
---	----

NOTE: Cordless lift maximum width x height is 96" x 96" (Max area = 49 sq ft.).

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

**Options Pricing**

<b>Accent Color (Elite blinds only)</b>	54 per blind
<b>Bay and Corner Window</b>	No charge
<b>Custom Color</b>	199 net per color
<b>Cut-Outs (not available with cordless lift)</b>	71
<b>High Gloss Finish (Elite blinds only)</b>	No charge
<b>Hold Down Brackets</b>	No charge
<b>Incline Wire Blind - Tilt Only (Elite blinds only)</b>	Double the price of the blind
<b>Multiple Blinds on One Headrail</b>	No charge: Right of the heavy line on the price charts 47 Left of the heavy line on the price charts
<b>Projection Brackets (2 3/4" and 4 3/4" (7.0 cm and 12.1 cm))</b>	No charge (outside mount only)
<b>Sandblast Finish (2" (5.1 cm) Elite blinds only)</b>	No charge
<b>Shims (3/16") (0.5 cm)</b>	Standard on all outside mount 2 3/8" (6.1 cm) and 2 1/2" (6.4 cm) slat blinds
<b>Sky Poles</b>	49 3 to 6 1/2 feet (1.0 to 2.0 m) 74 5 to 9 1/2 feet (1.6 to 2.9 m)
<b>Specialty Shapes - Tilt Only (Elite blinds only)</b>	See price charts
<b>Template Service Fee</b>	27 net
<b>Valance Keystones: 3" Classic Wood Valance</b> <b>3 1/2" Craftsman Wood Valance</b> <b>3 1/2" Legacy Wood Valance</b>	24 each when requested without a splice
<b>Valance Keystones: 4 1/2" Symphony Wood Valance</b>	25 each when requested without a splice
<b>Valance Keystones: 5 1/2" Craftsman Wood Valance</b>	45 each when requested without a splice
<b>Wood Cornices and Valances</b>	See cornices and valances product information guide

Graber Traditions® Wood, Elite Wood, Composite,  
and Lake Forest® Faux Wood Blinds

Dealer US List — Effective May 2026

### PRICE GROUP B: Traditions® 2" (5.1 cm) Wood Blinds

2" (5.1 cm) Paint Colors					
Angora	1052	Dovetail	1839	Snow White	1850
Antique White	1026	Grey Beige	1817	Snowflake	1603
Base White	1051	Medium Grey	1841	Snowflake Sandblast	SB603
Base Black	1767	Medium Grey Sandblast	SB841	Stepping Stone	1889
Crisp White	1712	Pearl	1840	Stucco	1963
Dover White	1683				

2" (5.1 cm) Stain Colors					
Allspice	1821	Harbor Grey	1761	Sienna	1685
Cappuccino	1546	Henna	1949	Timeless Grey	1847
Cherry Wood	1014	Homestead Oak	1943	True Taupe	1848
Cognac	1465	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		
Golden Oak	1030	Saddle Brown	1694		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

### PRICE GROUP C: Traditions® 2 3/8" (6.1 cm) Wood Blinds

2 3/8" (6.1 cm) Paint Colors					
Antique White	3026	Dover White	3683	Snowflake	3603
Base White	3051	Dovetail	3839	Stepping Stone	3889
Base Black	3767	Medium Grey	3841		

2 3/8" (6.1 cm) Stain Colors					
Golden Oak	3030	Saddle Brown	3694	Walnut	3012
Honey Maple	3013	Timeless Grey	3847	Wheat	3710
Natural	3007	True Taupe	3848		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See product information guide for more information. If the stained or painted color is not listed above, please enter order as elite wood in the color and slat size needed. Order does not need to be processed as custom color.

### PRICE GROUP D: Traditions® 2" (5.1 cm) Wood Blinds—Unique Finishes: Barnwood, Distress

2" (5.1 cm) Barnwood Colors			
Medium Pewter Barnwood	1049	Windswept Barnwood	1072

2" (5.1 cm) Distressed Colors			
Distressed Smoky Coal	1572	Distressed Twig	1070

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

### PRICE GROUP E: 2" (5.1 cm) Elite Wood Blinds

2" (5.1 cm) Paint Colors					
Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Base Black	1767	Medium Grey	1841	Stucco	1963
Crisp White	1712	Pearl	1840		
Custom Color Paint	CUSP				

2" (5.1 cm) Stain Colors					
Allspice	1821	Golden Oak	1030	Saddle Brown	1694
Cappuccino	1546	Harbor Grey	1761	Sienna	1685
Cherry Wood	1014	Henna	1949	Timeless Grey	1847
Cognac	1465	Homestead Oak	1943	True Taupe	1848
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		

2" (5.1 cm) Rustic Stain Colors					
Rustic Cognac	R1465	Rustic Golden Oak	R1030	Rustic Harbor Grey	R1761

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

**PRICE GROUP F: 2 3/8" (6.1 cm) Elite Wood Blinds**

2 3/8" (6.1 cm) Paint Colors					
Angora	3052	Dover White	3683	Snow White	3850
Antique White	3026	Dovetail	3839	Snowflake	3603
Base White	3051	Grey Beige	3817	Stepping Stone	3889
Base Black	3767	Medium Grey	3841	Stucco	3963
Crisp White	3712	Pearl	3840		
Custom Color Paint	CUSP				

2 3/8" (6.1 cm) Stain Colors					
Allspice	3821	Golden Oak	3030	Saddle Brown	3694
Cappuccino	3546	Harbor Grey	3761	Sienna	3685
Cherry Wood	3014	Henna	3949	Timeless Grey	3847
Cognac	3465	Homestead Oak	3943	True Taupe	3848
Custom Color Stain	CUSS	Honey Maple	3013	Truffle	3054
Dark Cherry	3316	Knotty Pine	3515	Walnut	3012
Dark Walnut	3641	Natural	3007	Wheat	3710
Espresso	3716	Roasted Chestnut	3849		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

**PRICE GROUP G: 2" (5.1 cm) Elite Wood Blinds—Authentic Hardwoods**

2" (5.1 cm) Authentic Hardwood Colors					
Cherry	C007	Maple	M007	Walnut	W007

NOTE: Premier Walnut, Maple, and Cherry will have the unique natural variations of these beautiful hardwoods—these variations are to be expected. Blinds made from these materials will undergo a degree of color change over time, further enhancing the beauty of the wood.

**PRICE GROUP H: Angle Top or Bottom, Trapezoid, Triangle, Octagon, and Arched Blinds**

**PRICE GROUP I: Circle and Oval Blinds**

2" (5.1 cm) Paint Colors					
Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Base Black	1767	Medium Grey	1841	Stucco	1963
Crisp White	1712	Pearl	1840		
Custom Color Paint	CUSP				

2" (5.1 cm) Stain Colors					
Allspice	1821	Golden Oak	1030	Saddle Brown	1694
Cappuccino	1546	Harbor Grey	1761	Sienna	1685
Cherry Wood	1014	Henna	1949	Timeless Grey	1847
Cognac	1465	Homestead Oak	1943	True Taupe	1848
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. Use appropriate wood color numbers for 2 3/8" slats, see price chart for this product.

**PRICE GROUP K: Traditions® 2" (5.1 cm) Composite Blinds**

2" (5.1 cm) Composite Colors					
Antique White	2026	Creamy White	2729	Silk White	2922
Base White	2051	Seattle Grey	2174		

**PRICE GROUP M: Lake Forest® 2" (5.1 cm) Premium Faux Wood Blinds**

2" (5.1 cm) Woodgrain Colors					
Cognac	2465	Moonshine	2738	Sienna	2685
Dark Cherry	2316	Morel	2706	Walnut	2012
Golden Oak	2030	Natural	2007	Wheat	2710
Honey Maple	2013	Phantom	2707		
Misty Grey	2230	Saddle Brown	2694		

**PRICE GROUP N: Lake Forest® 2 1/2" (6.4 cm) Premium Faux Wood Blinds**

2 1/2" (6.4 cm) Woodgrain Colors					
Cognac	7465	Moonshine	7738	Sienna	7685
Dark Cherry	7316	Morel	7706	Walnut	7012
Golden Oak	7030	Natural	7007	Wheat	7710
Honey Maple	7013	Phantom	7707		
Misty Grey	7230	Saddle Brown	7694		

**PRICE GROUP O: Lake Forest® 2" (5.1 cm) Faux Wood Blinds**

2" (5.1 cm) Smooth and Textured Colors					
Almond	5724	Coconut Textured*	5299	Seattle Grey	5174
Buttermilk	5078	Marshmallow	5742	White	5035
Buttermilk Textured*	5953	Milky Way	5058	White Textured*	5951
Coconut	5630	Milky Way Textured*	5304		

\*Classic valance will be textured to coordinate with textured slats. Majestic valance will be color coordinated in a smooth finish.

**PRICE GROUP P: Lake Forest® 2 1/2" (6.4 cm) Faux Wood Blinds**

2 1/2" (6.4 cm) Smooth and Textured Colors					
Buttermilk	7078	Marshmallow	7742	White	7035
Coconut	7630	Milky Way	7058		
Coconut Textured*	7299	Seattle Grey	7774		

\*Classic valance will be textured to coordinate with textured slats. Majestic valance will be color coordinated in a smooth finish.