



GRABER® | DELIGHT IN
EVERY DETAIL

Graber Faux Wood Blinds English/US Price Guide

TRADITIONS® WOOD, ELITE WOOD, COMPOSITE, AND LAKE FOREST® FAUX WOOD BLINDS

Product Information Guide

Features

The Graber® Wood Story	3
Graber Wood Characteristics	3
Traditions Wood Blinds	4
Elite Wood Blinds	4
Elite Wood Blinds—Authentic Hardwoods	4
Traditions Composite Blinds	4
Lake Forest Premium Faux Wood and Faux Wood Blinds	4

Size Considerations

Cordless Lift, Depth Requirements for Inside Mount	5
--	---

Options

Blind Options	6
Cordless Lift	7
Control Lengths for Wands	7
Multiple Blinds on One Headrail	8
Accent Color	9
Custom Color	9
Why Elite Wood for Your Client's Home	9
How to Order Elite Wood: Special Ordering Instructions	9
Valance Options	10–11
How to Measure for Valance Returns	12
How to Measure and Order Valances	12
Valance Keystones	13
Splicing Requirements	13
How to Measure a Special Splice Location	13
Bay and Corner Windows	14
Wood Specialty Shapes: Incline Wire Blinds	15
Cut-Outs	16
Wood Specialty Shapes: Angle Top or Bottom	17

PLEASE NOTE:

Photos and illustrations are for inspiration only.
Not all product configurations are available in all countries.

Window blind cords are a strangulation hazard for young children. Consult your dealer or store associate for cordless products, or products with inaccessible cords. Remove this product immediately if a cord longer than 22 cm, or a loop exceeding 44 cm, becomes accessible.

VEUILLEZ NOTER :

Les photos et les illustrations ne sont offertes qu'à titre d'inspiration. Toutes les configurations de produits ne sont pas disponibles dans tous les pays.

Les cordons pour store de fenêtre représentent un risque d'étranglement pour les jeunes enfants. Consultez votre dépositaire ou un associé de magasin pour des produits sans cordon ou des produits dont les cordons ne sont pas accessibles.

Retirez ce produit immédiatement si un cordon mesurant plus de 22 cm de longueur ou une boucle dépassant 44 cm deviennent accessibles.

GRABER®

JUNE 2025

(06/25) 25-679950

Options (continued)

Wood Specialty Shapes: Trapezoid, Triangle, and Octagon	18
Wood Specialty Shapes: Arched Blinds	19
Wood Specialty Shapes: Ovals and Circles	20
Making a Template for Specialty Blinds	21
Using the Graber Template Service	21

General Information

Slat Count Table: 2" Wood Blinds	22
Slat Count Table: 2 $\frac{3}{8}$ " Wood Blinds	23
Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds	24
Slat Count Table: 2 $\frac{1}{2}$ " Composite, Premium Faux Wood, and Faux Wood Blinds	25
Slat Route and Ladder Count Charts: Traditions® 2" and 2 $\frac{3}{8}$ " Wood Blinds	26
Slat Route and Ladder Count Charts: 2" and 2 $\frac{3}{8}$ " Elite Wood Blinds, 2" and 2 $\frac{3}{8}$ " Elite Wood Blinds	26
Slat Route and Ladder Count Charts: Traditions 2" and 2 $\frac{1}{2}$ " Composite Blinds, Traditions 2" and 2 $\frac{1}{2}$ " Composite Blinds	27
Slat Route and Ladder Count Charts: Premium Faux Wood and Faux Wood Blinds, Lake Forest 2" and 2 $\frac{1}{2}$ " Premium Faux Wood and Faux Wood Blinds	27
Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood	28

Features

The Graber® Wood Story

Quality of Wood Defines a Blind's Quality

We use only 100% North American hardwood in the construction of our wood blinds because of its light weight, consistent color, hardness, structural stability, and attractive grain.

Sound Forestry Techniques

We work only with foresters who practice “sustained yield forest management”—nearly twice as much hardwood grows as is harvested in the U.S. each year. The volume of hardwoods in American forests today is greater than it was 50 years ago.

Preserving Our Natural Resources

Our Springs Window Fashions (SWF) wood products facility consumes recycled sawdust and wood shavings, generating the heat required to dry lumber for a completely self-sufficient manufacturing process. Our Reynosa, Mexico fabrication and finishing facility is 99.7% pollution free, above any U.S. standard.

SWF Wood Products, Grayling, Michigan

We have control over the quality of wood used—we control the process from green lumber to finished blinds. Hardwoods used in crafting Graber Wood Blinds are kiln dried and molded at our SWF wood products facility in Grayling, Michigan. The wood is dried slowly to strict wood blind specifications because structural change can occur when moisture is removed. Molding and sanding operations provide the highest quality surface, free of defects.

Springs Window Fashions, Reynosa, Mexico

At our state-of-the-art finishing plant in Reynosa, Mexico, components are carefully sorted prior to fabrication for color uniformity and wood characteristics. We sort wood as an end user, rather than a finishing vendor, taking out defects in a climate-controlled building. To finish the blind, we use only high quality paints and stains; on-site certified color technicians provide both application and quality control.

What Makes Graber Traditions® Blinds Different from the Rest?

- Painted and stained wood blinds are made from 100% North American hardwoods, the premier wood used in the construction of blinds
- SWF wood products and finishing facilities provide state-of-the-art technologies and processes
- Expanded choice of finishes with PureGrain™ Finish—vibrant stains that showcase the natural grain of the wood
- Unique valance choices, specialty shapes, and more
- Traditions composite blinds have superior strength and moisture resistance
- The best customer service team in the industry—trained to answer any question about Graber Traditions Blinds
- Limited lifetime warranty

Graber Wood Characteristics

Wood used to manufacture Graber Wood Blinds has many natural characteristics that make it truly unique. The following are all natural characteristics of wood, and we do not consider them to be defects:


- Grain—The direction, size, and appearance of wood fibers vary greatly depending on where the wood is cut from within the tree
- Tiger Striping—Occurs when a tree develops wavy grain, due to genetics, soil content, or other natural scenarios
- Burl—Formed from an irregular growth on the outer edge of the tree
- Bird's Eye—Small area on the surface of the board where fibers are contorted to form circular figures that resemble birds' eyes
- Pin Knots—Vary in size, shape, structure, and color
- Mineral Marks—Dark or discolored areas caused by minerals which the tree extracts from the water or soil; can be either a streak or a stain, usually blackish blue
- Knotty Pine/Rustic—Material contains markings that are more extreme than in standard products; the number and degree of marking will vary throughout the blind

Please be assured that these markings in no way affect the durability or the structural integrity of the blind.


Natural variations in color and grain are inherent in the beauty of wood. These variations are within established industry guidelines and should be expected. In addition, blinds may stain slightly darker or lighter than the swatches shown in the sampling.

NOTE: Elite Walnut, Maple, and Cherry will have the unique natural variations of these beautiful hardwoods—these variations are to be expected. Blinds made from these materials will undergo a degree of color change over time, further enhancing the beauty of the wood.

Flat Grain




Grain Change




Tiger Striping




Burl/Bird's Eye




Pin Knots




Mineral Marks



Knotty Pine/
Rustic



Knotty Pine/
Rustic



Features

Traditions® Wood Blinds

- Stained and painted blinds crafted from North American hardwoods
- Finish highlights the natural characteristics of wood
- 2" and 2⅜" slat sizes available
- Sandblast is not available on keystones
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier

Elite Wood Blinds

- Available in all Graber® wood paints and stains
- 2" and 2⅜" slat sizes available
- Sandblast finish available on any 2" paint or stain
- Custom color available; not available in unique finishes
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier
- Specialty shapes
- Accent valance and bottomrail: complement the window and décor of the room by specifying a different color valance and bottomrail

Elite Wood Blinds—Authentic Hardwoods

- 2" wood blinds made from premier North American hardwoods—Walnut, Maple, and Cherry with a clear coat finish that further enhances the wood's beauty
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier

Traditions Composite Blinds


- Moisture-resistant multiple polymer composite slats
- 2" and 2½" slat sizes available
- Trapezoid bottomrail for superior closure

Lake Forest® Premium Faux Wood and Faux Wood Blinds

- Solid or woodgrain moisture-resistant engineered polymer slats
- 2" and 2½" slat sizes available in both premium faux wood and faux wood
- Trapezoid bottomrail for superior closure; available on premium faux wood blinds only
- Rectangular bottomrail; available on faux wood blinds only


Size Considerations

Cordless Lift

Styles									
	Cordless Lift Blinds				Cordless Lift Blinds Multiple Blinds on One Headrail				
	Width		Height		Width			Height	
	Minimum (exact) (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)	Minimum Panel (exact) (inches)	Maximum Panel (inches)	Maximum Blind (inches)	Minimum Blind (inches)	Maximum Blind (inches)
Traditions® Wood Blinds									
Traditions 2" Wood Blinds	12	84	12	86	12	84	120	12	86
Traditions 2" Barnwood and Distressed Wood Blinds	12	84	12	86	12	84	120	12	86
Traditions 2½" Wood Blinds	12	84	12	86	12	84	120	12	86
Elite Wood Blinds									
Elite 2" Wood Blinds	12	84	12	86	12	84	120	12	86
Elite 2" Authentic Hardwood Blinds**	12	84	12	78	12	84	120	12	78
Elite 2½" Wood Blinds	12	84	12	86	12	84	120	12	86
Traditions Composite Blinds									
Traditions 2" Composite Blinds	12	66	12	72	12	66	120	12	72
Traditions 2½" Composite Blinds	12	66	12	72	12	66	120	12	72
Lake Forest® Premium Faux Wood and Faux Wood Blinds									
Lake Forest 2" Premium Faux Wood Blinds	12	63	12	72	12	63	120	12	72
Lake Forest 2" Faux Wood Blinds	12	63	12	72	12	63	120	12	72
Lake Forest 2½" Premium Faux Wood Blinds	12	63	12	72	12	63	120	12	72
Lake Forest 2½" Faux Wood Blinds	12	63	12	72	12	63	120	12	72

**Walnut maximum height 68".

Depth Requirements for Inside Mount

Blind Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/ molding Minimum Depth Mount (inches)	 Fully recessed headrail in window casing/ molding Flush with Casing (without valance)*
			Wand Tilt (inches)
Traditions 2" and 2½" Wood Blinds	2 x 2¼	¾	2¾
Elite 2" and 2½" Wood Blinds	2 x 2¼	¾	2¾
Traditions 2" and 2½" Composite Blinds	2 x 2¼	¾	2¾
Lake Forest 2" and 2½" Premium Faux Wood and Faux Wood Blinds	2 x 2¼	¾	2¾

*For measurements of fully recessed headrails with a valance, see valance options.

Options

Blind Options (for surcharges and pricing refer to price charts)

Blind Options	Traditions 2" Wood and 2" Elite Wood	Traditions 2⅜" Wood and 2⅜" Elite Wood	Traditions 2" and 2½" Composite	Lake Forest® 2" Premium Faux Wood and 2" Faux Wood	Lake Forest 2½" Premium Faux Wood and 2½" Faux Wood	Details
Accent Color (valance/bottomrail)	●^	●^				See the "Accent Color" section
Bay and Corner Windows	●	●	●	●	●	See the "Options" section for measuring and ordering information
Wand Tilt Locations:						
• Tilt Left	●	●	●	●	●	Must be requested at time of order
• Tilt Right	●	●	●	●	●	
Custom Color	●\$^	●\$^				See price charts
Cut-Outs¹	●	●	●	●	●	Maximum width for cut-out is 1" before route hole
Hold Down Brackets	●	●	●	●	●	Must be requested at time of order
Multiple Blinds on One Headrail: 2 or 3 on 1 to left of solid line²	●\$	●\$	●\$	●\$	●\$	See the "Options" section
Projection Brackets						Projection brackets not available for inside mount; must be requested at time of order; shims are standard on 2⅜" and 2½" blinds (outside mount)
• 2¾" and 4¾" Projection Brackets	●	●	●	●	●	
• ⅜" Shims	●	●	●	●	●	
Sky Pole¹						Available with ring tilt only; must be requested at time of order
• 6 foot pole	●\$	●\$	●\$	●\$	●\$	
• 9 foot pole						
Wood Cornices	●\$	●\$	●\$	●\$	●\$	See cornices and valances product information guide
Wood Valances: Additional Designs	●\$	●\$				See cornices and valances product information guide

¹Not available with cordless

²See solid line on appropriate price grid.

\$Option available with surcharge.

^Available with Elite wood only.

Options

Cordless Lift



- Available on wood, composite, and faux wood blinds
- Cordless lift blinds offer a safer alternative for homes with children and pets
- Easy to use: to lower blind, pull down; to raise, simply guide the blind into the desired location by gently lifting the bottomrail
- Legacy, craftsman, or symphony valances recommended with cordless lift blinds for better headrail coverage

	Wood	Composite	Faux Wood
Minimum Width (inches)	12	12	12
Maximum Single Blind Width (inches)	84	66	63
Maximum Multiple Blinds on One Headrail (inches)	120	120	120
Minimum Height (inches)	12	12	12
Maximum Height (inches)	86	72	72

*78" for authentic hardwood Cherry and Maple, 68" for Walnut.

Control Lengths for Wands

Finished Blind Height (inches)	Wand Length* (inches)
up to 36	12
36 $\frac{1}{16}$ to 60	20
60 $\frac{1}{16}$ to 70	30
70 $\frac{1}{16}$ to 80	40
80 $\frac{1}{16}$ to 86	48

*Wands over 48" long are a clear plastic and are not available with cordless lift.

NOTE: Special length wands may be requested at the time of ordering.

Options

Multiple Blinds on One Headrail



Gap 1/4"

- **Surcharge: blinds to the left of the solid line on the price charts**
- **No charge: blinds to the right of the solid line on the price charts**
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

Cordless Lift

Multiple Blinds	Control Cord Locations	Gap (inches)
Two-On-One Headrail	Left panel (tilt left) Right panel (tilt right)	1/4
Three-On-One Headrail	Left panel (tilt left) Right panel (tilt right) Center panel (tilt left)	1/4

NOTE: Optional control locations may be requested.

Measuring

1. Measure overall width of the area to be covered. If space permits, an overlap of 1 1/2" per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of 1/4" between blinds for operating clearance.
3. Total width of all blinds, plus clearance(s), must equal overall width.
4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within 3/4" of floor, either from ceiling or a point at least 6 1/2" above the door frame. Check slat count table to see if blind will completely clear the doorway.

Ordering

1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions.
5. Add appropriate surcharge, if to the left of the solid line on the price chart.

Options

Accent Color (Elite Wood Blinds only)

For surcharge, see price charts.

Complement the window and décor of the room by specifying a different color valance and bottomrail. Single color only.

Custom Color

For surcharge, see price charts.

Graber® offers the unique option of custom color either paint or stain. Use the following guidelines when placing your order:

1. Complete the custom color match request form. Forms can be found on graberdirect.com.
2. Supply Springs Window Fashions with a color sample labeled with the color name and purchase order number. The sample needs to be at least 2" x 2". For best results, submit a 3" x 3" color sample.
3. Send the order, along with the request form and color sample to: Please send all color chips to:
Springs Window Fashions, LLC
Attention: Custom Color
8601 Route 405 Hwy S
Box 500
Montgomery, PA 17752
4. Approval of the custom color sample is required on orders of six or more blinds. A sample of the custom color will be sent upon request for orders of less than six blinds. If a custom color sample is not requested, the sample provided will be used to manufacture the wood blinds. If the color sample is to be returned, please note this on your order.
5. Custom color samples will be sent for approval approximately two weeks after receiving the original color sample.
6. Once approval is received, fabrication of the custom color blinds will begin.

Why Elite Wood for Your Client's Home

Elite wood blinds are individually hand finished using a wiping technique to enhance the beauty of the wood and create a truly beautiful blind as unique as your client.

Additional benefits of Elite wood blinds include:

- Each wood component is finished after being cut and routed for the client's individual blind—creating wood components that are completely sealed from the environment
- Elite wood finish is applied using a wiping process rather than flow coating the finish; the end result is a finish that further enhances the beautiful characteristics of the wood
- All Graber Traditions® paints and stains are available using this unique finishing style, or create a completely customized blind using the custom color option

How to Order Elite Wood: Special Ordering Instructions



On graberdirect.com

- Select the description Elite wood
- Select the finish choice
 - Elite finish
 - Elite high gloss
 - Sandblast finish (2" only)
- Follow the remaining ordering instructions to complete the order

NOTE: Due to the nature of the Elite process, blinds and specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

Options

Valance Options

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)			
2½" Classic Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅞": optional glued 4⅞" and greater: not glued	2" Barnwood^	100⅞	98⅞	Wand tilt	3⅞	3⅞
3" Classic Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅞": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100⅞	98⅞	Wand tilt	3⅞	3⅞
	2⅞" Wood 2⅞" Elite Wood	100⅞	98⅞	Wand tilt	3¾	4⅞
	2" Composite^	106⅞	105⅞	Wand tilt	3⅞	3⅞
	2½" Composite^	106⅞	105⅞	Wand tilt	3⅞	4¼
	2" Premium Faux Wood^ 2" Faux Wood^	106⅞	105⅞	Wand tilt	3⅞	3⅞
	2½" Premium Faux Wood^ 2½" Faux Wood^	106⅞	105⅞	Wand tilt	3⅞	4¼
3" Majestic Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅞": optional glued 4⅞" and greater: not glued	2" Composite^	106⅞	105⅞	Wand tilt	3⅞	4⅞
	2½" Composite^	106⅞	105⅞	Wand tilt	3⅞	4⅞
	2" Premium Faux Wood^ 2" Faux Wood^	106⅞	105⅞	Wand tilt	3⅞	4⅞
	2½" Premium Faux Wood^ 2½" Faux Wood^	106⅞	105⅞	Wand tilt	3⅞	4⅞





*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300⅞".

^Keystones not available.

NOTE: For replacement valances see cornices and valances product information guide.

Options

Valance Options

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Standard Valance Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)			
3½" Craftsman Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅜	Wand tilt	3⅝	3⅝
	2⅝" Wood 2⅝" Elite Wood	100¼	98⅜	Wand tilt	3¼	4⅛
3½" Legacy Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅜	Wand tilt	3⅝	4
	2" Distressed Wood^ 2" Elite Authentic Hardwood^	100¼	98⅜	Wand tilt	3⅝	4
	2⅝" Wood 2⅝" Elite Wood	100¼	98⅜	Wand tilt	3¼	4⅛
4½" Symphony Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	2" Wood 2" Elite Wood	100¼	98⅜	Wand tilt	3⅝	4⅝
	2⅝" Wood 2⅝" Elite Wood	100¼	98⅜	Wand tilt	3¼	4½
5½" Craftsman Valance  Valance Returns ½" to 4⅝": glued 4⅞" and greater: not glued	2" Wood 2" Premier Wood	100¼	98⅜	Wand tilt	3⅝	3⅝
				Cordless wand tilt	3⅝	3¼
	2⅝" Wood 2⅝" Premier Wood	100¼	98⅜	Wand tilt	3¼	4⅛
5" Flat Valance 				Cordless wand tilt	3⅝	3⅞
	2" Wood Specialty Shapes	N/A	N/A	Wand tilt	N/A	3⅝
	2⅝" Wood Specialty Shapes	N/A	N/A	Wand tilt	N/A	3⅝

*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone.

Maximum width for spliced valances is 300¾".

*Keystones not available.

NOTE: For replacement valances see cornices and valances product information guide.

Options

How to Measure for Valance Returns

Window depths vary considerably depending on the age and style of the window. **Always** measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.


Please use our valance return cards to assist in correctly calculating valance return sizes.

To calculate the return width, use this formula:

(standard return width) minus (client window depth) = special return width to order for inside mount blind

REMEMBER:

- Smallest return width is $\frac{1}{2}$ " (inside measurement), maximum return width is 8"
- Returns up to 1" (inside measurement) will be glued; $1\frac{1}{16}$ " to $4\frac{5}{16}$ " optional glued
- The width of a return and the width of a valance are measured on the inside (back side) of the valance, not the outside (face) of the valance (see diagram at right)
- Standard return size for $2\frac{3}{8}$ " blinds and $2\frac{1}{2}$ " blinds—subtract $\frac{3}{16}$ " prior to determining special return width



A: Inside Measurement
B: Outside Measurement



How to Measure and Order Valances

If a valance is ordered, it is supplied in one of the following styles, depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.

NOTE: Valances with returns are measured and cut from the **INSIDE** of the miter to ensure the most accurate fit when installed over the headrail or window frame.

Blinds ordered as an OUTSIDE MOUNT

with requested returns will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, longer returns will be sent automatically. Outside mount blinds are available without returns upon request.



A: Inside Measurement
B: Outside Measurement

NOTE: Minimum return width is $\frac{1}{2}$ ", maximum return width is 8".


Additional Ordering Information:

- Please state at the time of order if the valance and return measurements are for the **EXACT** size required so that no additions or deductions are made
- Different return sizes can be ordered for the same valance; always provide **LEFT** return **INSIDE** measurement first when ordering
- Returns up to 1" will be glued; $1\frac{1}{16}$ " to $4\frac{5}{16}$ " optional glued; $4\frac{11}{16}$ " and greater will not be glued
- Bay and corner blinds—must specify return width on inside mount at time of order
- Single side returns are available—opposite end will be cut straight

Options

Valance Keystones

- Decorative keystones are required on wood valances that require splicing
- Keystones will be equally spaced unless special splice locations are requested at time of order
- Optional keystones can be ordered with single piece valances, or in addition to required keystones at the time of order only
 - Minimum width with a keystone: 12"
 - Maximum number of keystones: 3
- Keystones will be stained or painted to match the valance ordered as standard; optional different color selection available
- Keystones not available on premier authentic hardwood, distressed wood, coastal wood, in sandblast finish, composite, or faux wood valances
- Keystones cannot be ordered for existing valances, attachment will not work
- All inside mount applications will have a slight light gap at the top of valance when installed



5 1/2" Craftsman Valance and Keystone (pictured below)


Splicing Requirements

Profile	Number of Sections	Number of Keystones	No Returns		With Returns (inside dimensions)	
			Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
2 1/2" Classic Barnwood Valance*	1	0	8	100 3/4	8	98 3/8
3" Classic Wood Valance	2	1	100 1/16	200 1/2	98 7/16	198 3/8
3 1/2" Craftsman Wood Valance	3	2	200 3/16	300 3/4	198 1 1/16	298 3/8
3 1/2" Legacy Wood Valance	1	0	8	94	8	90
4 1/2" Symphony Wood Valance	2	1	94 1/16	186 1/2	90 1/16	182
5 1/2" Flat Cornice	3	2	186 1/16	279	182 1/16	274
	4	3	279 1/16	371 1/2	274 1/16	366

*Keystones not available.


Outside Mount

- Wood valances requiring a splice will include a keystone (see chart above for details)




Inside Mount

- Wood valances 100 1/4" or wider will require a keystone



How to Measure a Special Splice Location

A keystone is supplied for valance widths that require a splice. Keystones will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an **INSIDE** measurement from the mitered corner to the location specified on the order.



NOTE: All measurements need to be from BACKSIDE.

Each splice location should be recorded starting from the **LEFT BACKSIDE** corner.

These formulas are used to calculate BACKSIDE valance measurements.

Inside Mount with No Returns	Ordered width - 1/16"
Inside Mount with Returns	Ordered width + 3/4"
Outside Mount with No Returns	Ordered width + 1/2"
Outside Mount with Returns	Ordered width + 3/4"

Example:

Overall valance width = 80" backside measurement

First splice from left = 30" backside measurement

Second splice from left = 50" backside measurement

For surcharge, see price charts.

Options



Bay and Corner Windows

- Made as individual blinds to fit in bay or corner windows
- Each blind is on an individual headrail and has its own control
- Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind; must provide blind location (left and right blind)
- Tilt locations can be on the right or left side of each blind; placing controls opposite the corner is recommended
- Depending on the angle, some corner blinds cannot be raised to the same height

- Manufacturer will take appropriate deductions for proper fit
- No additional charge
- Valances will be mitered in the corner for finished look
- Cornices and wood verticals are not available on bay or corner windows
- Slat alignment cannot be guaranteed on side by side blinds
- If you do not want manufacturer to take deductions DO NOT order as bay or corner

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.


Measuring Information



Corner Window

Measure:

Width of each window from corner to the point you would like to cover.



Three-Sided Bay Window

Measure:

A and C: Width of side windows from the corners to the point you would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Four-Sided Bay Window

Measure:



A and D: Width of side windows from the corners to the point you would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).



Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you would like the blind to cover.

B, C, and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).


Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace onto paper and fax to customer service.

Options

Wood Specialty Shapes: Incline Wire Blinds



NOTE: Maximum degree from vertical is 45°. Blinds over 30° will have marginal tilt. Blinds over 40° will have marginal lowering.

- Blinds up to 60" will have 2 wires
- Blinds over 60" will have 4 wires

Options Available:

- Decorative tassels
- Ring tilt (2" only)
- Custom color
- High gloss finish
- Accent color

NOTE: Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

Features

- For pricing, see price charts
- Wand tilt options available
- Wand control is the universal joint attachment
- There is a turn buckle in the headrail for adjusting the tension in the wires
- At the bottomrail, there are sill plates that are used to attach the wires to the sill
- Color coordinated box style bracket

Incline (tension) Wire Blinds

- Rectangular blinds will tilt only; may be used in windows installed vertically to 45 degrees from vertically (maximum)
- Ideal for applications that require stabilized blinds, such as boats

A. Rise—The vertical measurement from the top of a window to the RUN to form a 90 degree angle.

B. Run—The horizontal measurement from the bottom of a window to the RISE to form a 90 degree angle.

C. Angle—The degree the window is slanted perpendicular (at a right angle) to the floor.

D. Catenary—The degree a blind may possibly bow. No measurement needed. Must give measurements for width and height. A and B are used to calculate the angle (must be less than 45°).

Measuring Information

Use regular measuring instructions; see measuring instructions tab. Available on Elite wood blinds.


Size Considerations	Incline Wire (inches)	
Minimum Width	16	
Maximum Width	96	
Minimum Height	12	
Size Considerations	Blind Width (inches)	Maximum Height (inches)
Maximum Height	16 to 32	120
	32½ to 57	108
	57½ to 92	102
	92½ to 96	90

Depth Requirements	2" (inches)	2⅝" (inches)
Minimum	¾	¾
Flush with Casing	2⅝	2⅝

NOTE: Slat alignment cannot be guaranteed on side by side blinds.

Options

Cut-Out Blinds



- **For surcharge, see price charts**
- Maximum cut-out is 1" before route hole (corner and side cut-outs only)
- Cut-outs are measured with the slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the window up to the desired location
- Not available with wood vertical blinds
- Blinds will be tilt only, no lift

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.

Options

Wood Specialty Shapes: Angle Top or Bottom

Features

- For pricing, see price charts
- Available in 2" and 2⅝" slats
- Extruded aluminum headrail
 - 2¼" depth x 2" height

Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand controls will be approximately one third the length of the blind; controls on angle top or angle bottom blinds will be located on the short side of the blind
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- Maximum angle is 45°
- Blinds have tilt function only

Mounting Options

- Blinds under 24" must use hold down brackets to ensure level installation

NOTE: Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.


- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

Size Considerations	2" (inches)	2⅝" (inches)
Minimum Width	15	15
Minimum Height*	12	12
Maximum Width	96	96
Maximum Height	120	120

*Long side.

Depth Requirements	2" (inches)	2⅝" (inches)
Minimum	¾	¾
Flush with Casing	3⅞	3⅞


Valance



5" Flat Valance

- Valance returns are not available

Angle Top or Bottom: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering an angle top or angle bottom blind.

W: Straight width

B: Length of short side

H: Length of long side

A: Angle width

Options

Wood Specialty Shapes: Trapezoid, Triangle, and Octagon

Features

- For pricing, see price charts
- Available in 2" and 2½" slats
- Extruded aluminum headrail
 - 2¼" depth x 2" height

Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand tilt controls will be approximately one third the length of the blind
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind
- Blinds have tilt function only

Mounting Options

- All shapes receive predrilled openings and fasteners for direct mounting
 - Inside mounts: predrilled openings are located on the underside of the headrail
 - Outside mounts: predrilled openings are located on the front and back face of the headrail

NOTE: Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.


- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

Size Considerations	2" (inches)	2½" (inches)
Minimum Width**	15	15
Minimum Height	12	12
Maximum Width	96	96
Maximum Height	120	120

**Octagon and trapezoid: 7½" exact minimum for top headrail.

Depth Requirements	2" (inches)	2½" (inches)
Minimum	2¼	2⅝
Flush with Casing	3⅝	3⅝


Valance



5" Craftsman Valance

- Valance returns are not available

Trapezoid, Triangle, or Octagon: Measuring Guidelines



†Verify each section width.

††Depending on sizes, octagon may be framed on all sides. Contact customer service to verify if framed or not.

Refer to diagrams for illustrations of measurements to include when ordering a trapezoid, triangle, or octagon blind.

W: Bottom width

H: Length of long side

A: Top width

Also specify/include:

- Inside or outside mount
- Control location

NOTE: Non-perfect octagons will require additional measurements. Please refer to the specialty shapes reference guide.

Options

Wood Specialty Shapes: Arched Blinds

Features

- For pricing, see price charts
- Available in 2" and 2½" slats
- Extruded aluminum headrail
 - 2¼" depth x 2" height

Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Blinds have tilt function only
- Universal joint attachments for wand control
- Wand tilt controls will be approximately one third the length of the blind; quarter arch controls will be on the low side
- Due to the angle of the headrail, blinds may not operate as smoothly as a standard blind

Mounting Options

- We recommend hold down brackets for quarter arches less than 24" in width to ensure level installation
- Arches will receive predrilled openings and fasteners
 - Inside mounts: predrilled openings are located on the underside of the headrail
 - Outside mounts: predrilled openings are located on the front and back face of the headrail


NOTE: Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

	2" (inches)	2½" (inches)
Minimum Arch Width: Full Arch	24	24
Minimum Arch Width: Quarter Arch	15	15
Minimum Arch Height: Full Arch	12	12
Minimum Arch Height: Quarter Arch	12	12
Maximum Arch Width	96	96
Maximum Height of Extended Arches, Quarter Arches	120	120

Depth Requirements	2" (inches)	2½" (inches)
Minimum	2¼	2⅝
Flush with Casing	3⅝	3⅝


Valance



5" Craftsman Valance

- Valance returns are not available

Arched Blinds: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering an arched blind.

W: Straight width

B*: Length to springline (point where arch begins)

Template needs to extend 6" past the springline.

H*: Overall height

A: Arch height

Also specify/include:

- Inside or outside mount
- Control location

*A + B = H

†Perfect arch: height = ½ of width;

Perfect ¼" = width and height are the same

NOTE: Customer required to send template or use SWF template service on all non perfect arches

Options

Wood Specialty Shapes: Ovals and Circles

Features

- For pricing, see price charts
- Available in 2" and 2½" slats
- Extruded aluminum headrail
 - 2¼" depth x 2" height

Controls

- Ring and wand tilt options available
- Standard wood wand lengths are 12", 20", 30", 40", and 48"
- Polycarbonate wands available in lengths over 48"
- Universal joint attachments for wand control
- Wand tilt controls will be approximately one third the length of the blind
- Blinds have tilt function only

Mounting Options

- All shapes receive predrilled openings and fasteners for direct mounting
 - Inside mounts: predrilled openings are located on the underside of the headrail
 - Outside mounts: predrilled openings are located on the front and back face of the headrail

NOTES:


1. For blinds less than 16 square feet, valance may appear disproportionate in scale.
2. Due to the nature of the Elite process, specialty shapes require an extended lead time. Lead times vary depending on blind sizes and quantities.

- Lightblocking headrail is not available
- See below for measuring guidelines
- Not available with cordless lift, cut-outs, motorized tilt, or unique finishes

Size Considerations	2" (inches)	2½" (inches)
Minimum Diameter Width or Height	24	24
Maximum Diameter Width or Height	72	72

Depth Requirements	2" (inches)	2½" (inches)
Minimum	2¼	2⅜
Flush with Casing	3⅞	3⅞

Valance




5" Craftsman Valance

- Valance returns are not available

NOTES:

1. Maximum spacing between ladders is 24"
2. Standard control positions: lift right/tilt left
3. Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.

Circles and Ovals: Measuring Guidelines



Refer to diagrams for illustrations of measurements to include when ordering a circle or oval blind.

W and H: Provide width and height.

Template required if width and height are not the same.

Also specify/include:

- Inside or outside mount
- Control location

Options


Making a Template for Specialty Blinds

1. Tape butcher paper, kraft, or construction paper over the window opening allowing plenty of overlap.
2. Being careful not to press against the template paper while tracing, draw an exact outline of the window opening. Pressing on the template paper may distort the paper and cause the wrong size to be made.
3. Remove the paper from the window opening. If the shade is an outside mount, add the desired amount of overlap to the window outline and draw a second outline around it to match the shape of the finished shade. Be sure to erase the inside line.
4. Mark the dimensions on the template. Check that the template dimensions match your measurements of the actual window opening.

NOTE: Make sure the template is of the window opening, not the glass only measurement.

5. Cut the shape from the paper.
6. PLACE THE TEMPLATE BACK INTO THE WINDOW OPENING TO CHECK FOR PROPER FIT COMPLETELY AROUND.
7. Indicate on the template
 - “Room side” and “top” on the template
 - Purchase order number
 - Customer’s name
 - Your store name and account number
8. Roll up template and place in a mailing tube. DO NOT FOLD TEMPLATE.

NOTE: If extended arch; only 6" past the springline (point where arch portion begins) is required on the template.



NOTE: This is just a sample for illustration purposes only—other information may be needed for your order.

Mail to: Springs Window Fashions LLC
8467 Route 405 Highway South
PO Box 500
Montgomery, PA 17752
ATTN: Specialty Department

NOTE: When mailing, make sure to get a tracking number and note your return address on the mailing tube.

ACCEPTABLE MATERIALS FOR MAKING TEMPLATES:

- Kraft paper
- Butcher paper
- Construction paper

WE WILL NOT ACCEPT TEMPLATES MADE FROM THE FOLLOWING MATERIALS:

- Newspaper
- Plastic
- Wax paper
- Fabric
- Tissue paper
- Roofing paper
- Existing arch shades
- Wrapping paper
- Cardboard
- Poster board

NOTE: If the material used to make a template stretches, tears easily, will not lay flat, will mark the fabric, or is not pre-cut from paper—IT WILL NOT BE USED.

Using Graber® Template Service

Template service is used when a customer is unable to make or supply a template.

To use the template service:

1. Select template service when entering your order online.
2. Use the specialty shapes reference guide (located on graberdirect.com) to determine what measurements you need to supply for each shape.
3. Enter the lettered measurements using line item comments.

For surcharge, see price charts.

How to measure for the template service:

- Measure the interior of the specialty application to the nearest 1/8" using a metal tape measure
- Document each measurement as outlined in “Wood Specialty Shapes: Arched Blinds” section
- Not available with gothic arch

General Information

Slat Count Table: 2" Wood Blinds

Number of Slats	2" Wood and Elite Wood Blinds		Number of Slats	2" Wood and Elite Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)
7	12	4 ⁷ / ₈	39	68 ¹ / ₈	
8	14 ⁵ / ₈		40	69 ³ / ₄	10 ¹ / ₈
9	16 ¹ / ₈		41	71 ¹ / ₂	
10	17 ¹³ / ₁₆	5 ⁵ / ₈	42	73 ³ / ₄	
11	19 ⁹ / ₈		43	74 ¹⁵ / ₁₆	
12	21 ¹ / ₄		44	76 ¹ / ₁₆	
13	23		45	78 ⁷ / ₈	
14	24 ³ / ₄		46	80 ³ / ₈	
15	26 ⁷ / ₈		47	81 ⁷ / ₈	
16	28 ³ / ₈		48	83 ⁵ / ₈	11 ⁷ / ₈
17	29 ¹⁵ / ₁₆		49	85 ⁵ / ₈	
18	31 ¹ / ₁₆		50	86	
19	33 ³ / ₈		51		
20	35 ¹ / ₈	7	52		
21	36 ⁷ / ₈		53		
22	38 ³ / ₈		54		
23	40 ⁵ / ₈		55		
24	42 ¹ / ₈		56		
25	43 ¹³ / ₁₆		57		
26	45 ¹ / ₂		58		
27	47 ¹ / ₄		59		
28	49		60		
29	50 ¹ / ₁₆		61		
30	52 ⁷ / ₈	8 ⁹ / ₁₆	62		
31	54 ³ / ₈		63		
32	55 ¹⁵ / ₁₆		64		
33	57 ⁵ / ₈		65		
34	59 ³ / ₈		66		
35	61 ¹ / ₈		67		
36	62 ¹³ / ₁₆		68		
37	64 ⁷ / ₈		69		
38	66 ³ / ₈		70		

NOTE: Finished height includes headrail and bottomrail. Excludes specialty shapes.

General Information

Slat Count Table: 2 $\frac{3}{8}$ " Wood Blinds

Number of Slats	2 $\frac{3}{8}$ " Wood and Elite Wood Blinds		Number of Slats	2 $\frac{3}{8}$ " Wood and Elite Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)
6	12	4 $\frac{1}{16}$	32	67 $\frac{3}{4}$	
7	14 $\frac{5}{8}$		33	69 $\frac{5}{8}$	
8	16 $\frac{3}{4}$		34	72	
9	18 $\frac{5}{8}$		35	74 $\frac{1}{8}$	
10	21	5 $\frac{5}{16}$	36	76 $\frac{1}{4}$	
11	23 $\frac{1}{8}$		37	78 $\frac{3}{8}$	
12	25 $\frac{1}{4}$		38	80 $\frac{1}{2}$	
13	27 $\frac{3}{8}$		39	82 $\frac{5}{8}$	
14	29 $\frac{1}{2}$		40	84 $\frac{3}{4}$	10 $\frac{5}{16}$
15	31 $\frac{5}{8}$		41	86	
16	33 $\frac{3}{4}$		42		
17	35 $\frac{5}{8}$		43		
18	38		44		
19	40 $\frac{5}{8}$		45		
20	42 $\frac{1}{4}$	7 $\frac{1}{8}$	46		
21	44 $\frac{3}{8}$		47		
22	46 $\frac{1}{2}$		48		
23	48 $\frac{3}{8}$		49		
24	50 $\frac{1}{4}$		50		
25	52 $\frac{3}{8}$		51		
26	55		52		
27	57 $\frac{5}{8}$		53		
28	59 $\frac{3}{4}$		54		
29	61 $\frac{5}{8}$		55		
30	63 $\frac{1}{2}$	8 $\frac{3}{4}$	56		
31	65 $\frac{5}{8}$		57		

NOTE: Finished height includes headrail and bottomrail. Excludes specialty shapes.

General Information

Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds

Number of Slats	2" Composite, Premium Faux Wood, and Faux Wood Blinds		Number of Slats	2" Composite, Premium Faux Wood, and Faux Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)
5	12	4 ⁹ / ₁₆	37	66 ⁷ / ₁₆	
6	12 ⁵ / ₈		38	68 ¹ / ₁₆	
7	14 ⁵ / ₁₆		39	69 ³ / ₄	
8	16 ¹ / ₁₆		40	71 ¹ / ₂	10 ¹ / ₈
9	17 ¹³ / ₁₆		41	72	
10	19 ⁹ / ₁₆	5 ³ / ₈	42		
11	21 ¹ / ₄		43		
12	23		44		
13	24 ³ / ₄		45		
14	26 ⁷ / ₁₆		46		
15	28 ³ / ₁₆		47		
16	29 ¹⁵ / ₁₆		48		
17	31 ¹¹ / ₁₆		49		
18	33 ³ / ₈		50		
19	35 ¹ / ₈		51		
20	36 ⁷ / ₈	7	52		
21	38 ⁹ / ₁₆		53		
22	40 ⁵ / ₁₆		54		
23	42 ¹ / ₁₆		55		
24	43 ¹³ / ₁₆		56		
25	45 ¹ / ₂		57		
26	47 ¹ / ₄		58		
27	49		59		
28	50 ¹¹ / ₁₆		60		
29	52 ⁷ / ₁₆		61		
30	54 ³ / ₁₆	8 ⁹ / ₁₆	62		
31	55 ¹⁵ / ₁₆		63		
32	57 ³ / ₈		64		
33	59 ³ / ₈		65		
34	61 ¹ / ₈		66		
35	62 ¹³ / ₁₆		67		
36	64 ⁹ / ₁₆		68		

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Count Table: 2½" Composite, Premium Faux Wood, and Faux Wood Blinds

Number of Slats	2½" Composite, Premium Faux Wood, and Faux Wood Blinds		Number of Slats	2½" Composite, Premium Faux Wood, and Faux Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)
5	12	4¾	31	67¾	
6	14⅝		32	69⅞	
7	16¾		33	72	
8	18⅞		34		
9	21		35		
10	23⅙	5⅞	36		
11	25¼		37		
12	27⅞		38		
13	29½		39		
14	31⅞		40		
15	33¾		41		
16	35⅞		42		
17	38		43		
18	40⅞		44		
19	42¼		45		
20	44⅞	7⅞	46		
21	46½		47		
22	48⅞		48		
23	50¾		49		
24	52⅞		50		
25	55		51		
26	57⅞		52		
27	59¼		53		
28	61⅞		54		
29	63½		55		
30	65⅞	8¾			

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction).
Excludes specialty shapes.

Traditions 2" and $2\frac{3}{8}$ " Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 24	4	2	2	0
$24\frac{1}{16}$ to $36\frac{1}{2}$	$6\frac{1}{2}$	2	2	0
$36\frac{1}{16}$ to 50	$6\frac{1}{2}$	3	2	1 over 48" FBW
$50\frac{1}{16}$ to 60	$6\frac{1}{2}$	3	3	1
$60\frac{1}{16}$ to 84	$6\frac{1}{2}$	4	4	2 over 72" FBW

NOTES:

1. Maximum spacing between ladders is $23\frac{1}{2}$ ".
2. Standard control positions: tilt left; tilt right is optional.
3. Maximum width is 84". Wider blinds must be multiple blinds on one headrail.

2" and $2\frac{3}{8}$ " Elite Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 24	4	2	2	0
$24\frac{1}{16}$ to $36\frac{1}{2}$	$6\frac{1}{2}$	2	2	0
$36\frac{1}{16}$ to 50	$6\frac{1}{2}$	3	2	1 over 48" FBW
$50\frac{1}{16}$ to 60	$6\frac{1}{2}$	3	3	1
$60\frac{1}{16}$ to 84	$6\frac{1}{2}$	4	4	2 over 72" FBW

NOTES:

1. Maximum spacing between ladders is $23\frac{1}{2}$ ".
2. Standard control positions: tilt left; tilt right is optional.
3. Maximum width is 84". Wider blinds must be multiple blinds on one headrail.

General Information

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction).

Traditions 2" and 2½" Composite Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 22	4	2	2	0
22½ to 38	5	3	3	0
38½ to 52	5	4	4	1 over 48" FBW
52½ to 72	5	5	5	1

NOTES:

1. Maximum spacing between ladders is 14".
2. Standard control positions: tilt left; tilt right is optional.
3. Maximum width is 66". Wider blinds must be multiple blinds on one headrail.

Lake Forest 2" and 2½" Premium Faux Wood and Faux Wood Blinds with Cordless Lift

For Standard or Reverse Controls


Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 19	4	2	2	0
19½ to 30	4	3	2	0
30½ to 41	4	4	4	0
41½ to 52	4	5	3	1 over 48" FBW
52½ to 72	4	6	6	1

NOTES:

1. Maximum spacing between ladders is 11".
2. Standard control positions: tilt left; tilt right is optional.
3. Maximum width is 63". Wider blinds must be multiple blinds on one headrail.


General Information

Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood



To lower blind, simply pull down on the bottomrail. To raise the blind, simply guide the blind into the desired location by gently lifting the bottomrail.

Slat Comparison



GRABER®

Grabber is a brand of Springs Window Fashions, the Best Experience Company

Grabber and the Grabber logo are registered trademarks of Springs Window Fashions, LLC.

(06/25) 25-679950

GRABER®

Graber is a brand of Springs Window Fashions, the Best Experience Company

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

(06/25) 25-679950

GRABER.

Grabber Traditions® Wood, Elite Wood, Composite, and Lake Forest® Faux Wood Blinds Designer US Price List — Effective June 2025

Price Group B: Traditions® 2" (5.1 cm) Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	300	274	303	339	359	375	408	460	471	486	563	593	620	647	697	752	806
36 (91.5)	325	296	330	364	386	405	452	506	524	533	622	644	675	701	761	824	883
42 (106.7)	343	318	349	387	415	440	494	551	563	591	668	710	747	777	844	914	981
48 (122)	359	334	373	412	442	471	532	594	620	647	726	779	830	863	940	1019	1098
54 (137.2)	379	353	399	439	477	506	574	633	675	709	798	850	899	953	1038	1124	1210
60 (152.4)	402	375	421	464	504	541	616	672	726	761	855	917	971	1023	1117	1209	1303
66 (167.7)	427	400	443	492	532	585	667	731	780	825	922	983	1076	1122	1227	1332	1434
72 (182.9)	451	427	464	516	568	625	713	781	824	870	975	1040	1106	1158	1265	1372	1480
78 (198.2)	461	434	477	527	578	642	728	802	842	920	1033	1106	1171	1225	1339	1455	1570
84 (213.4)	486	456	499	555	609	675	761	813	897	979	1092	1169	1246	1303	1428	1548	1674
90 (228.6)	508	482	521	579	644	713	797	855	943	1029	1143	1240	1318	1379	1511	1642	1773
96 (243.9)	524	497	534	595	668	736	831	903	1001	1089	1214	1306	1389	1454	1595	1734	1870
102 (259.1)	541	515	558	622	697	776	877	954	1053	1149	1284	1378	1470	1536	1684	1831	1976
108 (274.4)	563	532	574	648	729	811	914	996	1104	1203	1336	1438	1536	1604	1761	1915	2069
114 (289.6)	578	552	597	675	762	844	956	1045	1151	1260	1407	1510	1607	1684	1845	2010	2171
120 (304.8)	598	573	620	697	791	884	997	1067	1207	1311	1458	1573	1678	1761	1928	2102	2272

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47																
Symphony Valance	10	10	12	18	21	27	29	31	34	37	41	45	46	50	54	60	65
5 1/2" Craftsman Valance	20	20	24	36	42	54	58	62	68	74	82	90	92	100	108	120	130

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Paint Colors

Angora	1052	Dovetail	1839	Snow White	1850
Antique White	1026	Grey Beige	1817	Snowflake	1603
Base White	1051	Medium Grey	1841	Snowflake Sandblast	SB603
Base Black	1767	Medium Grey Sandblast	SB841	Stepping Stone	1889
Crisp White	1712	Pearl	1840	Stucco	1963
Dover White	1683				

2" (5.1 cm) Stain Colors

Allspice	1821	Harbor Grey	1761	Sienna	1685
Cappuccino	1546	Henna	1949	Timeless Grey	1847
Cherry Wood	1014	Homestead Oak	1943	True Taupe	1848
Cognac	1465	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		
Golden Oak	1030	Saddle Brown	1694		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group C: Traditions® 2 3/8" (6.1 cm) Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	331	300	333	376	401	415	458	513	529	547	633	667	700	732	789	852	919
36 (91.5)	357	325	364	404	429	453	508	569	587	601	702	727	766	797	865	934	1007
42 (106.7)	380	352	386	430	463	493	556	619	633	664	755	804	846	884	963	1041	1120
48 (122)	401	369	411	460	494	529	600	670	700	732	823	886	942	984	1072	1162	1252
54 (137.2)	425	390	442	491	533	569	649	716	766	803	909	966	1026	1088	1187	1286	1389
60 (152.4)	450	415	466	520	563	608	696	762	823	865	971	1047	1110	1171	1278	1386	1494
66 (167.7)	475	445	495	554	600	662	754	828	888	935	1050	1121	1228	1283	1404	1524	1648
72 (182.9)	506	475	520	578	640	706	809	889	934	989	1113	1189	1267	1324	1450	1574	1700
78 (198.2)	515	487	533	594	653	723	826	912	961	1048	1180	1267	1344	1403	1535	1672	1805
84 (213.4)	547	512	560	627	689	766	865	929	1024	1117	1249	1341	1428	1494	1639	1780	1925
90 (228.6)	570	538	586	654	727	809	907	971	1073	1178	1306	1423	1511	1583	1734	1886	2040
96 (243.9)	587	558	602	672	755	837	943	1030	1145	1246	1391	1498	1594	1670	1832	1992	2154
102 (259.1)	608	577	632	702	789	883	997	1089	1202	1318	1470	1582	1687	1765	1934	2108	2276
108 (274.4)	633	600	649	734	827	923	1041	1135	1261	1377	1532	1652	1765	1843	2022	2205	2382
114 (289.6)	653	622	674	766	866	963	1092	1194	1320	1445	1614	1733	1849	1934	2124	2314	2502
120 (304.8)	675	647	700	789	898	1008	1138	1222	1381	1502	1677	1809	1931	2022	2222	2421	2620

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47																
Symphony Valance	10	10	12	18	21	27	29	31	34	37	41	45	46	50	54	60	65
5 1/2" Craftsman Valance	20	20	24	36	42	54	58	62	68	74	82	90	92	100	108	120	130

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with 2 3/8" (6.1 cm) blinds or cordless lift for better headrail coverage.

2 3/8" (6.1 cm) Paint Colors

Antique White	3026	Dover White	3683	Snowflake	3603
Base White	3051	Dovetail	3839	Stepping Stone	3889
Base Black	3767	Medium Grey	3841		

2 3/8" (6.1 cm) Stain Colors

Golden Oak	3030	Saddle Brown	3694	Walnut	3012
Honey Maple	3013	Timeless Grey	3847	Wheat	3710
Natural	3007	True Taupe	3848		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See product information guide for more information. If the stained or painted color is not listed above, please enter order as elite wood in the color and slat size needed. Order does not need to be processed as custom color.

Price Group D: Traditions® 2" (5.1 cm) Wood Blinds—Unique Finishes: Barnwood, Distressed

Height up to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	353	327	369	412	438	466	510	577	591	610	713	748	789	821	893	967	1039
36 (91.5)	383	359	402	443	479	506	568	638	656	675	796	817	866	899	984	1064	1150
42 (106.7)	406	381	428	482	515	551	622	697	713	746	849	909	961	1005	1095	1186	1279
48 (122)	430	404	457	514	554	591	672	751	789	821	931	1006	1067	1116	1222	1329	1434
54 (137.2)	459	432	491	547	595	638	726	804	866	907	1028	1097	1163	1234	1347	1465	1580
60 (152.4)	491	466	521	581	634	688	787	863	931	976	1103	1186	1257	1330	1457	1580	1704
66 (167.7)	520	494	557	619	672	742	847	937	1007	1063	1196	1276	1399	1466	1605	1746	1885
72 (182.9)	555	525	581	651	717	796	909	1009	1061	1123	1265	1351	1441	1512	1656	1801	1943
78 (198.2)	569	545	595	669	739	812	934	1033	1092	1189	1340	1439	1532	1599	1752	1908	2063
84 (213.4)	599	575	627	702	782	867	976	1049	1161	1272	1425	1531	1627	1704	1871	2036	2204
90 (228.6)	628	601	655	739	817	909	1026	1103	1226	1333	1489	1619	1727	1805	1979	2160	2334
96 (243.9)	651	626	676	754	849	944	1068	1172	1304	1416	1589	1708	1822	1906	2091	2279	2468
102 (259.1)	674	649	709	796	895	1003	1132	1236	1371	1494	1678	1804	1928	2018	2216	2414	2613
108 (274.4)	700	674	734	826	935	1043	1182	1290	1436	1570	1749	1886	2016	2112	2318	2526	2733
114 (289.6)	723	700	760	866	982	1095	1238	1356	1500	1648	1845	1979	2116	2215	2432	2650	2869
120 (304.8)	754	726	790	895	1018	1143	1291	1392	1577	1715	1917	2067	2207	2314	2543	2772	3002

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide.

Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

2" (5.1 cm) Barnwood Colors

Medium Pewter Barnwood	1049	Windswept Barnwood	1072
------------------------	------	--------------------	------

2" (5.1 cm) Distressed Colors

Distressed Smoky Coal	1572	Distressed Twig	1070
-----------------------	------	-----------------	------

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group E: 2" (5.1 cm) Elite Wood Blinds

Height up to to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	364	339	376	427	476	524	569	609	653	706	749	790	844	892	976	1058	1140
36 (91.5)	388	364	407	450	504	556	608	655	704	753	804	847	891	944	1031	1117	1203
42 (106.7)	411	386	430	490	551	604	663	718	775	825	878	932	984	1037	1135	1234	1328
48 (122)	436	409	463	520	581	646	713	774	838	903	963	1031	1096	1160	1271	1378	1488
54 (137.2)	465	438	499	562	633	704	779	852	929	997	1071	1145	1218	1294	1415	1535	1659
60 (152.4)	499	473	524	608	692	774	852	932	1015	1096	1178	1256	1340	1419	1555	1690	1827
66 (167.7)	526	501	567	655	745	838	929	1015	1101	1194	1280	1372	1463	1554	1702	1851	2001
72 (182.9)	563	532	608	704	804	903	997	1096	1194	1291	1390	1484	1584	1680	1843	2006	2168
78 (198.2)	569	545	646	753	860	963	1071	1178	1280	1390	1500	1601	1705	1843	2021	2204	2381
84 (213.4)	600	575	692	804	916	1031	1145	1256	1372	1484	1601	1712	1859	1975	2167	2360	2553
90 (228.6)	632	608	732	852	970	1096	1218	1340	1463	1584	1705	1859	1980	2106	2314	2520	2726
96 (243.9)	664	640	774	903	1031	1159	1291	1419	1556	1680	1843	1975	2104	2240	2461	2680	2902
102 (259.1)	699	674	808	948	1085	1224	1366	1502	1640	1809	1950	2090	2232	2373	2607	2844	3078
108 (274.4)	732	704	852	997	1145	1291	1440	1584	1729	1908	2059	2206	2354	2504	2753	3003	3251
114 (289.6)	762	739	890	1048	1202	1354	1511	1663	1848	2006	2165	2321	2478	2638	2902	3162	3427
120 (304.8)	798	774	932	1096	1256	1419	1584	1749	1941	2106	2273	2437	2602	2769	3043	3317	3591

Add Surcharge to Blind Price

Custom Color (net per color)	199
Multiple Blinds on One Headrail (no charge to right of heavy line)	47

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Paint Colors

Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Base Black	1767	Medium Grey	1841	Stucco	1963
Crisp White	1712	Pearl	1840		
Custom Color Paint	CUSP				

2" (5.1 cm) Stain Colors

Allspice	1821	Golden Oak	1030	Saddle Brown	1694
Cappuccino	1546	Harbor Grey	1761	Sienna	1685
Cherry Wood	1014	Henna	1949	Timeless Grey	1847
Cognac	1465	Homestead Oak	1943	True Taupe	1848
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		

2" (5.1 cm) Rustic Stain Colors

Rustic Cognac	R1465	Rustic Golden Oak	R1030	Rustic Harbor Grey	R1761
---------------	-------	-------------------	-------	--------------------	-------

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group F: 2 3/8" (6.1 cm) Elite Wood Blinds

Width up to inches (cm) →																		
Height up to inches (cm) ↓	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)	
30 (76.2)	405	383	402	470	530	587	639	680	735	800	843	892	954	1009	1103	1198	1292	
36 (91.5)	412	392	437	503	566	622	679	740	797	848	909	959	1007	1069	1171	1269	1368	
42 (106.7)	430	406	474	545	611	677	742	806	869	931	992	1054	1111	1177	1284	1397	1505	
48 (122)	457	434	509	583	653	726	801	867	941	1019	1092	1168	1246	1320	1442	1570	1693	
54 (137.2)	490	466	545	627	713	797	875	963	1049	1130	1214	1295	1384	1466	1608	1748	1883	
60 (152.4)	524	503	587	679	776	867	963	1055	1151	1246	1335	1427	1522	1615	1771	1925	2080	
66 (167.7)	554	530	633	740	840	941	1049	1151	1249	1351	1459	1558	1664	1767	1939	2109	2281	
72 (182.9)	594	570	679	797	909	1019	1130	1246	1351	1463	1578	1689	1803	1910	2098	2285	2471	
78 (198.2)	627	602	726	848	969	1092	1214	1335	1459	1578	1705	1820	1943	2101	2308	2517	2722	
84 (213.4)	665	643	776	909	1035	1168	1295	1427	1558	1689	1820	1952	2119	2251	2476	2697	2922	
90 (228.6)	700	679	823	963	1098	1246	1384	1522	1664	1803	1943	2119	2260	2406	2643	2881	3120	
96 (243.9)	740	716	867	1019	1168	1319	1463	1615	1771	1910	2101	2251	2405	2559	2813	3066	3319	
102 (259.1)	782	758	912	1072	1228	1392	1554	1708	1867	2063	2229	2385	2549	2715	2985	3254	3525	
108 (274.4)	817	797	963	1130	1295	1463	1634	1803	1972	2175	2349	2520	2693	2863	3150	3433	3720	
114 (289.6)	857	831	1006	1185	1364	1540	1719	1898	2109	2289	2471	2652	2832	3015	3317	3616	3915	
120 (304.8)	890	867	1055	1246	1427	1615	1803	1994	2212	2406	2593	2783	2975	3163	3483	3801	4122	

Add Surcharge to Blind Price

Custom Color (net per color)	199
Multiple Blinds on One Headrail (no charge to right of heavy line)	47

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 86" (218.5 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Legacy, craftsman, or symphony valances are recommended with 2 3/8" (6.1 cm) blinds or cordless lift for better headrail coverage.

2 3/8" (6.1 cm) Paint Colors					
Angora	3052	Dover White	3683	Snow White	3850
Antique White	3026	Dovetail	3839	Snowflake	3603
Base White	3051	Grey Beige	3817	Stepping Stone	3889
Base Black	3767	Medium Grey	3841	Stucco	3963
Crisp White	3712	Pearl	3840		
Custom Color Paint	CUSP				

2 3/8" (6.1 cm) Stain Colors					
Allspice	3821	Golden Oak	3030	Saddle Brown	3694
Cappuccino	3546	Harbor Grey	3761	Sienna	3685
Cherry Wood	3014	Henna	3949	Timeless Grey	3847
Cognac	3465	Homestead Oak	3943	True Taupe	3848
Custom Color Stain	CUSS	Honey Maple	3013	Truffle	3054
Dark Cherry	3316	Knotty Pine	3515	Walnut	3012
Dark Walnut	3641	Natural	3007	Wheat	3710
Espresso	3716	Roasted Chestnut	3849		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood.

Price Group G: 2" (5.1 cm) Elite Wood Blinds—Authentic Hardwoods

Width up to inches (cm) →																	
Height up to inches (cm) ↓	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	682	654	762	830	892	956	1066	1228	1266	1303	1549	1642	1728	1818	1994	2167	2343
36 (91.5)	755	726	841	906	983	1054	1203	1375	1429	1463	1689	1809	1910	2012	2209	2410	2607
42 (106.7)	812	786	911	991	1076	1158	1333	1514	1554	1637	1883	2023	2140	2251	2475	2697	2920
48 (122)	865	841	983	1071	1172	1273	1460	1646	1741	1818	2072	2257	2391	2527	2778	3032	3281
54 (137.2)	940	913	1064	1155	1273	1375	1591	1777	1922	2020	2314	2479	2625	2770	3044	3320	3594
60 (152.4)	1017	992	1154	1246	1363	1492	1730	1922	2072	2190	2502	2690	2846	3004	3304	3605	3907
66 (167.7)	1085	1059	1222	1326	1460	1620	1879	2089	2263	2402	2719	2917	3141	3363	3698	4037	4374
72 (182.9)	1173	1147	1310	1411	1568	1751	2028	2268	2395	2540	2878	3098	3282	3472	3823	4175	4527
78 (198.2)	1201	1174	1346	1445	1610	1804	2082	2328	2474	2705	3065	3303	3499	3694	4066	4438	4811
84 (213.4)	1278	1248	1425	1524	1719	1924	2188	2375	2632	2899	3271	3514	3728	3940	4337	4735	5134
90 (228.6)	1354	1328	1507	1610	1809	2029	2307	2502	2792	3064	3428	3738	3965	4192	4618	5041	5463
96 (243.9)	1397	1374	1549	1655	1883	2117	2416	2654	2969	3248	3666	3957	4230	4504	4963	5420	5879
102 (259)	1458	1429	1626	1743	2000	2248	2564	2812	3137	3449	3880	4168	4459	4748	5229	5714	6196
108 (274)	1521	1493	1699	1822	2088	2351	2690	2946	3299	3620	3912	4202	4497	4786	5275	5762	6250
114 (289)	1577	1549	1787	1922	2193	2475	2822	3106	3462	3808	4117	4422	4731	5039	5546	6062	6573
120 (304)	1646	1617	1861	2000	2294	2588	2951	3192	3620	3940	4259	4603	4945	5295	5830	6371	6908

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" (213.4 cm) wide. Cordless lift maximum height is 78" (198.2 cm); 68" (172.8 cm) for Walnut.

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

2" (5.1 cm) Authentic Hardwood Colors

Cherry	C007	Maple	M007	Walnut	W007
--------	------	-------	------	--------	------

NOTE: Premier Walnut, Maple, and Cherry will have the unique natural variations of these beautiful hardwoods—these variations are to be expected. Blinds made from these materials will undergo a degree of color change over time, further enhancing the beauty of the wood.

Price Group H: Angle Top or Bottom, Trapezoid, Triangle, Octagon, and Arched Blinds

Width up to inches (cm) →													
Height up to inches (cm) ↓	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)
30 (76.2)	2372	2408	2451	2483	2521	2558	2597	2631	2669	2705	2746	2780	2818
36 (91.5)	2393	2432	2479	2521	2561	2601	2649	2687	2731	2773	2818	2858	2897
42 (106.7)	2412	2458	2512	2558	2603	2649	2702	2746	2791	2836	2889	2933	2980
48 (122)	2434	2483	2543	2594	2645	2696	2752	2801	2856	2904	2960	3011	3062
54 (137.2)	2457	2513	2575	2631	2687	2746	2808	2863	2922	2979	3041	3096	3154
60 (152.4)	2477	2539	2608	2669	2731	2791	2860	2920	2982	3046	3113	3231	3366
66 (167.7)	2499	2565	2638	2705	2773	2838	2912	2977	3046	3135	3283	3438	3589
72 (182.9)	2518	2594	2669	2738	2812	2884	2961	3033	3106	3315	3478	3640	3800
78 (198.2)	2538	2618	2702	2776	2854	2931	3014	3090	3169	3498	3667	3846	4076
84 (213.4)	2561	2641	2731	2812	2895	2977	3066	3147	3230	3667	3854	4102	4295
90 (228.6)	2582	2669	2764	2848	2934	3024	3114	3203	3294	3846	4102	4309	4515
96 (243.9)	2601	2692	2791	2884	2977	3069	3168	3257	3353	4076	4295	4514	4743
102 (259.1)	2621	2721	2823	2920	3020	3114	3219	3319	3417	4257	4489	4728	4961
108 (274.4)	2641	2746	2856	2956	3060	3161	3272	3375	3554	4433	4680	4932	5184
114 (289.6)	2664	2773	2886	2990	3100	3207	3322	3457	3719	4614	4877	5140	5405
120 (304.8)	2683	2796	2916	3028	3140	3254	3375	3608	3887	4793	5069	5345	5625

Add Surcharge to Blind Price

Custom Color (net per color)	199
Template Service Fee (net per order)	27

2" (5.1 cm) Paint Colors

Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Base Black	1767	Medium Grey	1841	Stucco	1963
Crisp White	1712	Pearl	1840		
Custom Color Paint	CUSP				

2" (5.1 cm) Stain Colors

Allspice	1821	Golden Oak	1030	Saddle Brown	1694
Cappuccino	1546	Harbor Grey	1761	Sienna	1685
Cherry Wood	1014	Henna	1949	Timeless Grey	1847
Cognac	1465	Homestead Oak	1943	True Taupe	1848
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. Use appropriate wood color numbers for 2 3/8" slats, see price chart for this product.

Price Group I: Circle and Oval Blinds

Width up to inches (cm) →										
Diameter up to	24	32	36	42	48	54	60	66	72	
inches	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	
(cm) ↓										
72 (182.9)	5475	5540	5655	5811	5937	6138	6288	6450	6711	

Add Surcharge to Blind Price

Custom Color (net per color)	199
Template Service Fee (net per order)	27

2" (5.1 cm) Paint Colors

Angora	1052	Dover White	1683	Snow White	1850
Antique White	1026	Dovetail	1839	Snowflake	1603
Base White	1051	Grey Beige	1817	Stepping Stone	1889
Base Black	1767	Medium Grey	1841	Stucco	1963
Crisp White	1712	Pearl	1840		
Custom Color Paint	CUSP				

2" (5.1 cm) Stain Colors

Allspice	1821	Golden Oak	1030	Saddle Brown	1694
Cappuccino	1546	Harbor Grey	1761	Sienna	1685
Cherry Wood	1014	Henna	1949	Timeless Grey	1847
Cognac	1465	Homestead Oak	1943	True Taupe	1848
Custom Color Stain	CUSS	Honey Maple	1013	Truffle	1054
Dark Cherry	1316	Knotty Pine	1515	Walnut	1012
Dark Walnut	1641	Natural	1007	Wheat	1710
Espresso	1716	Roasted Chestnut	1849		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. Use appropriate wood color numbers for 2 3/8" slats, see price chart for this product.

Price Group K: Traditions® 2" (5.1 cm) Composite Blinds

Width up to inches (cm) →																
Height up to	12	24	32	36	42	48	54	60	66	72	78	84	90	96	106	116
inches	(30.5)	(61)	(81.3)	(91.5)	(106.7)	(122)	(137.2)	(152.4)	(167.7)	(182.9)	(198.2)	(213.4)	(228.6)	(243.9)	(269.3)	(294.7)
(cm) ↓																
30 (76.2)	304	276	306	341	362	381	411	463	477	491	566	592	625	649	703	760
36 (91.5)	329	301	332	368	387	410	457	506	530	538	626	647	680	711	774	837
42 (106.7)	345	315	356	389	417	442	495	551	566	590	672	715	754	785	852	924
48 (122)	363	335	378	412	446	477	537	597	625	649	730	786	834	875	950	1029
54 (137.2)	384	358	394	441	478	506	579	636	680	715	805	854	905	946	1032	1117
60 (152.4)	410	381	426	467	504	544	624	678	730	767	863	921	975	1016	1112	1208
66 (167.7)	432	397	448	493	537	586	670	736	786	829	929	991	1087	1129	1236	1336
72 (182.9)	461	435	467	524	569	626	715	787	828	877	981	1048	1115	1165	1272	1384
78 (198.2)	467	439	478	535	581	646	730	809	848	924	1040	1112	1179	1237	1351	1467
84 (213.4)	491	462	500	552	618	682	764	825	905	990	1100	1179	1253	1311	1437	1565
90 (228.6)	516	487	526	585	647	715	799	863	953	1036	1150	1251	1331	1389	1521	1657
96 (243.9)	530	497	539	598	672	740	835	909	1010	1095	1224	1320	1399	1464	1605	1751
102 (259.1)	545	521	564	626	707	784	880	960	1058	1158	1290	1389	1482	1550	1700	1847
108 (274.4)	566	538	580	650	731	818	921	999	1111	1211	1345	1452	1547	1615	1773	1929
114 (289.6)	584	552	602	680	767	851	961	1050	1161	1270	1418	1519	1618	1697	1859	2022
120 (304.8)	609	579	625	707	796	892	1000	1079	1213	1323	1468	1587	1695	1772	1943	2117

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" (167.7 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Composite Colors

Antique White	2026	Creamy White	2729	Silk White	2922
Base White	2051	Seattle Grey	2174		

Price Group L: Traditions® 2 1/2" (6.4 cm) Composite Blinds

Height up to		Width up to inches (cm) →																
inches (cm) ↓		12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)		316	287	319	355	377	397	431	487	500	514	595	623	660	683	743	802	865
36 (91.5)		343	314	346	385	407	430	479	533	555	564	661	680	716	752	819	884	951
42 (106.7)		361	327	370	409	437	464	519	581	595	622	708	755	796	829	901	980	1052
48 (122)		380	347	392	432	467	500	563	628	660	683	770	831	881	921	1005	1090	1172
54 (137.2)		399	373	413	463	501	533	607	669	716	755	850	903	957	1000	1092	1183	1274
60 (152.4)		430	397	443	490	529	572	659	715	770	810	911	975	1033	1076	1177	1278	1379
66 (167.7)		450	415	468	517	563	617	705	777	831	876	983	1046	1149	1195	1309	1417	1527
72 (182.9)		483	455	490	551	598	661	755	832	874	928	1037	1108	1180	1232	1349	1466	1586
78 (198.2)		490	462	501	561	614	678	770	854	895	980	1101	1177	1251	1310	1433	1555	1682
84 (213.4)		514	485	524	582	653	720	809	869	957	1045	1166	1251	1328	1390	1526	1658	1794
90 (228.6)		541	509	554	616	680	755	845	911	1008	1096	1218	1325	1411	1472	1613	1759	1900
96 (243.9)		555	521	567	629	708	782	882	961	1067	1156	1297	1400	1482	1553	1705	1859	2008
102 (259.1)		575	547	593	661	745	828	931	1015	1120	1228	1370	1472	1568	1643	1805	1963	2122
108 (274.4)		595	564	608	684	771	865	975	1058	1176	1283	1427	1540	1642	1714	1882	2049	2216
114 (289.6)		615	582	632	716	810	899	1016	1111	1229	1348	1503	1612	1717	1800	1974	2150	2323
120 (304.8)		640	607	660	745	838	941	1059	1144	1286	1402	1558	1682	1797	1881	2062	2247	2432

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" (167.7 cm) wide.

Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with 2 1/2" (6.4 cm) blinds or cordless lift for better headrail coverage.

2 1/2" (6.4 cm) Composite Colors

Antique White	7026	Creamy White	7729	Silk White	7922
Base White	7051	Seattle Grey	7174		

Price Group M: Lake Forest® 2" (5.1 cm) Premium Faux Wood Blinds

Width up to inches (cm) →																	
Height up to inches (cm) ↓	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	295	271	295	328	352	364	397	448	457	467	540	568	596	620	675	729	784
36 (91.5)	320	293	319	355	373	393	437	484	506	520	597	617	650	675	732	792	852
42 (106.7)	334	304	342	373	403	428	477	530	540	566	637	680	715	744	810	880	946
48 (122)	352	320	364	400	430	457	511	569	596	620	698	749	794	827	902	974	1049
54 (137.2)	373	347	380	426	458	484	551	607	650	680	763	814	862	901	983	1066	1147
60 (152.4)	392	364	404	452	482	525	591	649	698	729	818	877	928	966	1055	1145	1237
66 (167.7)	411	384	433	471	511	565	635	699	749	787	882	943	1027	1072	1171	1272	1370
72 (182.9)	440	409	452	494	544	598	680	751	787	830	930	993	1058	1104	1208	1310	1415
78 (198.2)	451	418	458	508	553	614	698	770	809	881	989	1055	1118	1184	1296	1407	1519
84 (213.4)	474	448	479	536	589	650	725	783	862	938	1046	1118	1194	1272	1391	1510	1632
90 (228.6)	492	463	505	553	617	682	762	818	904	987	1089	1198	1308	1389	1521	1657	1789
96 (243.9)	508	479	520	572	637	707	794	866	961	1042	1162	1286	1399	1464	1605	1751	1892
102 (259.1)	523	492	538	597	666	744	834	910	1005	1099	1191	1324	1460	1550	1700	1847	1999
108 (274.4)	545	520	552	624	699	776	877	950	1055	1162	1270	1374	1477	1607	1766	1925	2084
114 (289.6)	560	535	575	650	730	810	914	995	1080	1176	1277	1399	1521	1644	1804	1968	2128
120 (304.8)	575	550	597	666	758	847	953	1022	1095	1205	1319	1431	1546	1657	1819	1981	2145

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Woodgrain Colors					
Cognac	2465	Moonshine	2738	Sienna	2685
Dark Cherry	2316	Morel	2706	Walnut	2012
Golden Oak	2030	Natural	2007	Wheat	2710
Honey Maple	2013	Phantom	2707		
Misty Grey	2230	Saddle Brown	2694		

Price Group N: Lake Forest® 2 1/2" (6.4 cm) Premium Faux Wood Blinds

Width up to inches (cm) →																	
Height up to inches (cm) ↓	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	307	279	307	342	365	380	413	469	477	489	567	596	625	653	711	766	827
36 (91.5)	331	304	330	368	390	411	459	508	531	546	628	647	684	711	773	835	899
42 (106.7)	347	317	357	390	420	446	499	555	567	594	670	718	755	783	856	929	999
48 (122)	365	331	380	417	448	477	538	598	625	653	735	787	836	872	951	1030	1109
54 (137.2)	390	363	396	445	480	508	579	639	684	718	806	858	908	950	1038	1128	1214
60 (152.4)	410	380	421	472	506	551	622	682	735	766	865	922	980	1021	1114	1213	1308
66 (167.7)	431	400	452	494	538	593	668	736	787	830	931	994	1085	1132	1238	1344	1451
72 (182.9)	461	425	472	518	571	629	718	790	830	874	984	1051	1119	1168	1275	1386	1497
78 (198.2)	470	439	480	535	582	645	735	811	854	930	1041	1114	1182	1253	1373	1489	1610
84 (213.4)	496	469	504	562	621	684	764	825	908	989	1107	1182	1262	1344	1474	1603	1730
90 (228.6)	516	487	529	582	647	719	805	865	954	1040	1153	1269	1385	1500	1648	1790	1932
96 (243.9)	535	504	546	599	670	746	836	915	1015	1102	1228	1360	1491	1622	1777	1936	2095
102 (259.1)	548	516	564	628	704	783	880	963	1060	1161	1259	1403	1545	1686	1855	2024	2192
108 (274.4)	575	546	581	657	736	816	922	1002	1114	1228	1343	1454	1565	1705	1874	2042	2212
114 (289.6)	589	561	605	684	767	856	966	1055	1142	1246	1353	1484	1613	1745	1916	2086	2257
120 (304.8)	605	577	628	704	802	894	1008	1081	1156	1273	1397	1516	1637	1756	1930	2101	2276

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with 2 1/2" (6.4 cm) blinds or cordless lift for better headrail coverage.

2 1/2" (6.4 cm) Woodgrain Colors					
Cognac	7465	Moonshine	7738	Sienna	7685
Dark Cherry	7316	Morel	7706	Walnut	7012
Golden Oak	7030	Natural	7007	Wheat	7710
Honey Maple	7013	Phantom	7707		
Misty Grey	7230	Saddle Brown	7694		

Price Group O: Lake Forest® 2" (5.1 cm) Faux Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	283	256	277	305	324	342	370	411	424	434	497	523	542	565	613	659	706
36 (91.5)	299	274	298	330	347	365	403	446	466	472	546	564	595	618	673	726	781
42 (106.7)	314	286	316	347	374	391	439	483	497	522	587	622	654	681	740	798	858
48 (122)	326	299	342	373	393	424	470	526	542	565	635	683	723	755	821	886	954
54 (137.2)	347	317	354	388	428	446	509	555	595	622	699	741	787	817	886	959	1031
60 (152.4)	366	342	375	415	444	480	541	592	635	666	749	797	846	879	958	1038	1118
66 (167.7)	384	359	394	438	470	518	582	638	683	717	801	856	933	972	1061	1149	1239
72 (182.9)	409	382	415	460	500	550	622	686	717	760	850	902	961	1003	1095	1189	1284
78 (198.2)	415	387	428	468	511	562	635	703	736	800	895	959	1018	1072	1171	1267	1368
84 (213.4)	439	411	442	492	540	595	665	709	787	852	948	1018	1082	1152	1257	1364	1470
90 (228.6)	459	432	465	511	564	623	698	749	824	890	992	1085	1183	1283	1401	1521	1641
96 (243.9)	468	442	472	527	587	643	723	789	873	946	1054	1166	1275	1381	1515	1647	1781
102 (259.1)	480	453	495	546	613	681	763	831	915	997	1079	1200	1320	1440	1582	1720	1858
108 (274.4)	501	472	510	567	638	706	797	863	959	1054	1149	1241	1339	1455	1597	1736	1878
114 (289.6)	516	485	529	595	667	739	833	905	978	1070	1155	1265	1376	1487	1627	1767	1913
120 (304.8)	534	507	546	613	697	771	868	931	994	1093	1197	1294	1397	1499	1645	1788	1932

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with cordless lift for better headrail coverage.

2" (5.1 cm) Smooth and Textured Colors					
Almond	5724	Coconut Textured*	5299	Seattle Grey	5174
Buttermilk	5078	Marshmallow	5742	White	5035
Buttermilk Textured*	5953	Milky Way	5058	White Textured*	5951
Coconut	5630	Milky Way Textured*	5304		

*Classic valance will be textured to coordinate with textured slats. Majestic valance will be color coordinated in a smooth finish.

Price Group P: Lake Forest® 2 1/2" (6.4 cm) Faux Wood Blinds

Height up to inches (cm) ↓	Width up to inches (cm) →																
	12 (30.5)	24 (61)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	90 (228.6)	96 (243.9)	106 (269.3)	116 (294.7)	120 (304.8)
30 (76.2)	289	263	287	316	338	355	386	426	443	449	518	547	571	590	642	693	743
36 (91.5)	311	283	309	344	361	380	417	468	485	492	574	587	625	646	707	762	819
42 (106.7)	322	298	326	361	389	411	458	506	518	546	615	653	686	715	779	838	902
48 (122)	341	311	355	388	412	443	491	548	571	590	666	718	756	790	865	935	1007
54 (137.2)	361	327	368	407	445	468	533	582	625	653	732	781	825	857	935	1010	1085
60 (152.4)	384	355	390	435	463	501	566	620	666	698	785	837	889	921	1009	1094	1178
66 (167.7)	399	372	413	457	491	541	609	668	718	753	844	901	983	1022	1119	1212	1308
72 (182.9)	425	395	435	479	523	576	653	721	753	798	892	947	1013	1058	1155	1256	1354
78 (198.2)	435	404	445	489	538	586	666	739	775	841	941	1010	1071	1129	1233	1336	1440
84 (213.4)	458	426	461	513	564	625	697	745	825	895	996	1071	1141	1213	1327	1439	1553
90 (228.6)	477	448	484	538	587	655	731	785	866	939	1041	1144	1250	1352	1480	1606	1732
96 (243.9)	489	461	492	550	615	674	756	830	916	994	1109	1228	1344	1458	1598	1739	1881
102 (259.1)	501	473	516	574	642	715	802	873	963	1051	1135	1264	1393	1521	1668	1818	1961
108 (274.4)	524	492	535	594	668	743	837	911	1010	1109	1212	1310	1411	1535	1686	1835	1983
114 (289.6)	540	508	554	625	699	777	878	951	1030	1127	1218	1335	1453	1567	1720	1868	2022
120 (304.8)	558	531	574	642	730	811	913	981	1045	1152	1261	1365	1474	1584	1736	1888	2042

Add Surcharge to Blind Price

Multiple Blinds on One Headrail (no charge to right of heavy line)	47
--	----

NOTE: Cordless lift blinds are available in the thin outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" (160.1 cm) wide. Cordless lift maximum height is 72" (182.9 cm).

NOTE: Due to weight limitations, blinds to right of heavy line will be manufactured as multiple blinds on one headrail.

NOTE: Single blinds over 43 square feet (3.99 square meters) will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

NOTE: Majestic valance is recommended with 2 1/2" (6.4 cm) blinds or cordless lift for better headrail coverage.

2 1/2" (6.4 cm) Smooth and Textured Colors				
Buttermilk	7078	Marshmallow	7742	White
Coconut	7630	Milky Way	7058	7035
Coconut Textured*	7299	Seattle Grey	7774	

*Classic valance will be textured to coordinate with textured slats. Majestic valance will be color coordinated in a smooth finish.

Options Pricing

Accent Color (Elite blinds only)	54 per blind
Bay and Corner Window	No charge
Custom Color	199 net per color
Cut-Outs (not available with cordless lift)	71
High Gloss Finish (Elite blinds only)	No charge
Hold Down Brackets	No charge
Incline Wire Blind - Tilt Only (Elite blinds only)	Double the price of the blind
Multiple Blinds on One Headrail	No charge: Right of the heavy line on the price charts 47 Left of the heavy line on the price charts
Projection Brackets (2 3/4" and 4 3/4" (7.0 cm and 12.1 cm)	No charge (outside mount only)
Sandblast Finish (2" (5.1 cm) Elite blinds only)	No charge
Shims (3/16") (0.5 cm)	Standard on all outside mount 2 3/8" (6.1 cm) and 2 1/2" (6.4 cm) slat blinds
Sky Poles	49 3 to 6 1/2 feet (1.0 to 2.0 m) 74 5 to 9 1/2 feet (1.6 to 2.9 m)
Specialty Shapes - Tilt Only (Elite blinds only)	See price charts
Template Service Fee	27 net
Valance Keystones: 3" Classic Wood Valance□ 3 1/2" Craftsman Wood Valance□ 3 1/2" Legacy Wood Valance□	24 each when requested without a splice
Valance Keystones: 4 1/2" Symphony Wood Valance	25 each when requested without a splice
5 1/2" Craftsman Wood Valance	45 each when requested without a splice
Wood Cornices and Valances	See cornices and valances product information guide